

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 October 2014**

(For the Period 15 September 2014 to 30 September 2014)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
				FSC/AREA		MCA	PREP ACTY	
N	MIL-DTL-32503	Mortar, 81 Millimeter - M252A2 (without M67 Sight Unit) [CUST: AR MC]	D	1015			AR	15-SEP-2014
N	MIL-DTL-32474	Cannon, 155 Millimeter Howitzer: M776 [CUST: AR] [REVIEW: MC]	C	1025			AR	08-SEP-2014
M	MIL-C-684D(2) NOT 3	Cups, Bullet Jacket, Copper Alloy Clad Steel: for Small Arms Ammunition [CUST: AR]	A	1305			AR	05-SEP-2014
M	MIL-STD-644A(5) NOT 2	Visual Inspection Standards and Inspection Procedures for Inspection of Packaging, Packing and Marking of Small Arms Ammunition [CUST: AR OS 99] [REVIEW: 70 MC MI MR SH]	A	1305			AR	12-SEP-2014
M	MIL-STD-1170 NOT 3	Visual Standards and Comparison Methods for Evaluating Grain Configuration in 7 62 MM Cartridge Cases [CUST: AV]	A	1305			AV	30-SEP-2014
M	MIL-PRF-0032499(11)	Cartridge, 40 Millimeter, Target Practice, Day Night Thermal, Low Velocity M781E1 [CUST: AR]	D	1310			AR	03-SEP-2014
M	MIL-PRF-0032500(11)	Cartridge, 40 Millimeter: Target Practice, Day Night Thermal, High Velocity, M918E1 [CUST: AR]	D	1310			AR	03-SEP-2014
M	MIL-PRF-32293(2)	Cap, Blasting, Electric - M6 [CUST: AR]	A	1375			AR	27-AUG-2014
M	MIL-DTL-45010B	Composition C-4 [CUST: AR OS 99] [REVIEW: 11 70 AV SH TE]	A	1376			AR	02-SEP-2014
M	MIL-STD-650(6) NOT 8	Explosive Sampling, Inspection and Testing [CUST: AR OS] [REVIEW: EA YD]	A	1376			AR	12-SEP-2014
M	MIL-HDBK-2066 NOT 3	Catapulting and Arresting Gear Forcing Functions for Aircraft Structural Design [CUST: AS]	A	1510			AS	25-SEP-2014
M	MIL-DTL-8815/31 NOT 1	Filter Elements, Non-Cleanable, Fluid Pressure, Hydraulic Line, 3,000 PSI, 5 Micron Absolute, -65 Degrees F to 275 Degrees F [CUST: AV]	A	1650			AV	25-SEP-2014
M	MIL-HDBK-2067 NOT 2	Aircrew Automated Escape Systems Reliability and Maintainability (R/M) Program Requirements for [CUST: AS] [REVIEW: GS]	A	1680			AS	25-SEP-2014
N	MIL-PRF-0032482	Watertight Door, Quick-Acting, Interior [CUST: SH]	A	2040			SH	15-SEP-2014
M	A-A-52475C	Chock, Wheel [CUST: AT SH 99 CC] [REVIEW: 71 AR MC SA YD]	A	2540	/		CC	15-SEP-2014
M	MIL-DTL-1407D NOT 1	Pin Set, Marking, Laundry [CUST: GL YD 99 IS] [REVIEW: 50 MD]	A	3510			IS	25-SEP-2014
M	A-A-52082D NOT 1	Tape, Lacing and Tying, TFE-Fluorocarbon [CUST: GL SH 99 IS] [REVIEW: 71 AR AS CR CR4 MC MD MI OS]	A	4020	/		IS	25-SEP-2014
M	MIL-PRF-18494F NOT 2	Life Rafts, Inflatable, Multi-Place [CUST: AS]	A	4220			AS	30-SEP-2014
M	MIL-DTL-25995E	Pipe, Aluminum Alloy, Drawn or Extruded [CUST: AT SH 99 CC] [REVIEW: 71 EA SA]	A	4710			CC	05-SEP-2014
M	QPL-25579-61	Hose Assembly, Polytetrafluorethylene, High Temperature, Medium Pressure, General Specification for	A	4720			CC	18-SEP-2014
N	MIL-DTL-32480/5	Fitting, Adapter, 45 Degrees Elbow, Hydraulic and Pneumatic, Flareless Male to ORFS Bulkhead [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730			CC	12-SEP-2014
M	MIL-PRF-38266E	Tank and Pump Unit, Liquid Dispensing, Portable, PMU-29/E [CUST: AS 84] [REVIEW: 99 YD]	A	4930			84	23-SEP-2014
M	MIL-PRF-83756E	Blast Cleaning Machines [CUST: AV 84] [REVIEW: 99 AR]	A	4940			84	23-SEP-2014
M	MS16631F	Ring, Retaining, Internal, Beveled (Tapered Section Type) [CUST: AR OS 99 IS] [REVIEW: AV]	A	5325			IS	18-SEP-2014
M	A-A-55618E NOT 1	Caster, Swivel, Kingpinless Industrial, Heavy Duty with Towing Application [CUST: AS 99 IS]	A	5340	/		IS	25-SEP-2014
M	QPL-17191-37 NOT 2	Mounts, Resilient Portsmouth Bonded Spool Type (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	5342			SH	26-AUG-2014
M	QPL-17508-40 NOT 2	Mounts, Resilient: Types 6E100, 6E150, 7E450, 6E900, 6E2000, 5E3500, 6E100BB, 6E150BB, 7E450BB, and 6E900BB (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	5342			SH	26-AUG-2014
M	QPL-19863-19 NOT 2	Mount, Resilient, Type 5B5000H (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	5342			SH	26-AUG-2014
M	QPL-21649-19 NOT 2	Mount, Resilient, Type 5M10,000-H (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	5342			SH	26-AUG-2014
M	MIL-HDBK-2124 NOT 2	Flight Data Recorder Functional Standards for [CUST: AV AS 99]	A	5835			AS	25-SEP-2014
M	MIL-DTL-24308/9H(1) NOT 1	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Plug, Pin Contacts, Hermetic, Classes H and K [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935			CC	16-SEP-2014
M	MIL-DTL-55302/156E NOT 2	Connectors, Printed Circuit Subassembly and Accessories Plug, Right Angle, Decade Increments 10 Through 120, 150, 160 and 180 Contact Positions, for Printed Wiring Boards ( 075 Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5935			CC	01-OCT-2014
M	MIL-DTL-55302/157B NOT 2	Connectors, Printed Circuit Subassembly and Accessories {Plug, Straight Thru Contacts, 64 or 96 Contact Positions, for Printed Wiring Boards ( 100 Inch Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935			CC	01-OCT-2014
M	MIL-DTL-55302/158C NOT 2	Connectors, Printed Circuit Subassembly and Accessories Receptacle Socket Contacts, 64 or 96 Contact Positions, for Printed Wiring Boards ( 100 Inch Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935			CC	01-OCT-2014
M	MIL-PRF-6106N SUP 1	Relays, Electromagnetic, General Specification for [CUST: CR AS 85 CC NA] [REVIEW: 99 EC]	A	5945			CC	09-SEP-2014
M	MIL-PRF-19500/533K	Semiconductor Device, Diode, Silicon, Voltage Regulator, Types 1N6309 through 1N6355 1N6309US through 1N6355US, 1N6309UB through 1N6355UB, 1N6309UB2 through 1N6355UB2 1N6309UBCA through 1N6355UBCA, 1N6309UB2R through 1N6355UB2R 1N6309UBCC through 1N6355UBCC, 1N6309UBD through 1N6355UBD Plus C and D Tolerance Suffix, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS]	A	5961			CC	10-SEP-2014
M	MIL-PRF-19500/730C	Semiconductor Device, Diode, Silicon, Schottky, Dual, Center Tap, Types 1N7037CCU1, 1N7043CAT1, 1N7043CCT1, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A	5961			CC	05-SEP-2014
M	MIL-M-38510/55G NOT 2	Microcircuits, Digital, CMOS, Buffer/Converter, True/Complement Buffer, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962			CC	30-SEP-2014
M	MIL-M-38510/103H NOT 2	Microcircuits, Linear, Voltage Comparators, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962			CC	30-SEP-2014
M	MIL-M-38510/754B NOT 2	Microcircuits, Digital, Advanced CMOS, Latches, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962			CC	30-SEP-2014
M	MIL-M-38510/756B NOT 2	Microcircuits, Digital, Advanced CMOS, Flip-Flops, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962			CC	30-SEP-2014
M	MIL-PRF-25670B(3)	Earphone Elements, General Specification for [CUST: CR 85 CC] [REVIEW: 99]	A	5965			CC	12-SEP-2014
M	MIL-PRF-25670/2D	Earphone Element, High and Low-Altitude, H-143/AIC, and Low-Altitude, Water-Immersible, H-143A/AIC [CUST: CR 85 CC] [REVIEW: 99]	A	5965			CC	12-SEP-2014
M	MIL-PRF-25670/5(2)	Earphone Element, 1000 OHM Ground Level, Water-Immersible, M25670/5-01 [CUST: CR 85 CC]	A	5965			CC	12-SEP-2014
M	A-A-59134 NOT 3	Insulating Compound, Electrical, Epoxy, Colloidal Silica Filled for Potting and Encapsulation [CUST: MI] [REVIEW: GS]	A	5970	/		MI	30-SEP-2014
M	MIL-PRF-32271A	Non-Rechargeable, Lithium General Specification for [CUST: CR SH 99 GS] [REVIEW: 71 AS MC]	A	6135			CR	09-JUL-2014
M	MIL-PRF-32271/1A	Battery, Non-Rechargeable, Lithium [CUST: CR SH 99 GS] [REVIEW: 71 AS MC]	A	6135			CR	09-JUL-2014
N	MIL-PRF-32271/16	Battery, Non-Rechargeable, Lithium [CUST: CR SH 99 GS] [REVIEW: 71 AS MC]	A	6135			CR	09-JUL-2014

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-PRF-8565/14(1) NOT 2	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 15-Ampere-Hour [CUST: AS]	A	6140		AS		25-SEP-2014
M	MIL-L-3661/17C NOT 5	Lenses, Indicator-Light, Style LC17, Convex, Complete-Blackout, Dripproof, Mechanical Dimmer [CUST: CR EC 99 GS2] [REVIEW: 71 AS AT CR4 IS MC MI OS]	A	6210		GS2		30-SEP-2014
M	MIL-I-85492 NOT 1	Imine Curing/Bonding Agent [CUST: AS] [REVIEW: GS]	A	6810		AS		30-SEP-2014
M	A-A-59122A NOT 1	Cupric Oxide, Technical [CUST: AR GS]	A	6810	/	GS3		01-OCT-2014
M	A-A-197A	Herbicide, 2,4-Dichlorophenoxyacetic Acid (Salts and Esters) [CUST: GS PM]	A	6840	/	GS3		16-SEP-2014
M	A-A-1439B NOT 1	Disinfectant-Detergent, General Purpose (Phenolic Type) [CUST: GL GS] [REVIEW: MD1]	A	6840	/	GS3		01-OCT-2014
M	A-A-56032D NOT 2	Ink, Marking, Epoxy Base [CUST: MI AS 99] [REVIEW: 84 AR EA GL MD OS]	A	7510	/	MI		30-SEP-2014
M	MIL-PRF-32239A	Coating System, Advanced Performance, for Aerospace Applications [CUST: MR AS 20] [REVIEW: 84 AR CG DS MC SH]	A	8010		20		01-OCT-2014
M	MIL-PRF-8116D	Putty, General Purpose, Non-Hardening [CUST: MR SH 84] [REVIEW: 99 MC MI]	A	8030		84		23-SEP-2014
M	MIL-PRF-9117F	Adhesive Sealing, for Aromatic Fuel Cells and General Repair [CUST: MR AS 84] [REVIEW: 11 99 AR MC MD SH]	A	8040		84		23-SEP-2014
M	A-A-56031 NOT 3	Adhesive, Epoxy, Modified, Flexible, Two Component [CUST: MI]	A	8040	/	MI		30-SEP-2014
M	A-A-59116 NOT 3	Primer, Silicone Rubber Sealant [CUST: MI]	A	8040	/	MI		25-SEP-2014
M	MIL-DTL-117H(2) NOT 1	Bags, Heat-Sealable [CUST: SM AS 11 DH] [REVIEW: AR AT AV EA GL MC MI OS SA SH]	A	8105		AS		01-OCT-2014
M	MIL-DTL-22020E NOT 1	Bags, Transparent, Flexible, Sealable, Volatile Corrosion Inhibitor Treated [CUST: GL AS 69] [REVIEW: 11 71 84 AT CC CR4 MC MI OS SA SH YD]	A	8105		AS		01-OCT-2014
M	A-A-3129C	Cushioning Material, Flexible Open Cell Plastic Film (for Packaging Applications) [CUST: SM SA 69] [REVIEW: 71 99 AR AS AV CR4]	A	8135	/	SM		18-SEP-2014
M	MIL-DTL-3628/39G	Badge, Qualification, Marine Corps Pistol Championship (Walsh Trophy) [CUST: IH MC] [REVIEW: CT]	A	8455		IH		09-SEP-2014
M	MIL-DTL-3628/45G	Badge, Qualification, Inter-Division Rifle Team, U S Marine Corps [CUST: IH MC] [REVIEW: CT]	A	8455		IH		15-SEP-2014
M	MIL-DTL-3628/46G	Badge, Qualification, Inter-Division Pistol Team, U S Marine Corps [CUST: IH MC] [REVIEW: CT]	A	8455		IH		15-SEP-2014
M	MIL-DTL-3628/47G	Badge, Qualification, Rifle Team Matches, U S Marine Corps [CUST: IH MC] [REVIEW: CT]	A	8455		IH		15-SEP-2014
M	MIL-DTL-3628/48J	Badge, Qualification, Pistol Team Matches, U S Marine Corps [CUST: IH MC] [REVIEW: CT]	A	8455		IH		15-SEP-2014
M	MIL-DTL-3628/167A	Badge, Qualification, Aviation, National Oceanic and Atmospheric Administration [CUST: IH] [REVIEW: CT]	A	8455		IH		15-SEP-2014
M	MIL-DTL-3628/203B	Badge, Qualification, FMF Combat Infantry Trophy, U S Marine Corps [CUST: IH MC] [REVIEW: CT]	A	8455		IH		15-SEP-2014
N	MIL-DTL-3628/263	Belt Buckle, Hap Arnold Star Device for General Officer, U S Air Force [CUST: IH 11] [REVIEW: 99 CT]	A	8455		IH		15-SEP-2014
N	MIL-DTL-11589/658	Ribbon, Combat Instructor, USMC [CUST: IH MC]	A	8455		IH		19-SEP-2014
M	A-A-59290 NOT 1	Hydraulic Fluid, Arresting Gear [CUST: AR AS 11] [REVIEW: GS MI]	A	9150	/	AS		30-SEP-2014
N	ASTM-D4529	Estimation of Net Heat of Combustion of Aviation Fuels, Standard Test Method for [CUST: AT AS 68 PS]	A	91GP		68		24-SEP-2014
N	ASTM-D4737	Calculated Cetane Index by Four Variable Equation, Standard Test Method for [CUST: AT AS 68 PS]	A	91GP		68		24-SEP-2014
N	ASTM-D5453	Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence, Standard Test Method for [CUST: AT AS 68 PS]	A	91GP		68		24-SEP-2014
M	MIL-PRF-47033B NOT 3	Glass, Borosilicate [CUST: MI] [REVIEW: AR GS IS]	A	9340		MI		25-SEP-2014
M	MIL-DTL-15024/8A	Plate, Tags and Bands, Band Identification, Cable Assembly, Type K2, Heat Shrinkable Tubing [CUST: GL AS 99] [REVIEW: AV CR IS MI OS SA SH]	A	9905		AS		11-SEP-2014
M	MIL-STD-1477C NOT 3	Symbols for Army System Displays (Metric) [CUST: MI] [REVIEW: AV CE CR MD1 TE]	A	HFAC		MI		25-SEP-2014
M	TOP-3-2-830A	Stability Test of Indirect Fire Artillery Weapons [CUST: TE]	A	ISDA		TE		20-FEB-2013
M	TOP-3-2-616A	Electromagnetic Radiation Hazards Testing For Non-Ionizing Radio Frequency Transmitting Equipment [CUST: TE]	A	ISDA		TE		19-DEC-2012
M	TOP-6-2-570A	Standard Bit Error Rate (BER) Versus Radio Received Signal Level Testing [CUST: TE]	D	ISDA		TE		18-OCT-2013
M	TOP-6-2-598A	Position Location and Navigation Systems (PLANS) [CUST: TE]	D	ISDA		TE		18-JUN-2013
M	TOP-6-2-503A	Reliability Characteristics of Communications, Surveillance, and Avionic Electronic Equipment [CUST: TE]	D	ISDA		TE		20-FEB-2013
M	TOP-10-2-022A	Chemical Vapor and Aerosol System-Level Testing of Chemical/Biological Protective Suits [CUST: TE]	A	ISDA		TE		16-DEC-2013
N	AASSEP-3 ED A(1)	SYMBOL MARKING OF AIRCRAFT SERVICING AND SAFETY/HAZARD POINTS		ISDF		06		15-SEP-2014
N	STANAG-3109 ED 6	SYMBOL MARKING OF AIRCRAFT SERVICING AND SAFETY/HAZARD POINTS - AASSEP-3 EDITION A	A	ISDF		06		15-SEP-2014
M	MIL-STD-1907(4) NOT 5	Inspection, Liquid Penetrant and Magnetic Particle, Soundness Requirements for Materials, Parts, and Weldments [CUST: MI AS 11] [REVIEW: 70 84 AR AT CR4 OS TM]	A	NDTI		MI		30-SEP-2014
M	DI-QCIC-81794 NOT 1	Quality Assurance Program Plan [AMSC: F9112]	A	QCIC		70		01-OCT-2014
M	DI-QCIC-81795 NOT 1	Software Quality Assurance Report [AMSC: F9113]	A	QCIC		70		01-OCT-2014
M	MIL-HDBK-2222 NOT 1	Avionic Systems, Handbook for Interface Control Documentation [CUST: AS]	A	SESS		AS		25-SEP-2014
M	MIL-STD-188-183B(3)	Interoperability Standard for Multiple-Access 5-kHz and 25-kHz UHF Satellite Communications Channels [CUST: CR EC 02 NS] [REVIEW: 11 13 44 71 93 99 AC AS AV CG CR2 DC DC5 DI DMS IR MC MI MP OM PT SE SPO TE]	C	TCSS		DC1		07-MAY-2014
M	MIL-STD-188-185A(1)	Interoperability Standard for UHF MISALTCOM DAMA Control System [CUST: CR EC 02 NS] [REVIEW: 11 13 44 71 93 99 AC AS AV CG CR2 DC DC5 DI DMS IR MC MI MP OM PT SE SPO TE]	C	TCSS		DC1		07-MAY-2014
M	MIL-PRF-63005E NOT 2	Manuals, Technical: Preparation for Shipment of Army Aircraft [CUST: AV] [REVIEW: TM] [AMSC: A9049]	A	TMSS		AV		30-SEP-2014
M	MIL-DTL-87268D	Interactive Electronic Technical Manuals General Content, Style, Format, and User-Interaction Requirements [CUST: AS 16] [REVIEW: 11 13 19 70 71 84 99 EC MC SA SH YD] [AMSC: F9459]	A	TMSS		16		22-SEP-2014
M	MIL-HDBK-3001 NOT 2	Guide to the General Style and Format of U S Navy Work Package Technical Manuals [CUST: AS]	A	TMSS		AS		25-SEP-2014

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA	PREP ACTY	DATE
			FSC/AREA			
M	MS29593A NOT 4	Valve - Oil Cooler Temperature Regulating with Surge Protection [CUST: 71] [REVIEW: 99 GS]	A 2935		71	01-OCT-2014
M	MIL-DTL-2522F NOT 1	Cord, Fibrous Linen, Shock Absorber Serving Use [CUST: GL 99 IS] [REVIEW: AV]	A 4020		IS	25-SEP-2014
M	AN6293 REV 3 NOT 6	Valve, 4-Way Rotary Selector, 3,000 PSI, Non-Interflow [CUST: 71] [REVIEW: 99]	A 4820		71	16-SEP-2014
M	MS18012A NOT 3	Handle, Metal, Spring Bail Type [CUST: MI OS] [REVIEW: IS]	A 5340		MI	30-SEP-2014
M	MS35254C NOT 1	Brace, Corner, Box 3 Quarter-Round Flanges, 3 Mounting Holes [CUST: CR YD 99 IS]	A 5340		IS	25-SEP-2014
M	MS35257C NOT 1	Brace, Corner, Box, Large, 2 Quarter-Ellipse Flanges, 2 Mounting Holes [CUST: CR YD 99 IS]	A 5340		IS	25-SEP-2014
M	MS35813E NOT 1	Connector, Rod End - Steel [CUST: AR AS 99 IS] [REVIEW: CR4 GL MC MI OS SH YD]	A 5340		IS	25-SEP-2014
M	MS51928C NOT 1	Clip, Spring Tension [CUST: AR YD 99 IS] [REVIEW: 71 AT CG CR CR4 SA]	A 5340		IS	25-SEP-2014
M	MIL-R-5757K SUP 1	Relays, Electromagnetic, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS AT AV CR4 MC MI OS]	A 5945		CC	17-SEP-2014
M	MIL-M-38510/10D NOT 2	Microcircuits, Digital, Bipolar, TTL, Decoders Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962		CC	30-SEP-2014
M	MIL-M-38510/11D NOT 2	Microcircuits, Digital, TTL, Arithmetic Logic Units/Function Generators, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962		CC	30-SEP-2014
M	MIL-M-38510/12J NOT 2	Microcircuits, Digital, Bipolar, TTL, Monostable Multivibrators, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MI SH SM]	A 5962		CC	30-SEP-2014
M	MIL-M-38510/152C NOT 2	Microcircuits, Digital, TTL, Data Decoders/Demultiplexers, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962		CC	30-SEP-2014
M	MIL-M-38510/153B NOT 2	Microcircuits, Digital, TTL, Quadruple Bus Buffer Gates with Three-State Outputs, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962		CC	30-SEP-2014
M	MIL-PRF-25670/1B(1) NOT 1	Earphone Element, H-136/AIC [CUST: 85 CC] [REVIEW: 99]	A 5965		CC	12-SEP-2014
M	MIL-PRF-55110H	Printed Wiring Board, Rigid, General Specification for [CUST: CR EC 85 CC] [REVIEW: 16 19 99 AR AS CG MC MI NS OS SH]	A 5998		CC	15-SEP-2014
M	MIL-DTL-13777L	Cable, Special Purpose, Electrical, General Specification for [CUST: AR AS 85 CC] [REVIEW: 99 AT CR CR4 EC MC MI]	A 6145		CC	12-SEP-2014
M	MIL-DTL-13777/2C(1)	Cable, Special Purpose, Electrical 6, 7, 8, 9, 10, 12, 13, and 15 Conductors [CUST: AR SH 85 CC] [REVIEW: AT CR CR4 EC MC MI]	A 6145		CC	12-SEP-2014
M	TT-E-751C NOT 1	Ethyl Acetate, Technical [CUST: GL SH 68] [REVIEW: CR4 EA GS MD MI OS]	A 6810	/	GL	10-SEP-2014

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-PRF-1/195D NOT 2	Electron Tube, Receiving Type OB3 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV CG MC MI OS]	A 5960		CC	04-SEP-2014
M	MIL-PRF-1/988H NOT 2	Electron Tube, Voltage Regulator Type 7615 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: AR AS CG MC OS]	A 5960		CC	04-SEP-2014
M	MIL-PRF-1/1296F NOT 3	Electron Tube, Cathode Ray Type 4MP1 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV CG MC MI OS SH]	A 5960		CC	04-SEP-2014
M	MS27047B NOT 4	Bearing, Jewel - Endstone (No S/S Document) [CUST: 71] [REVIEW: 99 GS]	A 6695		71	12-SEP-2014
M	L-F-320B NOT 1	Film, Thermal Developing (No S/S Document) [CUST: OS]	A 6750	/	OS	17-SEP-2014