

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 October 2015**

(For the Period 15 September 2015 to 30 September 2015)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M MIL-PRF-85046A	Actuator, Linear, Electromechanical [CUST: AS] [AMSC: N9582]	A	1095	AS		17-SEP-2015
M MIL-DTL-32284(2)	Cartridges, 60MM, Illuminating - M721, Infrared, Illuminating - M767 Loading, Assembling, and Packing and Parts [CUST: AR]	D	1310	AR		21-SEP-2015
M MIL-DTL-70781A(3)	Cartridge, 60MM: Smoke, Marking - M722A1 Loading, Assembling and Packing [CUST: AR]	D	1310	AR		21-SEP-2015
M A-A-52545B NOT 1	Heaters, Vehicular Compartment 28 Volt, DC [CUST: AT MC 99] [REVIEW: CC]	A	2540	/	AT	21-SEP-2015
N MIL-DTL-0032532	Life, Raft, Inflatable, 25-Person Mark-7 Mod 2, and 50-Person Mark-8 Mod 2 [CUST: SH]	A	4220	SH		18-SEP-2015
M MIL-PRF-52109H NOT 1	Pumping Assemblies, Portable, Bulk Transfer, Fuel and Water Pumping Service [CUST: AT SH 99] [REVIEW: CC]	A	4320	AT		21-SEP-2015
M MIL-DTL-32330A	Hose Assembly, Conductive Polytetrafluoroethylene Tube, Smooth Bore, Flared and Flareless, Tube to Hose, with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 CG MC SA SH]	A	4720	CC		08-SEP-2015
M MIL-DTL-32330/1A	Hose Assembly, Conductive Polytetrafluoroethylene Tube, Flared, Tube to Hose with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: AT MC SA]	A	4720	CC		08-SEP-2015
M MIL-DTL-32330/2A	Hose Assembly, Conductive Polytetrafluoroethylene Tube, Flareless, Tube to Hose with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: AT MC SA]	A	4720	CC		08-SEP-2015
M A-A-52405A NOT 3	Tee, Hose (Low Pressure) [CUST: AT AS 99] [REVIEW: 71 CC]	A	4730	/	AT	24-SEP-2015
M A-A-52493 NOT 2	Rod End, Threaded-Linkage, Rigid [CUST: AT 99] [REVIEW: 71 IS MC MI OS]	A	5340	/	AT	30-SEP-2015
M MIL-DTL-85670D(1)	Antenna, Broadband AS-3191/A, AS-3792/A, and AS-3793/A [CUST: AS 85 CC]	A	5821	CC		21-SEP-2015
M MIL-PRF-94G(2) SUP 1	Resistors, Variable, Composition General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5905	CC		22-SEP-2015
M MIL-PRF-94/2E(2)	Resistors, Variable, Composition, Style RV5 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI]	A	5905	CC		22-SEP-2015
M MIL-PRF-94/3M(2)	Resistors, Variable, Composition, Style RV6 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS]	A	5905	CC		22-SEP-2015
M MIL-PRF-94/4L(2)	Resistors, Variable, Composition, Style RV2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905	CC		22-SEP-2015
M MIL-PRF-94/5J(2)	Resistors, Variable, Composition, Style RV4 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 EA MC OS]	A	5905	CC		22-SEP-2015
M MIL-PRF-94/6E(2)	Resistors, Variable, Composition, Style 2RV7 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 EA MC OS]	A	5905	CC		22-SEP-2015
M MIL-PRF-94/7C(2)	Resistor, Variable, Nonwire Wound Printed Circuit Broad Mounting, Style RV8 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC MI OS]	A	5905	CC		22-SEP-2015
N MIL-PRF-32535	Capacitor, Chip, Fixed, Ceramic Dielectric (Temperature Stable and General Purpose), Extended Range, High Reliability and Standard Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910	CC		28-SEP-2015
N MIL-PRF-32535/1	Capacitor, Chip, Fixed, Ceramic Dielectric (General Purpose), Expanded Range, High Reliability and Standard Reliability, Size 0201 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910	CC		28-SEP-2015
N MIL-PRF-32535/2	Capacitor, Chip, Fixed, Ceramic Dielectric (Temperature Stable and General Purpose), Extended Range, High Reliability and Standard Reliability, Size 0402 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910	CC		28-SEP-2015
N MIL-PRF-32535/3	Capacitor, Chip, Fixed, Ceramic Dielectric (Temperature Stable and General Purpose), Extended Range, High Reliability and Standard Reliability, Size 0603 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910	CC		28-SEP-2015
N MIL-PRF-32535/4	Capacitor, Chip, Fixed, Ceramic Dielectric (Temperature Stable and General Purpose), Extended Range, High Reliability and Standard Reliability, Size 0805 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910	CC		28-SEP-2015
N MIL-PRF-32535/5	Capacitor, Chip, Fixed, Ceramic Dielectric (Temperature Stable and General Purpose), Extended Range, High Reliability and Standard Reliability, Size 1206 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910	CC		28-SEP-2015
N MIL-PRF-32535/6	Capacitor, Chip, Fixed, Ceramic Dielectric (Temperature Stable and General Purpose), Extended Range, High Reliability and Standard Reliability, Size 1210 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910	CC		28-SEP-2015
N MIL-PRF-32535/7	Capacitor, Chip, Fixed, Ceramic Dielectric (Temperature Stable and General Purpose), Extended Range, High Reliability and Standard Reliability, Size 1812 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910	CC		28-SEP-2015
N MIL-PRF-32535/8	Capacitor, Chip, Fixed, Ceramic Dielectric (Temperature Stable and General Purpose), Extended Range, High Reliability and Standard Reliability, Size 2220 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910	CC		28-SEP-2015
N MIL-PRF-32535/9	Capacitor, Chip, Fixed, Ceramic Dielectric (General Purpose), Extended Range, High Reliability and Standard Reliability, Size 0306 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910	CC		28-SEP-2015
N MIL-PRF-32535/10	Capacitor, Chip, Fixed, Ceramic Dielectric (General Purpose), Extended Range, High Reliability and Standard Reliability, Size 0508 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	5910	CC		28-SEP-2015
M MIL-PRF-22885/16F NOT 1	Switch, Push Button, Illuminated 4-Lamp, Clip Mounted, Light Module for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5930	CC		21-SEP-2015
M MIL-DTL-12211/1 NOT 1	Switch, Pressure, SPST, Waterproof [CUST: EC CC]	A	5930	CC		21-SEP-2015
M MIL-DTL-15743/3C NOT 1	Switches, Rotary, Enclosed, Submersible (15 Feet), Snap Action, 125 Volts Alternating Current, 10 Ampere, Symbols 801 2 (DPST), 804 1 (TPST), 829 1 (DPDT), and 879 1 (DPTT) [CUST: SH CC]	A	5930	CC		21-SEP-2015
M MIL-DTL-32139A(5)	Connectors, Electrical, Rectangular, Nanominiature, Polarized Shell, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AV MI]	A	5935	CC		08-SEP-2015
M MIL-PRF-27/38C(1)	Transformers, Power, 1 5 Volt Amperes, 400 HZ, Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950	CC		24-SEP-2015
M MIL-PRF-27/39C(1)	Transformers, Power, 3 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950	CC		23-SEP-2015
M MIL-PRF-27/40C(1)	Transformers, Power, 3 Volt Amperes, 400 HZ Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950	CC		23-SEP-2015
M MIL-PRF-27/42C(1)	Transformers, Power, 6 Volt Amperes, 400 HZ, Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950	CC		23-SEP-2015
M MIL-PRF-27/45C(1)	Transformers, Power, 15 Volt Amperes, 400 HZ, Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS]	A	5950	CC		24-SEP-2015
M MIL-PRF-27/46C(1)	Transformers, Power, 25 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950	CC		23-SEP-2015

## ACTIVE SECTION

## ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION FSC/AREA	MCA PREP ACTY	DATE
M MIL-PRF-27/52D(1)	Transformers, Power, 6 Volt Amperes, 400 HZ, Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A 5950	CC	23-SEP-2015
M MIL-PRF-27/60E(1)	Transformers, Power, 250 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A 5950	CC	23-SEP-2015
M MIL-PRF-19500/301M	Transistor, NPN Silicon, Low-Power, Type 2N918 and 2N918UB, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SH]	A 5961	CC	25-SEP-2015
M MIL-PRF-19500/582C	Transistor, PNP, Silicon Amplifier, Types 2N5679 and 2N5680, JAN, JANTX and JANTXV [CUST: CR EC 85 CC]	A 5961	CC	23-SEP-2015
M MIL-M-38510/59D NOT 2	Microcircuits, Digital, CMOS, Decoder, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962	CC	30-SEP-2015
M MIL-M-38510/615 NOT 5	Microcircuits, Digital, VHSIC, CMOS, 4096-BIT, 4-Port Static Random Access Memory (SRAM), Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	C 5962	CC	30-SEP-2015
M MIL-M-38510/658A NOT 2	Microcircuits, Digital, High Speed, CMOS, Decoders, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A 5962	CC	30-SEP-2015
M MIL-M-38510/663A NOT 2	Microcircuits, Digital, High Speed, CMOS, Counters, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI NA SH SM]	A 5962	CC	30-SEP-2015
M MIL-HDBK-103AU	List of Standard Microcircuit Drawings [CUST: CC]	A 5962	CC	09-SEP-2015
M MIL-PRF-85045/31A	Cable, Fiber Optic, Single (One) Fiber, Cable Configuration Type 2 (OFCC), Class SM and MM, Temperature Range and Other Performance Characteristics (Metric) [CUST: CR AS 85 CC NA] [REVIEW: 02 19 99 AR AV EC MI SH YD]	A 6015	CC	21-SEP-2015
M A-A-59456 NOT 3	Ferric Chloride, Anhydrous, Crystalline, Technical [CUST: AT YD 68] [REVIEW: MC MD1 MI]	A 6810	/ GS3	24-SEP-2015
M A-A-1441B NOT 2	Disinfectant, General Purpose (Quaternary Ammonium Compound) [CUST: MD1 SH GS3] [REVIEW: AS]	A 6840	/ GS3	24-SEP-2015
M A-A-50179C	Pans, with or without Covers, Food Serving, Rectangular, Soup Tureen and Round Inserts for Hot Food Tables and Cold Food Counters [CUST: GL SA 99 SS] [REVIEW: 84 MC MD SH]	A 7310	/ SS	21-SEP-2015
M MIL-DTL-2427H(1)	Box, Ammunition Packing: Wood, Nailed [CUST: AR]	A 8140	AR	04-AUG-2015
M MIL-DTL-46506E(1) NOT 1	Boxes, Ammunition Packing, Wood, Wirebound [CUST: AR OS 99] [REVIEW: 11 69 70 AS AV CC CT DH DM GS GS3 GS7 IS MC MI MP PS SS]	A 8140	AR	04-AUG-2015
M MIL-DTL-11484/36E	Lapel Button, Patriotic Public Service [CUST: IH] [REVIEW: CT]	A 8455	IH	28-SEP-2015
M MIL-DTL-11484/51G	Lapel Button, Naval Reserve Membership [CUST: IH NU] [REVIEW: CT]	A 8455	IH	28-SEP-2015
M MIL-DTL-11484/53F	Lapel Button, Office of the Secretary of Defense Identification Badge [CUST: IH NU 11] [REVIEW: CG1 CT MC]	A 8455	IH	28-SEP-2015
M MIL-DTL-11484/113D	Lapel Button, Secretary of the Army's Award for Outstanding Achievement in Materiel Acquisition [CUST: IH] [REVIEW: CT]	A 8455	IH	22-SEP-2015
M MIL-DTL-11484/119D	Lapel Button, Distinguished Career Service Award, Agency for International Development, Department of State [CUST: IH] [REVIEW: CT]	A 8455	IH	22-SEP-2015
M MIL-DTL-11484/125D	Lapel Button, Employer Support of the Guard and Reserve [CUST: IH] [REVIEW: CT]	A 8455	IH	22-SEP-2015
M A-A-20078D	Jelly, Fruit [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A 8930	/ SS	11-SEP-2015
M A-A-20079D	Preserves (or Jams), Fruit [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A 8930	/ SS	11-SEP-2015
M A-A-20298C	Meat and Poultry Snacks, Cured [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A 8940	/ SS	15-SEP-2015
N DI-FNCL-81992	Sustainment Functional Cost-Hour Report (DD Form 1921-5) [AMSC: D9573]	A FNCL	CAPE	21-SEP-2015
N AIR-STD-1015	Flight Information Publications	ISDF	06	13-DEC-2015
N ADV-PUB-50041(2)	Technical Competency and Authorisation Quick Reference Guide	ISDF	06	17-DEC-2012
N ADV-PUB-50052	AIR TRANSPORT SECURITY (ATSy) CHECKS	C ISDF	06	06-SEP-2011
N ADV-PUB-50092	Vehicle Operator Qualifications	C ISDF	06	31-MAY-2011
N ADV-PUB-60121(2)	Aircrew Colour Vision and Test Methods	ISDF	06	05-AUG-2015
N ADV-PUB-60161(1)	Human Tolerance to Repeated Mechanical Shock	ISDF	06	19-DEC-2013
M TT-C-490F(2)	Chemical Conversion Coatings and Pretreatments for Metallic Substrates (Base for Organic Coatings) [CUST: MR SH 11] [REVIEW: 13 19 99 AS AV DC5 DH GS4 IS MC MI PT]	A MFFP	/ MR	24-SEP-2015
M MIL-DTL-38769F	Manuals, Technical - Work Unit Code [CUST: 16] [REVIEW: 01 02 10 11 13 19 70 71 84 99] [AMSC: F9561]	A TMSS	16	25-SEP-2015

## INACTIVE SECTION

## ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION FSC/AREA	MCA PREP ACTY	DATE
M MIL-P-51338(1) NOT 3	Projectile, 105MM, Smoke, WP, M60E1, Filling Assembly [CUST: EA]	A 1315	EA	24-SEP-2015
M MIL-C-51360B NOT 3	Canister, Smoke, HC, 105MM, Projectile, M1 [CUST: EA]	A 1315	EA	30-SEP-2015
M MIL-C-51361B(1) NOT 3	Canister, Smoke, HC, 105MM, Projectile, M1, Components for [CUST: EA]	A 1315	EA	24-SEP-2015
M MIL-C-3120F NOT 3	Canister, Smoke, HC, 155MM Projectile, M1 and M2 [CUST: EA]	A 1320	EA	24-SEP-2015
M MIL-P-20512D NOT 3	Projectile, 155 MM, Smoke, HC BE, M116E2, Loading, Assembling and Packing [CUST: EA]	A 1320	EA	30-SEP-2015
M MIL-C-46909D NOT 3	Charge, Expelling, for Projectile, HC Smoke, 155 MM, M116A1 [CUST: EA]	A 1320	EA	24-SEP-2015
M MIL-C-51358A(1) NOT 3	Canister, Smoke, HC, 155MM, Projectile, M1 and M2, Components for [CUST: EA]	A 1320	EA	24-SEP-2015
M MIL-P-60340A(1) NOT 3	Projectile, 155MM, Smoke, HC, BE, M1162, Parts for [CUST: EA]	A 1320	EA	24-SEP-2015
M MIL-G-51374(1) NOT 3	Grenade, Hand, Red Smoke, RS, M4B [CUST: EA]	A 1330	EA	30-SEP-2015
M MIL-F-51376(1) NOT 3	Fuze, Hand Grenade, M227 [CUST: EA]	A 1330	EA	30-SEP-2015
M MIL-L-51450A NOT 3	Launcher, Projectile, 64 MM - M234 [CUST: EA]	A 1330	EA	30-SEP-2015
M MIL-W-60305A(2) NOT 4	Warhead, 2 75 Inch Rocket, Smoke, WP, M156 (with Burst and Fuze) [CUST: EA]	A 1340	EA	30-SEP-2015
M MIL-W-60306A(1) NOT 4	Warhead, 2 75 Inch Rocket, Smoke, M156 WP Filling [CUST: EA 99] [REVIEW: 70]	A 1340	EA	30-SEP-2015
M MIL-DTL-637C NOT 1	Pot, Smoke, Floating, HC, M4A2 [CUST: EA OS]	D 1365	EA	30-SEP-2015
M MIL-R-51341(1) NOT 3	Riot Control Agent, CS2 [CUST: EA]	A 1365	EA	30-SEP-2015
M MIL-I-51466(2) NOT 3	Igniter [CUST: EA]	A 1365	EA	30-SEP-2015
M MIL-S-51528 NOT 3	Simulator, Projectile, Airburst, Liquid (SPAL) M11 [CUST: EA]	A 1370	EA	30-SEP-2015
M DOD-A-17254A NOT 1	Anchor, Navy, Lightweight (Hadfield Manganese Cast Steel Low Magnetic Permeability) (Metric) [CUST: SH]	A 2040	SH	22-SEP-2015
M MIL-T-26069C NOT 3	Trailer, Oxygen Cylinder, AF/M32R-3, High and Low Pressure, 2 Wheel 8 Cylinder Capacity [CUST: 184] [REVIEW: 99 FAS]	A 3655	184	18-SEP-2015
M MIL-T-26772F NOT 3	Trailer, Compressed Gas Cylinder, Air or Nitrogen, Oil Pumped, Servicing, 2-Wheel, 8-Cylinder, 3500 PSI, Type MD-3A [CUST: AV 184] [REVIEW: 68 99 FAS GS]	A 3655	184	18-SEP-2015
M MIL-PRF-19500/74F(1)	Transistor, NPN, Silicon, Medium-Power, Through-Hole Mount Package, Types 2N497, 2N498, 2N656 and 2N657, Quality Level Jan [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI SH]	A 5961	CC	24-SEP-2015
M MIL-DTL-11996C	Handsets, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AR MI SM]	A 5965	CC	28-AUG-2015
M MIL-DTL-11996/1A	Handset, H-60()/PT [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A 5965	CC	28-AUG-2015
M MIL-P-265C NOT 4	Polyvinyl Alcohol, Granular (Metric) [CUST: EA] [REVIEW: MI]	A 6810	EA	30-SEP-2015
M MIL-DTL-11361E NOT 1	Magnesium Carbonate [CUST: EA 68 GS] [REVIEW: MD SM]	A 6810	EA	30-SEP-2015
M MIL-E-51454A NOT 3	Ethyl Alcohol (Ethanol) [CUST: EA SH 68] [REVIEW: CR4 GS OS SM]	A 6810	EA	30-SEP-2015
M MIL-D-51410(1) NOT 3	Dye, Green, ETHYL-BIS(2,4-Dinitrophenyl) Acetate [CUST: EA] [REVIEW: GS]	A 6820	EA	30-SEP-2015
M MIL-D-51412 NOT 3	Dye, Red, 2,5,2',5'-Tetramethyltriphenylmethane-4,4'-Diazo-Bis-Betahydroxynaphthoic Anilide [CUST: EA] [REVIEW: GS]	A 6820	EA	30-SEP-2015

## CANCELED SECTION

## ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION FSC/AREA	MCA PREP ACTY	DATE
M MIL-H-17666A NOT 1	Hose, Metal, Corrugated Bronze, High Pressure Air Service (No S/S Document) [CUST: SH] [REVIEW: CC]	A 4720	SH	08-SEP-2015
M MIL-H-11996/2 NOT 4	Handset, H-156()/PT (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A 5965	CC	28-AUG-2015
M MIL-H-11996/3 NOT 4	Handset, H-165()/PT (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 EA MI]	A 5965	CC	28-AUG-2015
M MIL-T-7477D NOT 3	Transmitter, Rate of Flow, Fuel, Synchro, Type J-7, Individual and Totaling (No S/S Document) [CUST: 71] [REVIEW: 99 GS]	A 6620	71	25-SEP-2015
M A-A-58050A NOT 1	Fluorescent Penetrant Inspection Units Integrally Assembled Single Unit and Separate Modular Station Types (S/S by MIL-PRF-32531) [CUST: GL AS 11 GS] [REVIEW: 70 84 99]	A 6635	/ 11	25-SEP-2015
M DI-QCIC-81006 NOT 1	Special Inspection Equipment Descriptive Documentation ((No S/S Document) [AMSC: D4822]	A QCIC	SO	17-SEP-2015
M DI-QCIC-81013 NOT 1	Technical Data Package Validation Report (No S/S Document) [AMSC: D4829]	A QCIC	SO	17-SEP-2015