

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 September 2012

(For the Period 15 August 2012 to 31 August 2012)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-32191(1)	Howitzer, Light, Towed - 105MM, M119A2 [CUST: AR]	C	1015		AR	23-JUL-2012
M	MIL-DTL-48550A	Collimator, Infinity Aiming Reference - M1A2 [CUST: AR OS 84] [REVIEW: 99 AV CC MC MI]	A	1240		AR	16-AUG-2012
M	MIL-DTL-48559B	Mount, Telescope and Quadrant - M172A1 [CUST: AR OS 84] [REVIEW: 99 AV CC MC MI]	A	1240		AR	16-AUG-2012
M	MIL-DTL-48555B	Quadrant, Fire Control - M17A1 [CUST: AR OS 84] [REVIEW: 99 AS AV CC MI]	A	1290		AR	16-AUG-2012
M	MIL-DTL-48556B	Quadrant, Fire Control - M18A1 [CUST: AR OS 84] [REVIEW: 99 AS AV CC MI]	A	1290		AR	16-AUG-2012
M	MIL-DTL-1394G(1)	Primer, Electric, M52A3B1 [CUST: AR]	D	1305		AR	21-AUG-2012
M	MIL-DTL-46540C(1)	Case, Cartridge: 20 Millimeter, M103 [CUST: AR]	A	1305		AR	21-AUG-2012
N	MIL-PRF-32413	Cartridge, 40 Millimeter, Practice, MK281 MOD 0 [CUST: AR SH 11] [REVIEW: 68 AS AT GL MI]	D	1310		AR	15-JUN-2012
M	MIL-DTL-32411(1)	Igniter, Time Blasting Fuse: with Shock Tube Capability - M81 [CUST: AR MC]	A	1375		AR	17-AUG-2012
M	MIL-DTL-45468F	Cap, Blasting: Electric - M6 Parts for, and Loading, Assembling and Packing [CUST: AR]	A	1375		AR	29-AUG-2012
M	MIL-STD-1525B NOT 2	Verification Testing of Parachute Textile Materials [CUST: 99 GS] [REVIEW: 11 71]	A	1670		GS2	22-AUG-2012
M	MIL-PRF-32058A	Chock, Wheel-Track - Aviation, Adjustable Rope Type [CUST: 84] [REVIEW: 99]	A	1730		84	23-AUG-2012
M	A-A-52414B	Bearing, Roller, Thrust [CUST: AT OS 99] [REVIEW: 84 AR GS IS MC SH]	A	3110	/	AT	28-AUG-2012
M	MIL-DTL-5675C(1)	Shackle: Cable, Aircraft [CUST: AV AS 99 CC] [REVIEW: 50 MC MI SA]	A	4030		CC	23-AUG-2012
M	A-A-59683D	Truck, Fire Fighting (Wildland) [CUST: 84] [REVIEW: CC IS]	A	4210	/	84	16-AUG-2012
M	MIL-DTL-8790F(1)	Hose Assemblies, Rubber, Hydraulic, High Pressure 3,000 PSI, Operating Temperature Range -65 Degrees F to +275 Degrees F, Field Attachable [CUST: AV AS 99 CC] [REVIEW: 71 MI SA]	A	4720		CC	16-AUG-2012
M	AN839 REV 8(1)	Elbow, Tube to Hose, 45 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 SA]	A	4730		CC	09-AUG-2012
M	MIL-DTL-22520/42 NOT 1	Crimping Tools, Terminal, Hand, Wire Termination; In-Service Inspection Gage [CUST: CR AS 11] [REVIEW: CC EC MC OS SH]	A	5220		AS	20-AUG-2012
M	MS51859C NOT 1	Washer, Flat-Plastic (Nylon) [CUST: AR 99 IS] [REVIEW: 71]	A	5310		IS	22-AUG-2012
M	MS35914G	Insert, Screw Thread - Thread Cutting [CUST: AR 99 IS] [REVIEW: AT AV MI]	A	5325		IS	14-AUG-2012
M	MS51831G	Insert, Screw-Thread, Locked in, Key Locked, Heavy Duty [CUST: AR AS 99 IS] [REVIEW: 71 AT AV GL MC SH]	A	5325		IS	14-AUG-2012
M	MS51832D	Insert, Screw-Thread, Locked In, Key-Locked, Extra Heavy Duty [CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR EC MC MI SH]	A	5325		IS	14-AUG-2012
M	MIL-DTL-28837/5B NOT 1	Mixer Stages, Radio Frequency, Double Balanced, SMA Female Connectors [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5895		CC	21-AUG-2012
M	MIL-DTL-28837/9A NOT 1	Mixer Stages, Radio Frequency, Double Balanced, to Configuration [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5895		CC	21-AUG-2012
M	MIL-PRF-55342H(2) SUP 1	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/J(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0502 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/2J(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0505 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/3J(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM1005 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/4J(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM1505 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/5J(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM2208 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/6G(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0705 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/7E(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM1206 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/8E(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM2010 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/9E(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level Style RM2512 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/10D(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level Style RM1010 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/11A(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0402 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/12A(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0603 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	MIL-PRF-55342/13(3)	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, Style RM0302 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	16-AUG-2012
M	QPL-55342-118	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, General Specification for	A	5905		CR	06-AUG-2012
M	MIL-PRF-11693E	Capacitors, Feed Through, Radio-Interference Reduction, DC (Hermetically Sealed in Metal Cases), Established and Non-Established Reliability General Specification for [CUST: CR EC 85 CC]	A	5910		CC	17-AUG-2012
M	MIL-PRF-39003/2J	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum (Polarized, Sintered Slug), Established Reliability, Style CSR09 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	23-AUG-2012
M	MIL-PRF-39003/3J	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, (Polarized, Sintered Slug), Established Reliability, Style CSR23 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	23-AUG-2012
M	MIL-PRF-39003/4G	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, (Nonpolarized, Sintered Slug), Established Reliability, Style CSR91 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	23-AUG-2012
M	MIL-PRF-39003/6F	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum (Polarized, Sintered Slug), Established Reliability, Style CSR33 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	23-AUG-2012
M	MIL-PRF-39003/9G	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum (Polarized, Sintered Slug), High Frequency, Established Reliability, Style CSR21 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	23-AUG-2012
M	MIL-PRF-22710/18J	Switches, Code Indicating Wheel (Printed Circuit), (Pushbutton, Bidirectional, Sealed or Unsealed, EMI/RFI Shielded, Illuminated or Nonilluminated) Style SRPC18-1 and -2 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CR4 MC SM]	A	5930		CC	27-AUG-2012
M	MIL-DTL-8834J(1) SUP 1	Switches, Toggle, Positive Break, General Specification for [CUST: CR AS 85 CC] [REVIEW: 99 AR AT EC MC MI]	A	5930		CC	23-AUG-2012

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-12883/50B(2)	Sockets and Accessories for Plug-in Electronic Components, Brackets and Socket Assembly for Relays, 2-Pole, 10 Amperes (MIL-PRF-6106 and MIL-PRF-83536) [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A	5935	CC	17-AUG-2012
M	MIL-DTL-83413C	Connectors and Assemblies, Electrical, Aircraft Grounding, General Specification for [CUST: AV AS 85 CC] [REVIEW: 02 13 99 AR CR CR4 MC MI]	A	5935	CC	15-AUG-2012
M	MIL-S-6852B NOT 2	Splice, Conductor, Electric, Disconnect [CUST: CR AS 85 CC] [REVIEW: 99 CG EC GS MC]	A	5940	CC	21-AUG-2012
M	MIL-PRF-55310/20F	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 40.0 KHz through 60.0 MHz, Hermetic Seal, Square Wave, TTL [CUST: 99 CC] [REVIEW: 19 84]	A	5955	CC	28-AUG-2012
M	MIL-PRF-1/866F	Electron Tube, Cathode Ray Types 7ABP7A and 7ABP19A [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CG MC MI]	A	5960	CC	15-AUG-2012
M	MIL-PRF-1/1388F	Electron Tube, Radiation Counter Type 7840 [CUST: EC 85 CC] [REVIEW: 99 AS MC OS]	A	5960	CC	15-AUG-2012
M	MIL-PRF-1/1593E	Electron Tube, Receiving Type 8233 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG CR4 MC OS SH]	A	5960	CC	15-AUG-2012
M	MIL-PRF-19500/485M(1)	Semiconductor Device, Transistor, PNP, Silicon, Low-Power Types: 2N5415, 2N5415S, 2N5415UA, 2N5415U4, 2N5416, 2N5416S, 2N5416UA, and 2N5416U4, JAN, JANTX, JANTXV, JANS, JANSM, JANSJ, JANSK, JANSR, JANSF, JANSJ, JANSK, JANSJ, JANSH, JANHCB, JANHCD, JANKCB, JANKCD, JANKCBM, JANKCBD, JANKCBP, JANKCBL, JANKCBL, JANKCBL, JANKCBL, JANKCBL, JANKCBL, JANKCBL, JANKCBL [CUST: CR EC 85 CC] [REVIEW: 19 99 AR MI]	A	5961	CC	04-SEP-2012
M	MIL-PRF-19500/557K	Semiconductor Device, Field Effect Transistor, N-Channel, Silicon Types 2N6796, 2N6796U, 2N6798, 2N6798U, 2N6800, 2N6800U, 2N6802, and 2N6802U JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC] [REVIEW: 19 70 AR AS MC MI SM]	A	5961	CC	07-AUG-2012
M	MIL-PRF-19500/566C	Semiconductor Device, Transistor, Field Effect, N-Channel, Silicon, Logic Level, Types 2N6902, and 2N6904 JAN, JANTX, JANTXV and JANS [CUST: CR EC 85 CC NA]	A	5961	CC	04-SEP-2012
M	MIL-PRF-19500/627B	Semiconductor Device, Diode, Silicon, Ultra-Fast Recovery, Power Rectifier, 1N6688, 1N6689, 1N6688US, 1N6689US JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM]	A	5961	CC	24-AUG-2012
M	MIL-PRF-19500/628B	Semiconductor Device, Diode, Silicon, Ultra-Fast Recovery, Power Rectifier, 1N6690 through 1N6693, 1N6690US through 1N6693US JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM]	A	5961	CC	24-AUG-2012
M	MIL-PRF-19500/745D	Semiconductor Device, Field Effect Transistor, P-Channel, Radiation Hardened (Total Dose and Single Event Effects), Logic-Level Silicon, Types 2N7626UB, 2N7626UBC, 2N7626UBN, 2N7626UBCN, JANTXVR, JANTXVF, JANSR, and JANSF [CUST: CR EC 85 CC NA]	A	5961	CC	27-AUG-2012
M	MIL-DTL-24215/9C(1) NOT 2	Attenuators, Variable (Coaxial), Class 5 (SMA) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC MI OS SM]	A	5985	CC	21-AUG-2012
M	MIL-DTL-39030/5C(2) NOT 1	Dummy Loads, Electrical, Coaxial, Type IV (TNC), Low Power [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH]	A	5985	CC	22-AUG-2012
M	MIL-DTL-55041/11A NOT 1	Switches, Waveguide, 1P2T, Latching [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH SM]	A	5985	CC	21-AUG-2012
M	MIL-HDBK-660B	Fabrication of Rigid Waveguide Assemblies (Sweep Bends and Twists) [CUST: CR EC 85 CC]	A	5985	CC	21-AUG-2012
M	MIL-STD-1678-2(2)	Fiber Optic Cabling Systems Requirements and Measurements (Part 2: Optical Measurements) (Part 2 of 6 Parts) [CUST: CR SH 85 CC] [REVIEW: 99]	A	60GP	CC	24-AUG-2012
M	A-A-1577 NOT 1	Lamp, Incandescent, 150 Watt, Floodlight, 150PAR/FL [CUST: GS2]	A	6240	/ GS2	16-AUG-2012
M	MIL-DTL-7990D	Transmitter, Temperature, Electrical Resistance, -70 Degrees to +300 Degrees C [CUST: AV AS 99 GS] [REVIEW: 71]	A	6685	GS1	15-AUG-2012
M	A-A-59198A NOT 2	Psychrometers [CUST: CR SH GS1]	A	6685	/ GS1	20-AUG-2012
M	A-A-1452C NOT 1	Lacquer (Spraying, Chemical Resistant) [CUST: MI SH 99]	A	8010	* FAS	15-AUG-2012
M	MIL-DTL-3060G(1)	Boxes, Small Arms Ammunition - M19A1 and M2A1 and M2A2 [CUST: AR]	A	8140	AR	10-AUG-2012
N	A-A-59903	Crampon Replacement Kit [CUST: GL MC CT]	A	8465	/ CT	23-AUG-2012
N	A-A-59904	High Angle Mountaineering Kit (HAMK) Single Pack [CUST: GL MC CT]	A	8465	/ CT	23-AUG-2012
N	A-A-59905	Army Mountaineering Kit Harness Replacement Kits [CUST: GL MC CT]	A	8465	/ CT	23-AUG-2012
N	A-A-59906	Shovel, Avalanche with Probe, Replacement Kit [CUST: GL MC CT]	A	8465	/ CT	23-AUG-2012
N	A-A-59907	Snow and Ice Mobility Kit (SIMK) Single Packs [CUST: GL MC CT]	A	8465	/ CT	23-AUG-2012
N	A-A-59908	Snowshoe, Assault, Military Replacement Kit [CUST: GL MC CT]	A	8465	/ CT	24-AUG-2012
N	A-A-59909	Transceiver, Avalanche Replacement Kit [CUST: GL MC CT]	A	8465	/ CT	24-AUG-2012
N	A-A-59910	Army Mountaineering Kit Webbing Replacement Kit [CUST: GL MC]	A	8465	/ CT	24-AUG-2012
M	A-A-20189C	Cocoa Beverage Powder [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8960	/ SS	03-AUG-2012
M	MIL-DTL-16884M	Fuel, Naval Distillate [CUST: CR4 SH 68] [REVIEW: CG GS MC PS SA]	A	9140	SH	14-AUG-2012
M	MIL-STD-6011E	Tactical Data Link (TDL) 11/11B Message Standard [CUST: CR EC 44 NS]	C	INST	DC2	29-JUN-2012
M	MIL-STD-6016E	Tactical Data Link (TDL) 16 Message Standard [CUST: CR EC 44 NS]	C	INST	DC2	20-JUL-2012
M	MIL-STD-6017C	Variable Message Format (VMF) [CUST: CR EC 44 NS]	C	INST	DC2	31-MAY-2012

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION		MCA	PREP ACTY	DATE
			FSC/AREA				
M	MIL-DTL-51029D	Riot Control Agent, CS [CUST: EA 99] [REVIEW: 70 CR4 MD]	D	1365		EA	21-AUG-2012
M	A-A-55469/2B	Connectors, Electrical, Plugs, Tip, Dual (Banana Plug) [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS]	A	5935	/	CC	21-AUG-2012
M	MIL-DTL-10986G SUP 1 NOT 1	Indicators and Transmitters: Liquid, Temperature and Pressure [CUST: AT YD GS] [REVIEW: CR CR4 MC]	A	6620		GS8	22-AUG-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	A-A-55600B NOT 1	Bearings, Roller, Cylindrical, Single Row of Rollers, Two Roller Retaining Ribs on Inner Ring, Two Roller Retaining Ribs on Outer Ring, Two Direction Locating (No S/S Document) [CUST: AT OS 11 GS] [REVIEW: MC SH]	A	3110	/	GS4		06-AUG-2012
M	ANSI-B74.18	Grain, Grading of Certain Abrasive, on Coated Abrasive Products, Specifications for (See Notice for Replacement Information) [CUST: MR YD 84] [REVIEW: 99 GS IS]	A	5350		84		27-AUG-2012
M	MS27489E NOT 2	Connectors, Adapter, Electrical, Reducer, EMR Hardware, Series I and II (S/S by SAE-AS85049/32) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC		06-AUG-2012
M	MS25185C NOT 1	Plug, Venting, Gravity Controlled, Electrolyte Access Hole, Cell, Aircraft Lead Acid Storage Battery (No S/S Document) [CUST: CR AS 99] [REVIEW: GS]	A	6140		AS		21-AUG-2012
M	MS27307E NOT 2	Cell, Battery, Aircraft Storage, Nickel Cadmium (No S/S Document) [CUST: 84] [REVIEW: 99 GS]	A	6140		84		16-AUG-2012
M	MS27310A NOT 2	Connector, Battery Cell, Curved (No S/S Document) [CUST: 84] [REVIEW: 99 GS]	A	6140		84		16-AUG-2012
M	MS27546 NOT 2	Battery, Aircraft, Storage, Nickel-Cadmium, 24V, 5 AMP Hour (1 Hr. Rate) 25 Degrees C (No S/S Document) [CUST: 84] [REVIEW: 11 99 GS]	A	6140		84		16-AUG-2012
M	ASTM-D301	Nitrate, Soluble Cellulose (No S/S Document) [CUST: AR OS 99]	A	8010		84		27-AUG-2012
M	ASTM-A327	Cast Irons, Impact Testing of (See Notice of Withdrawal for Replacement Information) [CUST: AR SH 99]	A	MECA		99		27-AUG-2012