Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 April 2014

(For the Period 1 April 2014 to 14 April 2014)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.dla.mil/ for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at https://assist.dla.mil/online/registration/registration.cfm.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: https://assist.dla.mil/online/news/AlertService.htm.

ACTIVE SECTION

ASSIST UPDATE

ACTIVE SECTION	ASSIST UPDATE					
NOUNCE TO SELECT		DISTRIBUTION	FSC/AREA	_	P ACTY	
S DOCUMENT NUMBER	DOCUMENT TITLE	DIST	FSC,	MCA	PREP.	DATE
N MIL-DTL-32469	Cartridges, 60 Millimeter: HE, Insensitive Munition – M720A2, M768A1 and M888A1 [CUST: AR OS 99] [REVIEW: 70 AS AV MC SH]	_	1310		AR	26-MAR-2014
M MIL-DTL-48360A	Charge, Propelling, M200, for 105MM Howitzer, M119 Loading, Assembling and Packing [CUST:	Α	1315		AR	31-MAR-2014
M MIL-DTL-32331 NOT 1	AR] Lanyard, Fluid Tank Cap [CUST: AV AS 70 GS] [REVIEW: 71]	Α	1560		GS4	02-APR-2014
M MIL-HDBK-1783B(2) NOT 2	Engine Structural Integrity Program (ENSIP) [CUST: AV AS 11]		15GP		11	03-APR-2014
M MIL-DTL-8878L N MIL-STD-3045	Turnbuckles, Positive Safetying, General Specification for [CUST: AS 99 GS] [REVIEW: 71] U.S. Navy Surface Ship Machinery Arrangements [CUST: AV SH 99] [REVIEW: MI]	A A	1640 20GP		GS5 SH	27-MAR-2014 21-MAR-2014
M MIL-PRF-21858E(1) NOT 2	Truck, Hand, Shelf, Stock Picker (Metric) [CUST: AT SA 99 IS] [REVIEW: 84 MC]		3920		IS	03-APR-2014
M A-A-59424A	Truck, Lift, Fork, Container Handler, Diesel Engine-Driven, Pneumatic-Tired, 55000 Pound Capacity at 48 Inch Load Center [CUST: SA 84 IS] [REVIEW: 99]	Α	3930	/	84	28-MAR-2014
M MIL-DTL-23953D	Valves, Combined Vent-Check, for Submarine MBT Blow Lines (Sizes 2.00 and 2.50 Inches) [CUST: SH] [REVIEW: CC]	Α	4820		SH	11-FEB-2014
M MIL-DTL-29181C(1) NOT 3	Hasp, High Security, Shrouded, for High and Medium Security Padlock [CUST: YD 99 IS] [REVIEW: 71 AS MC NO]	Α	5340		IS	01-APR-2014
M MIL-DTL-83723/66B NOT 1	Connectors, Electrical, (Circular, Environment Resisting), Plug, Threaded Coupling, (Push-Pull, Quick-Disconnect without Lanyard), Crimp Pin Contact, Series III, Classes A, G, M, R, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 70 99]	Α	5935		CC	02-APR-2014
M MIL-DTL-83723/67B NOT 1	Connectors, Electrical, (Circular, Environment Resisting), Plug, Threaded Coupling, (Push-Pull, Quick-Disconnect without Lanyard), Crimp Socket Contact, Series III, Classes A, G, M, R, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 70 99]	A	5935		CC	02-APR-2014
M MIL-DTL-83723/68B NOT 1	Connectors, Electrical, (Circular, Environment Resisting), Plug, Threaded Coupling, (Push-Pull, Quick-Disconnect with Lanyard), Crimp Pin Contact, Series III, Classes A, G, M, R, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 70 99]	Α	5935		CC	02-APR-2014
M MIL-DTL-83723/69B NOT 1	Connectors, Electrical, (Circular, Environment Resisting), Plug, Threaded Coupling, (Push-Pull, Quick-Disconnect with Lanyard), Crimp Socket Contact, Series III, Classes A, G, M, R, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 70 99]	Α	5935		CC	02-APR-2014
M MIL-DTL-83723/70B NOT 1	Connectors, Electrical, (Circular, Environment Resisting), Receptacle Adapter (Push-Pull), Quick-Disconnect, Series III, Classes A, G, M, R, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 70 99]	Α	5935		CC	02-APR-2014
M MIL-PRF-27/103E(1)	Transformer, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	Α	5950		CC	11-APR-2014
M MIL-PRF-83446/13C	Coils, Radio Frequency, Chip, Fixed [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS]		5950		CC	01-APR-2014
M MIL-PRF-83446/14B M MIL-PRF-83446/16B	Coils, Radio Frequency, Chip, Fixed [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS] Coils, Radio Frequency, Chip, Variable [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS]	A	5950 5950		CC CC	01-APR-2014 01-APR-2014
M MIL-PRF-83446/36B(1)	Coils, Radio Frequency, Chip, Open Construction, Surface Mount, 0603 Size [CUST: CR EC 85]		5950		CC	04-APR-2014
M MIL-PRF-83446/37A(1)	CC] [REVIEW: 19 AS MI OS] Coils, Radio Frequency, Chip, Open Construction, Surface Mount, 0805 Size [CUST: CR EC 85	Α	5950		CC	04-APR-2014
M MIL-PRF-19500/117R(2)	CC] [REVIEW: 19 AS MI OS] Semiconductor Devices, Diode, Silicon, Voltage Regulator, Types 1N962B-1 through 1N992B-1, and 1N962BUR-1 through 1N992BUR-1, 1N962C-1 through 1N992C-1, and 1N962CUR-1 through 1N992CUR-1 through 1N992DUR-1, JAN, JANTXV, JANHC and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SMI	A	5961		CC	26-MAR-2014
M MIL-PRF-19500/343K(1)	Semiconductor Device, Transistor, NPN, Silicon, Low Power, Types 2N2857 and 2N2857UB, JAN, JANTX, JANTXV, and JANS, JANSM, JANSD, JANSP, JANSL, JANSR, JANHCF, JANHCG, JANSH, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AS MC MI SM]	Α	5961		CC	25-MAR-2014
M MIL-PRF-19500/437H(2)	Semiconductor Device, Diode, Silicon, Low-Noise Voltage Regulator, Types 1N5518B-1, 1N5518C-1, 1N5518D-1 through 1N5546B-1, 1N5546C-1, 1N5546D-1, 1N5518BUR-1, 1N5518CUR-1, 1N5518BUR-1, 1N5546BUR-1, 1N5546BUR-1, JAN, JANTX, JANTXV, JANHC, and JANKC CUST: CR EC 85 CC NA REVIEW: 19 99	A	5961		CC	09-APR-2014
M MIL-PRF-19500/503H	Semiconductor Device, Diode, Silicon, Power Rectifier, Ultra Fast Recovery, Types 1N6073 through 1N6081, JAN, JANTX, JANTXV, and JANHC [CUST: CR EC 85 CC NA] [REVIEW: 99 AR]	Α	5961		CC	28-MAR-2014
M MIL-PRF-19500/586L	Semiconductor Device, Diode, Silicon, Schottky Barrier, Types 1N5817-1, 1N5817UR-1, 1N5819-1, 1N5819UR-1, 1N6761-1, and 1N6761UR-1, JAN, JANTXV, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	Α	5961		CC	26-MAR-2014
M MIL-PRF-19500/615G	Semiconductor Device, Filed Effect Radiation Hardened Transistors, P-Channel, Silicon, Types 2N7382 and 2N7383, JANTXV M, D, R, and F and JANS M, D, R, and F [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AS MC SM]	Α	5961		CC	01-APR-2014
M MIL-PRF-19500/623D	Semiconductor Device, Darlington Transistor, PNP, Silicon, High-Power Type 2N7371 JAN, JANTXV, and JANS CUST: CR EC 85 CC NA [REVIEW: 19 99 AR AS MI SM]	Α	5961		CC	25-MAR-2014
M MIL-PRF-19500/659A	Semiconductor Device, Field Effect Radiation Hardened Transistor, P-Channel Silicon Type 2N7440, and 2N7441 JANSD and JANSR [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AS MC SM]	Α	5961		CC	02-APR-2014
M A-A-59214 NOT 3	Junction Box: Extension, Junction Box; Cover, Junction Box (Steel, Coated with Corrosion-Resistant Finish) [CUST: CR YD 85 GS] [REVIEW: 19 AS CG SH]	Α	5975	/	GS8	02-APR-2014
N MIL-PRF-64266/22	Connectors, Fiber Optic, Rectangular, Receptacle, Card Front Edge Style, Multiple Removable Termini, Single Fiber Cables, Jackscrew Locking, No Strength Member Capture at Cable Entry Interface, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA]	A	6060		CC	03-FEB-2014
N MIL-PRF-64266/23	Connectors, Fiber Optic, Rectangular, Plug, Backplane Style, Multiple Removable Termini, Single Fiber Cables, Blind Mated, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 85 CC1 [REVIEW: 13 19 93 99 AS DI NA]	Α	6060		CC	03-FEB-2014
N MIL-PRF-64266/25	Connectors, Fiber Optic, Rectangular, Plug, Card Front Edge Style, Multiple Removable Termini, Single Fiber Cables, Jackscrew Locking, No Strength Member Capture at Cable Entry Interface, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA]	A	6060		CC	20-MAR-2014
N MIL-PRF-64266/26	Connectors, Fiber Optic, Rectangular, Alignment Sleeve Retainer (ASR), Both Backplane and Card Front Edge Style, Multiple Removable Termini, Single Fiber Cables, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA]	A	6060		CC	03-FEB-2014
N MIL-PRF-64266/30	Connectors, Fiber Optic, Rectangular, Multiple Removable Termini, Single Fiber Cables, Plug Backshell, Card Front Edge Style No Strength Member Capture at Cable Entry Interface, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA]	A	6060		CC	03-FEB-2014
N MIL-PRF-32494	Light Unit, Portable, TF-2 Lightcart [CUST: 84] [REVIEW: 99]	Α	6230		84	18-MAR-2014

ACTIVE SECTION

ASSIST LIPDATE

ACTIVE SECTION	ASSIST UPDATE					
LAST ACTION THAM THAM THAM THAM THAM THAM THAM THAM		DISTRIBUTION	SEA.		ACTY	
A LY		STRI	FSC/AREA	MCA	PREP A	
	DOCUMENT TITLE Mantle, Illuminating (Gasoline Lantern) [CUST: GL CG 99 GS2] [REVIEW: CR4]	—		<u>×</u>		DATE
M A-A-52079B NOT 1 M A-A-59164A NOT 1	Tester, Flash Point, ASTM D56 Method [CUST: 84] [REVIEW: 99]	A A	6260 6630	/	GS2 84	02-APR-2014 02-APR-2014
M MIL-A-47059 NOT 4	Acetyl Triethyl Citrate [CUST: AR]	A	6810		AR	20-MAR-2014
M MIL-DTL-43613E NOT 1	Can, Water, Military: Plastic, 5-Gallon Capacity [CUST: GL SA 99 IS] [REVIEW: 84 CG MC MD YD]	A	7240		IS	03-APR-2014
M MIL-STD-299 NOT 2	Visual Inspection Standards for Nailed Wood Boxes and Wirebound Wood Boxes Used in Small Arms Ammunition [CUST: AR] [REVIEW: CR GL GS]	A	8140		AR	26-MAR-2014
M MIL-STD-406 NOT 2	Visual Inspection Standards for Terne Plate Cans and Steel Boxes Used in Small Arms Ammunition Packaging [CUST: AR AS] [REVIEW: EA GS MI]		8140		AR	26-MAR-2014
M MIL-DTL-3476/9D M MIL-DTL-3476/31D	Brassard, Gas Personnel, U.S. Army [CUST: IH] [REVIEW: CT] Brassard, Trainees or Candidates Acting as Officers at Training School or Center, Captain U.S.		8455 8455		IH IH	31-MAR-2014 31-MAR-2014
M MIL-DTL-3476/32D	Brassard, Trainees or Candidates Acting as Officers at Training School or Center, Captain U.S. Army [CUST: IH] [REVIEW: CT] Brassard, Trainees or Candidates Acting as Officers at Training School or Center, First Lieutenant, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455		IH	31-MAR-2014
M MIL-DTL-3476/33D	Brassard, Trainees or Candidates Acting as Officers at Training School or Center, Second	A	8455		IH	31-MAR-2014
N MIL-DTL-11484/358	Lieutenant, U.S. Army [CUST: IH] [RÉVIEW: CT] Lapel Button, Richard C. Holbrooke Award for Diplomacy, U.S. Department of State [CUST: IH] [REVIEW: CT]	A	8455		IH	03-APR-2014
N MIL-DTL-11484/364	Lapel Button, Presidential Award for Extraordinary Efforts to Combat Trafficking in Persons, U.S.	A	8455		IH	27-MAR-2014
N MIL-DTL-41819/52	Department of State [CUST: IH] [REVIEW: CT] Ribbon Attachment, Richard C. Holbrooke Award for Diplomacy, U.S. Department of State [CUST: IH] [REVIEW: CT]	A	8455		IH	03-APR-2014
M MIL-DTL-41819/54	Ribbon Attachment, Presidential Award for Extraordinary Effort to Combat Trafficking in Persons, U.S. Department of State [CUST: IH] [REVIEW: CT]	A	8455		IH	27-MAR-2014
N MIL-DTL-43098/22	Medallion, Presidential Award for Extraordinary Efforts to Combat Trafficking in Persons, U.S. Department of State [CUST: IH] [REVIEW: CT]		8455		IH	27-MAR-2014
M A-A-20155D NOT 1 M ASTM-D4066	Tuna, Canned or in Flexible Pouches [CUST: GL SA 35] [REVIEW: MC MD QM SS] Nylon Injection and Extrusion Materials (PA), Standard Classification System for [CUST: MR AS 99] [REVIEW: 11 84 AR AV CR CR4 EA GL GS IS MD MI OS SH SM YD]		8905 9330	/	GL MR	09-APR-2014 04-MAR-2014
M ASTM-A700	Steel Products for Shipment, Packaging, Marking, and Loading Methods for, Standard Practices for (No S/S Document) [CUST: MR SA 11] [REVIEW: 99 AR AS IS OS SH YD]	A	95GP		MR	04-MAR-2014
N ITOP-5.2.544	Launcher Dynamic Data Acquisition [CUST: TE]	C	ISDA		TE	31-AUG-2012
N TOP-1-1-065	Accelerated Corrosion Durability [CUST: TE]		ISDA		TE	15-OCT-2013
N TOP-2-2-624 N TOP-6-2-605	Ballistic Performance Tests of Reactive Armor [CUST: TE] Testing Cellular and Wireless Communication Systems [CUST: TE]		ISDA ISDA		TE TE	13-AUG-2013 13-AUG-2013
N TOP-8-2-201	Collective Protection (ColPro) Novel Closures Testing [CUST: TE]		ISDA		TE	28-MAR-2013
N TOP-10-2-222	Ballistic Fragmentation Testing of Military Combat Eye Protection (MCEP) Systems [CUST: TE]		ISDA		TE	01-APR-2013
N STANREC-4736 ED.1	PB-FREE ELECTRONICS RISKS & MITIGATIONS		ISDD		SO1	10-OCT-2012
N STANREC-4739 ED.1	RISK MANAGEMENT		ISDD		SO1	11-APR-2013
N STANAG-3454 ED.6	GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES - AAEP-01 EDITION A NAVAL ARCTIC MANUAL		ISDF ISDN		06 NI	31-MAR-2014 04-FEB-2014
N ATP-17 ED.D(1) N STANAG-1196 ED.10	NAVAL ARCTIC MANUAL NAVAL ARCTIC MANUAL ATP-17 EDITION D	A	ISDN		NI	04-FEB-2014 04-FEB-2014
M DI-MISC-80043B NOT 1	Ammunition Data Card [AMSC: A9073]		MISC		AR	02-APR-2014

INACTIVE SECTION

ASSIST LIPDATE

INACTIVE SECTION	ASSIST UPDATE					
<u>z</u>		NC				
		Ĕ	⋖		77	
AC		E	RE		AC	
N ACTION TO THE PROPERTY OF TH		DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	
	DOCUMENT TITLE	_		Ĭ		DATE
M MIL-R-70560B NOT 1	Radar Set AN/VPS-2A: 9360797 (Range Only Radar) [CUST: AR]	A	1285		AR	28-MAR-2014
M MIL-C-48254A(1) NOT 2	Charges, Expelling, for Projectile, 155MM, Illuminating, M485A2 Loading, Assembling and Packing [CUST: AR]	A	1320		AR	20-MAR-2014
M MIL-P-223B(3) NOT 3	Powder, Black [CUST: AR OS 99]	Α	1376		AR	28-MAR-2014
M MIL-T-339C NOT 3	Tetryl (Trinitrophenylmethylnitramine) [CUST: AR OS]		1376		AR	28-MAR-2014
M MIL-T-13505 NOT 2	Thread, Silk, Sewing (for Propellant Bags) [CUST: AR]		1376		AR	28-MAR-2014
M MIL-C-45113B(1) NOT 2 M MIL-H-50589 NOT 2	Composition B-3 [CUST: AR] H M X for 30MM Ammunition [CUST: AR]		1376 1376		AR AR	28-MAR-2014 28-MAR-2014
M MIL-O-60371A NOT 2	Oxamide Explosive Composition [CUST: AR]		1376		AR	28-MAR-2014 28-MAR-2014
M MIL-P-60416A(2) NOT 2	Propellant M1 for Use in Charge, Propelling, 155MM, M3A1 [CUST: AR]	A	1376		AR	20-MAR-2014
M MIL-C-63217(2) NOT 2	Composition A-3, Type II (With Polyethylene) [CUST: AR]		1376		AR	28-MAR-2014
M MIL-DTL-52011H	Filter, Particulate, 12 CFM, M13 [CUST: EA]	C	4240		EA	28-MAR-2014
M MIL-C-4952E NOT 2	Cartridges, Desiccant, Dehydrator [CUST: 84] [REVIEW: 99]		4440		84	09-APR-2014
M MIL-DTL-45918A NOT 1	Clevises and Connectors (Rod End) [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MC MI SH]		5340		IS	03-APR-2014
M AN100039 REV 3 NOT 1 M MS18130F	Cover-Type XIII Engine Accessory Drive [CUST: AV AS 99 IS] [REVIEW: 71] Coils, Radio Frequency, Molded, Fixed, Microminiature, (Phenolic Core), Types LT4K074 to		5340 5950		IS CC	03-APR-2014 11-APR-2014
WI WISTOTSOF	LT4K089 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	3930		cc	11-AFK-2014
M MIL-PRF-1/160N NOT 2	Electron Tube, Power Type 7034 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS SH]	Α	5960		CC	09-APR-2014
M MIL-PRF-1/1006E NOT 3	Electron Tube, Cathode Ray Type 4DP7 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG CR4 MC	A	5960		CC	09-APR-2014
M MII DDE 1/1027E NOT 2	OS] Electron Tuba, Negative Crid (Microwaya) Tuna 6807 [CLIST: CD EC 85 CC] [DEVIEW: 10.00 AD	_	5060		CC	09-APR-2014
M MIL-PRF-1/1037E NOT 3	Electron Tube, Negative Grid (Microwave) Type 6897 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC OS SH]	A	3900		CC	09-AFK-2014
M MIL-PRF-1/1055F NOT 2	Electron Tube, Microwave (Negative Grid) Type 6442 [CUST: CR EC 85 CC] [REVIEW: 19 AS		5960		CC	09-APR-2014
	[CG MC OS]		= 0.50			
M MIL-PRF-1/1596B NOT 3	Electron Tube, Power Type 8116 [CUST: EC CC] [REVIEW: AS CG MC OS SH] Electron Tube, Power Type 8904 [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CE CG CR4 MC		5960		CC	09-APR-2014
M MIL-PRF-1/1728B(1) NOT 2	MI OS SM	A	5960		CC	09-APR-2014
M MIL-L-3661/60C(2) NOT 2	Lampholder, Transformer, Light, Indicator, Style LH93 [CUST: SH GS2] [REVIEW: IS]	Α	6210		GS2	28-MAR-2014
M MS51318B NOT 4	Headlight, Blackout, 24-Volt Waterproof [CUST: AT 99 GS2] [REVIEW: CR4 IS]	Α	6220		GS2	02-APR-2014
M MIL-I-7088B NOT 3	Indicator, Pressure, Fuel, 0-1,000 PSI [CUST: AS 71] [REVIEW: GS]	Α	6620		71	09-APR-2014
M MIL-DTL-27189E NOT 1	Indicator, Pressure, Oil [CUST: 71] [REVIEW: 99 GS]	A	6620		71	03-APR-2014
M MIL-V-13750B NOT 5	Varnish, Phenol-Formaldehyde, Clear and Aluminum Pigmented [CUST: AR]	A	8010		AR	28-MAR-2014
M MIL-C-15074E NOT 1	Corrosion Preventive, Fingerprint Remover [CUST: AR SH 99] [REVIEW: 03 11 AS AV CG MR]	A	8030 8120		AR GS7	18-MAR-2014 02-APR-2014
M MIL-A-16288/9 NOT 5	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to French Acetylene Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120		US/	02-APK-2014
M MIL-C-70472(2) NOT 1	Container and Cushion Assembly, Ammunition, Metal, for Cartridge, 120MM, Tank Ammunition [CUST: AR] [REVIEW: GS]	A	8140		AR	18-MAR-2014
M MIL-C-70957 NOT 1	Cushion Components for Metal Container for 105MM Howitzer Ammunition [CUST: AR] [REVIEW: GS]	A	8140		AR	03-APR-2014
M L-P-504E NOT 1	Plastic Sheet and Film, Cellulose Acetate [CUST: AR AS 11] [REVIEW: CR CR4 EA GL IS MR]		9330	/	AR	20-MAR-2014
M MIL-R-10185E NOT 1	Rings, Breech, Steel Forgings for [CUST: AR]	A	FORG		AR	28-MAR-2014

CANCELED SECTION

ASSIST LIPDATE

CANCELED SECTION	ASSIST UPDATE				
N OCLION THE NUMBER		DISTRIBUTION	FSC/AREA	MCA PREP ACTY	
SY DOCUMENT NUMBER	DOCUMENT TITLE	OIST	SC//	MCA PREP	DATE
M MIL-C-27556A NOT 7	Cartridge Kit, Parachute MLU-14/B and Cartridge Kit, Parachute MLU-15/B (No S/S Document)	A	1377	70	26-MAR-2014
M MIL-M-5776C NOT 2	[CUST: 70] [ŘEVIEW: 71] Maintenance Platform, Aircraft Adjustable, 13 TO 20 Feet Type B-2 (No S/S Document) [CUST:	A	1730	84	31-MAR-2014
M MIL-M-7404D(3) NOT 3	84] [REVIEW: 99 GS] Maintenance Platform, Aircraft, Adjustable, 3 to 7 Feet, Type B-4A (No S/S Document) [CUST: AV	A	1730	84	31-MAR-2014
M MIL-M-7405D NOT 2	84] [REVIEW: 99 GS] Maintenance Platform, Aircraft, Type B-5A (No S/S Document) [CUST: 84] [REVIEW: 99 GS]	Α	1730	84	31-MAR-2014
M MIL-T-26025E NOT 2	Tractor, Aircraft Towing, Diesel Engine Driven (DED), 4X4, 4 Wheel Steer, 10,300 Pounds Drawbar Pull, Pneumatic Rubber Tired (S/S by A-A-59210) [CUST: 84] [REVIEW: 99]	A	1740	84	31-MAR-2014
M MIL-T-83808 NOT 2	Tractor, Commercial, 4X2, Diesel Engine Driven (DED), Support Equipment (SE) Towing 40,000 Pounds, Aircraft (AC) Towing 70,000 Pounds, 4,500 Pounds Drawbar Pull (DBP) (S/S by A-A-59312) [CUST: 84] [REVIEW: 99]	A	1740	84	27-MAR-2014
M MIL-I-81969/45A NOT 1	Installing Tool, Solderless Spring Contact, Type I, Composition A (No S/S Document) [CUST: AS 11] [REVIEW: 99 GS]	A	5120	AS	02-APR-2014
M MIL-F-39000/3C NOT 1	Flanges, Waveguide, Double Ridge, Socket Mount (Bandwidth Ratio 2.4:1)(No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG MC OS]	A	5985	CC	20-MAR-2014
M MIL-I-81969/46A NOT 2	Installing and Removal Tools, Fiber Optic, Type I, Class 2, Composition C, Size 16 Termini (No S/S Document) [CUST: CR AS 85 CC]	A	6060	AS	02-APR-2014
M MIL-I-81969/47A NOT 3	Installing and Removal Tools, Fiber Optic, Type II, Class 2, Composition C, Size 16 Termini (No S/S Document) [CUST: CR AS 85 CC] [REVIEW: 03 19 33 93 99 DI NA SH]	A	6060	AS	02-APR-2014
M MIL-I-81969/48A NOT 3	Installing and Removal Tools, Fiber Optic, Type III, Alignment Sleeve, Class 2, Composition C, Size 16 Termini (No S/S Document) [CUST: CR AS 85 CC] [REVIEW: 03 19 33 93 99 DI NA SH]	A	6060	AS	02-APR-2014
M MIL-I-81969/49B NOT 2	Installing and Removal Tools, Fiber Optic, Hand, Right Angle, Type I, Class 2, Composition A, Size 16 Termini (No S/S Document) [CUST: CR AS 85 CC]	A	6060	AS	02-APR-2014
M ASTM-F859	Heat-Sanitizing Commercial Dishwashing Machines, Multiple Tank, Conveyor Rack Type (No S/S Document) [CUST: GL YD 99 SS] [REVIEW: 84 GS MC MD MS SA]	A	7320	SS	04-APR-2014
M MIL-S-38228(2) NOT 3	Sealing Compound, Environmental, for Aircraft Surfaces (S/S by SAE-AMS3265) [CUST: 11] [REVIEW: 99]	A	8030	11	24-MAR-2014