

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 April 2014

(For the Period 1 April 2014 to 14 April 2014)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | | | DATE |
|-------------|-------------------------|--|--------------|----------|-----|-----------|-------------|
| | | | | FSC/AREA | MCA | PREP ACTY | |
| N | MIL-DTL-32469 | Cartridges, 60 Millimeter: HE, Insensitive Munition – M720A2, M768A1 and M888A1 [CUST: AR OS 99] [REVIEW: 70 AS AV MC SH] | D | 1310 | | AR | 26-MAR-2014 |
| M | MIL-DTL-48360A | Charge, Propelling, M200, for 105MM Howitzer, M119 Loading, Assembling and Packing [CUST: AR] | A | 1315 | | AR | 31-MAR-2014 |
| M | MIL-DTL-32331 NOT 1 | Lanyard, Fluid Tank Cap [CUST: AV AS 70 GS] [REVIEW: 71] | A | 1560 | | GS4 | 02-APR-2014 |
| M | MIL-HDBK-1783B(2) NOT 2 | Engine Structural Integrity Program (ENSIP) [CUST: AV AS 11] | A | 15GP | | 11 | 03-APR-2014 |
| M | MIL-DTL-8878L | Turnbuckles, Positive Safetying, General Specification for [CUST: AS 99 GS] [REVIEW: 71] | A | 1640 | | GS5 | 27-MAR-2014 |
| N | MIL-STD-3045 | U.S. Navy Surface Ship Machinery Arrangements [CUST: AV SH 99] [REVIEW: MI] | A | 20GP | | SH | 21-MAR-2014 |
| M | MIL-PRF-21858E(1) NOT 2 | Truck, Hand, Shelf, Stock Picker (Metric) [CUST: AT SA 99 IS] [REVIEW: 84 MC] | A | 3920 | | IS | 03-APR-2014 |
| M | A-A-59424A | Truck, Lift, Fork, Container Handler, Diesel Engine-Driven, Pneumatic-Tired, 55000 Pound Capacity at 48 Inch Load Center [CUST: SA 84 IS] [REVIEW: 99] | A | 3930 | / | 84 | 28-MAR-2014 |
| M | MIL-DTL-23953D | Valves, Combined Vent-Check, for Submarine MBT Blow Lines (Sizes 2.00 and 2.50 Inches) [CUST: SH] [REVIEW: CC] | A | 4820 | | SH | 11-FEB-2014 |
| M | MIL-DTL-29181C(1) NOT 3 | Hasp, High Security, Shrouded, for High and Medium Security Padlock [CUST: YD 99 IS] [REVIEW: 71 AS MC NO] | A | 5340 | | IS | 01-APR-2014 |
| M | MIL-DTL-83723/66B NOT 1 | Connectors, Electrical, (Circular, Environment Resisting), Plug, Threaded Coupling, (Push-Pull, Quick-Disconnect without Lanyard), Crimp Pin Contact, Series III, Classes A, G, M, R, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 70 99] | A | 5935 | | CC | 02-APR-2014 |
| M | MIL-DTL-83723/67B NOT 1 | Connectors, Electrical, (Circular, Environment Resisting), Plug, Threaded Coupling, (Push-Pull, Quick-Disconnect without Lanyard), Crimp Socket Contact, Series III, Classes A, G, M, R, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 70 99] | A | 5935 | | CC | 02-APR-2014 |
| M | MIL-DTL-83723/68B NOT 1 | Connectors, Electrical, (Circular, Environment Resisting), Plug, Threaded Coupling, (Push-Pull, Quick-Disconnect with Lanyard), Crimp Pin Contact, Series III, Classes A, G, M, R, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 70 99] | A | 5935 | | CC | 02-APR-2014 |
| M | MIL-DTL-83723/69B NOT 1 | Connectors, Electrical, (Circular, Environment Resisting), Plug, Threaded Coupling, (Push-Pull, Quick-Disconnect with Lanyard), Crimp Socket Contact, Series III, Classes A, G, M, R, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 70 99] | A | 5935 | | CC | 02-APR-2014 |
| M | MIL-DTL-83723/70B NOT 1 | Connectors, Electrical, (Circular, Environment Resisting), Receptacle Adapter (Push-Pull), Quick-Disconnect, Series III, Classes A, G, M, R, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 70 99] | A | 5935 | | CC | 02-APR-2014 |
| M | MIL-PRF-27/103E(1) | Transformer, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A | 5950 | | CC | 11-APR-2014 |
| M | MIL-PRF-83446/13C | Coils, Radio Frequency, Chip, Fixed [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 01-APR-2014 |
| M | MIL-PRF-83446/14B | Coils, Radio Frequency, Chip, Fixed [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 01-APR-2014 |
| M | MIL-PRF-83446/16B | Coils, Radio Frequency, Chip, Variable [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 01-APR-2014 |
| M | MIL-PRF-83446/36B(1) | Coils, Radio Frequency, Chip, Open Construction, Surface Mount, 0603 Size [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 04-APR-2014 |
| M | MIL-PRF-83446/37A(1) | Coils, Radio Frequency, Chip, Open Construction, Surface Mount, 0805 Size [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS] | A | 5950 | | CC | 04-APR-2014 |
| M | MIL-PRF-19500/117R(2) | Semiconductor Devices, Diode, Silicon, Voltage Regulator, Types 1N962B-1 through 1N992B-1, and 1N962BUR-1 through 1N992BUR-1, 1N962C-1 through 1N992C-1, and 1N962CUR-1 through 1N992CUR-1, and 1N962D-1 through 1N992D-1, 1N962DUR-1 through 1N992DUR-1, JAN, JANTX, JANTXV, JANHC and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM] | A | 5961 | | CC | 26-MAR-2014 |
| M | MIL-PRF-19500/343K(1) | Semiconductor Device, Transistor, NPN, Silicon, Low Power, Types 2N2857 and 2N2857UB, JAN, JANTX, JANTXV, and JANS, JANSM, JANSJ, JANSR, JANS, JANHCF, JANHCG, JANSH, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AS MC MI SM] | A | 5961 | | CC | 25-MAR-2014 |
| M | MIL-PRF-19500/437H(2) | Semiconductor Device, Diode, Silicon, Low-Noise Voltage Regulator, Types 1N5518B-1, 1N5518C-1, 1N5518D-1 through 1N5546B-1, 1N5546C-1, 1N5546D-1, 1N5518BUR-1, 1N5518CUR-1, 1N5518DUR-1 through 1N5546BUR-1, 1N5546CUR-1, 1N5546DUR-1, JAN, JANTX, JANTXV, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99] | A | 5961 | | CC | 09-APR-2014 |
| M | MIL-PRF-19500/503H | Semiconductor Device, Diode, Silicon, Power Rectifier, Ultra Fast Recovery, Types 1N6073 through 1N6081, JAN, JANTX, JANTXV, and JANHC [CUST: CR EC 85 CC NA] [REVIEW: 99 AR] | A | 5961 | | CC | 28-MAR-2014 |
| M | MIL-PRF-19500/586L | Semiconductor Device, Diode, Silicon, Schottky Barrier, Types 1N5817-1, 1N5817UR-1, 1N5819-1, 1N5819UR-1, 1N6761-1, and 1N6761UR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A | 5961 | | CC | 26-MAR-2014 |
| M | MIL-PRF-19500/615G | Semiconductor Device, Field Effect Radiation Hardened Transistors, P-Channel, Silicon, Types 2N7382 and 2N7383, JANTXV M, D, R, and F and JANS M, D, R, and F [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AS MC SM] | A | 5961 | | CC | 01-APR-2014 |
| M | MIL-PRF-19500/623D | Semiconductor Device, Darlington Transistor, PNP, Silicon, High-Power Type 2N7371 JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM] | A | 5961 | | CC | 25-MAR-2014 |
| M | MIL-PRF-19500/659A | Semiconductor Device, Field Effect Radiation Hardened Transistor, P-Channel Silicon Type 2N7440, and 2N7441 JANSJ and JANSR [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AS MC SM] | A | 5961 | | CC | 02-APR-2014 |
| M | A-A-59214 NOT 3 | Junction Box: Extension, Junction Box; Cover, Junction Box (Steel, Coated with Corrosion-Resistant Finish) [CUST: CR YD 85 GS] [REVIEW: 19 AS CG SH] | A | 5975 | / | GS8 | 02-APR-2014 |
| N | MIL-PRF-64266/22 | Connectors, Fiber Optic, Rectangular, Receptacle, Card Front Edge Style, Multiple Removable Termini, Single Fiber Cables, Jackscrew Locking, No Strength Member Capture at Cable Entry Interface, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | CC | 03-FEB-2014 |
| N | MIL-PRF-64266/23 | Connectors, Fiber Optic, Rectangular, Plug, Backplane Style, Multiple Removable Termini, Single Fiber Cables, Blind Mated, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | CC | 03-FEB-2014 |
| N | MIL-PRF-64266/25 | Connectors, Fiber Optic, Rectangular, Plug, Card Front Edge Style, Multiple Removable Termini, Single Fiber Cables, Jackscrew Locking, No Strength Member Capture at Cable Entry Interface, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | CC | 20-MAR-2014 |
| N | MIL-PRF-64266/26 | Connectors, Fiber Optic, Rectangular, Alignment Sleeve Retainer (ASR), Both Backplane and Card Front Edge Style, Multiple Removable Termini, Single Fiber Cables, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | CC | 03-FEB-2014 |
| N | MIL-PRF-64266/30 | Connectors, Fiber Optic, Rectangular, Multiple Removable Termini, Single Fiber Cables, Plug Backshell, Card Front Edge Style No Strength Member Capture at Cable Entry Interface, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 11 CC] [REVIEW: 13 19 93 99 AS DI NA] | A | 6060 | | CC | 03-FEB-2014 |
| N | MIL-PRF-32494 | Light Unit, Portable, TF-2 Lightcart [CUST: 84] [REVIEW: 99] | A | 6230 | | 84 | 18-MAR-2014 |

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | | MCA | PREP ACTY | DATE |
|-------------|----------------------|--|--------------|----------|---|-----|-----------|-------------|
| | | | | | | | | |
| M | A-A-52079B NOT 1 | Mantle, Illuminating (Gasoline Lantern) [CUST: GL CG 99 GS2] [REVIEW: CR4] | A | 6260 | / | GS2 | | 02-APR-2014 |
| M | A-A-59164A NOT 1 | Tester, Flash Point, ASTM D56 Method [CUST: 84] [REVIEW: 99] | A | 6630 | / | 84 | | 02-APR-2014 |
| M | MIL-A-47059 NOT 4 | Acetyl Triethyl Citrate [CUST: AR] | A | 6810 | | AR | | 20-MAR-2014 |
| M | MIL-DTL-43613E NOT 1 | Can, Water, Military: Plastic, 5-Gallon Capacity [CUST: GL SA 99 IS] [REVIEW: 84 CG MC MD YD] | A | 7240 | | IS | | 03-APR-2014 |
| M | MIL-STD-299 NOT 2 | Visual Inspection Standards for Nailed Wood Boxes and Wirebound Wood Boxes Used in Small Arms Ammunition [CUST: AR] [REVIEW: CR GL GS] | A | 8140 | | AR | | 26-MAR-2014 |
| M | MIL-STD-406 NOT 2 | Visual Inspection Standards for Terne Plate Cans and Steel Boxes Used in Small Arms Ammunition Packaging [CUST: AR AS] [REVIEW: EA GS MI] | A | 8140 | | AR | | 26-MAR-2014 |
| M | MIL-DTL-3476/9D | Brassard, Gas Personnel, U.S. Army [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | | 31-MAR-2014 |
| M | MIL-DTL-3476/31D | Brassard, Trainees or Candidates Acting as Officers at Training School or Center, Captain U.S. Army [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | | 31-MAR-2014 |
| M | MIL-DTL-3476/32D | Brassard, Trainees or Candidates Acting as Officers at Training School or Center, First Lieutenant, U.S. Army [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | | 31-MAR-2014 |
| M | MIL-DTL-3476/33D | Brassard, Trainees or Candidates Acting as Officers at Training School or Center, Second Lieutenant, U.S. Army [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | | 31-MAR-2014 |
| N | MIL-DTL-11484/358 | Lapel Button, Richard C. Holbrooke Award for Diplomacy, U.S. Department of State [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | | 03-APR-2014 |
| N | MIL-DTL-11484/364 | Lapel Button, Presidential Award for Extraordinary Efforts to Combat Trafficking in Persons, U.S. Department of State [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | | 27-MAR-2014 |
| N | MIL-DTL-41819/52 | Ribbon Attachment, Richard C. Holbrooke Award for Diplomacy, U.S. Department of State [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | | 03-APR-2014 |
| M | MIL-DTL-41819/54 | Ribbon Attachment, Presidential Award for Extraordinary Effort to Combat Trafficking in Persons, U.S. Department of State [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | | 27-MAR-2014 |
| N | MIL-DTL-43098/22 | Medallion, Presidential Award for Extraordinary Efforts to Combat Trafficking in Persons, U.S. Department of State [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | | 27-MAR-2014 |
| M | A-A-20155D NOT 1 | Tuna, Canned or in Flexible Pouches [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A | 8905 | / | GL | | 09-APR-2014 |
| M | ASTM-D4066 | Nylon Injection and Extrusion Materials (PA), Standard Classification System for [CUST: MR AS 99] [REVIEW: 11 84 AR AV CR CR4 EA GL GS IS MD MI OS SH SM YD] | A | 9330 | | MR | | 04-MAR-2014 |
| M | ASTM-A700 | Steel Products for Shipment, Packaging, Marking, and Loading Methods for, Standard Practices for (No S/S Document) [CUST: MR SA 11] [REVIEW: 99 AR AS IS OS SH YD] | A | 95GP | | MR | | 04-MAR-2014 |
| N | ITOP-5.2.544 | Launcher Dynamic Data Acquisition [CUST: TE] | C | ISDA | | TE | | 31-AUG-2012 |
| N | TOP-1-1-065 | Accelerated Corrosion Durability [CUST: TE] | A | ISDA | | TE | | 15-OCT-2013 |
| N | TOP-2-2-624 | Ballistic Performance Tests of Reactive Armor [CUST: TE] | D | ISDA | | TE | | 13-AUG-2013 |
| N | TOP-6-2-605 | Testing Cellular and Wireless Communication Systems [CUST: TE] | E | ISDA | | TE | | 13-AUG-2013 |
| N | TOP-8-2-201 | Collective Protection (ColPro) Novel Closures Testing [CUST: TE] | A | ISDA | | TE | | 28-MAR-2013 |
| N | TOP-10-2-222 | Ballistic Fragmentation Testing of Military Combat Eye Protection (MCEP) Systems [CUST: TE] | D | ISDA | | TE | | 01-APR-2013 |
| N | STANREC-4736 ED.1 | PB-FREE ELECTRONICS RISKS & MITIGATIONS | A | ISDD | | SO1 | | 10-OCT-2012 |
| N | STANREC-4739 ED.1 | RISK MANAGEMENT | A | ISDD | | SO1 | | 11-APR-2013 |
| N | STANAG-3454 ED.6 | GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES - AAEP-01 EDITION A | A | ISDF | | 06 | | 31-MAR-2014 |
| N | ATP-17 ED.D(1) | NAVAL ARCTIC MANUAL | A | ISDN | | NI | | 04-FEB-2014 |
| N | STANAG-1196 ED.10 | NAVAL ARCTIC MANUAL - ATP-17 EDITION D | A | ISDN | | NI | | 04-FEB-2014 |
| M | DI-MISC-80043B NOT 1 | Ammunition Data Card [AMSC: A9073] | A | MISC | | AR | | 02-APR-2014 |

INACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | MCA | | DATE |
|-------------|--------------------------|---|--------------|----------|-----------|-------------|
| | | | | FSC/AREA | PREP ACTY | |
| M | MIL-R-70560B NOT 1 | Radar Set AN/VPS-2A: 9360797 (Range Only Radar) [CUST: AR] | A | 1285 | AR | 28-MAR-2014 |
| M | MIL-C-48254A(1) NOT 2 | Charges, Expelling, for Projectile, 155MM, Illuminating, M485A2 Loading, Assembling and Packing [CUST: AR] | A | 1320 | AR | 20-MAR-2014 |
| M | MIL-P-223B(3) NOT 3 | Powder, Black [CUST: AR OS 99] | A | 1376 | AR | 28-MAR-2014 |
| M | MIL-T-339C NOT 3 | Tetryl (Trinitrophenylmethyl nitramine) [CUST: AR OS] | A | 1376 | AR | 28-MAR-2014 |
| M | MIL-T-13505 NOT 2 | Thread, Silk, Sewing (for Propellant Bags) [CUST: AR] | A | 1376 | AR | 28-MAR-2014 |
| M | MIL-C-45113B(1) NOT 2 | Composition B-3 [CUST: AR] | A | 1376 | AR | 28-MAR-2014 |
| M | MIL-H-50589 NOT 2 | H M X for 30MM Ammunition [CUST: AR] | A | 1376 | AR | 28-MAR-2014 |
| M | MIL-O-60371A NOT 2 | Oxamide Explosive Composition [CUST: AR] | A | 1376 | AR | 28-MAR-2014 |
| M | MIL-P-60416A(2) NOT 2 | Propellant M1 for Use in Charge, Propelling, 155MM, M3A1 [CUST: AR] | A | 1376 | AR | 20-MAR-2014 |
| M | MIL-C-63217(2) NOT 2 | Composition A-3, Type II (With Polyethylene) [CUST: AR] | A | 1376 | AR | 28-MAR-2014 |
| M | MIL-H-52011H | Filter, Particulate, 12 CFM, M13 [CUST: EA] | C | 4240 | EA | 28-MAR-2014 |
| M | MIL-C-4952E NOT 2 | Cartridges, Desiccant, Dehydrator [CUST: 84] [REVIEW: 99] | A | 4440 | 84 | 09-APR-2014 |
| M | MIL-DTL-45918A NOT 1 | Clevises and Connectors (Rod End) [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MC MI SH] | A | 5340 | IS | 03-APR-2014 |
| M | AN100039 REV 3 NOT 1 | Cover-Type XIII Engine Accessory Drive [CUST: AV AS 99 IS] [REVIEW: 71] | A | 5340 | IS | 03-APR-2014 |
| M | MS18130F | Coils, Radio Frequency, Molded, Fixed, Microminiature, (Phenolic Core), Types LT4K074 to LT4K089 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH] | A | 5950 | CC | 11-APR-2014 |
| M | MIL-PRF-1/160N NOT 2 | Electron Tube, Power Type 7034 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS SH] | A | 5960 | CC | 09-APR-2014 |
| M | MIL-PRF-1/1006E NOT 3 | Electron Tube, Cathode Ray Type 4DP7 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG CR4 MC OS] | A | 5960 | CC | 09-APR-2014 |
| M | MIL-PRF-1/1037E NOT 3 | Electron Tube, Negative Grid (Microwave) Type 6897 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC OS SH] | A | 5960 | CC | 09-APR-2014 |
| M | MIL-PRF-1/1055F NOT 2 | Electron Tube, Microwave (Negative Grid) Type 6442 [CUST: CR EC 85 CC] [REVIEW: 19 AS CG MC OS] | A | 5960 | CC | 09-APR-2014 |
| M | MIL-PRF-1/1596B NOT 3 | Electron Tube, Power Type 8116 [CUST: EC CC] [REVIEW: AS CG MC OS SH] | A | 5960 | CC | 09-APR-2014 |
| M | MIL-PRF-1/1728B(1) NOT 2 | Electron Tube, Power Type 8904 [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CE CG CR4 MC MI OS SM] | A | 5960 | CC | 09-APR-2014 |
| M | MIL-L-3661/60C(2) NOT 2 | Lampholder, Transformer, Light, Indicator, Style LH93 [CUST: SH GS2] [REVIEW: IS] | A | 6210 | GS2 | 28-MAR-2014 |
| M | MS51318B NOT 4 | Headlight, Blackout, 24-Volt Waterproof [CUST: AT 99 GS2] [REVIEW: CR4 IS] | A | 6220 | GS2 | 02-APR-2014 |
| M | MIL-I-7088B NOT 3 | Indicator, Pressure, Fuel, 0-1,000 PSI [CUST: AS 71] [REVIEW: GS] | A | 6620 | 71 | 09-APR-2014 |
| M | MIL-DTL-27189E NOT 1 | Indicator, Pressure, Oil [CUST: 71] [REVIEW: 99 GS] | A | 6620 | 71 | 03-APR-2014 |
| M | MIL-V-13750B NOT 5 | Varnish, Phenol-Formaldehyde, Clear and Aluminum Pigmented [CUST: AR] | A | 8010 | AR | 28-MAR-2014 |
| M | MIL-C-15074E NOT 1 | Corrosion Preventive, Fingerprint Remover [CUST: AR SH 99] [REVIEW: 03 11 AS AV CG MR] | A | 8030 | AR | 18-MAR-2014 |
| M | MIL-A-16288/9 NOT 5 | Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to French Acetylene Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH] | A | 8120 | GS7 | 02-APR-2014 |
| M | MIL-C-70472(2) NOT 1 | Container and Cushion Assembly, Ammunition, Metal, for Cartridge, 120MM, Tank Ammunition [CUST: AR] [REVIEW: GS] | A | 8140 | AR | 18-MAR-2014 |
| M | MIL-C-70957 NOT 1 | Cushion Components for Metal Container for 105MM Howitzer Ammunition [CUST: AR] [REVIEW: GS] | A | 8140 | AR | 03-APR-2014 |
| M | L-P-504E NOT 1 | Plastic Sheet and Film, Cellulose Acetate [CUST: AR AS 11] [REVIEW: CR CR4 EA GL IS MR] | A | 9330 | / AR | 20-MAR-2014 |
| M | MIL-R-10185E NOT 1 | Rings, Breech, Steel Forgings for [CUST: AR] | A | FORG | AR | 28-MAR-2014 |

CANCELED SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | MCA | | DATE |
|-------------|-----------------------|---|--------------|----------|-----------|-------------|
| | | | | FSC/AREA | PREP ACTY | |
| M | MIL-C-27556A NOT 7 | Cartridge Kit, Parachute MLU-14/B and Cartridge Kit, Parachute MLU-15/B (No S/S Document) [CUST: 70] [REVIEW: 71] | A 1377 | | 70 | 26-MAR-2014 |
| M | MIL-M-5776C NOT 2 | Maintenance Platform, Aircraft Adjustable, 13 TO 20 Feet Type B-2 (No S/S Document) [CUST: 84] [REVIEW: 99 GS] | A 1730 | | 84 | 31-MAR-2014 |
| M | MIL-M-7404D(3) NOT 3 | Maintenance Platform, Aircraft, Adjustable, 3 to 7 Feet, Type B-4A (No S/S Document) [CUST: AV 84] [REVIEW: 99 GS] | A 1730 | | 84 | 31-MAR-2014 |
| M | MIL-M-7405D NOT 2 | Maintenance Platform, Aircraft, Type B-5A (No S/S Document) [CUST: 84] [REVIEW: 99 GS] | A 1730 | | 84 | 31-MAR-2014 |
| M | MIL-T-26025E NOT 2 | Tractor, Aircraft Towing, Diesel Engine Driven (DED), 4X4, 4 Wheel Steer, 10,300 Pounds Drawbar Pull, Pneumatic Rubber Tired (S/S by A-A-59210) [CUST: 84] [REVIEW: 99] | A 1740 | | 84 | 31-MAR-2014 |
| M | MIL-T-83808 NOT 2 | Tractor, Commercial, 4X2, Diesel Engine Driven (DED), Support Equipment (SE) Towing 40,000 Pounds, Aircraft (AC) Towing 70,000 Pounds, 4,500 Pounds Drawbar Pull (DBP) (S/S by A-A-59312) [CUST: 84] [REVIEW: 99] | A 1740 | | 84 | 27-MAR-2014 |
| M | MIL-I-81969/45A NOT 1 | Installing Tool, Solderless Spring Contact, Type I, Composition A (No S/S Document) [CUST: AS 11] [REVIEW: 99 GS] | A 5120 | | AS | 02-APR-2014 |
| M | MIL-F-39000/3C NOT 1 | Flanges, Waveguide, Double Ridge, Socket Mount (Bandwidth Ratio 2.4:1)(No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG MC OS] | A 5985 | | CC | 20-MAR-2014 |
| M | MIL-I-81969/46A NOT 2 | Installing and Removal Tools, Fiber Optic, Type I, Class 2, Composition C, Size 16 Termini (No S/S Document) [CUST: CR AS 85 CC] | A 6060 | | AS | 02-APR-2014 |
| M | MIL-I-81969/47A NOT 3 | Installing and Removal Tools, Fiber Optic, Type II, Class 2, Composition C, Size 16 Termini (No S/S Document) [CUST: CR AS 85 CC] [REVIEW: 03 19 33 93 99 DI NA SH] | A 6060 | | AS | 02-APR-2014 |
| M | MIL-I-81969/48A NOT 3 | Installing and Removal Tools, Fiber Optic, Type III, Alignment Sleeve, Class 2, Composition C, Size 16 Termini (No S/S Document) [CUST: CR AS 85 CC] [REVIEW: 03 19 33 93 99 DI NA SH] | A 6060 | | AS | 02-APR-2014 |
| M | MIL-I-81969/49B NOT 2 | Installing and Removal Tools, Fiber Optic, Hand, Right Angle, Type I, Class 2, Composition A, Size 16 Termini (No S/S Document) [CUST: CR AS 85 CC] | A 6060 | | AS | 02-APR-2014 |
| M | ASTM-F859 | Heat-Sanitizing Commercial Dishwashing Machines, Multiple Tank, Conveyor Rack Type (No S/S Document) [CUST: GL YD 99 SS] [REVIEW: 84 GS MC MD MS SA] | A 7320 | | SS | 04-APR-2014 |
| M | MIL-S-38228(2) NOT 3 | Sealing Compound, Environmental, for Aircraft Surfaces (S/S by SAE-AMS3265) [CUST: 11] [REVIEW: 99] | A 8030 | | 11 | 24-MAR-2014 |