

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 April 2012

(For the Period 1 April 2012 to 14 April 2012)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
N	MIL-PRF-32409	Cartridge, 5.56 Millimeter, Short Range Training - M1037 [CUST: AR OS 99] [REVIEW: 70 AS MC MR NP]	D	1305		AR	30-MAR-2012
M	MIL-DTL-32246(1)	Cartridge, Ignition, M702 for 60 MM Mortar [CUST: AR]	A	1310		AR	30-MAR-2012
M	MIL-DTL-32247(1)	Cartridge, Ignition, M299 for M821A1 HE Cartridge for 81 MM Mortar [CUST: AR]	A	1315		AR	30-MAR-2012
M	MIL-DTL-32249(1)	Cartridge, Ignition: M752A1 for Illumination and Smoke Cartridges for the 81MM Mortar [CUST: AR]	A	1315		AR	30-MAR-2012
M	MIL-DTL-70545A(1)	Charge, Propelling, M218/M219/M220 Loading, Assembling and Packing [CUST: AR]	D	1315		AR	30-MAR-2012
M	MIL-DTL-32275(1)	Propellant, Spheroidal, M38 for Use in Propelling Charges for 60MM and 81MM Mortar Cartridges [CUST: AR]	D	1376		AR	30-MAR-2012
M	MIL-DTL-32322(1)	Propellant, M9 Flake, for Use in Ignition Cartridges for 60MM and 81MM Mortar Cartridges [CUST: AR OS 99] [REVIEW: 11 70 AS FAS NP]	D	1376		AR	30-MAR-2012
M	MIL-STD-1797B NOT 1	Flying Qualities of Piloted Aircraft [CUST: AV AS 11] [REVIEW: 99 MI]	D	15GP		11	09-APR-2012
M	MIL-DTL-7034/1A(2) NOT 1	Pulley, Groove, Secondary Control, Aircraft [CUST: AT AS 99 GS] [REVIEW: 71]	A	1640		GS5	09-APR-2012
M	MIL-DTL-7034/2A(2) NOT 1	Pulley, Groove, Flight Control, Aircraft [CUST: AV AS 99 GS] [REVIEW: 71]	A	1640		GS5	09-APR-2012
M	MIL-DTL-7034/4A(2)	Pulley, Control, Anti-Friction Bearing, Aircraft [CUST: AV AS 99 GS] [REVIEW: 71]	A	1640		GS5	09-APR-2012
M	MIL-HDBK-1784 NOT 1	Mobility, Towed and Manually Propelled Support Equipment [CUST: 84] [REVIEW: 11]	A	1740		84	09-APR-2012
M	A-A-58043 NOT 1	Truck, Curbside Recycling, Over the Top Loading [CUST: 84] [REVIEW: 99]	A	2320	/	84	05-APR-2012
M	A-A-58006 NOT 1	4-Wheel Driven, Multi-Purpose Tractor [CUST: 84] [REVIEW: 99]	A	2420	/	84	05-APR-2012
M	A-A-52469A	Cement, Thread, Rubber (Metric) [CUST: AT]	A	2640	/	AT	05-APR-2012
M	A-A-58061 NOT 1	Soldering - Desoldering Station [CUST: 84] [REVIEW: 99 GS]	A	3439	/	84	09-APR-2012
M	MIL-PRF-38170H NOT 1	Tank, Mobile Storage, Liquid Oxygen TMU-27/M [CUST: AV AS 84 GS] [REVIEW: 99 YD]	A	3655		84	05-APR-2012
M	A-A-58000 NOT 1	Tank, Storage, Liquid Argon-Nitrogen-Oxygen, Cryogenic, Horizontal, 3000 and 6000 Gallon [CUST: 84 GS] [REVIEW: 99]	A	3655	/	84	05-APR-2012
M	A-A-58062 NOT 1	Closed Circuit Impact Crusher and Screening Plant [CUST: 84] [REVIEW: 99]	A	3820	/	84	09-APR-2012
M	A-A-58056 NOT 1	Mechanical Street Sweeper, Minimum 3 Cubic Yard Capacity [CUST: 84] [REVIEW: 99 IS]	A	3825	/	84	05-APR-2012
M	A-A-58040 NOT 1	Gasoline-Engine Driven and Pneumatic-Powered Vibrating Screeds [CUST: 84] [REVIEW: 99]	A	3895	/	84	05-APR-2012
M	A-A-55437 NOT 1	Cover, Polyethylene, Pallet, Cargo HCU-6/E and HCU-12/E [CUST: 84] [REVIEW: 99 IS]	A	3990	/	84	05-APR-2012
M	A-A-58015 NOT 1	Trailer, Fire Fighting (Foam 1,000 Gallon Capacity) [CUST: 84] [REVIEW: 99 IS]	A	4210	/	84	05-APR-2012
M	A-A-59114A NOT 1	Truck, Fire Fighting, (Brush) [CUST: 84] [REVIEW: 99 CC IS]	A	4210	/	84	05-APR-2012
M	A-A-58084 NOT 1	Protector, Hearing [CUST: EA MS 84] [REVIEW: 11 99 CR4 GS]	A	4240	/	84	09-APR-2012
M	A-A-59534 NOT 1	Reclaimer, Refrigerant [CUST: AT AS 99 IS] [REVIEW: GS]	A	4250	/	84	05-APR-2012
M	MIL-PRF-83990A NOT 1	Oven, Thermal Drying, Electric [CUST: 84] [REVIEW: 99]	A	4430		84	09-APR-2012
M	MIL-DTL-25579G(1) SUP 1	Hose Assembly, Polytetrafluoroethylene, High Temperature, Medium Pressure, General Specification for [CUST: AV AS 99 CC] [REVIEW: 71 AR AT EA MC MI SA SH]	A	4720		CC	02-APR-2012
M	MIL-DTL-5513D	Swivel Joint, Hydraulic [CUST: AS 99 CC] [REVIEW: 71]	A	4730		CC	05-APR-2012
M	MIL-STD-777F	Schedule of Piping, Valves, Fittings, and Associated Piping Components for Naval Surface Ships [CUST: SH] [REVIEW: CC]	A	4730		SH	30-MAR-2012
M	MIL-PRF-32055 NOT 1	Guard, Safety, Mobile Tire Inflation [CUST: AR 84 CC] [REVIEW: 99]	A	4910		84	05-APR-2012
M	A-A-58023 NOT 1	Analyzer, Gasoline Engine Exhaust [CUST: 84] [REVIEW: 99]	A	4910	/	84	05-APR-2012
M	A-A-58038 NOT 1	Diesel Engine Fuel Injector Cleaner [CUST: 84 CC] [REVIEW: 99]	A	4910	/	84	05-APR-2012
M	A-A-58059 NOT 1	Lathe, Brake Drum/Rotor [CUST: AR YD 84 CC] [REVIEW: 99]	A	4910	/	84	05-APR-2012
M	A-A-59706 NOT 1	Bead Breaker, Pneumatic Tire [CUST: 99] [REVIEW: CC]	A	4910	/	84	05-APR-2012
M	MIL-PRF-26873D NOT 1	Suppressor, Surge, Fuel Transfer Trailer [CUST: AT AS 84] [REVIEW: 99 CC NP YD]	A	4930		84	05-APR-2012
M	MIL-PRF-83041C NOT 1	Filter-Separator, Liquid Fuel, Skid Mounted FFU-15/E [CUST: AT 84 IS] [REVIEW: 99]	A	4930		84	05-APR-2012
M	A-A-59409A NOT 1	Lubricating Unit, Power-Operated [CUST: 99 CC]	A	4930	/	84	05-APR-2012
M	MIL-PRF-83831A NOT 1	Booth, Cleaning, Water Base Solvent Spray-Electronic Measuring Instruments [CUST: AR 84] [REVIEW: 99]	A	4940		84	09-APR-2012
M	A-A-50744B NOT 1	Cleaner, Ultrasonic, Nine Gallon Capacity, Aerospace Maintenance [CUST: AR 84 CC] [REVIEW: 99]	A	4940	/	84	05-APR-2012
M	A-A-58011 NOT 1	Cleaner, Ultrasonic, Six Gallon [CUST: 84] [REVIEW: 99]	A	4940	/	84	05-APR-2012
M	A-A-58017 NOT 1	Recovery Unit, Anti-Freezer [CUST: 84] [REVIEW: 99]	A	4940	/	84	05-APR-2012
M	A-A-58018 NOT 1	Recovery Unit, Anti-Freezer [CUST: 84] [REVIEW: 99]	A	4940	/	84	05-APR-2012
M	A-A-59110 NOT 1	Leak Detector, Fuel System [CUST: 84] [REVIEW: 99 FAS]	A	4940	/	84	09-APR-2012
M	A-A-59355 NOT 1	Leak Detector, Helium [CUST: AR 84] [REVIEW: 01 99 CC]	A	4940	/	84	05-APR-2012
M	A-A-50694 NOT 1	Cutter, Tile, Asphalt, Plastic, Rubber [CUST: 84] [REVIEW: 99 GS]	A	5110	/	84	05-APR-2012
M	A-A-58046 NOT 1	Saw, Hand, Finger Grip, Survival [CUST: GL 84] [REVIEW: 99 GS]	A	5110	/	84	05-APR-2012
M	A-A-50765A NOT 1	Forceps; Sheet Holder [CUST: AR SH 84] [REVIEW: 99 GS]	A	5120	/	84	09-APR-2012
M	A-A-58066 NOT 1	Shaver, Rivet Head, Portable, Pneumatic [CUST: AS 84] [REVIEW: 99 GS]	A	5130	/	84	09-APR-2012
M	A-A-58075 NOT 1	Holder: Countersink, Adjustable Micrometer Stop [CUST: GL 84 GS] [REVIEW: 99 AV]	A	5133	/	84	09-APR-2012
M	A-A-58076 NOT 1	Cutter, Countersinks [CUST: GL 84 GS] [REVIEW: 99 AV]	A	5133	/	84	09-APR-2012
M	A-A-50695 NOT 1	Dies, Threading Die Head [CUST: 84] [REVIEW: 99 GS]	A	5136	/	84	05-APR-2012
M	A-A-58051 NOT 1	Optical Flats [CUST: GL 84] [REVIEW: 99 CD CE]	A	5210	/	84	05-APR-2012
M	A-A-58070 NOT 1	Gage, Indicator Bore [CUST: 84] [REVIEW: 99]	A	5210	/	84	09-APR-2012
M	A-A-59509 NOT 1	Gage, Height, Electronic Indicating [CUST: 99]	A	5210	/	84	05-APR-2012
M	A-A-59120 NOT 1	Gauge, Surface Plate Flatness Checking [CUST: AR 84] [REVIEW: 99 AT]	A	5220	/	84	09-APR-2012
M	A-A-58052 NOT 1	Stone, Commutator Burnishing (Flexible Abrasive) [CUST: MR SH 84] [REVIEW: 99 GS IS]	A	5345	/	84	09-APR-2012
M	A-A-1722 NOT 2	Grain, Abrasive (Soft Blasting) [CUST: MR 84] [REVIEW: 99 GS IS]	A	5350	/	84	05-APR-2012
M	A-A-58054 NOT 1	Abrasive Mats, Non-Woven, Non-Metallic [CUST: MR SH 84] [REVIEW: 99 GS IS]	A	5350	/	84	09-APR-2012
M	MIL-PRF-23419/1L	Fuses, Instrument Type, Style FM01 (Indicating) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI NS OS]	A	5920		CC	28-MAR-2012
M	MIL-PRF-23419/2R	Fuses, Cartridge, Instrument Type, Style FM02 (Indicating) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	5920		CC	28-MAR-2012
M	MIL-PRF-23419/4H	Fuse, Cartridge, Instrument Type, Style FM04 (Nonindicating) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	5920		CC	28-MAR-2012
M	MIL-PRF-23419/7J	Fuses, Cartridge, Instrument Type, Style FM07, Subminiature - High Performance) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MI NS]	A	5920		CC	28-MAR-2012

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
N	QPL-AS5692 NOT 2	Aircraft, ARC Fault Circuit Breaker (AFCB), Trip-Free Single Phase and Three Phase 115 VAC, 400 HZ – Constant Frequency (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	5925		AS	09-APR-2012
N	SAE-AS5692	Aircraft, ARC Fault Circuit Breaker (AFCB), Trip-Free Single Phase and Three Phase 115 VAC, 400 Hz - Constant Frequency [CUST: AS]	A	5925		AS	03-APR-2012
N	SAE-AS5692/1	Circuit Breaker, ARC Fault, Trip Free, Push-Pull, Fusible Link Design, 2½ -15 Amps, Type I [CUST: AS]	A	5925		AS	03-APR-2012
N	SAE-AS5692/2	Circuit Breaker, ARC Fault - Aircraft, Trip Free, 1-20 Amp, Type I [CUST: AS]	A	5925		AS	03-APR-2012
N	SAE-AS5692/3	Circuit Breaker, ARC Fault, – Aircraft, Trip Free, 1 to 20 Amp, Type I [CUST: AS]	A	5925		AS	03-APR-2012
N	SAE-AS5692/4	Aircraft, ARC Fault Circuit Breaker, Trip Free, 25 to 35 Amp, Type I [CUST: AS]	A	5925		AS	03-APR-2012
M	MIL-PRF-39012/136A NOT 1	Connectors, Plug, Electrical, Series SSMA, Pin Contact, for Semirigid Cable, Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	11-APR-2012
M	MIL-PRF-39012/137A NOT 1	Connectors, Plug, Electrical, Series SSMA, Right Angle, Pin Contact, for Semirigid Cable, Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	11-APR-2012
M	MIL-PRF-39012/139A NOT 1	Connector, Plug, Electrical, Series SSMA, Pin Contact, for Flexible Cable, Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	11-APR-2012
M	MIL-PRF-39012/140A NOT 1	Connector, Plug, Electrical, Series SSMA, Pin Contact, Right Angle, for Flexible Cable, Class 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	11-APR-2012
M	MIL-DTL-24308/9H NOT 1	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Plug, Pin Contacts, Hermetic, Classes H and K [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	04-APR-2012
M	MIL-DTL-83513/5H(3)	Connectors, Electrical, Rectangular, Microminiature, Mounting Hardware [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	03-APR-2012
M	A-A-59126/2B	Terminals, Feedthru (Insulated) Style FT02 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/11B	Terminals, Stud (Noninsulated) Style SE11 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/12B	Terminals, Stud (Noninsulated) Style SE12 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/13B	Terminals, Stud (Noninsulated) Style SE13 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/14B	Terminals, Stud (Noninsulated) Style SE14 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/15B	Terminals, Stud (Noninsulated) Style SE15 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/16B	Terminals, Stud (Noninsulated) Style SE16 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/17B	Terminals, Stud (Noninsulated) Style SE17 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/22B	Terminals, Stud (Insulated) Style SE22 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/23B	Terminals, Stud (Noninsulated) Style SE23 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/24B	Terminals, Stud (Noninsulated) Style SE24 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/25B	Terminals, Stud (Noninsulated) Style SE25 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	A-A-59126/26B	Terminals, Stud (Noninsulated), (Circular, Ground) Style SE26 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	28-MAR-2012
M	MS24171H	Relays, Electromagnetic, 200 Amperes, 1 PST (N.O.), Type II, Nonhermetically Sealed [CUST: AS 85 CC]	A	5945		CC	27-MAR-2012
M	MIL-PRF-19500/157T(1)	Semiconductor Device, Diode, Silicon, Temperature Compensated Voltage-Reference, Types 1N941B-1, 1N943B-1, 1N944B-1, 1N945B-1, 1N946B-1, 1N941BUR-1, 1N943BUR-1, 1N944BUR-1, 1N945BUR-1, and 1N946BUR-1, JAN, JANTX, JANTXV, and JANS, Radiation Hardened (Total Dose Only) JANTXVM, D, L, R, F, G, H, and JANSM, D, L, R, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC SM]	A	5961		CC	06-APR-2012
M	MIL-PRF-19500/158T(1)	Semiconductor Device, Diode, Silicon, Temperature Compensated, Voltage-Reference, Types 1N3154-1, through 1N3157-1, and 1N3154UR-1 through 1N3157UR-1, JAN, JANTX, JANTXV, and JANS, Radiation Hardened (Total Dose Only) JANTXVM, D, L, R, F, G, H, and JANSM, D, L, R, F, G, H [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	06-APR-2012
M	MIL-PRF-19500/406K	Semiconductor Devices, Diode, Silicon, Voltage Regulator Types 1N4460, 1N4460C, 1N4460D through 1N4496, 1N4496C, 1N4496D, and 1N6485, 1N6485C, 1N6485D through 1N6491, 1N6491C, 1N6491D, 1N4460US, 1N4460CUS, 1N4460DUS through 1N4496US, 1N4496CUS, 1N4496DUS, and 1N6485US, 1N6485CUS, 1N6485DUS through 1N6491US, 1N6491CUS, 1N6491DUS, 1N4460UM through 1N4496UM, Plus C and D Tolerance Suffix: JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	09-APR-2012
M	MIL-DTL-287J	Waveguide Assemblies, Flexible, Twistable and Non-Twistable, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS]	A	5985		CC	10-APR-2012
M	MIL-DTL-83739D	Switches, Antenna, Radio Frequency, Solid-State, General Specification for [CUST: CR EC 85 CC]	A	5985		CC	27-MAR-2012
M	MIL-DTL-28875C SUP 1	Amplifiers, Radio-Frequency and Microwave, Solid-State, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS AV MC MI OS SH]	A	5996		CC	05-APR-2012
M	MIL-DTL-16878H	Wire, Electrical, Insulated, General Specification for [CUST: SH 85 CC] [REVIEW: AS]	A	6145		CC	11-MAR-2012
M	A-A-50692 NOT 1	Oscilloscope, Portable [CUST: 84] [REVIEW: 99]	A	6625	/	84	05-APR-2012
M	A-A-50729 NOT 1	Meter, Multiple Scale [CUST: EC 84 CC] [REVIEW: 99 CR]	A	6625	/	84	05-APR-2012
M	A-A-50734B NOT 2	Multimeter, Ruggedized [CUST: MI SH 84] [REVIEW: 99 CC CR SO]	A	6625	/	84	05-APR-2012
M	A-A-50749 NOT 1	Current-Voltage Standard [CUST: EC 84 CC] [REVIEW: 99 CR]	A	6625	/	84	05-APR-2012
M	A-A-50750 NOT 1	Calibrator, Voltage [CUST: EC 84 CC] [REVIEW: 99 CR]	A	6625	/	84	05-APR-2012
M	A-A-50757 NOT 1	Four Channel Recorder [CUST: EC 84] [REVIEW: 99 CC CR]	A	6625	/	84	05-APR-2012
M	A-A-50763 NOT 1	Pulse Generator [CUST: EC 84] [REVIEW: 99 CR]	A	6625	/	84	05-APR-2012
M	A-A-58008A NOT 1	Test Set, Telecommunication System [CUST: 84] [REVIEW: 99 CC FAS]	A	6625	/	84	09-APR-2012
M	A-A-58012 NOT 1	Test Set, Interface Bus [CUST: SH 84 CC] [REVIEW: 99]	A	6625	/	84	05-APR-2012
M	A-A-58032 NOT 1	Test Set, Electrical Power [CUST: 84] [REVIEW: 99]	A	6625	/	84	05-APR-2012
M	A-A-58033 NOT 1	Reflectometer, Metallic, Time Domain [CUST: 84] [REVIEW: 99 CC SH]	A	6625	/	84	09-APR-2012
M	A-A-58034 NOT 1	Frequency Standard, Cesium [CUST: 84] [REVIEW: 99 AS CC CR]	A	6625	/	84	05-APR-2012
M	A-A-58035 NOT 1	Generator, Signal 2.0 to 8.4 GHZ [CUST: 84] [REVIEW: 99 CC]	A	6625	/	84	05-APR-2012
M	A-A-58037 NOT 1	Generator, Pulse [CUST: 84] [REVIEW: 99 AS CC]	A	6625	/	84	05-APR-2012
M	A-A-58039 NOT 1	Voltage Standard [CUST: 84] [REVIEW: 99]	A	6625	/	84	05-APR-2012
M	A-A-58042A NOT 1	Analyzer, Digital Data, Electronic Test [CUST: CR AS 84 CC] [REVIEW: 99]	A	6625	/	84	05-APR-2012
M	A-A-58064 NOT 1	Resistor, Decade (0.01-111,111.1 OHM) [CUST: 84] [REVIEW: 99 CC MI]	A	6625	/	84	09-APR-2012
M	A-A-58072 NOT 1	Test Set, Telephone [CUST: MI SH 84] [REVIEW: 99 CC FAS]	A	6625	/	84	09-APR-2012
M	A-A-59127 NOT 1	Generator, Signal, VOR/ILS, AN/ARM-180 [CUST: 84] [REVIEW: 01 99 SO]	A	6625	/	84	09-APR-2012
M	A-A-59130 NOT 1	Analyzer, Spectrum 10 KHZ to 50 GHZ [CUST: MI 84] [REVIEW: 99 CC]	A	6625	/	84	09-APR-2012

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	A-A-59140 NOT 1	Test Set, Radio Frequency Power (Power Meter, Digital) (50 MHZ to 26.5 GHZ) [CUST: 84] [REVIEW: 99]	A	6625	/	84	09-APR-2012
M	A-A-59149 NOT 1	Monitor, Power Line [CUST: MI SH 84] [REVIEW: 99]	A	6625	/	84	09-APR-2012
M	A-A-59277 NOT 1	Oscilloscope (Digital Storage, 400 MHZ) [CUST: 84] [REVIEW: 99 CC FAS]	A	6625	/	84	05-APR-2012
M	A-A-59278 NOT 1	Oscilloscope (Digital Storage, 1 GHZ) [CUST: 84] [REVIEW: 99 CC FAS]	A	6625	/	84	05-APR-2012
M	A-A-59407A NOT 1	Test Set Group, Radio [CUST: 99]	A	6625	/	84	05-APR-2012
M	A-A-58058 NOT 1	Processing Machine, Radiographic Film, Automatic, Deployable [CUST: 84 GS] [REVIEW: 99]	A	6635	/	84	05-APR-2012
M	A-A-58073 NOT 1	Test Set, Ultrasonic [CUST: 84] [REVIEW: 99 GS]	A	6635	/	84	09-APR-2012
M	A-A-58074 NOT 1	Test Set, Ultrasonic, Bond [CUST: 84] [REVIEW: 99 GS]	A	6635	/	84	09-APR-2012
M	MIL-PRF-47009D NOT 1	Compound, Silicone, Heat Sink [CUST: MI GS] [REVIEW: AR]	A	6850		GS3	04-APR-2012
M	A-A-58092 NOT 1	Tape, Antiseize, Polytetrafluorethylene [CUST: MI OS 84] [REVIEW: 11 99 CR4 DS YD]	A	8030	/	84	09-APR-2012
N	MIL-DTL-11589/645	Ribbon, Exceptional Civilian Service, Defense Technical Information Center (DTIC) [CUST: IH]	A	8455		IH	29-MAR-2012
N	JOTP-051	Technical Manual for the Use of Logic Devices in Safety Features	A	ISDA		TE	PENDING
N	JOTP-052	Guideline for Qualification of Fuzes, Safe and Arm (S&A) Devices, and Ignition Safety Devices (ISD)	A	ISDA		TE	PENDING
M	DI-ILSS-80386 NOT 1	Repairable Item Inspection Report [AMSC: F4151]	A	SESS		84	05-APR-2012
M	DI-SESS-81315B	Failure Analysis and Corrective Action Report (FACAR) [AMSC: G9247]	A	SESS		NS	28-MAR-2012
M	SD-1	Standardization Directory [CUST: AM NM 01 DH DC1] [REVIEW: DA]	A	STDZ		SO	01-APR-2012
M	MIL-M-85337A NOT 1	Manual, Technical: Quality Assurance Program; Requirements for [CUST: AS]	A	TMSS		AS	29-MAR-2012

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-R-3285(1) NOT 3	Rifles, U.S., Caliber .30, MI and MIC [CUST: AR OS 84] [REVIEW: 99]	A	1005	84		05-APR-2012
M	MS5008D NOT 2	Cone, Propeller Hub, Rear [CUST: AV AS 84] [REVIEW: 99 GS]	A	1610	84		05-APR-2012
M	MIL-W-38461C(1) NOT 4	Webbing, Nylon, Aircraft Arresting [CUST: 84] [REVIEW: 99]	A	1710	84		09-APR-2012
M	MIL-PRF-6106/19G NOT 1	Relays, Electromagnetic Permanent Magnet Drive, 25 Amperes, SPDT, Hermetically Sealed [CUST: 85 CC] [REVIEW: 99]	A	5945	CC		09-APR-2012
M	MS27245R	Relays, Electromagnetic, 10 Amperes, 2PDT, Type I, Hermetically Sealed [CUST: EC 85 CC] [REVIEW: AS]	A	5945	CC		27-MAR-2012
M	MIL-M-38510/3G(1) NOT 1	Microcircuits, Digital, Bipolar, TTL, Nand Buffers Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MI SH SM]	A	5962	CC		03-APR-2012
M	MIL-S-38714B NOT 2	Sealing Cartridge for Two Component Materials [CUST: 84] [REVIEW: 99]	A	8030	84		09-APR-2012
M	MIL-P-6906B NOT 5	Plates, Identification, Aircraft [CUST: CR AS 84] [REVIEW: 99]	A	9905	84		09-APR-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-HDBK-1797 NOT 2	Flying Qualities of Piloted Aircraft (S/S by MIL-STD-1797) [CUST: AV AS 11]	D	15GP		11	09-APR-2012
M	SAE-ARP598	Aerospace Microscopic Sizing and Counting of Particulate Contamination for Fluid Power Systems (See Notice of Withdrawal for Replacement Information) [CUST: AV AS 99] [REVIEW: 11 71 GS]	A	1650		AS	13-APR-2012
M	SAE-ARP743	Air in Dust Controlled Spaces by the Particle Count Method, Procedure for the Determination of Particulate Contamination of (No S/S Document) [CUST: AV AS 99]	A	1650		AS	13-APR-2012
M	SAE-ARP819	Fluid System Characteristics Affecting Hydraulic Pump Operation - 15 May 66 (No S/S Document) [CUST: AV AS 99] [REVIEW: 11 71 GS]	A	1650		AS	13-APR-2012
M	SAE-J688	Truck Ability Prediction Procedure (S/S by SAE-ASJ2188) [CUST: AT 99] [REVIEW: YD]	A	2320		AT	12-APR-2012
M	SAE-J689	Curbstone Clearance, Approach, Departure, and Ramp Breakover Angles - Passenger Car and Light Truck (No S/S Document) [CUST: AT YD 99]	A	2510		AT	12-APR-2012
M	SAE-J382	Windshield Defrosting Systems Performance Requirements-Trucks, Buses, and Multipurposes Vehicles (No S/S Document) [CUST: AT] [REVIEW: CC]	A	2540		AT	12-APR-2012
M	SAE-J607	Engine Test Code, Small Spark Ignition (S/S by SAE-J1349) [CUST: AT YD 99]	A	2805		AT	12-APR-2012
M	SAE-ARP755	Aircraft Propulsion System Performance Station Designation and Nomenclature (See Notice of Withdrawal for Replacement Information) [CUST: AV AS 11] [REVIEW: 99 GS]	A	2840		11	13-APR-2012
M	SAE-AS13341	Process for Barrier Coating of Anti-Friction Bearings (S/S by MIL-STD-1334) [CUST: AV AS 99] [REVIEW: 11 84 AR EC GS MI OS SH]	A	3110		AS	13-APR-2012
M	SAE-AMS4188/1	Aluminum Alloy, Welding, Wire, 4.5 CU-0.70AG-0.30MN-0.25MG 0.25TI (A201.0) (S/S by SAE-AMS4233) [CUST: MR AS 11] [REVIEW: GS]	A	3439		AS	13-APR-2012
M	SAE-AMS4188/2	Aluminum Alloy, Welding, Wire, 4.6 CU-0.35MN-0.25MG-0.22T (A206.0) (S/S by SAE-AMS4244) [CUST: MR AS 11] [REVIEW: GS]	A	3439		AS	13-APR-2012
M	SAE-AMS4188/3	Aluminum Alloy, Welding, Wire, 5.0SI-1.2CU- 0.50MG(C355.0) (S/S by SAE-AMS4245) [CUST: MR AS 11] [REVIEW: GS]	A	3439		AS	13-APR-2012
M	SAE-AMS4188/4	Aluminum Alloy, Welding, Wire, 7.0SI-0.30 MG(A356.0) (S/S by SAE-AMS4181) [CUST: MR AS 11] [REVIEW: GS]	A	3439		AS	13-APR-2012
M	SAE-AMS4188/5	Aluminum Alloy, Welding, Wire, 7.0SI-0.52MG (357.0) (S/S by SAE-AMS4246) [CUST: MR AS 11] [REVIEW: GS]	A	3439		AS	13-APR-2012
M	SAE-AMS5077	Steel Tubing, Welded (0.22 - 0.28C) (SAE 1025) Normalized or Stress Relieved (No S/S Document) [CUST: MR AS 11 CC]	A	4710		CC	13-APR-2012
M	SAE-AMS-T-7081	Tube, Aluminum Alloy, Seamless, Round, Drawn, 6061, Aircraft Hydraulic Quality (S/S by SAE-AMS4081 and SAE-AMS4083) [CUST: MR AS 11]	A	4710		11	13-APR-2012
M	SAE-AS5379	Valves, Safety, Cabin Air, General Specification for (See Notice of Withdrawal for Replacement Information) [CUST: AV AS 99] [REVIEW: 71 CC CG MC MI]	A	4820		AS	13-APR-2012
M	NASM51038	Setscrew-Hexagon Socket, Cone Point, Corrosion-Resisting Steel, Passivated, UNC-3A and UNF-3A, Plain and Self Locking (See Notice of Withdrawal for Replacement Information) [CUST: AS 99]	A	5305		IS	03-APR-2012
M	NAS696	Nut, Self Locking, Plate-On Lug, Low Height C Bore, Reduced Rived Spacing (S/S by NASM21071) [CUST: AV AS 11] [REVIEW: CR4]	A	5310		IS	03-APR-2012
M	NASM23460	Pin, Quick-Release, Self-Retaining, Positive-Locking (S/S by NAS1332) [CUST: AV AS 99]	A	5315		IS	03-APR-2012
M	NAS1699	Fastener - Blind, Internal Threaded, External Sleeve, General Purpose, Protruding Head, Self Locking (S/S by MS3470) [CUST: AS 11 IS]	A	5325		IS	03-APR-2012
M	SAE-J110	Seals - Testing of Radial Lip (No S/S Document) [CUST: AT 99] [REVIEW: IS]	A	5330		AT	12-APR-2012
M	NAS559	Lock - Rod End (Key Type) (S/S by NASM14198) [CUST: AS 11] [REVIEW: CR CR4 IS]	A	5340		AS	03-APR-2012
M	SAE-AS90376	Cap, Dust, Plastic, Electric Connector (S/S by SAE-AS85049/138) [CUST: CR AS 99 IS]	A	5340		AS	12-APR-2012
M	EIA-RS343	Television Camera, High Resolution Monochrome Closed Circuit, Electrical Performance Standards for (No S/S Document) [CUST: CR SH 99]	A	5820		SH	09-APR-2012
M	EIA-RS412	Television Monitors, Direct View High Resolution Monochrome Closed Circuit, Electrical Performance Standards for (No S/S Document) [CUST: CR SH 99]	A	5820		SH	09-APR-2012
M	MIL-PRF-23269/3G NOT 3	Capacitors, Fixed, Glass Dielectric, (Axial Wire-Lead Terminals), Established Reliability, Style CYR20 (See Notice 3 for Replacement Information) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	06-APR-2012
M	MIL-PRF-23269/4G(1) NOT 3	Capacitors, Fixed, Glass Dielectric, (Axial Wire-Lead Terminals), Established Reliability, Style CYR30 (See Notice 3 for Replacement Information) [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS SH]	A	5910		CC	06-APR-2012
M	A-A-59717A NOT 1	Fuseholder, Block, PC Board Mount, Accommodates .25 Inch X 1.25 Inches or 5 MM X 20 MM Fuses, General Requirements for (No S/S Document) [CUST: EC CC]	A	5920	/	CC	12-APR-2012
M	A-A-59717/1A NOT 1	Fuseholder, Block, PC Board Mount, Horizontal Mount, Accommodates .25 Inch X 1.25 Inches or 5 MM X 20 MM Fuses (No S/S Document) [CUST: EC CC]	A	5920	/	CC	12-APR-2012
M	A-A-59717/2A NOT 1	Fuseholder, Block, PC Board Mount, Vertical Mount with Stability Pins, Accommodates .25 Inch X 1.25 Inches or 5 MM X 20 MM Fuses (No S/S Document) [CUST: EC CC]	A	5920	/	CC	12-APR-2012
M	A-A-59717/3A NOT 1	Fuseholder, Block, PC Board Mount, Vertical Mount, Accommodates .25 Inch X 1.25 Inches or 5 MM X 20 MM Fuses (No S/S Document) [CUST: EC CC]	A	5920	/	CC	12-APR-2012
M	SAE-AS31071	Connector Plug, Electric, Quick Disconnect (No S/S Document) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH]	A	5935		AS	13-APR-2012
M	SAE-AS31551	Connector, Electric, Rear Accessory Design Standard (S/S by SAE-AS85049) [CUST: AS CC] [REVIEW: EC]	A	5935		AS	13-APR-2012
M	SAE-AS39029/105	Contacts, Electrical Connector, Concentric Twinax, Socket, Shielded, Size 8 (for MIL-C-28840)(No S/S Document) [CUST: CR AS 85 CC] [REVIEW: EC MC OS]	A	5935		AS	13-APR-2012
M	SAE-AS39029/108	Contacts, Electrical Connector, Pin, Crimp Removable, Socket, Single Wire (No S/S Document) [CUST: AT AS CC]	A	5935		AS	13-APR-2012
M	SAE-AS39029/109	Contacts, Electrical Connector, Pin, Crimp Removable, Socket, Multiple Wires (No S/S Document) [CUST: AT AS CC]	A	5935		AS	13-APR-2012
M	SAE-AS81582/6	Connector, Adapter Assembly, Umbilical Cable To Stores Interface, Lanyard Release (No S/S Document) [CUST: CR AS 99 CC] [REVIEW: 19 AR EC SH]	A	5935		AS	13-APR-2012
M	SAE-AS81582/7	Connector, Adapter Assembly, Umbilical Cable To Stores Interface, Lanyard Release (No S/S Document) [CUST: CR AS 99 CC] [REVIEW: 19 AR EC SH]	A	5935		AS	13-APR-2012
M	SAE-AS81582/8	Connector, Adapter Assembly, Umbilical Cable To Stores Interface, Lanyard Release (No S/S Document) [CUST: AS CC] [REVIEW: EC SH]	A	5935		AS	13-APR-2012
M	SAE-AS81582/10	Connectors, Electrical, Bayonet Coupling, Environment Resisting, Umbilical, Dummy Stowage Receptacle (No S/S Document) [CUST: CR AS CC] [REVIEW: AR EC SH]	A	5935		AS	12-APR-2012
M	SAE-AS6852	Splice, Conductor, Electric, Disconnect (No S/S Document) [CUST: CR AS 85] [REVIEW: GS]	A	5940		AS	13-APR-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-1/10J NOT 1	Electron Tube, Receiving Type 5751 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC]	A	5960		CC	05-APR-2012
M	MIL-PRF-1/61D NOT 1	Electron Tube, Receiving Type 12SK7 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG CR4 MC OS SH]	A	5960		CC	05-APR-2012
M	MIL-PRF-1/839F NOT 1	Electron Tube, Receiving Type 6AN5WA (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MI OS]	A	5960		CC	05-APR-2012
M	MIL-PRF-1/1096E NOT 1	Electron Tube, Receiving Type 5784WB (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC MI OS]	A	5960		CC	05-APR-2012
M	MIL-PRF-1/1575B NOT 1	Electron Tube, Cathode Ray Type 10VP7 (No S/S Document) [CUST: EC CC] [REVIEW: AS CG MC OS SH]	A	5960		CC	05-APR-2012
M	MIL-PRF-1/1655E NOT 1	Electron Tube, Receiving Type 6080WC (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS]	A	5960		CC	05-APR-2012
M	MIL-E-1/9H NOT 1	Electron Tube, Receiving Type 5750 (No S/S Document) [CUST: CR EC 85 CC]	A	5960		CC	05-APR-2012
M	MIL-E-1/1708(2) NOT 4	Electron Tube, Klystron Type DOD-007 (No S/S Document) [CUST: EC CC] [REVIEW: AS CG MC OS SH]	A	5960		CC	05-APR-2012
M	SAE-AMS3655	Insulation, Electrical, Tubing, Thin Wall, Extruded Polytetrafluoroethylene (PTFE) (S/S by SAE-AMS3755) [CUST: MR AS 85] [REVIEW: GS]	A	5970		AS	12-APR-2012
M	EIA310	Cabinets, Racks, Panels, and Associated Equipment (No S/S Document) [CUST: CR SH 85] [REVIEW: AS CG EC GS YD]	A	5975		SH	09-APR-2012
M	EIA-RS310	Racks, Panels, and Associated Equipment (No S/S Document) [CUST: CR SH 85] [REVIEW: AS EC GS YD]	A	5975		SH	09-APR-2012
M	SAE-J538	Batteries, Storage, Grounding of (No S/S Document) [CUST: CR4 AS 99] [REVIEW: GS]	A	6140		CR4	12-APR-2012
M	SAE-J598	Lighting Units, Sealed, for Construction, Industrial, and Forest Machinery (No S/S Document) [CUST: CR4 99] [REVIEW: 71 IS YD]	A	6220		CR4	12-APR-2012
M	SAE-AS8181	Detector, Ice, Air Intake Duct, Aircraft Engines and Airframe Systems (No S/S Document) [CUST: AV AS 11] [REVIEW: GS]	A	6340		AS	13-APR-2012
M	MIL-I-27710D NOT 3	Indicator, Attitude, Remote (No S/S Document) [CUST: AV 71] [REVIEW: 99 GS]	A	6610		71	30-MAR-2012
M	QPL-27710-13 NOT 2	Indicator, Attitude Remote (No S/S Document)	A	6610		71	30-MAR-2012
M	MIL-T-49447 NOT 3	Temperature Sensor, Resistance (No S/S Document) [CUST: CR 99 GS]	A	6660		GS1	30-MAR-2012
M	SAE-J296	Excavator, Mini-Excavator, and Backhoe Hoe Bucket Volumetric Rating (No S/S Document) [CUST: CR4 MC 99]	A	8115		MC	12-APR-2012
M	SAE-AMS3151	Fluid, Aircraft Compass (No S/S Document) [CUST: AS 11] [REVIEW: GS]	A	9150		AS	12-APR-2012
M	SAE-AMS3598	Plastic Sheet, Copper Faced Glass Cloth Reinforced Polytetrafluoroethylene (No S/S Document) [CUST: MR AS 11] [REVIEW: GS IS]	A	9330		AS	12-APR-2012
M	SAE-AMS3894/4	Carbon (Graphite) Fiber Tape and Sheet, Epoxy Resin Impregnated, G 150,000 (1034) Tensile, 15,000,000 (103) Modulus, 80 (176) (S/S by SAE-AMS3894/11) [CUST: MR AS 11] [REVIEW: IS]	A	9330		AS	12-APR-2012
M	SAE-AMS3894/6	Carbon (Graphite) Fiber Tape and Sheet, Epoxy Resin Impregnated G 150,000 (1034) Tensile, 15,000,000 (103) Modulus, 175 (347) (S/S by SAE-AMS3894/10) [CUST: MR AS 11] [REVIEW: IS]	A	9330		AS	12-APR-2012
M	SAE-AMS5880	Steel, Corrosion Resistant, Bars, Forgings, and Wire 17Cr - 0.52Mo (0.95 - 1.20C) (SAE 51440C) for Bearing Applications (S/S by SAE-AMS5618) [CUST: MR AS 11] [REVIEW: 99 IS]	A	9510		11	13-APR-2012
M	SAE-AMS5552	Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 46Fe - 20.5CR - 32NI - 1.1Ti Annealed (No S/S Document) [CUST: MR AS 11 IS]	A	9515		IS	13-APR-2012
M	SAE-AMS4188	Aluminum Alloy Welding Wire (S/S by SAE-AMS4233) [CUST: MR AS 11] [REVIEW: IS]	A	9525		AS	12-APR-2012
M	SAE-AMS-QQ-A-225/8	Aluminum Alloy 6061, Bar, Rod, Wire, and Special Shapes; Rolled, Drawn, or Cold Finished (See Notice of Withdrawal for Replacement Information) [CUST: MR AS 11 IS]	A	9525		IS	13-APR-2012
M	SAE-AMS4167	Aluminum Alloy, Extrusions 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T73511) Solution Heat Treated, Stress Relieved by Stretching, and Overaged (See Notice of Withdrawal for Replacement Information) [CUST: MR AS 11] [REVIEW: 99 IS]	A	9530		11	12-APR-2012
M	SAE-AMS7905	Bars, Rods, Tubing, and Shapes, Beryllium, Optical Grade (No S/S Document) [CUST: MR AS 11 IS]	A	9530		IS	13-APR-2012
M	SAE-AMS5865	Nickel, Corrosion and Heat Resistant, Sheet and Strip Thoria Dispersion Strengthened 2.2TH02 (No S/S Document) [CUST: MR AS 11] [REVIEW: 99 IS]	A	9535		11	13-APR-2012
M	SAE-AMS7701	Nickel-Iron Alloy, Magnetic, Sheet and Strip Annealed (See Notice of Withdrawal for Replacement Information) [CUST: MR AS 11 IS] [REVIEW: CE EA]	A	9535		IS	13-APR-2012
M	SAE-AMS7702	Nickel-Iron Alloy, Magnetic, Sheet and Strip Cold Rolled, Half Hard Temper (See Notice of Withdrawal for Replacement Information) [CUST: MR AS 11 IS] [REVIEW: CE EA]	A	9535		IS	13-APR-2012
M	SAE-AMS7705	Bars and Forgings, Nickel-Iron Magnetic Alloy (See Notice of Withdrawal for Replacement Information) [CUST: MR AS 11 IS] [REVIEW: CE EA]	A	9535		IS	13-APR-2012
M	SAE-AMS-QQ-A-250/13	Aluminum Alloy Alclad 7075, Plate and Sheet (S/S by SAE-AMS4049) [CUST: MR AS 11 IS]	A	9535		IS	13-APR-2012
M	SAE-AMS-T-21014	Tungsten Base Metal, High Density (See Notice of Withdrawal for Replacement Information) [CUST: MI AS] [REVIEW: IS]	A	9540		AS	13-APR-2012
M	SAE-ARP1512	Corrosion of Aluminum Alloys by Aircraft Maintenance Chemicals, Sandwich Test (S/S by ASTM-F1110) [CUST: MR AS 68] [REVIEW: IS]	A	95GP		AS	13-APR-2012
M	SAE-J1164	ROPS and FOPS and OPS, Labeling of (No S/S Document) [CUST: CR4 YD 99]	A	9905		CR4	12-APR-2012
M	BSI4994	Vessels and Tanks in Reinforced Plastics, Design and Construction of (No S/S Document) [CUST: YD]	A	FACR		YD	03-APR-2012
M	SAE-J1019	Tests and Procedures for High Temperature Transmission Oil Hose, Engine Lubricating Oil Hose, and Hose Assemblies (No S/S Document) [CUST: YD]	A	FACR		YD	12-APR-2012
M	MIL-HDBK-759C(2) NOT 3	Human Engineering Design Guidelines (No S/S Document) [CUST: MI AS 11] [REVIEW: 13 19 AM AR AT AV CR EA EC GL HS MC MD OS PE PT SE SH TE TM YD]	A	HFAC		MI	13-MAR-2012
M	SAE-J154	Operator Space Envelope Dimensions for Off-Road Machines (No S/S Document) [CUST: CR4 SA 99] [REVIEW: 84]	A	HFAC		CR4	12-APR-2012
M	SAE-J925	Machines, Off Road, Minimum Service Access Demensions for (No S/S Document) [CUST: AT MC] [REVIEW: GL MD MI YD]	A	HFAC		AT	12-APR-2012
M	SAE-AMS-C-26074	Coatings, Electroless Nickel, Requirements for (S/S by SAE-AMS2404) [CUST: SH]	A	MFFP		SH	13-APR-2012
M	SAE-AMS2825	Material Safety Data Sheets (S/S by ANSI-Z400.1) [CUST: MR YD 99]	A	MISC		MR	12-APR-2012
M	SAE-J231	Object, Falling, Protective Structure (FOPS), Minimum Performance Criteria for (No S/S Document) [CUST: CR4 AS 99] [REVIEW: 84]	A	SAFT		CR4	12-APR-2012