

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 August 2012

(For the Period 1 August 2012 to 14 August 2012)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA			DATE
				MCA	PREP ACTY		
N	MIL-PRF-32414	Cartridge, 40 Millimeter, Practice, MK281 MOD 1 [CUST: AR SH 11] [REVIEW: 68 AS AT GL MI]	D	1310		AR	15-JUN-2012
N	MIL-DTL-32415	Dummy Cap, Blasting: Non-Electric, 5 Minute Inert Time Fuse Delay-M32 [CUST: AR OS 70] [REVIEW: 11 99 AS AV MI NP]	A	1375		AR	06-AUG-2012
M	MIL-DTL-23919C	Reference Cell, Impressed Current Cathodic Protection (ICCP)-Silver-Silver Chloride [CUST: SH]	A	2090		SH	07-AUG-2012
N	MIL-DTL-0045150M	Chassis, Trailer, 2-Wheel Cart Type 1/4 to 3-1/2 Ton [CUST: AT]	A	2330		AT	19-JUL-2012
N	A-A-59892	Cover-Cargo-Hemtt-Truck [CUST: AT MC 99 CC] [REVIEW: 71 CT GL MR NU SA]	A	2540	/	CC	02-AUG-2012
N	MIL-DTL-32423	Predetonation System, Explosive Hazard, Vehicle Mounted AN/VLQ-16 (v1), (v2) [CUST: AR]	D	2590		AR	06-AUG-2012
M	QPL-7726-10 NOT 1	Retread Tires, Ribbed Tread, Pneumatic Aircraft (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	2620		70	06-AUG-2012
M	MIL-DTL-32265 NOT 1	Folded Fiberglass Mat Fabrication and Packaging [CUST: 84] [REVIEW: 99 IS]	A	5680		84	06-AUG-2012
M	MIL-PRF-39012/30H(2)	Connectors, Plugs, Electrical, Coaxial Radio Frequency, (Series TNC (Cabled), Pin Contact, Right Angle, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	26-JUL-2012
M	MIL-DTL-24308G(2)	Connectors, Electric, Rectangular, Nonenvironmental, Miniature, Polarized Shell, Rack and Panel, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935		CC	01-AUG-2012
M	MIL-DTL-28748/7F(3)	Connectors, Electrical, Rectangular, Rack and Panel, Solder Type Pin Contacts, Size 22 [CUST: CR EC 85 CC] [REVIEW: 84 99 AM AR MC]	A	5935		CC	08-AUG-2012
M	MIL-DTL-28748/8F(2)	Connectors, Electrical, Rectangular, Rack and Panel, Solder Type Socket Contacts, Size 22 [CUST: CR EC 85 CC] [REVIEW: 84 AM AR MC]	A	5935		CC	08-AUG-2012
N	MIL-DTL-32139/5	Connectors, Electrical, Rectangular, Nanominiature, Single Row, Plug, Polarized Shell, Pin Contacts, Vertical PCB Through-Hole Type [CUST: CR EC 85 CC] [REVIEW: 99 AV MI]	A	5935		CC	01-AUG-2012
N	MIL-DTL-32139/6	Connectors, Electrical, Rectangular, Nanominiature, Single Row, Receptacle, Polarized Shell, Socket Contacts, Vertical PCB Through-Hole Type [CUST: CR EC 85 CC] [REVIEW: 99 AV MI]	A	5935		CC	01-AUG-2012
M	MIL-DTL-55181F SUP 1	Connectors, Plug and Receptacle, Intermediate Power (Electrical, Waterproof), Type MW, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99]	A	5935		CC	01-AUG-2012
M	MIL-DTL-83734/9F(1)	Sockets, Plug-In Electronic Components, (for 36 Pin Dual-in-Line Packages) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5935		CC	03-AUG-2012
M	MIL-DTL-83734/10G(1)	Sockets, Plug-In Electronic Components, (for 40 Pin Dual-in-Line Packages) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5935		CC	03-AUG-2012
M	MIL-DTL-83734/13E(1)	Sockets, Plug-In Electronic Components, (for 20 Pin Dual-in-Line Packages) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5935		CC	03-AUG-2012
M	MIL-DTL-83734/14E(1)	Sockets, Plug-In Electronic Components, (for 48 Pin Dual-in-Line Packages) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5935		CC	03-AUG-2012
M	MIL-DTL-83734/15E(1)	Sockets, Plug-In Electronic Components, (for 64 Pin Dual-in-Line Packages) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5935		CC	03-AUG-2012
M	MS27487F	Connectors, Adapter, Electrical, Threaded, Kit, Straight and 90 Degrees, EMR Hardware, Series I and II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	06-AUG-2012
M	MIL-PRF-39016/35D	Relays, Electromagnetic, Established Reliability, Hermetically Sealed, 4 PDT Low Level to 2 Amperes (0.150-Inch Terminal Spacing), Latching, with Internal Diodes for Coil Transient Suppression [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5945		CC	13-AUG-2012
M	MIL-PRF-83536/18C	Relays, Electromagnetic, Established Reliability, 4PDT, Low Level to 10 Amperes, Magnetic Latch, Hermetically Sealed, All Welded, DC Coils [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945		CC	13-AUG-2012
M	MIL-PRF-19500/394N	Semiconductor Device, Transistor, NPN, Silicon, Power Switching, Types: 2N4150, 2N5237, 2N5238, 2N4150S, 2N5237S, and 2N5238S, JAN, JANTX, JANTXV, JANS, JANSM, JANSJ, JANSF, JANSR, JANSF, JANSF, JANHCB, JANHCB, JANKCA, JANKCB, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR EC 85 CC] [REVIEW: 19 71 99 AR MI SM]	A	5961		CC	06-AUG-2012
M	MIL-PRF-19500/551F	Semiconductor Device, Diode, Silicon, Transient Voltage Suppressor Types 1N6461 through 1N6468, 1N6461US through 1N6468US, and 1N6461URS through 1N6468URS, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA]	A	5961		CC	07-AUG-2012
M	MIL-PRF-19500/565E NOT 1	Semiconductor Device, Field Effect Transistor, P-Channel, Silicon, Types 2N6895, 2N6896, 2N6897, AND 2N6898, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	10-AUG-2012
M	MIL-PRF-19500/575E	Semiconductor Device, Diode, Silicon, High Voltage Power Rectifier, Fast Recovery, Types 1N6512 through 1N6519, 1N6512US through 1N6519US, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC SM]	A	5961		CC	13-AUG-2012
M	A-A-59789/9B	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .225 Inch Body Size, Screw Actuated [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	09-AUG-2012
M	A-A-59789/10B	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .225 Inch Body Size, Screw Actuated, with Visual Lock Indication [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	10-AUG-2012
M	MIL-DTL-83528E SUP 1	Gasketing Material, Conductive, Shielding Gasket, Electronic, Elastomer, EMI/RFI, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99]	A	5999		CC	13-AUG-2012
M	A-A-59475A	Scales, Dial and Beam Indicating, Baker's, Dough Piece Checking [CUST: GL MC GS] [REVIEW: MD YD]	A	6670	/	GS1	07-AUG-2012
N	ASTM-D3833/D3833M	Water Vapor Transmission of Pressure Sensitive Tapes, Standard Test Method for [CUST: AR AS 99]	A	8040		AS	08-AUG-2012
M	MIL-DTL-3943/205A	Medal, Good Conduct, U.S. Navy [CUST: IH NU] [REVIEW: CT]	A	8455		IH	07-AUG-2012
M	MIL-DTL-3943/207A	Medal, U.S. Naval Reserve, U.S. Navy [CUST: IH NU] [REVIEW: CT]	A	8455		IH	07-AUG-2012
M	MIL-DTL-3943/208A	Medal, Naval Reserve Meritorious Service, U.S. Navy [CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	07-AUG-2012
M	MIL-DTL-3943/216A	Medal, Expeditionary, U.S. Merchant Marine [CUST: IH]	A	8455		IH	02-AUG-2012
M	MIL-DTL-3943/217A	Medal, Defense, U.S. Merchant Marine [CUST: IH]	A	8455		IH	02-AUG-2012
M	MIL-DTL-3943/218A	Medal, Atlantic War Zone, U.S. Merchant Marine [CUST: IH]	A	8455		IH	02-AUG-2012
M	MIL-DTL-3943/219A	Medal, Pacific War Zone, U.S. Merchant Marine [CUST: IH]	A	8455		IH	02-AUG-2012
M	MIL-DTL-3943/220A	Medal, Korean Service, U.S. Merchant Marine [CUST: IH]	A	8455		IH	02-AUG-2012
M	MIL-DTL-3943/221A	Medal, Mediterranean - Middle East War Zone, U.S. Merchant Marine [CUST: IH]	A	8455		IH	02-AUG-2012
M	MIL-DTL-3943/222A	Medal, World War II Victory, U.S. Merchant Marine [CUST: IH]	A	8455		IH	02-AUG-2012
M	MIL-DTL-3943/223A	Medal, China Service, U.S. Navy and U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	02-AUG-2012
M	MIL-DTL-3943/224A	Medal, Occupation Service, U.S. Navy and U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	02-AUG-2012
N	MIL-DTL-3943/350	Medal, Early Career Achievement, NASA [CUST: IH]	A	8455		IH	07-AUG-2012
N	MIL-DTL-3943/351	Medal, Silver Achievement, NASA [CUST: IH]	A	8455		IH	07-AUG-2012
N	MIL-DTL-3943/352	Medal, Exceptional Public Achievement, NASA [CUST: IH]	A	8455		IH	07-AUG-2012

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
N	MIL-DTL-3943/353	Medal, Outstanding Public Leadership, NASA [CUST: IH]	A	8455		IH	07-AUG-2012
N	MIL-DTL-11484/344	Lapel Button, Early Career Achievement Medal, NASA [CUST: IH]	A	8455		IH	07-AUG-2012
N	MIL-DTL-11484/345	Lapel Button, Silver Achievement Medal, NASA [CUST: IH]	A	8455		IH	07-AUG-2012
N	MIL-DTL-11484/346	Lapel Button, Exceptional Public Achievement Medal, NASA [CUST: IH]	A	8455		IH	07-AUG-2012
N	MIL-DTL-11484/347	Lapel Button, Outstanding Public Leadership Medal, NASA [CUST: IH]	A	8455		IH	07-AUG-2012
M	MIL-DTL-11589/409A	Ribbon, Achievement, Senior ROTC, Athletic R-2-4 [CUST: IH]	A	8455		IH	02-AUG-2012
M	MIL-DTL-11589/410A	Ribbon, Achievement, Senior ROTC, Athletic R-2-5 [CUST: IH]	A	8455		IH	02-AUG-2012
M	MIL-DTL-11589/418A	Ribbon, Achievement, Senior ROTC, Military R-3-3 [CUST: IH]	A	8455		IH	06-AUG-2012
N	A-A-59895	Anchor, Snow Replacement Kit [CUST: GL MC CT]	A	8465	/	CT	07-AUG-2012
N	A-A-59896	Anchor, Ice Replacement Kits [CUST: GL MC CT]	A	8465	/	CT	07-AUG-2012
N	A-A-59897	Army Mountaineering Kit (AMK), Rope Replacement Kit [CUST: GL MC CT]	A	8465	/	CT	07-AUG-2012
N	A-A-59898	Ascender, Mechanical Replacement Kit [CUST: GL MC CT]	A	8465	/	CT	07-AUG-2012
N	A-A-59899	Assault Climber Bag Replacement Kit [CUST: GL MC CT]	A	8465	/	CT	08-AUG-2012
N	A-A-59900	Axe, Ice Replacement Kit [CUST: GL MC CT]	A	8465	/	CT	12-AUG-2012
N	A-A-59901	Belay Device, Mountaineering Replacement Kits [CUST: GL MC CT]	A	8465	/	CT	09-AUG-2012
N	A-A-59902	Army Mountaineering Kit Carabiner Replacement Kits [CUST: GL MC CT]	A	8465	/	CT	10-AUG-2012
M	MIL-PRF-89202B	Littoral Planning Chart (LPC) [CUST: NO 09 DC2] [REVIEW: 33 CG DH MC NS]	A	GINT		MP	30-MAY-2012
N	DI-MGMT-81867	Production Report [AMSC: N9273]	A	MGMT		SH	02-AUG-2012
N	DI-MGMT-81868	Repair Parts Report [AMSC: N9274]	A	MGMT		SH	02-AUG-2012
M	SD-22	Diminishing Manufacturing Sources and Material Shortages [CUST: SO]	A	STDZ		SO	01-AUG-2012

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-9398D NOT 1	Generator, Tachometer, Two-Pole, High Temperature, Aircraft [CUST: CR4 AS 99 GS] [REVIEW: AV]	A	6620		GS8	14-AUG-2012
M	MIL-T-9906C NOT 3	Tape, Identification, Aerospace Vehicle Tubing Marker [CUST: GL AS 99] [REVIEW: AR AT CR4 MC MI]	A	7690		IS	08-AUG-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	RWMA16	Welding Equipment Standards, Resistance (No S/S Document) [CUST: AR SH 99 GS] [REVIEW: 84]	A	3432		GS6	10-AUG-2012
M	AWS-A5.15	Iron, Cast, Welding Rods and Covered Electrodes for (No S/S Document) [CUST: MR 11 GS6]	A	3439		GS6	08-AUG-2012
M	AWS-A5.16	Rods and Electrodes, Titanium and Titanium Alloy Welding (No S/S Document) [CUST: MR AS 11]	A	3439		AS	08-AUG-2012
M	MIL-A-49314/4 NOT 3	Antenna, UHF SATCOM, 11 dBic Portable, Foldable AS-4218()/G (No S/S Document) [CUST: CR CC]	A	5985		CC	14-AUG-2012
M	EIA598	Optical Fiber Cable Color Coding (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC]	A	6015		CC	02-AUG-2012
M	EIA604	Fiber Optic Connector Intermateability Standards (FOCIS) (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC] [REVIEW: 13 19 70 99 EC FAS MC MI SH TE]	A	6060		CC	02-AUG-2012
M	EIA526.10	Systems, Dispersion Power Penalty in Digital Single-Mode, Measurement of (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455	Fiber Optic Fibers, Cables, Transducers, Sensors, Connecting and Terminating Devices, and Other Fiber Optic Components, Standard Test Procedure for (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 MC SH TE]	A	60GP		CC	07-AUG-2012
M	EIA-TIA455.2	Fiber Optic Fibers, Cables, Transducers, Connecting and Terminating Devices (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85]	A	60GP		CC	06-AUG-2012
M	EIA-TIA455.16	Fiber Optic Components, Salt Spray (Corrosion), Test for (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 MC SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.25	Fiber Optic Cables and Cable Assemblies, Repeated Impact Testing of (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	07-AUG-2012
M	EIA-TIA455.28	Fiber, Optical, Measuring Dynamic Tensile Strength of, Method for (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 MC SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.30	Frequency Domain Measurement of Multimode Optical Fiber Information Transmission Capacity (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 MC SH TE]	A	60GP		CC	07-AUG-2012
M	EIA-TIA455.31	Fiber, Tensile Proof Test Method (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP		CC	07-AUG-2012
M	EIA-TIA455.32	Fiber Optic Circuit Discontinuities (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 99 EC MC MI SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.39	Fiber Optic Cable Water Wicking Test (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.47	Radiation Pattern Measurement, Output Far Field (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.48	Fiber, Optical, Fiber Cladding Diameter Using Laser-Based Instruments, Measurement of (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.54	Fibers, Overfilled Launching Conditions to Multimode, Mode Scrambler, Requirements for (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP		CC	07-AUG-2012
M	EIA-TIA455.56	Test Method for Evaluating Fungus Resistance of Optical Fiber and Cable (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.58	Fibers, Optical, Grand-Index, Core Diameter, Measurement of (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.60	Fiber or Cable Length Using an OTDR, Measurement of (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 11 CC]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.67	Optical Characteristics of Optical Fibers, Procedure for Assessing High Temperature Exposure Effects on (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC]	A	60GP		CC	07-AUG-2012
M	EIA-TIA455.75	Fluid Immersion Aging Procedure for Optical Fibers Mechanical Properties (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.78	Fibers, Optical, Single-Mode, Spectral-Attenuation Cutback, Measurement for (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.104	Fiber Optic Cable Cyclic Flexing Test (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 CC EC FAS MC MI SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.127	Spectral Characterization of Multimode Laser Diodes See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 MC SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.173	Fiber, Optical, Side-View Method, Coating Geometry, Measurement for (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP		CC	07-AUG-2012
M	EIA-TIA455.176	Fiber Optical Cross-Sectional Geometry by Grey-Scale Analysis, Method for Measuring (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC] [REVIEW: 13 19 CC EC FAS MC MI SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.178	Fibers, Optical, Mechanically Removing Coatings from, Measurements of Strip Force, Required for (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.184	Fiber Optic Interconnecting Devices, Coupling Proof Overload Test for(See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC] [REVIEW: 13 19 CC EC FAS MC MI SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA455.188	Low Temperature Testing of Fiber Optic Components (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC] [REVIEW: 13 19 MC SH TE]	A	60GP		CC	02-AUG-2012
M	EIA-TIA526.4	Optical Eye Pattern Measurement Procedure (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC]	A	60GP		CC	02-AUG-2012
M	EIA-TIA526.14	Fiber, Optical Power Loss Measurements of Installed Multimode Cable Plant (See Notice of Withdrawal for Replacement Information) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC MI SH TE]	A	60GP		CC	02-AUG-2012
M	MS28013A NOT 5	Indicator - Position, Horizontal Stabilizer (See Notice 5 for Replacement Information) [CUST: AV AS 71] [REVIEW: 99 GS]	A	6610		71	09-AUG-2012
M	ASTM-D3833	Water Vapor Transmission of Pressure-Sensitive Tapes, Standard Test Method for (S/S by ASTM-D3833/D3833M) [CUST: AR AS 99]	A	8040		AS	08-AUG-2012
M	EIA455.13	Fiber Optic Components, Devices, and Assemblies, FOTP-13 Visual and Mechanical Inspection of (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR		CC	02-AUG-2012
M	EIA455.25	Optical Fiber Cables, FOTP-25 Impact Testing of (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR		CC	02-AUG-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	EIA455.30	Optical Fiber, Multimode, Information Transmission Capacity, FOTP-30 Frequency Domain Measurement of (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA455.46	Optical Fibers, Long-Length, Graded-Index, FOTP-46 Spectral Attenuation Measurement for (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA455.47	Radiation Pattern Measurement, FOPT-47 Output Far Field (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA455.58	Fibers, Graded-Index Optical, FOPT-58 Core Diameter Measurement of (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA455.59	Measurement of Fiber Point Defects Using an OTDR (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA455.61	Fiber or Cable Attenuation Using an OTDR, FOTP-61 Measurement of (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA455.78	Fibers, Optical, FOTP-78 IEC 60793-1-40, Part 1-40: Measurement Methods and Test Procedure--Attenuation (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA455.104	Fiber Optic Cable Cyclic Flexing Test, FOTP-104 (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA472DAAA	Dielectric Fiber Optic Communications Cable for Outside Plant use Containing Class 1A 62.5 UM Core Diameter/125 UM Cladding Diameter/250 UM Coating Diameter Fiber(s) (No S/S Document) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA472D000	Fiber Optic Communications Cable for Outside Plant use (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA492CAAA	Class IVA Dispersion-Unshifted Single-Mode Optical Fibers (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA492AAAA	Core Diameter/125-UM Cladding Diameter Class IA Graded-Index Multimode Optical Fibers, 62.5-UM (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA492AAAB	Fibers, 50-UM Core Diameter/125-UM Cladding Diameter Class IA Graded-Index Multimode Optical (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA526.7	Measurement of Optical Power Loss of Installed Single-Mode Fiber Cable Plant (ANSI/TIA/EIA-526-7) (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA526.14	Optical Power Loss Measurements of Installed Multimode Fiber Cable Plant OFSTP-14A (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA568	Commercial Building Telecommunication Wiring Standard 3 Parts (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA569	Telecommunications Pathways and Spaces, Commercial Building Standard for (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA570	Residential Telecommunications Cabling Standard, Plus Addendum 2: Control Cabling for Residences (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012
M	EIA590	Physical Location and Protection of Below Ground Fiber Optic Cable Plant, Standard for (See Notice of Withdrawal for Replacement Information) [CUST: CC]	A	FACR	CC		02-AUG-2012