# Department of Defense Standardization Program



## **ASSIST UPDATE**

(A bi-monthly summary of changes to the ASSIST document database)

15 August 2015

(For the Period 1 August 2015 to 14 August 2015)

#### **ASSIST UPDATE**

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <a href="https://assist.dla.mil/">https://assist.dla.mil/</a> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <a href="https://assist.dla.mil/online/registration/registration.cfm">https://assist.dla.mil/online/registration/registration.cfm</a>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <a href="https://assist.dla.mil/online/news/AlertService.htm">https://assist.dla.mil/online/news/AlertService.htm</a> .						

#### **ACTIVE SECTION**

#### **ASSIST UPDATE**

			DISTRIBUTION	Ą		TY	
			STRIB	FSC/AREA	MCA	PREP ACTY	
	DOCUMENT NUMBER	DOCUMENT TITLE			Ž		DATE
M	MIL-DTL-32396(3)	Cartridge, 7 62 Millimeter, Blank: Bottlenose - M82A1 [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR SH]	р	1305		AR	31-JUL-2015
	MIL-DTL-71055B(2)	Body Assembly for Cartridge, 120 Millimeter, Smoke, WP - M929 [CUST: AR] Block, Vision: Bullet-Resistant (Metric) [CUST: AT]	D A	1315 25GP		AR AT	04-AUG-2015 30-JUL-2015
1	MIL-DTL-11352K NOT 1 QPL-13531-43	Hose, Rubber and Hose Assembly, Rubber (Hydraulic, Pneumatic, Flexible)	l	4720		CC	05-AUG-2015
1	MS14303B	Pipe Fittings, Steel, Threaded, Pressure Class 2000, 3000, and 6000 Pound Wog [CUST: AT MC 99	A	4730		CC	31-JUL-2015
M	MS14304B	CC] [REVIEW: 71 AR CE EA SA] Coupling, Caps, Plugs, and Bushings, Pipe Threaded, Pressure Class 3000 and 6000 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA]	A	4730		CC	31-JUL-2015
M	MS27227C	Flange Nipple Assembly 90 Degrees, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines (CUST: AT AS 99 CC) [REVIEW: 11 71 AV MC SA]	A	4730		CC	21-JUL-2015
M	MS27229C	Flange Nipple Assembly 45 Degrees, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	21-JUL-2015
M	MS39230C	Elbow, Pipe-Street, 90 Degrees (150 and 300 Lbs) [CUST: AR MC 99 CC] [REVIEW: 71 AT AV]		4730		CC	24-JUL-2015
M	MS39231C	Elbow, Pipe Street, 45 Degrees , (150 and 300 Pounds) [CUST: AR MC 99 CC] [REVIEW: 71 AT AV]	A	4730		CC	24-JUL-2015
M	MS39232C	Reducer, Pipe Right Hand Thread (150 and 300 Pounds) [CUST: AR MC 99 CC] [REVIEW: 71 AT AV]	A	4730		CC	24-JUL-2015
	MS39233D	Coupling, Pipe Straight (150 and 300 Pounds) [CUST: AR MC 99 CC] [REVIEW: 71 AT AV]		4730		CC	24-JUL-2015
	MIL-PRF-9050G NOT 1 MIL-DTL-70337/1A	Valves, Oxygen, Pressure Relief, Aircraft [CUST: AS 71] [REVIEW: 99] Ring, Retaining, Round Section, External, Closed Type [CUST: AR OS 99 IS] [REVIEW: 71 AT	A	4820 5325		71 IS	07-AUG-2015 31-JUL-2015
		CR CR4 GL MI NS SH]					
	MIL-STD-769K	Insulation Requirements for U.S. Naval Vessels [CUST: SH]  Miver Stages, Padio Fraguency General Specification for [CUST: CR EC 85 CCL [REVIEW: 10 AR.	l	5640 5805		SH CC	29-JUN-2015
M	MIL-DTL-28837D	Mixer Stages, Radio Frequency General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG MC MI OS]	A	5895		CC	30-JUL-2015
M	MIL-DTL-28837/5C	Mixer Stages, Radio Frequency, Double Balanced, SMA Female Connectors [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5895		CC	30-JUL-2015
M	MIL-DTL-28837/9B	Mixer Stages, Radio Frequency, Double Balanced, to Configuration [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5895		CC	30-JUL-2015
M	MIL-DTL-12883/40F(1)	Sockets, Plug-in Electronic Components, for Relays, 4-Pole, 10 Amperes (MIL-PRF-6106, MIL-PRF-83536, MIL-PRF-83726, and MS27709) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT MC OS SH]	A	5935		CC	03-AUG-2015
M	MIL-DTL-12883/41F(2)	Sockets, Plug-in Electronic Components, for Relays, 2-Pole, 10 Amperes (MIL-R-6106 and MIL-R-83536) [CUST: CR EC 85 CC] [REVIEW: 99 AR AT MC OS SH]	A	5935		CC	03-AUG-2015
M	MIL-DTL-12883/44D(1)	Sockets, Plug-in Electronic Components, Socket for Relays, 4-Pole, 5 Amperes (MIL-PRF-6106 and MIL-PRF-83536) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT CR4 MC OS SH]	A	5935		CC	03-AUG-2015
M	MIL-DTL-12883/46D(1)	Sockets, Plug-in Electronic Components, for Relays, 3-Pole, 10 Amperes (MIL-PRF-6106 and MIL-PRF-83536) [CUST: CR EC 85 CC] [REVIEW: 99 AS AT CG CR4 MC OS SH]	A	5935		CC	03-AUG-2015
M	MIL-DTL-12883/47D(1)	Socket, Plug-in Electronic Components, for Relays, 6-Pole, 10 Amperes (MIL-PRF-6106 and MIL-PRF-8336) [CUST: CR EC 85 CC] [REVIEW: AR AS AT MC OS SH]	A	5935		CC	03-AUG-2015
M	MIL-DTL-12883/48D(1)	Socket, Plug-in Electronic Components, for Relays, 3-Pole, 25 Amperes (MIL-PRF-83536/32 and /33) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT CR4 MC OS SH]	A	5935		CC	03-AUG-2015
	MIL-DTL-12883/55A(1) MIL-DTL-83513G(2)	Sockets, Plug-in Electronic Components Socket for MIL-PRF-6106 Relays [CUST: CR EC 85 CC] Connectors, Electrical, Rectangular, Microminiature, Polarized Shell, General Specification for		5935 5935		CC CC	03-AUG-2015 28-JUL-2015
N	MIL-PRF-83446/41	[CUST: CR EC 85 CC] [REVIEW: 99 AS AT CG CR4 MC MDA MI SH] Coils, Radio Frequency, Chip, Fixed, Unshielded, Molded, Surface Mount [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950		CC	31-JUL-2015
N	MIL-PRF-83446/42	Coil, Radio Frequency, Chip, Fixed, Shielded, Molded Surface Mount [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]	A	5950		CC	31-JUL-2015
M	MIL-PRF-19500/455L	Transistor, NPN, Silicon, Power Switching, Types 2N5664, 2N5665, 2N5666, and 2N5667, JAN, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI]	A	5961		CC	30-JUL-2015
M	MIL-PRF-19500/495H	Semiconductor Device, Unitized, Dual-Transistor, NPN, Silicon Types 2N5793, 2N5794, JAN, JANTXV, JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM]	A	5961		CC	30-JUL-2015
М	MIL-PRF-19500/558K	Semiconductor Device, Unitized, PNP, Silicon, Switching, Four Transistor Array, Types 2N6987, and 2N6988, JAN, JANTX, JANTXV, JANS [CUST: CR EC 85 CC] [REVIEW: 19 71 99 AR AS MI SM]	A	5961		CC	30-JUL-2015
M	MIL-PRF-19500/559L	Semiconductor Device, Unitized, NPN, Silicon, Switching, Four Transistor Array, Types 2N6989, and 2N6990, JAN, JANTX, JANTXV, JANS [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	30-JUL-2015
M	MIL-PRF-19500/692B	Transistor, Field Effect, N-Channel, Silicon, Types 2N7515, 2N7516, and 2N7517, JANTXV and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	29-JUL-2015
M	MIL-PRF-19500/735B	Diode, Silicon, Schottky, Dual, Center Tap, Type 1N7041CCU1 and Single Diode Type 1N7045T3, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	30-JUL-2015
M	MIL-M-38510/653B NOT 2	Microcircuits, Digital, High Speed, CMOS Flip-Flops, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	07-AUG-2015
M	A-A-59590/2D	Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, 225 X 260 Inch Body Size, Wedge Mounting Body, with Ejection Action [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	02-JUN-2015
M	A-A-59787A	Potassium Permanganate, Technical (Metric) [CUST: CR4 68 GS] [REVIEW: 11 AV MI]	A	6810	/	68	31-JUL-2015
	MIL-DTL-11132/30E	Insignia, Grade, Command Sergeant Major, Senior Division, ROTC, U S Army [CUST: IH] [REVIEW: CT]		8455		IH	08-AUG-2015
	MIL-DTL-11589/289E	Ribbon, Joint Meritorious Unit Award, Department of Defense [CUST: IH NU 11] [REVIEW: CG1 CT MC]		8455		IH	08-AUG-2015
	AIR-STD-10072(1) INFO-PUB-20041(2)	Chemical Contamination Control for Airlift Operations Australian Department of Defence Airworthiness Management Framework	C	ISDF ISDF		06 06	11-JUN-2015 07-JUL-2015
	AIR-STD-40202(1)	Minimum Quality Surveillance of Petroleum Products	C	ISDF		06	07-JUL-2015 01-JUL-2015
	AIR-STD-40212(1)	Allowable Deterioration Limits for Stored Fuels, Lubricants and Associated Products		ISDF		06	15-JUL-2015
N	AIR-STD-40241(1)	Interchangeability Chart of Standardised Aviation Fuels, Lubricants, and Associated Products		ISDF		06	13-JUL-2015
N	INFO-PUB-50321(1)	Identifying Hydraulic Fluid Contamination of Turbine Engine Oils by Gas Chromatography	C	ISDF		06	13-JUL-2015
L	ALIC 2015						

15-AUG-2015

#### INACTIVE SECTION

#### **ASSIST UPDATE**

DOCUMENT NUMBER DOCUMEN  M AN6245 REV 4 NOT 3 Valve and F	IT TITLE  Iydraulic Thermal Expansion Relief [CUST: AV AS] [REVIEW: MI]  erminated Polybutadiene [CUST: AS] [REVIEW: GS MR]	DISTRIBUTION	FSC/AREA	Α.	PREP ACTY	
	Iydraulic Thermal Expansion Relief [CUST: AV AS] [REVIEW: MI]	DISTF	C/A	Ą	•	
	Iydraulic Thermal Expansion Relief [CUST: AV AS] [REVIEW: MI]	D			Ē	
M ANG245 DEV 4 NOT 2 Volvo and I			FS	MCA	PR	DATE
M MIL-H-85497 NOT 1 Hydroxyl T	nts, Dimeryl-Di-Isocyanate and Isophorone Di-Isocyanate [CUST: AS] [REVIEW: GS]	A	1650 6810 6810		AS AS AS	03-AUG-2015 06-AUG-2015 06-AUG-2015
M A-A-50423 NOT 1 Applicator, Brush Appl	ompound, Avionics Components, Non-Ozone Depleting [CUST: AS] [REVIEW: GS] Self-Pressurized Can, Brush-Type, for use with Isopropyl Alcohol Solvent (Aerosol cator for Isopropyl Alcohol) [CUST: EA AS 68] [REVIEW: GS]	A A	6850 6850	/	AS AS	06-AUG-2015 06-AUG-2015
M MIL-C-81585 NOT 2 Cradles, We [CUST: AS	per Dispensing System [CUST: GL AS 99] rapon, Shipping and Storage, MK 12, MK 13, Mk 14, MK 15, MK 16 and MK 18 [REVIEW: GS]		7930 8140	/	AS AS	06-AUG-2015 06-AUG-2015
M MIL-T-29586(1) NOT 1 GS IS SH]	tive, Leading Edge (Pressure-Sensitive) [CUST: MR AS 99] [REVIEW: 20 84 AR AV ng Polymer Matrix, Unidirectional Carbon Fiber Reinforced Prepreg Tape (Widths Up to		9330 CMPS		AS AS	06-AUG-2015 05-AUG-2015
ou inches),	General Specification for [CUST: AS]					

15-AUG-2015 2

#### **CANCELED SECTION**

### ASSIST UPDATE

CANCELED SECTION	ASSIST UPDATE					
		DISTRIBUTION	FSC/AREA	Y,	PREP ACTY	
DOCUMENT NUMBER	DOCUMENT TITLE			MCA		DATE
M MIL-T-62072C NOT 2	Trailers, Cable Reel: Hydraulically Driven, Modified Commercial (No S/S Document) [CUST: AT YD 99] [REVIEW: MC]	A	2330		AT	16-JUL-2015
M MIL-I-5914E NOT 3	Indicator, Rate of Flow, Fuel, Type EFU-24/A and Type EFU-25/A (No S/S Document) [CUST: AS 71] [REVIEW: 11 GS]		6620		71	27-JUL-2015
M QPL-5914-19 NOT 2 M TT-R-266D NOT 1 M MIL-C-3031J NOT 2	Indicator, Rate of Flow, Fuel, Type EFU-24/A and Type (No S/S Document) Resin, Alkyd, Solutions (No S/S Document) [CUST: MI SH 99] [REVIEW: 84 AS AT CR4 OS YD] Cocoa Beverage Powder [CUST: GL SA 35] [REVIEW: MC MD MS SS TS]	A	6620 8010 8955	/	71 SH GL	27-JUL-2015 28-JUL-2015 30-JUL-2015
15 AUG 2015	1					

15-AUG-2015