Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 August 2015

(For the Period 1 August 2015 to 14 August 2015)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.dla.mil/ for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at https://assist.dla.mil/online/registration/registration.cfm.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: https://assist.dla.mil/online/news/AlertService.htm .

ACTIVE SECTION

ASSIST UPDATE

			UTION	Ą		TY	
			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	
	DOCUMENT NUMBER	DOCUMENT TITLE			Ž		DATE
M	MIL-DTL-32396(3)	Cartridge, 7 62 Millimeter, Blank: Bottlenose - M82A1 [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR SH]	ם	1305		AR	31-JUL-2015
	MIL-DTL-71055B(2)	Body Assembly for Cartridge, 120 Millimeter, Smoke, WP - M929 [CUST: AR] Block, Vision: Bullet-Resistant (Metric) [CUST: AT]	D A	1315 25GP		AR AT	04-AUG-2015 30-JUL-2015
1	MIL-DTL-11352K NOT 1 QPL-13531-43	Hose, Rubber and Hose Assembly, Rubber (Hydraulic, Pneumatic, Flexible)		4720		CC	05-AUG-2015
1	MS14303B	Pipe Fittings, Steel, Threaded, Pressure Class 2000, 3000, and 6000 Pound Wog [CUST: AT MC 99	A	4730		CC	31-JUL-2015
M	MS14304B	CC] [REVIEW: 71 AR CE EA SA] Coupling, Caps, Plugs, and Bushings, Pipe Threaded, Pressure Class 3000 and 6000 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA]	A	4730		CC	31-JUL-2015
M	MS27227C	Flange Nipple Assembly 90 Degrees, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	21-JUL-2015
M	MS27229C	Elines (CUST: AT AS 99 CC) [REVIEW: 11 71 AV MC SA] Flange Nipple Assembly 45 Degrees, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oil Lines [CUST: AT AS 99 CC] [REVIEW: 11 71 AV MC SA]	A	4730		CC	21-JUL-2015
1	MS39230C	Elbow, Pipe-Street, 90 Degrees (150 and 300 Lbs) [CUST: AR MC 99 CC] [REVIEW: 71 AT AV]		4730		CC	24-JUL-2015
M	MS39231C	Elbow, Pipe Street, 45 Degrees, (150 and 300 Pounds) [CUST: AR MC 99 CC] [REVIEW: 71 AT AV]	A	4730		CC	24-JUL-2015
M	MS39232C	Reducer, Pipe Right Hand Thread (150 and 300 Pounds) [CUST: AR MC 99 CC] [REVIEW: 71 AT AV]	A	4730		CC	24-JUL-2015
	MS39233D	Coupling, Pipe Straight (150 and 300 Pounds) [CUST: AR MC 99 CC] [REVIEW: 71 AT AV]		4730		CC	24-JUL-2015
	MIL-PRF-9050G NOT 1 MIL-DTL-70337/1A	Valves, Oxygen, Pressure Relief, Aircraft [CUST: AS 71] [REVIEW: 99] Ring, Retaining, Round Section, External, Closed Type [CUST: AR OS 99 IS] [REVIEW: 71 AT	A A	4820 5325		71 IS	07-AUG-2015 31-JUL-2015
		CR CR4 GL MI NS SH]					
	MIL-STD-769K MIL-DTL-28837D	Insulation Requirements for U S Naval Vessels [CUST: SH] Mixer Stages, Radio Frequency General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AR		5640 5895		SH CC	29-JUN-2015 30-JUL-2015
		AS CG MC MI OS]					
	MIL-DTL-28837/5C	Mixer Stages, Radio Frequency, Double Balanced, SMA Female Connectors [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]				CC	30-JUL-2015
М	MIL-DTL-28837/9B	Mixer Stages, Radio Frequency, Double Balanced, to Configuration [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5895		CC	30-JUL-2015
M	MIL-DTL-12883/40F(1)	Sockets, Plug-in Electronic Components, for Relays, 4-Pole, 10 Amperes (MIL-PRF-6106, MIL-PRF-83536, MIL-PRF-83726, and MS27709) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT MC OS SH]	A	5935		CC	03-AUG-2015
M	MIL-DTL-12883/41F(2)	Sockets, Plug-in Electronic Components, for Relays, 2-Pole, 10 Amperes (MIL-R-6106 and MIL-R-83536) [CUST: CR EC 85 CC] [REVIEW: 99 AR AT MC OS SH]	A	5935		CC	03-AUG-2015
M	MIL-DTL-12883/44D(1)	Sockets, Plug-in Electronic Components, Socket for Relays, 4-Pole, 5 Amperes (MIL-PRF-6106 and MIL-PRF-83536) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT CR4 MC OS SH]	A	5935		CC	03-AUG-2015
M	MIL-DTL-12883/46D(1)	Sockets, Plug-in Electronic Components, for Relays, 3-Pole, 10 Amperes (MIL-PRF-6106 and MIL-PRF-83536) [CUST: CR EC 85 CC] [REVIEW: 99 AS AT CG CR4 MC OS SH]	A	5935		CC	03-AUG-2015
М	MIL-DTL-12883/47D(1)	Socket, Plug-in Electronic Components, for Relays, 6-Pole, 10 Amperes (MIL-PRF-6106 and MIL-	A	5935		CC	03-AUG-2015
M	MIL-DTL-12883/48D(1)	PRF-83536) [CUST: CR EC 85 CC] [REVIEW: AR AS AT MC OS SH] Socket, Plug-in Electronic Components, for Relays, 3-Pole, 25 Amperes (MIL-PRF-83536/32 and /33) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT CR4 MC OS SH]	A	5935		CC	03-AUG-2015
	MIL-DTL-12883/55A(1) MIL-DTL-83513G(2)	Sockets, Plug-in Electronic Components Socket for MIL-PRF-6106 Relays [CUST: CR EC 85 CC] Connectors, Electrical, Rectangular, Microminiature, Polarized Shell, General Specification for		5935 5935		CC CC	03-AUG-2015 28-JUL-2015
	MIL-PRF-83446/41	[CUST: CR EC 85 CC] [REVIEW: 99 AS AT CG CR4 MC MDA MI SH] Coils, Radio Frequency, Chip, Fixed, Unshielded, Molded, Surface Mount [CUST: CR EC 85 CC]		5950		CC	31-JUL-2015
N	MIL-PRF-83446/42	[REVIEW: 19 99 AR AS CG CR4 MC MI OS SH] Coil, Radio Frequency, Chip, Fixed, Shielded, Molded Surface Mount [CUST: CR EC 85 CC]	A	5950		CC	31-JUL-2015
		[REVIEW: 19 99 AR AS CG CR4 MC MI OS SH]		5061		CC	
IVI	MIL-PRF-19500/455L	Transistor, NPN, Silicon, Power Switching, Types 2N5664, 2N5665, 2N5666, and 2N5667, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI]	A	5961		CC	30-JUL-2015
M	MIL-PRF-19500/495H	Semiconductor Device, Unitized, Dual-Transistor, NPN, Silicon Types 2N5793, 2N5794, JAN, JANTX, JANTXV, JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM]	A	5961		CC	30-JUL-2015
M	MIL-PRF-19500/558K	Semiconductor Device, Unitized, PNP, Silicon, Switching, Four Transistor Array, Types 2N6987, and 2N6988, JAN, JANTX, JANTXV, JANS [CUST: CR EC 85 CC] [REVIEW: 19 71 99 AR AS MI SM]	A	5961		CC	30-JUL-2015
M	MIL-PRF-19500/559L	Semiconductor Device, Unitized, NPN, Silicon, Switching, Four Transistor Array, Types 2N6989, and 2N6990, JAN, JANTX, JANTXV, JANS [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	30-JUL-2015
M	MIL-PRF-19500/692B	Transistor, Field Effect, N-Channel, Silicon, Types 2N7515, 2N7516, and 2N7517, JANTXV and	A	5961		CC	29-JUL-2015
M	MIL-PRF-19500/735B	JANS [CUST: CR EC 85 CC NA] Diode, Silicon, Schottky, Dual, Center Tap, Type 1N7041CCU1 and Single Diode Type 1N7045T3, LAN LANTY LANTY CONTROL LANS (CUST: CP EC 85 CC NA)	A	5961		CC	30-JUL-2015
M	MIL-M-38510/653B NOT 2	JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] Microcircuits, Digital, High Speed, CMOS Flip-Flops, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	07-AUG-2015
М	A-A-59590/2D	Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, 225 X 260 Inch Body	A	5998	/	CC	02-JUN-2015
м	A-A-59787A	Size, Wedge Mounting Body, with Ejection Action [CUST: CR EC 85 CC] [REVIEW: 99] Potassium Permanganate, Technical (Metric) [CUST: CR4 68 GS] [REVIEW: 11 AV MI]	A	6810	/	68	31-JUL-2015
ı	MIL-DTL-11132/30E	Insignia, Grade, Command Sergeant Major, Senior Division, ROTC, U.S. Army [CUST: IH] [REVIEW: CT]		8455	,	IH	08-AUG-2015
M	MIL-DTL-11589/289E	Ribbon, Joint Meritorious Unit Award, Department of Defense [CUST: IH NU 11] [REVIEW: CGI CT MC]	A	8455		IH	08-AUG-2015
	AIR-STD-10072(1)	Chemical Contamination Control for Airlift Operations		ISDF		06	11-JUN-2015
ı	INFO-PUB-20041(2)	Australian Department of Defence Airworthiness Management Framework	C	ISDF		06	07-JUL-2015
ı	AIR-STD-40202(1) AIR-STD-40212(1)	Minimum Quality Surveillance of Petroleum Products Allowable Deterioration Limits for Stored Fuels, Lubricants and Associated Products	C	ISDF ISDF		06 06	01-JUL-2015 15-JUL-2015
	AIR-STD-40212(1) AIR-STD-40241(1)	Interchangeability Chart of Standardised Aviation Fuels, Lubricants, and Associated Products		ISDF		06	13-JUL-2015
	INFO-PUB-50321(1)	Identifying Hydraulic Fluid Contamination of Turbine Engine Oils by Gas Chromatography	C	ISDF		06	13-JUL-2015
	AUG 2015						

15-AUG-2015

INACTIVE SECTION

ASSIST UPDATE

INACTIVE SECTION	ASSIST OFDATE					
		DISTRIBUTION	FSC/AREA	Ą	PREP ACTY	
DOGUE CENTENTE COED	DOGUN (ENTERTED E	LSI	SC.	MCA	RE	D + mr
DOCUMENT NUMBER M AN6245 REV 4 NOT 3	DOCUMENT TITLE Valve and Hydraulic Thermal Expansion Relief [CUST: AV AS] [REVIEW: MI]	A		2	AS	DATE 03-AUG-2015
M MIL-H-85497 NOT 1	Hydroxyl Terminated Polybutadiene [CUST: AV AS] [REVIEW: MI]		6810		AS AS	06-AUG-2015
M MIL-C-85498(1) NOT 1	Curing Agents, Dimeryl-Di-Isocyanate and Isophorone Di-Isocyanate [CUST: AS] [REVIEW: GS]		6810		AS	06-AUG-2015
M MIL-PRF-29607(1) NOT 1	Cleaning Compound, Avionics Components, Non-Ozone Depleting [CUST: AS] [REVIEW: GS]		6850		AS	06-AUG-2015
M A-A-50423 NOT 1	Applicator, Self-Pressurized Can, Brush-Type, for use with Isopropyl Alcohol Solvent (Aerosol Brush Applicator for Isopropyl Alcohol) [CUST: EA AS 68] [REVIEW: GS]		6850	/	AS	06-AUG-2015
1. 1. 1. 5040 S.VOTT 1	Brush Applicator for Isopropyl Alcohol) [CUST: EA AS 68] [REVIEW: GS]	١.	5000	,		05 1115 2015
M A-A-50426 NOT 1 M MIL-C-81585 NOT 2	Solvent Wiper Dispensing System [CUST: GL AS 99] Cradles, Weapon, Shipping and Storage, MK 12, MK 13, Mk 14, MK 15, MK 16 and MK 18		7930 8140	/	AS AS	06-AUG-2015 06-AUG-2015
WI MIL-C-01303 NOT 2	[CUST: AS] [REVIEW: GS]	A	0140		Ab	00-A0G-2013
M MIL-PRF-29598(1) NOT 1	Film, Protective, Leading Edge (Pressure-Sensitive) [CUST: MR AS 99] [REVIEW: 20 84 AR AV	A	9330		AS	06-AUG-2015
M MIL T 20586(1) NOT 1	GS IS SH] Thermosetting Polymer Matrix, Unidirectional Corbon Fiber Poinforced Preprint Topo (Widths United Into Into Into Into Into Into Into Into		CMDS		AS	05 AUG 2015
M MIL-T-29586(1) NOT 1	Thermosetting Polymer Matrix, Unidirectional Carbon Fiber Reinforced Prepreg Tape (Widths Up to 60 Inches), General Specification for [CUST: AS]	A	CMPS		AS	05-AUG-2015
15 AUG 2015	1					

15-AUG-2015 2

CANCELED SECTION

ASSIST UPDATE

CANCELED SECTION	ASSIST UPDATE					
		DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	
DOCUMENT NUMBER M MIL-T-62072C NOT 2	DOCUMENT TITLE Trailers Cable Real: Hydraulically Driven Modified Commercial (No S/S Document) [CUST: AT		2330	Σ	AT	DATE 16-JUL-2015
M MIL-I-5914E NOT 3	Trailers, Cable Reel: Hydraulically Driven, Modified Commercial (No S/S Document) [CUST: AT YD 99] [REVIEW: MC] Indicator, Rate of Flow, Fuel, Type EFU-24/A and Type EFU-25/A (No S/S Document) [CUST: AS 71] [REVIEW: 11 GS]		6620		71	27-JUL-2015
M QPL-5914-19 NOT 2 M TT-R-266D NOT 1	Indicator, Rate of Flow, Fuel, Type EFU-24/A and Type (No S/S Document) Resin, Alkyd, Solutions (No S/S Document) [CUST: MI SH 99] [REVIEW: 84 AS AT CR4 OS YD]	A A	6620 8010	/	71 SH	27-JUL-2015 28-JUL-2015
M MIL-C-3031J NOT 2	Cocoa Beverage Powder [CUST: GL SA 35] [REVIEW: MC MD MS SS TS]		8955		GL	30-JUL-2015
15-AUG-2015	3					

15-AUG-2015