

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 December 2011

(For the Period 1 December 2011 to 14 December 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	MIL-PRF-19500/444M	Semiconductor Device, Diode, Silicon, Schottky, Types 1N5711-1, 1N5711UR-1, 1N5711UB, 1N5711UBCA, 1N5711UBD, 1N5711UBCC, 1N5712-1, 1N5712UR-1, 1N5712UB, 1N5712UBCA, 1N5712UBD, 1N5712UBCC, 1N6857-1, 1N6857UR-1, 1N6858-1, and 1N6858UR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC		19-DEC-2011
M	MIL-PRF-19500/730A	Semiconductor Device, Diode, Silicon, Schottky, Dual, Center Tap, Types 1N7037CCU1, 1N7043CAT1, 1N7043CCT1, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A	5961		CC		14-DEC-2011
M	MIL-PRF-19500/486H	Coupler, OPTO Electronic, Semiconductor Device, Solid State, Types 4N22, 4N22A, 4N23, 4N23A, 4N24, 4N24A, 4N22U, 4N23U, and 4N24U, JAN, JANTX, JANTXV, and JANS [CUST: CR 85 CC NA] [REVIEW: 19 AR]	A	5980		CC		09-DEC-2011
M	MIL-PRF-19500/708A	Displays, Diode, Light Emitting, Solid State, Red, Numeric and Hexadecimal, with ON Board Decoder/Driver Types 4N51, 4N52, 4N53, 4N54 JAN and JANTX [CUST: CR 85 CC]	A	5980		CC		07-DEC-2011
M	A-A-55563/5C	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, with Flared Entry, with 2 Offset (Side) Mounting Holes [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC		05-DEC-2011
M	A-A-55563/6C	Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, without Flared Entry, with 2 Offset (Side) Mounting Holes [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC		06-DEC-2011
M	A-A-55563/7B	Holder, Electrical Card, Metal Card Guide, Open Ended, with Flared Entry, with 3 Mounting Holes [CUST: EC 99 CC]	A	5998	/	CC		07-DEC-2011
M	A-A-55563/8B	Holder, Electrical Card, Metal Card Guide, Open Ended, without Flared Entry, with 3 Mounting Holes [CUST: EC 99 CC]	A	5998	/	CC		08-DEC-2011
M	MIL-PRF-85045/31(1)	Cable, Fiber Optic, One Fiber, Cable Configuration Type 1 (Buffered Fiber), Tight Buffer, Cable Class SM and MM, Enhanced Performance Characteristics (Metric) [CUST: CR AS 85 CC NA] [REVIEW: 02 19 99 AR AV EC MI SH YD]	A	6015		CC		15-DEC-2011
M	A-A-50796A	Siren Electronic [CUST: 99 GS] [REVIEW: IS]	A	6350	/	GS2		12-DEC-2011
M	QPL-27193-18 NOT 1	Indicator, Attitude, ARU-2B/A (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	6610		71		14-DEC-2011
M	A-A-50752A NOT 2	Test Kit, Penetrant [CUST: GL AS 99 GS] [REVIEW: 84]	A	6635	/	GS1		13-DEC-2011
M	MIL-PRF-14105E	Paint, Heat-Resisting (for Steel Surfaces) [CUST: MR MC] [REVIEW: AS CG MD1 MI SH]	A	8010		MR		30-NOV-2011
M	MIL-DTL-53030D	Primer Coating, Epoxy, Water Based, Lead and Chromate Free [CUST: MR AS 11] [REVIEW: 84 99 CG MC MD1 MI SH]	A	8010		MR		14-DEC-2011
N	QPL-14105 NOT 1	Paint, Heat-Resisting (for Steel Surfaces)	A	8010		MR		06-DEC-2011
M	MIL-DTL-11589/266D	Ribbon, Orienteering, NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH		09-DEC-2011
M	MIL-DTL-11589/267E	Ribbon, Unit Service, NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH		09-DEC-2011
M	MIL-DTL-11589/268E	Ribbon, Participation Award, NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH		09-DEC-2011
M	MIL-DTL-11589/269E	Ribbon, Academic Team, NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH		09-DEC-2011
M	MIL-DTL-11589/270F	Ribbon, CNET Honor Unit, NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH		09-DEC-2011
M	MIL-DTL-11589/271D	Ribbon, Untitled Item "E", NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH		09-DEC-2011
M	MIL-DTL-11589/294D	Ribbon, Navy Fleet Marine Force Service [CUST: IH NU] [REVIEW: CT MC]	A	8455		IH		09-DEC-2011
M	MIL-DTL-14639/33C	Insignia, Rank, Captain, Navy and Colonel, Army, Air Force, and Marine Corps [CUST: IH NU 11] [REVIEW: CT MC]	A	8455		IH		15-NOV-2011
M	A-A-20348A	Fruit Butters [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8930	/	SS		30-NOV-2011
M	A-A-20202B	Bouillon (Soup and Gravy Bases) [CUST: GL SA 35] [REVIEW: MC MD QM]	A	8935	/	SS		30-NOV-2011
M	MIL-PRF-6085E	Lubricating Oil Instrument, Aircraft, Low Volatility [CUST: CR4 AS 68] [REVIEW: AR GS MI OS SA SH SM]	A	9150		68		08-DEC-2011
M	MIL-DTL-23549D NOT 2	Grease, General Purpose [CUST: AS 11 GS3] [REVIEW: GS OS SH]	A	9150		AS		06-DEC-2011
N	MIL-STD-3023	High-Altitude Electromagnetic Pulse (HEMP) Protection for Military Aircraft [CUST: AV AS 11 DS] [REVIEW: 13 19 33 51 CR DC1 DC5 EC MC MDA MI NS TE] [AMSC: D9223]	C	EMCS		DS		21-NOV-2011
N	DI-EMCS-81846	Hemp Test Plan for System Verification Test [AMSC: D9226]	A	EMCS		DS		28-NOV-2011
N	DI-EMCS-81847	HEMP Test Report for System Verification Test [AMSC: D9227]	A	EMCS		DS		28-NOV-2011
N	DI-EMCS-81848	Test Plan for Production-Level Mission Critical Subsystem (MCS) Immunity Test (PMIT) [AMSC: D9228]	A	EMCS		DS		28-NOV-2011
N	DI-EMCS-81849	Test Report for Production-Level MCS (Mission Critical Subsystem) Immunity Test (PMIT) [AMSC: D9229]	A	EMCS		DS		28-NOV-2011
N	DI-EMCS-81850	Technical Report for MIL-STD-3023 Hardness Allocation [AMSC: D9230]	A	EMCS		DS		28-NOV-2011
N	DI-EMCS-81851	HEMP Protection Subsystem Performance Test Plan [AMSC: D9231]	A	EMCS		DS		28-NOV-2011
N	DI-EMCS-81852	HEMP Protection Subsystem Performance Test Report [AMSC: D9232]	A	EMCS		DS		28-NOV-2011
N	DI-EMCS-81853	Test Plan for Mission Critical Subsystem Immunity Test [AMSC: D9233]	A	EMCS		DS		28-NOV-2011
N	DI-EMCS-81854	Test Report for Mission Critical Subsystem Immunity Test [AMSC: D9234]	A	EMCS		DS		28-NOV-2011
N	DI-EMCS-81855	High-Altitude EMP (HEMP) Hardness Maintenance and Hardness Surveillance (HM/HS) Plan [AMSC: D9235]	A	EMCS		DS		28-NOV-2011

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-5523E	Valve; Relief, Hydraulic Pressure [CUST: GL SH 99 CC] [REVIEW: 11 71 AS AT AV CR4 MC SA]	A	4820	CC	23-NOV-2011
M	MS3112H NOT 1	Connectors, Receptacle, Electrical, Box Mounting, Flange, Bayonet Coupling, Solder Contact, Series 1 [CUST: CR AS 85 CC] [REVIEW: AV SH]	A	5935	CC	06-DEC-2011
M	MS3122F NOT 1	Connectors, Receptacle, Electrical, Crimp Type, Box Mounting, Flange, No. 4 Holes, Bayonet Coupling, Series 1 [CUST: CR AS 85 CC] [REVIEW: AV SH]	A	5935	CC	06-DEC-2011
M	MS3442C NOT 1	Connectors, Receptacle, Electrical, Wide Flange Mount, Bayonet Coupling, Solder Pin Contact, Class H, Series 2 [CUST: CR AS 85 CC] [REVIEW: 99 AV EC SH]	A	5935	CC	06-DEC-2011
M	MIL-PRF-1/60D NOT 1	Electron Tube, Receiving Types 6SA7, 6SA7WGT, 12SA7, 12SA7GT, and 12SY7 1/a b c d e [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS]	A	5960	CC	13-DEC-2011
M	MIL-PRF-19500/37E(1) NOT 1	Semiconductor Device, Transistor, NPN, Silicon, Low-Power Types 2N333, 2N335, 2N336, 2N333A, 2N335A, 2N336A, 2N333T2, 2N335T2, 2N336T2, 2N333LT2, 2N335LT2, 2N336LT2, 2N333AT2, 2N335AT2, 2N336AT2, 2N333ALT2, 2N335ALT2, and 2N336ALT2, JAN [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI]	A	5961	CC	16-DEC-2011
M	MIL-DTL-23806B NOT 1	Cable, Radio Frequency, Coaxial, Semirigid, Foam Dielectric, General Specification for [CUST: CR SH 85 CC] [REVIEW: 71 AR AV MC MD MI SA YD]	A	6145	CC	06-DEC-2011
M	MIL-DTL-23806/1D NOT 1	Cable, Radio Frequency, Coaxial, Semirigid, Foam Dielectric, .500 Inch, 50 and 75 OHM, (RG-231A/U, RG-331/U, RG-334/U and RG-335/U) [CUST: CR EC 85 CC] [REVIEW: 71 AR AV MC MI MS SA YD]	A	6145	CC	06-DEC-2011
M	MIL-DTL-23806/2D NOT 1	Cable, Radio Frequency, Coaxial, Semirigid, Foam Dielectric, .875 Inch, 50 and 75 OHM, (RG-332/U, RG-333/U, RG-336/U and RG-306A/U) [CUST: CR EC 85 CC] [REVIEW: 71 AR AV MC MI MS SA YD]	A	6145	CC	06-DEC-2011
M	MS27424A	Clip Assembly, Cockpit Utility Light [CUST: AS GS] [REVIEW: IS]	A	6220	GS2	12-DEC-2012
M	MS51073A NOT 4	Light, Dome: 24-Volt DC [CUST: CR4 GS2] [REVIEW: IS]	A	6220	GS2	12-DEC-2011
M	MS51319B NOT 3	Headlight, Service, 24-Volt, Waterproof [CUST: AT 99 GS2] [REVIEW: IS]	A	6220	GS2	12-DEC-2011
M	MS15534A NOT 3	Lamps, Incandescent, T-7, Candelabra Screw [CUST: SH GS2] [REVIEW: IS]	A	6240	GS2	12-DEC-2011
M	MS15535K NOT 3	Lamps, Incandescent, Sealed Beam, Par-56, Screw Terminal Base [CUST: CR4 SH 99 GS2] [REVIEW: 11 AT IS MC SA]	A	6240	GS2	12-DEC-2011
M	MS16563B NOT 3	Lamp, Incandescent, R-30 Medium Screw [CUST: SH GS2] [REVIEW: IS]	A	6240	GS2	12-DEC-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	EIA448.2	Electromechanical Components Environmental Effects of Machine Soldering, Test Standard for (S/S by ECA-EIA-448-2) [CUST: EC CC]	A 5930		CC	16-NOV-2011
M	EIA520CAAC	Switches, Sensitive Single Break Contacts, Subminiature Size, 5 A. Detail Specification for (S/S by ECA-EIA-520CAAC) [CUST: EC 85 CC] [REVIEW: 99 AS MC SH]	A 5930		CC	16-NOV-2011
M	EIA520CAAD	Switches, Sensitive Single Break Contacts, Subminiature Size, 7 A. Detail Specification for (S/S by ECA-EIA-520CAAD) [CUST: EC 85 CC] [REVIEW: 99 AS MC SH]	A 5930		CC	16-NOV-2011
M	EIA520AAAB	Switches Non Sensitive Pushbottom Momentary Contact (S/S by ECA-EIA-520AAAB) [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A 5930		CC	16-NOV-2011
M	EIA5200000	Switches, Special-Use Electromechanical of Certified Quality (S/S by ECA-EIA-5200000) [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A 5930		CC	16-NOV-2011
M	EIA-RS448.4	Logic (TTL) Level Endurance and Low Level Endurance, Standard Test Methods for (S/S by ECA-RS-448-4) [CUST: EC CC]	A 5930		CC	16-NOV-2011
M	MIL-DTL-26202E NOT 1	Light, Marker, Airport, Semiflush, General Specification for (No S/S Document) [CUST: AS 99 IS] [REVIEW: 50]	A 6210		IS	02-DEC-2011
M	QPL-26202 NOT 2	Light, Marker, Airport, Semiflush, General Specification for (No S/S Document)	A 6210		IS	02-DEC-2011