# **Department of Defense Standardization Program**



# **ASSIST UPDATE**

(A bi-monthly summary of changes to the ASSIST document database)

### 15 December 2011

(For the Period 1 December 2011 to 14 December 2011)

#### ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.daps.dla.mil for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <a href="https://assist.daps.dla.mil/online/registration/registration.cfm">https://assist.daps.dla.mil/online/registration/registration.cfm</a>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <u>https://assist.daps.dla.mil/online/news/AlertService.htm</u>.

#### ACTIVE SECTION

#### Downloaded from http://www.everyspec.com

#### ASSIST UPDATE

z		NC			
OIL		ĬL	¥	Υ	
AC		RIBI	ARE	ACTY	
Z OL U S V L S V L S V L S V D O CUMENT NUMBER		DISTRIBUTION	FSC/AREA	MCA PREP	
DOCUMENT NUMBER M MIL-DTL-63977B	DOCUMENT TITLE Projectile 30 MM, Target Practice (TP) for Cartridge, 30 MM - M788 [CUST: AR]			AR	DATE 08-DEC-2011
M MIL-DTL-63980A	Cartridge, 30 Millimeter: Target Practice (TP) - M788 [CUST: AR]	D		AR	08-DEC-2011
M MIL-DTL-64019A	Cartridge,30 Millimeter: Dummy - M848 [CUST: AR]	D	1305	AR	08-DEC-2011
M MIL-DTL-70745A	Strip, Ammunition, Metallic - 30 MM [CUST: AR]	A		AR	08-DEC-2011
M MIL-DTL-32284(1)	Cartridges, 60MM, Illuminating - M721, Infrared, Illuminating - M767 Loading, Assembling, and Packing and Parts [CUST: AR]	D	1310	AR	12-DEC-2011
M MIL-DTL-82962J	Cartridges, Impulse, CCU-136/A, CCU-138/A, and CCU-136A/A [CUST: OS]	A	1377	OS	28-OCT-2011
M MIL-DTL-18714E	Primer, Electric, Mark 45 Mod 1 [CUST: OS]		1390	OS	10-NOV-2011
M MIL-DTL-9370E NOT 1 M MIL-DTL-19246E NOT 1	Valve, Automatic, Pressure Regulating, Anti-G Suit [CUST: AS 11] [REVIEW: 71 99] Connector, Oxygen Mask Hose, Type MC-3A [CUST: AV AS 11]	A	1660 1660	AS AS	06-DEC-2011 06-DEC-2011
M MIL-DTL-19803G NOT 1	Converter, Liquid Oxygen, 10-Liter, GCU-24A/A [CUST: AV AS 99] [REVIEW: 71 GS]	A		AS	06-DEC-2011
N MIL-DTL-32372	Fitting, Adapter, Hydraulic and Pneumatic, NPTF to ORFS Connectors, 1500 to 3000 PSI and -65	A	4730	CC	05-DEC-2011
N MIL-DTL-32372/1	Degrees F to 250 Degrees F [CUST: AR SH 99 CC] [REVIEW: 71 AS AT GL MC SA YD] Fitting, Adapter, Straight, Hydraulic and Pneumatic, NPTF Male to ORFS Male [CUST: AR SH 99		4730	CC	05-DEC-2011
	CC] [REVIEW: 71 AT GL MC SA YD]	1	1750		05 DEC 2011
N MIL-DTL-32372/2	Fitting, Adapter, 45 Degrees Elbow, Hydraulic and Pneumatic, NPTF Male to ORFS Male [CUST: AR SH 99 CC] [REVIEW: 71 AT GL MC SA YD]	A	4730	CC	05-DEC-2011
N MIL-DTL-32372/3	Fitting, Adapter, 90 Degrees Elbow, Hydraulic and Pneumatic, NPTF Male to ORFS Male [CUST: AR SH 99 CC] [REVIEW: 71 AT GL MC SA YD]	A	4730	CC	05-DEC-2011
N MIL-DTL-32372/4	Fitting, Adapter, Straight, Hydraulic and Pneumatic, NPTF Male to ORFS Bulkhead [CUST: AR SH 99 CC] [REVIEW: 71 AS AT GL MC SA YD]	A	4730	CC	05-DEC-2011
N MIL-DTL-32372/5	Fitting, Adapter, 45 Degree, Hydraulic and Pneumatic, NPTF Male to ORFS Bulkhead [CUST: AR SH 99 CC] [REVIEW: 71 AS AT GL MC SA YD]	A	4730	CC	05-DEC-2011
N MIL-DTL-32372/6	Fitting, Adapter, 90 Degree, Hydraulic and Pneumatic, NPTF Male to ORFS Bulkhead [CUST: AR SH 99 CC] [REVIEW: 71 AS AT GL MC SA YD]	A	4730	CC	05-DEC-2011
N MIL-DTL-32372/7	Fitting, Adapter, Straight, Hydraulic and Pneumatic, NPTF Male to ORFS Female Swivel [CUST: AR SH 99 CC] [REVIEW: 71 AS AT GL MC SA YD]	A	4730	CC	05-DEC-2011
N MIL-DTL-32372/8	Fitting, Adapter, 45 Degree, Hydraulic and Pneumatic, NPTF Male to ORFS Female Swivel [CUST:	A	4730	CC	05-DEC-2011
N MIL-DTL-32372/9	AR SH 99 CC] [REVIEW: 71 AS AT GL MC SA YD] Fitting, Adapter, 90 Degree, Hydraulic and Pneumatic, NPTF Male to ORFS Female Swivel [CUST:	A	4730	CC	05-DEC-2011
N MIL-DTL-32372/10	AR SH 99 CC] [REVIEW: 71 AS AT GL MC SA YD] Fitting, Adapter, Tee, Hydraulic and Pneumatic, NPTF Male on Branch to ORFS Female Run to Run for the Adapter of the NEW State of the Adapter of the NEW State of the	A	4730	CC	05-DEC-2011
N MIL-DTL-32372/11	[CUST: AR SH 99 CC] [REVIEW: 71 AS AT GL MC SA YD] Fitting, Adapter, Tee, Hydraulic and Pneumatic, NPTF Male on Branch to ORFS Male to Female	A	4730	CC	05-DEC-2011
N MIL-DTL-32372/12	Run to Run [CUST: AR SH 99 CC] [REVIEW: 71 AS AT GL MC SA YD] Fitting, Adapter, Tee, Hydraulic and Pneumatic, NPTF Male on Branch to ORFS Male Run to Run	A	4730	CC	05-DEC-2011
M MS27389C	[CUST: AR SH 99 CC] [REVIEW: 71 AS AT GL MC SA YD] Elbow Subassembly, Flareless, 45 Degrees Forged, Swivel Nut [CUST: AV AS 99 CC] [REVIEW:	A	4730	CC	12-DEC-2011
M MS27395C	71 AT MC MI SA SH] Elbow, Flareless, Tube to Hose - 45 Degrees Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 AT MC MI SA SH]	A	4730	CC	12-DEC-2011
N MSS-SP79	Socket Welding Reducer Inserts [CUST: AV SH 99 CC] [REVIEW: 71 AR AS CG GL MC SA YD]	A	4730	CC	05-DEC-2011
N API-STD-598	Valve Inspection and Testing [CUST: AV SH 99 CC] [REVIEW: 71 AR AS CG GL MC SA YD]	A	4820	CC	05-DEC-2011
M MIL-DTL-24688A	Insulation, Thermal and Acoustic Absorptive, Cellular Polyimide Foam [CUST: CR4 SH 99] [REVIEW: 84 CE IS YD]	A	5640	SH	06-DEC-2011
N ECA-520AAAA	Nonsensitive Pushbutton Switch Single-Pole Contact [CUST: CR EC 85 CC] [REVIEW: 99 MI]		5930	CC	16-NOV-2011
N ECA-520A000	Pushbutton Switches of Certified Quality [CUST: CR EC 85 CC] [REVIEW: 99 MI]		5930	CC	16-NOV-2011
N ECA-EIA-448-2 N ECA-EIA-520CAAC	Electromechanical Components - Environmental Effects of Machine Soldering [CUST: EC CC] Nonsensitive Pushbutton Switch Momentary Contact [CUST: EC 85 CC] [REVIEW: 99 AS MC SH]	A		CC CC	16-NOV-2011 16-NOV-2011
N ECA-EIA-520CAAC	Nonsensitive Pushbutton Switch Momentary Contact [CUST: CR EC 85 CC] [REVIEW: 99 AG MC Shi]		5930	CC	16-NOV-2011
N ECA-EIA-520CAAD	Sensitive Switches, Single Break Contacts, Sub-Subminiature Size 7 A [CUST: EC 85 CC]		5930	CC	16-NOV-2011
N. ECA ELA 5200000	[REVIEW: 99 AS MC ŠH]		5020	00	16 NOV 2011
N ECA-EIA-5200000	Special-Use Electromechanical Switches of Certified Quality [CUST: CR EC 85 CC] [REVIEW: 99 MI]		5930	CC	16-NOV-2011
N ECA-RS-448-4	Electromechanical Switches (Test Methods for Logic (TTL) Level Endurance and Low Level Endurance) [CUST: EC CC]		5930	CC	16-NOV-2011
M MS3473B NOT 1	Connectors, Receptacle, Electrical, Series II, Hermetic, Solderless, Solder Mounting, Bayonet Coupling, Class N [CUST: CR AS 85 CC] [REVIEW: AV EC SH]		5935	CC	06-DEC-2011
M MS3477B NOT 1	Connectors, Receptacle, Electrical, Series II, Hermetic, Solderless, Box Mounting, Bayonet Coupling, Class N [CUST: CR AS 85 CC] [REVIEW: AV EC SH]		5935	CC	06-DEC-2011
M MS3479C NOT 1	Connectors, Receptacle, Electrical, Series II, Hermetic, Solderless, Rear Mounting, Jam Nut, Bayonet Coupling, Class N [CUST: CR AS 85 CC] [REVIEW: AR AV EC MI SH]		5935	CC	06-DEC-2011
M MIL-PRF-6106/26F	Relays, Electromagnetic, 50 Amperes SPST, NO with 5 Ampere SPDT Auxiliary Hermetically Sealed [CUST: 85 CC] [REVIEW: 99]	A	5945	CC	02-DEC-2011
M MIL-PRF-27/338D(1) NOT 2	Transformers, Power, 2 Voltamperes, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950	CC	06-DEC-2011
M MIL-PRF-21038/28 NOT 2	Transformers, Pulse, Low Power, Dual Units [CUST: CR EC 85 CC] [REVIEW: 19 99 AM AS CR4 MC MI OS SH]	A	5950	CC	06-DEC-2011
M MIL-PRF-19500/355P	Semiconductor Device, Unitized Dual Transistor, NPN, Silicon, Types 2N2919, 2N2920, 2N2919L, 2N2920L, 2N2919U, and 2N2920U, JAN, JANTX, JANTXV, JANS, JANSM, JANSD, JANSP, JANSL, JANSR, JANSF, JANSG, JANSH, JANHC, JANHCM, JANHCD, JANHCP, JANHCL, JANHCR, JANHCF, JANHCG, JANHCH, JANKC, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]		5961	CC	09-DEC-2011
M MIL-PRF-19500/375J	Semiconductor Device, Transistor, Field-Effect, N-Channel, Depletion Mode, Silicon, Types 2N3821, 2N3821UB, 2N3822, 2N3822UB, 2N3823, and 2N3823UB, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AV MC SM]	A	5961	CC	14-DEC-2011
M MIL-PRF-19500/395K(1)	Semiconductor Device, Transistor, NPN, Silicon, Switching, Types 2N3735, 2N3735L, 2N3737, and 2N3737UB, JAN, JANTX, JANTXV, JANS, JANSM, JANSD, JANSP, JANSL, JANSR, JANSF, JANSG, and JANSH [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961	CC	17-DEC-2011
15 DEC 2011					

#### Downloaded from http://www.everyspec.com

### ACTIVE SECTION

#### ASSIST UPDATE

ACTIVE SECTION	ASSIST UPDATE					
z		NC				
ZO LACING THE CONTRACT OF CONTRACT.		DISTRIBUTION			¥	
5		BU	ΈA		ACTY	
TA		R	AR		ΡA	
AS		IST	FSC/AREA	MCA	PREP	
	DOCUMENT TITLE	, ,		Σ		DATE
M MIL-PRF-19500/444M	Semiconductor Device, Diode, Silicon, Switching, Schottky, Types 1185711-1, 1N5711UR-1, 1N5711UB, 1N5711UBCA, 1N5711UBC, 1N5711UBCC, 1N5712-1, 1N5712UR-1, 1N5712UB, 1N5712UBCA, 1N5712UBC, 1N6857-1, 1N6857UR-1, 1N6858-1, and 1N6858UR- 1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 4 D 8-5 MCC MC EVI	A	5961		CC	19-DEC-2011
M MIL-PRF-19500/730A	AR AS MC MI SM] Semiconductor Device, Diode, Silicon, Schottky, Dual, Center Tap, Types 1N7037CCU1, IN7042CATL IANTALANTY, IANTY, and IANS ICUST, CR EC 85 CC NAL	A	5961		CC	14-DEC-2011
M MIL-PRF-19500/486H	1N7043CAT1, 1N7043CCT1, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] Coupler, OPTO Electronic, Semiconductor Device, Solid State, Types 4N22, 4N22A, 4N23, 4N23A, 4N24, 4N24A, 4N22U, 4N23U, and 4N24U, JAN, JANTX, JANTXV, and JANS [CUST: CR 85 CC	A	5980		CC	09-DEC-2011
M MIL-PRF-19500/708A	NA] [REVIEW: 19 AR] Displays, Diode, Light Emitting, Solid State, Red, Numeric and Hexadecimal, with ON Board	A	5980		CC	07-DEC-2011
M A-A-55563/5C	Decoder/Driver Types 4N51, 4N52, 4N53, 4N54 JAN and JANTX [CUST: CR 85 CC] Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, with Flared Entry, with 2	A	5998	/	CC	05-DEC-2011
M A-A-55563/6C	Offset (Side) Mounting Holes [CUST: CR EC 85 CC] [REVIEW: 99] Holder, Electrical Card, Metal Card Guide, Low Profile, Open Ended, without Flared Entry, with 2	A	5998	/	CC	06-DEC-2011
M A-A-55563/7B	Offset (Side) Mounting Holes [CUST: CR EC 85 CC] [REVIEW: 99] Holder, Electrical Card, Metal Card Guide, Open Ended, with Flared Entry, with 3 Mounting Holes	A	5998	/	CC	07-DEC-2011
M A-A-55563/8B	[CUST: EC 99 CC] Holder, Electrical Card, Metal Card Guide, Open Ended, without Flared Entry, with 3 Mounting	A	5998	/	CC	08-DEC-2011
M MIL-PRF-85045/31(1)	Holes [CUST: EC 99 CC] Cable, Fiber Optic, One Fiber, Cable Configuration Type 1 (Buffered Fiber), Tight Buffer, Cable Class SM and MM, Enhanced Performance Characteristics (Metric) [CUST: CR AS 85 CC NA] [REVIEW: 02 19 99 AR AV EC MI SH YD]	A	6015		CC	15-DEC-2011
M A-A-50796A M QPL-27193-18 NOT 1	Siren Electronic [CUST: 99 GS] [REVIEW: IS] Indicator, Attitude, ARU-2B/A (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)		6350 6610	/	GS2 71	12-DEC-2011 14-DEC-2011
M A-A-50752A NOT 2	Test Kit, Penetrant [CUST: GL AS 99 GS] [REVIEW: 84]	A	6635	/	GS1	13-DEC-2011
M MIL-PRF-14105E	Paint, Heat-Resisting (for Steel Surfaces) [CUST: MR MC] [REVIEW: AS CG MD1 MI SH]	A	8010	,	MR	30-NOV-2011
M MIL-DTL-53030D	Primer Coating, Epoxy, Water Based, Lead and Chromate Free [CUST: MR AS 11] [REVIEW: 84 99 CG MC MD1 MI SH]	A	8010		MR	14-DEC-2011
N QPL-14105 NOT 1	Paint, Heat-Resisting (for Steel Surfaces)	A	8010		MR	06-DEC-2011
M MIL-DTL-11589/266D	Ribbon, Orienteering, NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH	09-DEC-2011
M MIL-DTL-11589/267E	Ribbon, Unit Service, NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH	09-DEC-2011
M MIL-DTL-11589/268E	Ribbon, Participation Award, NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH	09-DEC-2011
M MIL-DTL-11589/269E	Ribbon, Academic Team, NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH	09-DEC-2011
M MIL-DTL-11589/270F	Ribbon, CNET Honor Unit, NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH	09-DEC-2011
M MIL-DTL-11589/271D	Ribbon, Untitled Item "E", NJROTC [CUST: IH NU] [REVIEW: CT]	A	8455		IH	09-DEC-2011
M MIL-DTL-11589/294D	Ribbon, Navy Fleet Marine Force Service [CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	09-DEC-2011
M MIL-DTL-14639/33C	Insignia, Rank, Captain, Navy and Colonel, Army, Air Force, and Marine Corps [CUST: IH NU 11] [REVIEW: CT MC]		8455		IH	15-NOV-2011
M A-A-20348A	Fruit Butters [CUST: GL SA 35 SS] [REVIEW: MC MD QM]		8930	/	SS	30-NOV-2011
M A-A-20202B	Bouillon (Soup and Gravy Bases) [CUST: GL SA 35] [REVIEW: MC MD QM]	A	8935	/	SS	30-NOV-2011
M MIL-PRF-6085E	Lubricating Oil Instrument, Aircraft, Low Volatility [CUST: CR4 AS 68] [REVIEW: AR GS MI OS [SA SH SM]	A	9150		68	08-DEC-2011
M MIL-DTL-23549D NOT 2 N MIL-STD-3023	Grease, General Purpose [CUST: AS 11 GS3] [REVIEW: GS OS SH] High-Altitude Electromagnetic Pulse (HEMP) Protection for Military Aircraft [CUST: AV AS 11		9150 EMCS		AS DS	06-DEC-2011 21-NOV-2011
N. DIENCE 01046	DS] [REVIEW: 13 19 33 51 CR DC1 DC5 EC MC MDA MI NS TE] [AMSC: D9223]		EMOG		DC	20 NOV 2011
N DI-EMCS-81846	Hemp Test Plan for System Verification Test [AMSC: D9226]		EMCS		DS	28-NOV-2011
N DI-EMCS-81847	HEMP Test Report for System Verification Test [AMSC: D9227]		EMCS		DS	28-NOV-2011
N DI-EMCS-81848	Test Plan for Production-Level Mission Critical Subsystem (MCS) Immunity Test (PMIT) [AMSC: D9228]		EMCS		DS	28-NOV-2011
N DI-EMCS-81849	Test Report for Production-Level MCS (Mission Critical Subsystem) Immunity Test (PMIT) [AMSC: D9229] Technical Report for MIL-STD-3023 Hardness Allocation [AMSC: D9230]		EMCS EMCS		DS	28-NOV-2011
N DI-EMCS-81850 N DI-EMCS-81851	HEMP Protection Subsystem Performance Test Plan [AMSC: D9230]		EMCS		DS DS	28-NOV-2011 28-NOV-2011
N DI-EMCS-81851	HEMP Protection Subsystem Performance Test Plan [AMSC: D9231]		EMCS		DS	28-NOV-2011
N DI-EMCS-81853	Test Plan for Mission Critical Subsystem Immunity Test [AMSC: D9233]		EMCS		DS	28-NOV-2011
N DI-EMCS-81854	Test Report for Mission Critical Subsystem Immunity Test [AMSC: D9234]		EMCS		DS	28-NOV-2011
N DI-EMCS-81855	High-Altitude EMP (HEMP) Hardness Maintenance and Hardness Surveillance (HM/HS) Plan		EMCS		DS	28-NOV-2011
	[AMSC: D9235]	` <b>`</b>				

#### INACTIVE SECTION

#### ASSIST UPDATE

ZC		ION			
ZO LS V DOCUMENT NUMBER		DISTRIBUTION	EA.	ACTY	
LAC		RIB	ARF	AC	
LSA		IST	FSC/AREA	MCA PREP	
DOCUMENT NUMBER M MIL-DTL-5523E	DOCUMENT TITLE Valve; Relief, Hydraulic Pressure [CUST: GL SH 99 CC] [REVIEW: 11 71 AS AT AV CR4 MC	∩ A	丘 4820		DATE 23-NOV-2011
M MIL-D1L-3323E M MS3112H NOT 1	SA] Connectors, Receptacle, Electrical, Box Mounting, Flange, Bayonet Coupling, Solder Contact, Series			сс	06-DEC-2011
M MS3122F NOT 1	Connectors, Receptacle, Electrical, Crimp Type, Box Mounting, Flange, No. 4 Holes, Bayonet		5935	СС	06-DEC-2011
M MS31221 NOT 1 M MS3442C NOT 1	Coupling, Series 1 [CUST: CR AS 85 CC] [REVIEW: AV SH]		5935	сс	06-DEC-2011
	Connectors, Receptacle, Electrical, Wide Flange Mount, Bayonet Coupling, Solder Pin Contact, Class H, Series 2 [CUST: CR AS 85 CC] [REVIEW: 99 AV EC SH]		5955	cc	00-DEC-2011
M MIL-PRF-1/60D NOT 1	Electron Tube, Receiving Types 6SA7, 6SA7WGT, 12SA7, 12SA7GT, and 12SY7 1/ a b c d e [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS]	A	5960	CC	13-DEC-2011
M MIL-PRF-19500/37E(1) NOT 1	Semiconductor Device, Transistor, NPN, Silicon, Low-Power Types 2N333, 2N335, 2N336, 2N333A, 2N335A, 2N336A, 2N335L2, 2N335T2, 2N336T2, 2N333LT2, 2N335LT2, 2N336LT2 2N333AT2, 2N335AT2, 2N335AT2, 2N335AT2, 2N335AT2, 2N335ALT2, and 2N336ALT2, JAN [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI]	A	5961	CC	16-DEC-2011
M MIL-DTL-23806B NOT 1	Cable, Radio Frequency, Coaxial, Semirigid, Foam Dielectric, General Specification for [CUST: CR SH 85 CC] [REVIEW: 71 AR AV MC MD MI SA YD]	A	6145	CC	06-DEC-2011
M MIL-DTL-23806/1D NOT 1	Cable, Radio Frequency, Coaxial, Semirigid, Foam Dielectric, .500 Inch, 50 and 75 OHM, (RG-231A/U, RG-331/U, RG-334/U and RG-335/U) [CUST: CR EC 85 CC] [REVIEW: 71 AR AV MC MI MS SA YD]	A	6145	CC	06-DEC-2011
M MIL-DTL-23806/2D NOT 1	Cable, Radio Frequency, Coaxial, Semirigid, Foam Dielectric, .875 Inch, 50 and 75 OHM, (RG- 332/U, RG-333/U, RG-336/U and RG-306A/U) [CUST: CR EC 85 CC] [REVIEW: 71 AR AV MC MI MS SA YD]	A	6145	CC	06-DEC-2011
M MS27424A	Clip Assembly, Cockpit Utility Light [CUST: AS GS] [REVIEW: IS]	A	6220	GS2	12-DEC-2012
M MS51073A NOT 4	Light, Dome: 24-Volt DC [CUST: CR4 GS2] [REVIEW: IS]	A		GS2	12-DEC-2011
M MS51319B NOT 3	Headlight, Service, 24-Volt, Waterproof [CUST: AT 99 GS2] [REVIEW: IS]	A		GS2	12-DEC-2011
M MS15534A NOT 3	Lamps, Incandescent, T-7, Candelabra Screw [CUST: SH GS2] [REVIEW: IS]	A		GS2	12-DEC-2011
M MS15535K NOT 3	Lamps, Incandescent, Sealed Beam, Par-56, Screw Terminal Base [CUST: CR4 SH 99 GS2] [REVIEW: 11 AT IS MC SA]	A		GS2 GS2	12-DEC-2011
M MS16563B NOT 3	Lamp, Incandescent, R-30 Medium Screw [CUST: SH GS2] [REVIEW: IS]	A	6240	682	12-DEC-2011

#### CANCELED SECTION

#### ASSIST UPDATE

NOLLO V LS V DOCUMENT NUMBER		DISTRIBUTION	FSC/AREA	MCA PREP ACTY	
	DOCUMENT TITLE	<u> </u>			DATE
M EIA448.2	Electromechanical Components Environmental Effects of Machine Soldering, Test Standard for (S/S by ECA-EIA-448-2) [CUST: EC CC]	A	5930	CC	16-NOV-2011
M EIA520CAAC	Switches, Sensitive Single Break Contacts, Subminiature Size, 5 A. Detail Specification for (S/S by ECA-EIA-520CAAC) [CUST: EC 85 CC] [REVIEW: 99 AS MC SH]	A	5930	CC	16-NOV-2011
M EIA520CAAD	Switches, Sensitive Single Break Contacts, Subminiature Size, 7 A. Detail Specification for (S/S by ECA-EIA-520CAAD) [CUST: EC 85 CC] [REVIEW: 99 AS MC SH]	A	5930	CC	16-NOV-2011
M EIA520AAAB	Switches Non Sensitive Pushbottom Momentary Contact (S/S by ECA-EIA-520AAAB) [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A	5930	CC	16-NOV-2011
M EIA5200000	Switches, Special-Use Electromechanical of Certified Quality (S/S by ECA-EIA-5200000) [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A	5930	CC	16-NOV-2011
M EIA-RS448.4	Logic (TTL) Level Endurance and Low Level Endurance, Standard Test Methods for (S/S by ECA-RS-448-4) [CUST: EC CC]	A	5930	CC	16-NOV-2011
M MIL-DTL-26202E NOT 1	Light, Marker, Airport, Semiflush, General Specification for (No S/S Document) [CUST: AS 99 IS] [REVIEW: 50]	A	6210	IS	02-DEC-2011
M QPL-26202 NOT 2	Light, Marker, Airport, Semiflush, General Specification for (No S/S Document)	A	6210	IS	02-DEC-2011