

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 February 2011

(For the Period 1 February 2011 to 14 February 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
				FSC/AREA		MCA	PREP ACTY	
M	MIL-DTL-60318C(4)	Propellant, M1 for use in Charge, Propelling, M67 for 105MM Howitzer [CUST: AR]	A	1376		AR		21-JAN-2011
M	MIL-DTL-7034/4A(1)	Pulley, Control, Anti-Friction Bearing, Aircraft [CUST: AV AS 99 GS] [REVIEW: 71]	A	1640		GS5		09-FEB-2011
M	MS21255U(3)	Eye End, Turnbuckle, Clip Locking (for Wire Rope) [CUST: AV AS 99 GS] [REVIEW: 71]	A	1640		GS5		09-FEB-2011
M	A-A-52431A	Evaporator, Alcohol - Air Brake System [CUST: AT] [REVIEW: CC CR4]	A	2530	/	AT		10-FEB-2011
M	MIL-DTL-62337C	Air Cleaner Assembly [CUST: AT]	A	2940		AT		10-FEB-2011
M	MIL-PRF-51191G	Heater, Air, Electrical, Filter Unit, M3 [CUST: EA]	A	4240		EA		14-FEB-2011
M	MIL-DTL-5070F(3) SUP 1	Adapter, Hose to Tube, Pipe and Flange, Reusable - Hydraulic, Fuel, and Oil Lines, General Specification For [CUST: AV AS 99 CC] [REVIEW: 11 71 AT CG MC MI SA]	A	4730		CC		10-FEB-2011
N	A-A-59881	Tester, Exhaust Gas Temperature Circuit [CUST: 99] [REVIEW: 99]	A	4920	/	84		12-JAN-2011
M	A-A-2449 NOT 2	File, Hand (Swiss Pattern) Needle, Barrette	A	5110	#	FAS		16-NOV-2010
M	A-A-2450 NOT 2	File, Hand (Swiss Pattern), Needle, Joint, Round-Edge	A	5110	#	FAS		16-NOV-2010
M	A-A-2451 NOT 2	File Hand (Swiss Pattern) Needle, Equaling	A	5110	#	FAS		16-NOV-2010
M	A-A-1351 NOT 2	Wrench, Open End, Thin Double Head	A	5120	#	FAS		10-NOV-2010
M	MIL-DTL-3390H	Rings, Dee [CUST: GL MC 99 GS] [REVIEW: CR4]	A	5365		GS4		11-FEB-2011
N	MIL-DTL-32373	Plug, Machine Thread, Magnetic: Drain [CUST: AT YD 99 GS] [REVIEW: CC CR4 MC OS]	A	5365		GS4		27-JAN-2011
M	MIL-PRF-39015E(1)	Resistors, Variable, Wirewound, (Lead Screw Actuated), Nonestablished Reliability, and Established Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 EA MC MI OS]	A	5905		CR		28-JAN-2011
M	MIL-PRF-83401/1H(1)	Resistor Network, Fixed, Film, Style RZ010, 14 Pin Dip [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/2H(1)	Resistor Network, Fixed, Film, Style RZ020, 16 Pin Dip [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/3G(1)	Resistor Network, Fixed, Film, Style RZ030, 14 Pin Flat Pack [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/4E(1)	Resistor Network, Fixed, Film, Style RZ040, 6 Pin SIP [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/5E(1)	Resistor Network, Fixed, Film, Style RZ050, 8 Pin Sip [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/6D(1)	Resistor Network, Fixed, Film Style RZ060, 10 Pin Sip [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/7E(1)	Resistor Network, Fixed, Film Style RZ070, 6 Pin Sip [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/8E(1)	Resistor Network, Fixed, Film Style RZ080, 8 Pin Sip [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/9E(1)	Resistor Network, Fixed, Film, Style RZ090, 10 Pin Sip [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/10C(1)	Resistor Network, Fixed, Film Style RZ100, 16 Pin Flat Pack [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/13B(1)	Resistor Network, Fixed, Film, Style RZ130, 14 Pin Dip [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/14B(1)	Resistor Network, Fixed, Film, Style RZ140, 16 Pin Dip [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/15B(1)	Resistor Network, Fixed, Film, Style RZ150, 14 Pin Flat Pack [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/18C(1)	Resistor Network, Fixed, Film Style RZ180, 6 Pin Sip [CUST: 85 CC]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/19D(1)	Resistor Network, Fixed, Film Style RZ190, 8-Pin Sip [CUST: 85 CC]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/21B(1)	Resistor Network, Fixed, Film, Style RZ210, 6 Pin Sip [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/22B(1)	Resistor Network, Fixed, Film, Style RZ220, 8 Pin Sip [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/23B(1)	Resistor Network, Fixed, Film, Style RZ230, 10 Pin Sip [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-83401/24B(1)	Resistor Network, Fixed, Film, Style RZ240, 10 Pin Sip [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC		03-FEB-2011
M	MIL-PRF-55365H	Capacitor, Fixed, Electrolytic (Tantalum), Chip, Established Reliability, Nonestablished Reliability, and High Reliability, Generation Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH]	A	5910		CR		04-FEB-2011
M	MIL-PRF-55365/4H	Capacitors, Chip, Fixed, Tantalum, Polarized Established Reliability, Non-Established Reliability, and High Reliability Styles CWR06 and CWR09 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH]	A	5910		CR		26-JAN-2011
M	MIL-PRF-55365/8H	Capacitors, Chip, Fixed, Tantalum, Polarized Established Reliability, Non-Established Reliability and High Reliability, Style CWR11 (Metric) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH]	A	5910		CR		26-JAN-2011
M	MIL-PRF-55365/11C	Capacitors, Chip, Fixed, Tantalum, Polarized Established Reliability, Non-Established Reliability and High Reliability, Styles CWR19 and CWR29 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH]	A	5910		CR		26-JAN-2011
M	MIL-PRF-55365/12E	Capacitors, Chip, Fixed, Tantalum, Polarized Established Reliability and Nonestablished Reliability, Style CWR15 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5910		CR		25-JAN-2011
M	MIL-PRF-55365/13A	Capacitors, Chip, Fixed, Tantalum, Polarized Established Reliability and Nonestablished Reliability, Style CWR16 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5910		CR		28-JAN-2011
M	MIL-PRF-15733/61G	Filters, Radio Frequency Interference, Styles FL30, FL32, FL34, and FL43 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS]	A	5915		CC		04-FEB-2011
M	MIL-PRF-49142/8D(1)	Connectors, Triaxial, Radio Frequency (Series TRT (Cabled), Plug, Pin Contact, (Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC		07-FEB-2011
M	MIL-DTL-24308G(1)	Connectors, Electric, Rectangular, Nonenvironmental, Miniature, Polarized Shell, Rack and Panel, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935		CC		25-JAN-2011
M	MIL-DTL-39024/13D	Connectors, Electrical, Test Point Type, Printed Wiring Type; Single Test Point (Right Angle, 2-Leg Mounting), Low Voltage, .080 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS]	A	5935		CC		07-FEB-2011
M	MIL-DTL-83733/1D	Connector, Electrical, Receptacle, Miniature, Rectangular Type, Rack to Panel, Standard Hole Mounting, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC		31-JAN-2011

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-83733/2E	Connector, Electrical, Plug, Socket Contact, Miniature, Rectangular Type, Rack to Panel, with Guide Pins and Spring Mounting, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
M	MIL-DTL-83733/3C	Connectors, Electrical, Receptacle, Pin Contact, Miniature, Rectangular Type, Rack to Panel, with Guide Sockets, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
M	MIL-DTL-83733/4D	Connector, Electrical, Plug, Socket Contact, Miniature, Rectangular Type, Rack to Panel, with Captive Springs, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
M	MIL-DTL-83733/5C	Connectors, Electrical, Receptacle, Pin Contact, Miniature, Rectangular Type, Rack to Panel, Bushing Mounting, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
M	MIL-DTL-83733/6D	Connectors, Electrical, Receptacle, Pin Contact, Miniature, Rectangular Type, Rack to Panel, Clinch Nut Mounting, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
M	MIL-DTL-83733/7E	Connectors, Electrical, Receptacle, Socket Contact, Miniature, Rectangular Type, Rack to Panel, with Guide Sockets and Spring Mounting, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
M	MIL-DTL-83733/8C	Connectors, Electrical, Receptacle, Pin Contact, Miniature, Rectangular Type, Rack to Panel, with Guide Pins, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
M	MIL-DTL-83733/9C	Connectors, Electrical, Receptacle, Pin Contact, Miniature, Rectangular Type, Rack to Panel, Staggered Standard Hole Mounting, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
M	MIL-DTL-83733/10C	Connector, Electrical, Receptacle, Pin Contact, Miniature, Rectangular Type, Rack to Panel, Staggered Bushing Mounting, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
M	MIL-DTL-83733/11C	Connectors, Electrical, Receptacle, Pin Contact, Miniature, Rectangular Type, Rack to Panel, Staggered Clinch Nut Mounting, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
M	MIL-DTL-83733/12D	Connectors, Electrical, Receptacle, Pin Contact, Miniature, Rectangular Type, Rack to Panel, Staggered Spring Mounting, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
M	MIL-DTL-83733/17A	Connectors, Rack and Panel, Spring Loaded, Mounting Assembly [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	31-JAN-2011
N	QPL-AS81703 NOT 1	Connector, Electric, Circular, Miniature, Rack and Panel or Push-Pull Coupling, Environment Resisting	A	5935		AS	11-FEB-2011
N	SAE-AS7928/8	Terminals, Lug and Splices, Conductor, Crimp Style, Copper Terminal, Lug, Crimp Style, Copper, Insulated, Ring Tongue, For Thin Wall Wire, Tin Whisker Resistant, Type II Class 1 For 105 Degrees C Total Conductor Temperature [CUST: CR AS 85]	A	5940		AS	07-FEB-2011
N	SAE-AS7928/9	Terminals, Lug and Splices, Conductor, Crimp Style, Copper, Insulated, Rectangular Tongue, Tin Whisker Resistant for Thin Wall Wire, Type II, Class 1 for 105 Degrees C Total Conductor Temperature [CUST: CR AS 85]	A	5940		AS	07-FEB-2011
N	SAE-AS7928/10	Terminals, Lug and Splices, Conductor, Crimp Style, Splice, Electric, Tin Whisker (Permanent, Type II, Class 1) for 105 Degrees C Total Conductor Temperature [CUST: CR AS 85]	A	5940		AS	07-FEB-2011
N	SAE-AS7928/11	Terminal, Lug, Crimp Style, Copper, Uninsulated, Ring Tongue, Tin Whisker Resistant, Type I, Class I, for 175 Degrees C Total Conductor Temperature [CUST: CR AS 85]	A	5940		AS	07-FEB-2011
N	SAE-AS7928/12	Terminal, Lug, Crimp Style, Copper, Insulated, Ring Tongue, Bell-Mouthed, Tin Whisker, Type II, Class 1, (for 105 Degrees C Total Conductor Temperature) [CUST: CR AS 85]	A	5940		AS	07-FEB-2011
N	SAE-AS7928/13	Terminals, Lug and Splices, Conductor, Crimp Style, Copper Terminal, Lug, Insulated, Tin Whisker Resistant, Ring Tongue, Bell-Mouthed, Type II, Class 1 (For 150 degrees C Total Conductor Temperature) [CUST: CR AS 85]	A	5940		AS	07-FEB-2011
M	MIL-PRF-19500/225K	Semiconductor Device, Transistor, NPN, Silicon, Types 2N1711, 2N1711S, 2N1890, and 2N1890S, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AV MC MI SM]	A	5961		CC	25-JAN-2011
M	MIL-PRF-19500/538F	Semiconductor Device, Transistor, NPN, Silicon, Power, Types 2N6676, 2N6678, 2N6676T1, 2N6678T1, 2N6676T3, 2N6678T3, 2N6691, and 2N6693, JAN, JANTX, JANTXV, JANS, JANSM, JANSJ, JANSR, JANSR, JANSF, JANSJ, JANSJ, JANSH, JANHCA, JANKCA, JANKCAM, JANKCAD, JANKCAP, JANKCAL, JANKCAR, JANKCAF, JANKCAG, and JANKCAH [CUST: CR 85 CC] [REVIEW: 19 99 MI]	A	5961		CC	10-FEB-2011
M	MIL-DTL-24211C	Gaskets, Waveguide Flange General Specification For [CUST: CR EC 85 CC] [REVIEW: 19 AS CG MC MI]	A	5985		CC	09-FEB-2011
M	A-A-59832/1A	Extractor, Electrical Card, Metal, Non-Locking, Single Action, for "U" Channel Actuating Surfaces, for .032, .063, .094, and .125 Inch Thick Circuit Card Assemblies [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	01-FEB-2011
M	A-A-59832/2A	Extractor, Electrical Card, Metal, Non Locking, Single Action, for "U" Channel Actuating Surfaces, for .032, .063, .094, and .125 Inch Thick Circuit Card Assemblies [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	02-FEB-2011
M	A-A-59832/3A	Extractor, Electrical Card, Metal, Locking, Single Action, for "U" Channel Actuating Surfaces, for .063, .094, and .125 Inch Thick Circuit Card Assemblies [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	03-FEB-2011
N	IPC-2152	Design Standard for Determining Current-Carrying Capacity in Printed Board Design [CUST: CR EC 85 CC] [REVIEW: AV MI]	A	5998		CC	04-FEB-2011
M	MIL-PRF-28861D	Filters and Capacitors, Radio Frequency/Electromagnetic Interference Suppression, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV MC MI OS SH]	A	59GP		CC	04-FEB-2011
M	MIL-PRF-83401H(1) SUP 1	Resistor Networks, Fixed, Film, and Capacitor-Resistor Networks, Ceramic Capacitor and Fixed, Film, Resistors, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS]	A	59GP		CC	03-FEB-2011
M	MIL-DTL-83526/20A(1)	Connector, Fiber Optic Plug, Circular Hermaphroditic, In-Line Mount, 2 and 4 Positions, Expanded Beam [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 NA]	A	6060		CC	08-FEB-2011
M	MIL-DTL-83526/21A(1)	Connector, Fiber Optic, Circular Hermaphroditic, Bulkhead, Low Profile without Strain Relief, Jam-Nut Mount, 2 and 4 Positions, Expanded Beam [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 NA]	A	6060		CC	08-FEB-2011
M	MIL-PRF-81757/15B	Battery, Storage, Aircraft, Nickel-Cadmium, High Rate, 24-Volt, 25-Ampere-Hour, Low-Maintenance, Vented [CUST: AS]	A	6140		AS	04-FEB-2011
M	MIL-DTL-25038/3E	Wire, Electrical, High Temperature, Fire Resistant, Flight Critical, Light Weight, Small Diameter [CUST: CR AS 85 CC] [REVIEW: 99 AR AV MI NA OS]	A	6145		CC	15-FEB-2011
N	A-A-59882	Geometry Measuring Machine [CUST: 84] [REVIEW: IS]	A	6635	/	84	12-JAN-2011
N	A-A-59883	Borescope [CUST: 84]	A	6650	/	84	27-JAN-2011
M	QPL-32348 NOT 1	Powder Coating, Camouflage Chemical, Agent Resistant Systems (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	8010		MR	02-FEB-2011
M	QPL-6086-13 NOT 1	Lubricating Oil, Gear, Petroleum Base (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	9150		68	15-FEB-2011

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
N	MIL-STD-3034	Reliability-Centered Maintenance (RCM) Process [CUST: AV SH 99] [REVIEW: 01 08 10 11 13 16 19 33 94 AC AR AS CC CG CH CR DC1 DC5 DH DI DMS EC HS MA MC MDA MI MP ND NP NRO NS OS PT SA SE SO SP TE TM] [AMSC: N9120]	A	SESS		SH	21-JAN-2011

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION		MCA	PREP ACTY	DATE
			FSC/AREA				
M	MIL-DTL-55425E	Cable, Telephone WF-16()/U [CUST: CR CC]	A	6145		CC	15-FEB-2011
M	AN3177 REV 7 NOT 1	Light Assembly, Top and Bottom Fuselage (Two Lamps) [CUST: AV AS 11 GS2] [REVIEW: IS]	A	6220		GS2	08-FEB-2011
M	MS24572C NOT 3	Indicator - Position Variable Nozzle [CUST: 99 GS1]	A	6620		GS1	08-FEB-2011
M	MIL-DTL-6019E	Gages, Pressure, Dial Indicating, Low-Pressure Oxygen [CUST: AV AS 99 GS] [REVIEW: 71 MI]	A	6685		GS1	04-FEB-2011
M	MIL-DTL-3918B	Lubricating Oil, Instrument, Jewel Bearing [CUST: AR AS 11 GS] [REVIEW: 68 AT AV MI OS SA SH]	A	9150		GS3	04-FEB-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-S-64045 SUP 1C NOT 2	Scales, Graphical Firing, General Specification for (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/1 NOT 3	Scale, Graphical Firing, HE M1, Low Angle, W/ICM, (105-H-7) CHGS 1 + 3, (P/N 11785434-1) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/2 NOT 3	Scale, Graphical Firing, HE M1, Low Angle, W/ICM, (105-H-7) CHGS 4 + 5, (P/N 11785434-2) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/3 NOT 3	Scale, Graphical Firing, HE M1, Low Angle, W/ICM, (105-H-7) CHGS 6 + 7, (P/N 11785434-3) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/4 NOT 3	Scale, Graphical Firing, HE M1, High Angle, (105-H-7), (P/N 11785434-4) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/5 NOT 3	Scale, Graphical Firing, Illuminating, M314, (105-H-7) CHGS 3 + 4, (P/N 11785434-5) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/6 NOT 3	Scale, Graphical Firing, Illuminating, M314, (105-H-7) CHGS 5 + 7, (P/N 11785434-6) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/7 NOT 3	Scale, Graphical Site, HE MI, (105-H-6), (P/N 11785434-7) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/15 NOT 3	Scale, Graphical Firing, HE M107, Low Angle W/ICM, (155-Q-4) CHGS 1 + 3, (P/N 11785434-15) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/16 NOT 3	Scale, Graphical Firing, HE M107, Low Angle, W/ICM, (155-Q-4) CHGS 4 and 5, (P/N 11785434-16) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/17 NOT 3	Scale, Graphical Firing, HE M107, Low Angle, W/ICM, (155-Q-4) CHGS 6 and 7, (P/N 11785434-17) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/18 NOT 3	Scale, Graphical Firing, HE M107, High Angle, (155-Q-4), (P/N 11785434-18) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/19 NOT 3	Scale, Graphical Firing, Illuminating, M485, (155-Q-4) CHGS 1 + 3, (P/N 11785434-19) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/20 NOT 3	Scale, Graphical Firing, Illuminating, M485, (155-Q-4) CHGS 5 + 7, (P/N 11785434-20) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/21 NOT 3	Scale, Graphical Site, HE M107, (155-Q-3), (P/N 11785434-21) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/22 NOT 3	Scale, Graphical Firing, HE M107, Low Angle, W/ICM, (155-AH-3) CHGS 1 + 3, (P/N 11785434-22) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/23 NOT 3	Scale, Graphical Firing, HE M107, Low Angle, W/ICM, (155-AH-3), CHGS 4 + 5, (P/N 11785434-23) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/24 NOT 3	Scale, Graphical Firing, HE M107, Low Angle, W/ICM, (155-AH-3) CHGS 6 + 7, (P/N 11785434-24) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/25 NOT 3	Scale, Graphical Firing, HE M107, High Angle, (155-AH-3), (P/N 11785434-25) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/26 NOT 3	Scale, Graphical Firing, Illuminating, M485, (155-AH-3) CHGS 1 + 3, (P/N 11785434-26) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/27 NOT 3	Scale, Graphical Firing, Illuminating, M485, (155-AH-3) CHGS 5 + 7, (P/N 11785434-27) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/28 NOT 3	Scale, Graphical Site, HE M107, (155-AH-3), (P/N 11785434-28) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/29 NOT 3	Scale, Graphical Firing, HE M483A1, Low Angle, (155-AK-2) CHGS 1 + 3, (P/N 11785434-29) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/30 NOT 3	Scale, Graphical Firing, HE M483A1, Low Angle, (155-AK-2) CHGS 4 + 5, (P/N 11785434-30) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/31 NOT 3	Scale, Graphical Firing, HE M483A1, Low Angle, (155-AK-2) CHGS 6 + 7, (P/N 11785434-31) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/32 NOT 3	Scale, Graphical Firing, HE M483A1, High Angle, (155-AK-2), (P/N 11785434-32) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/33 NOT 3	Scale, Graphical Site, HE M483A1, (155-AK-2), (P/N 11785434-33) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/34 NOT 3	Scale, Graphical Firing, M549A1, Low Angle, (155-AL-1) CHG 7R, (P/N 11785434-34) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/35 NOT 3	Scale, Graphical Firing, M549A1, High Angle, (155-AL-1) CHG 7R, (P/N 11785434-35) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/36 NOT 3	Scale, Graphical Site, M549A1, (155-AL-1) CHG 7R, (P/N 11785434-36) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/49A NOT 2	Scale, Graphical Firing, HE M549A1, Low Angle, (155-AO-0) CHGS 7R and 8R, (P/N 11785434-49) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/50A NOT 2	Scale, Graphical Firing, HE M549A1, Low Angle, (155-AO-0) CHG 8R, (P/N 11785434-50) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/51 NOT 3	Scale, Graphical Firing, HE M549A1, High Angle, (155-AO-0), (P/N 11785434-51) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/52 NOT 3	Scale, Graphical Site, HE M549A1, (155-AO-0), (P/N 11785434-52) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/53A NOT 1	Scale, Graphical Firing, M712 CLGP, Low Angle, (155-AS-0) CHG 4G and 5G, (P/N 11785434-53) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/54A NOT 1	Scale, Graphical Firing, M712 CLGP, Low Angle, (155-AS-0) CHG 4W and 5W, (P/N 11785434-54) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/55A NOT 1	Scale, Graphical Firing, M712 CLGP, Low Angle, (155-AS-0) CHG 6W and 7W, (P/N 11785434-55) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/59A NOT 1	Scale, Graphical Firing, M712 CLGP, Low Angle, (155-AS-0) CHG 8G, (P/N 11785434-59) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/60A NOT 1	Scale, Graphical Site, M712 CLGP, (155-AS-0), (P/N 11785434-60) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/61A NOT 1	Scale, Graphical Firing, M712 CLGP, High Angle, (155-AS-0), (P/N 11785434-61) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/70A NOT 1	Scale, Graphical Firing, HE M106, Low Angle, W/ICM, (8-Q-1) CHGS 1 and 2, (P/N 11785434-70) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/71A NOT 1	Scale, Graphical Firing, HE M106, Low Angle, W/ICM, (8-Q-1) CHGS 3 and 4, (P/N 11785434-71) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011
M	MIL-S-64045/72A NOT 1	Scale, Graphical Firing, HE M106, Low Angle, W/ICM, (8-Q-1) CHGS 5 and 6, (P/N 11785434-72) (No S/S Document) [CUST: AR]	A	1220	AR	27-JAN-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-S-64045/73A NOT 1	Scale, Graphical Firing, HE M106, Low Angle, W/ICM, (8-Q-1) CHGS 7 and 8, (P/N 11785434-73) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/92 NOT 3	Scale, Graphical Firing, Low Angle and High Angle, (14.5-A-1) CHG 1, (P/N 11785434-92) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/93 NOT 3	Scale, Graphical Site, (14.5-A-1) CHG 1, (P/N 11785434-93) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/95A NOT 1	Scale, Graphical Firing, HE M107, Low Angle, W/ICM (155-AM-2), CHG 2 and 4, (P/N 11785434-103) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/96A NOT 1	Scale, Graphical Firing, HE M107, Low Angle, W/ICM (155-AM-2), CHG 5 and 6, (P/N 11785434-104) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/97A NOT 1	Scale, Graphical Firing, HE M107, Low Angle, W/ICM (155-AM-2), CHG 7 and 8, (P/N 11785434-105) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/98 NOT 2	Scale, Graphical Firing, HE M107, High Angle, (155-AM-2) CHG 7 and 8 (P/N 11785434-106) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/99 NOT 2	Scale, Graphical Site, HE M107, (155-AM-2), (P/N 11785434-107) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/100A NOT 1	Scale, Graphical Firing, HE M485, Illumination, (155-AM-2) CHG 2 and 3, (P/N 11785434-108) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/101A NOT 1	Scale, Graphical Firing, HE M485, Illumination, (155-AM-2) CHG 5 and 7, (P/N 11785434-109) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/102A NOT 1	Scale, Graphical Firing, HE M107/M825, Low Angle, (155-AM-2), CHG 3, (P/N 11785434-110) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/103 NOT 2	Scale, Graphical Firing, HE M107, Low Angle, (155-AM-2), Charges 3 and 4, (P/N 11785434-112) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/104 NOT 2	Scale, Graphical Firing, HE M107, Low Angle, (155-AM-2), Charges 5 and 6, (P/N 11785434-113) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/105 NOT 2	Scale, Graphical Firing, HE M107, Low Angle, (155-AM-2), Charges 7 and 8, (P/N 11785434-114) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/108 NOT 1	Scale, Graphical Firing, Pad M864, Low Angle, (155-AU-PADM864) Charge 8, (P/N 11785434-117) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/109 NOT 1	Scale, Graphical Site, Pad M864, Low Angle, (155-AU-PADM864) CHGS 7W and 8R, (P/N 11785434-118) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/110 NOT 1	Scale, Graphical Firing, Pad M864, Low Angle, (155-AU-PADM864) CHGS 7W and 7R, (P/N 11785434-119) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/111 NOT 1	Scale, Graphical Firing, HE M106, (8-Q-L), Charge 9, (P/N 11785434-132) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/112 NOT 1	Scale, Graphical Firing, HE M483AL/M825, Low Angle, (155-ADD-Q-O) Charge 8R, (P/N 11785434-133) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/113 NOT 1	Scale, Graphical Site, HE M483A1/M825, (155-ADD-Q-O) (P/N 11785434-134) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/114 NOT 1	Scale, Graphical Firing, HE M509A1, Low Angle, (8-T-L) CHGS 1 and 2, (P/N 11785434-135) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/115 NOT 1	Scale, Graphical Firing, HE M509A1, Low Angle, (8-T-1) CHGS 3 and 4, (P/N 11785434-136) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/116 NOT 1	Scale, Graphical Firing, HE M509A1, Low Angle, (8-T-1) CHGS 5G and 5W, (P/N 11785434-137) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/117 NOT 1	Scale, Graphical Firing, HE M509A1, Low Angle, (8-T-1) CHGS 6 and 7, (P/N 11785434-138) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/118 NOT 1	Scale, Graphical Firing, HE M509A1, Low Angle, (8-T-L) CHGS 8 and 9, (P/N 11785434-139) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/119 NOT 1	Scale, Graphical Firing, HE M509A1, High Angle, (8-T-1) (P/N 11785434-140) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/120 NOT 1	Scale, Graphical Site, HE M509A1, (P/N 11785434-141) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/121 NOT 1	Scale, Graphical Firing, HE M483A1/M825A1, W/ICM, Low Angle, (155-AN-2), CHGS 3G and 4G, (P/N 11785434-142) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/122 NOT 1	Scale, Graphical Firing, HE M483AL/M825AL, W/ICM, Low Angle, (155-AN-2) Charge 5G, (P/N 11785434-143) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/123 NOT 1	Scale, Graphical Firing, HE M483A1/M825A1, W/ICM, Low Angle, (155-AN-2) CHGS 3W and 4W, (P/N 11785434-144) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/124 NOT 1	Scale, Graphical Firing, HE M483A1/M825A1, W/ICM, Low Angle, (155-AN-2) CHGS 5W and 6W, (P/N 11785434-145) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/125 NOT 1	Scale, Graphical Firing, HE M483AL/M825A1, W/ICM, Low Angle, (155-AN-2) CHGS 7W and 7R, (P/N 11785434-146) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/126 NOT 1	Scale, Graphical Firing, HE M483A1/M825A1, W/ICM, High Angle, (155-AN-2) CHGS 3G-4G-5G, (P/N 11785434-147) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/127 NOT 1	Scale, Graphical Firing, HE M483A1/M825A1, W/ICM, High Angle, (155-AN-2) CHGS 3W-4W-5W-6W-7W-7R (P/N 11785434-148) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/128 NOT 1	Scale, Graphical Site, HE M483A1/M825A1, W/ICM (155-AN-2) (P/N 11785434-149) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/129 NOT 1	Scale, Graphical Site, M483A1/M825A1, W/ICM, (155-AN-2) (P/N 11785434-150) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/130 NOT 1	Scale, Graphical Firing, M3 14, Illuminating, (105-AS-3) CHGS 3 and 4, (P/N 11785434-129) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/131 NOT 1	Scale, Graphical Firing, M314, Illuminating, (105-AS-3) CHGS 5 and 6, (P/N 11785434-130) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/132 NOT 1	Scale, Graphical Firing, M314, Illuminating, (105-AS-3) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/133 NOT 1	Scale, Graphical Firing, HE M1, Low Angle (105-AS-3) CHG 1 and 2, (P/N 11785434-120) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/134 NOT 1	Scale, Graphical Firing, HE M1, Low Angle (105-AS-3) CHG 3 and 4, (P/N 11785434-121) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011
M	MIL-S-64045/135 NOT 1	Scale, Graphical Firing, HE M1, Low Angle (105-AS-3) CHG 5 and 6, (P/N 11785434-122) (No S/S Document) [CUST: AR]	A	1220			AR	27-JAN-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA	PREP ACTY	DATE
			FSC/AREA			
M	MIL-S-64045/136 NOT 1	Scale, Graphical Firing, HE M1, Low Angle (105-AS-3) CHG 7, (P/N 11785434-123) (No S/S Document) [CUST: AR]	A 1220		AR	27-JAN-2011
M	MIL-S-64045/137 NOT 1	Scale, Graphical Firing, HE M1, High Angle (105-AS-3), (P/N 11785434-124) (No S/S Document) [CUST: AR]	A 1220		AR	27-JAN-2011
M	MIL-S-64045/138 NOT 1	Scale, Graphical Firing, HE M1, Low Angle/High Angle (105-AS-3) CHG 8, (P/N 11785434-125) (No S/S Document) [CUST: AR]	A 1220		AR	27-JAN-2011
M	MIL-S-64045/139 NOT 1	Scale, Graphical Site, HE M1 (105-AS-3), (P/N 11785434-126) (No S/S Document) [CUST: AR]	A 1220		AR	27-JAN-2011
M	MIL-S-64045/140 NOT 1	Scale, Graphical Site, HE M760 (105-AS-3), (P/N 11785434-127) (No S/S Document) [CUST: AR]	A 1220		AR	27-JAN-2011
M	MIL-S-64045/141 NOT 1	Scale, Graphical Firing, M314 Illuminating (105-AS-3), CHG 1 and 2, (P/N 11785434-128) (No S/S Document) [CUST: AR]	A 1220		AR	27-JAN-2011
M	SAE-AS29523	Hook, Filler Cap Chain (No S/S Document) [CUST: AS GS]	A 4030		AS	02-FEB-2011
M	MS35844D NOT 5	Plug, Machine Thread, Magnetic: Drain (S/S by MIL-DTL-32373) [CUST: AT YD 99 GS] [REVIEW: CC CR4 MC OS]	A 5365		GS4	27-JAN-2011
M	A-A-59532B NOT 1	Fuse, Inclosed Link, Surface Mount (SM), General Requirements for (No S/S Document) [CUST: EC CC]	A 5920	/	CC	03-FEB-2011
M	A-A-59532/1A NOT 1	Fuse, Inclosed Link, Surface Mount (SM), 63 Volts (V) AC/DC, Quick Acting (No S/S Document) [CUST: EC CC]	A 5920	/	CC	03-FEB-2011
M	A-A-59532/2A NOT 1	Fuse, Inclosed Link, Surface Mount (SM), 63 Volts (V) AC/DC, Quick Acting with Fuseholder, Block (No S/S Document) [CUST: EC CC]	A 5920	/	CC	03-FEB-2011
M	A-A-59532/3A NOT 1	Fuse, Inclosed Link, Surface Mount (SM), 125 Volts (V) AC/DC, Quick Acting, High Breaking Capacity (No S/S Document) [CUST: EC CC]	A 5920	/	CC	03-FEB-2011
M	A-A-59532/4A NOT 1	Fuse, Inclosed Link, Surface Mount (SM), 125 Volts (V) AC/DC, Quick Acting, High Breaking Capacity, With a Fuseholder, Block (No S/S Document) [CUST: EC CC]	A 5920	/	CC	03-FEB-2011
M	A-A-59532/5A NOT 1	Fuse, Inclosed Link, Surface Mount (SM), 250 Volts (V) AC/DC, Quick Acting (No S/S Document) [CUST: EC CC]	A 5920	/	CC	03-FEB-2011
M	A-A-59532/6A NOT 1	Fuse, Inclosed Link, Surface Mount (SM), 250 Volts (V) AC/DC, Time Delay (No S/S Document) [CUST: EC CC]	A 5920	/	CC	03-FEB-2011
M	QPL-81703-11 NOT 2	Connector, Electric, Circular, Miniature, Rack and Panel or Push-Pull Coupling, Environment Resisting (S/S by QPL-AS81703)	A 5935		AS	11-FEB-2011
M	AN6021 REV 5 NOT 4	Gage, Panel Mounting, Low Pressure Oxygen (S/S by MIL-DTL-6019) [CUST: 99 GS] [REVIEW: 71]	A 6685		GS1	04-FEB-2011
M	AN6026 REV 4 NOT 3	Gage, Pressure, Dial Indicating (S/S by MIL-DTL-6019) [CUST: AV AS 99 GS] [REVIEW: 71]	A 6685		GS1	04-FEB-2011