

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 February 2012

(For the Period 1 February 2012 to 14 February 2012)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION FSC/AREA	MCA PREP ACTY	DATE
M	MIL-DTL-417H	Adapter, Priming: M1A5. [CUST: AR OS 11] [REVIEW: 70 99 AS FAS NP]	A 1375	AR	12-FEB-2012
M	OO-S-256K	Sewing Machine, Industrial, General Specification for [CUST: GL SA 99 IS] [REVIEW: 50 84 MC]	A 3530	/ IS	06-FEB-2012
M	MIL-PRF-22594C	Heaters, Duct Type, Electric [CUST: SH]	A 4520	SH	31-JAN-2012
N	ASTM-A511/A511M	Tubing, Mechanical, Seamless Stainless Steel [CUST: MR YD 99 CC] [REVIEW: 71 CR4 MC SA SH]	4710	CC	02-FEB-2012
M	MIL-DTL-52618/1E	Fittings, Pipe, Aluminum-Alloy Threaded, 150-Pound, 90-Degree Elbows, Tees, Crosses, 45-Degree Elbows and Couplings (Straight Sizes) [CUST: AT AS CC] [REVIEW: CE MC SA]	A 4730	CC	26-JAN-2012
M	MIL-DTL-52618/2E	Fittings, Pipe, Aluminum-Alloy Threaded 150-Pound, Reducers and Close and Open Pattern Return Bends (Straight Sizes) [CUST: AT AS CC] [REVIEW: CE MC SA]	A 4730	CC	26-JAN-2012
M	MIL-DTL-52618/3E	Fittings, Pipe, Aluminum-Alloy Threaded, 150-Pound, 90-Degree Elbows (Reducing Sizes) [CUST: AT AS CC] [REVIEW: CE MC SA]	A 4730	CC	26-JAN-2012
M	MIL-DTL-52618/4E	Fittings, Pipe, Aluminum-Alloy Threaded, 150-Pound, Tees (Reducing Sizes) [CUST: AT AS CC] [REVIEW: CE MC SA]	A 4730	CC	26-JAN-2012
M	MIL-DTL-52618/5E	Fittings, Pipe, Aluminum-Alloy Threaded, 150-Pound, 90-Degree and 45-Degree Street Elbows [CUST: AT AS CC] [REVIEW: CE MC SA]	A 4730	CC	26-JAN-2012
M	MIL-DTL-52618/6E	Fittings, Pipe, Aluminum-Alloy Threaded, 150-Pound, Caps [CUST: AT AS CC] [REVIEW: CE MC SA]	A 4730	CC	26-JAN-2012
M	MIL-DTL-52618/7E	Fittings, Pipe, Aluminum-Alloy Threaded, 150-Pound, Square Head and Square Socket Plugs [CUST: AT AS CC] [REVIEW: CE MC SA]	A 4730	CC	26-JAN-2012
M	MIL-DTL-52618/8E	Fittings, Pipe, Aluminum-Alloy Threaded, 150-Pound, Outside Head, Inside Head, and Face Bushings [CUST: AT AS CC] [REVIEW: CE MC SA]	A 4730	CC	26-JAN-2012
M	MIL-DTL-52618/9C	Fittings, Pipe, Aluminum-Alloy Threaded, 150-Pound, Crosses (Reducing Sizes) [CUST: AT AS CC] [REVIEW: CE MC SA]	A 4730	CC	26-JAN-2012
N	ASTM-C335/C335M	Insulation, Pipe, Steady-State Heat Transfer Properties of [CUST: CR4 SH 99] [REVIEW: IS]	5640	SH	31-JAN-2012
M	MIL-D-22531A(2)	Display-Plotting Board Group OA-1768/ASA-13 [CUST: AS] [REVIEW: GS]	A 5841	AS	01-JUN-1964
N	MIL-PRF-22885/115	Switches, Pushbutton, Ultra-Compact, LED Illumination, NVIS, Sealed [CUST: CR EC 85 CC]	A 5930	CC	26-JAN-2012
M	MIL-STD-1130C	Connections, Electrical, Solderless Wrapped [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI SH]	A 5935	CC	31-JAN-2012
M	AN5537 REV 2	Connector Assembly - Thermocouple Lead [CUST: AS 85 CC]	A 5935	CC	13-JAN-2012
M	MIL-PRF-1/689G	Electron Tubes, Cathode Ray Types 5ADP1, 5ADP2, 5ADP7, and 5ADP14 [CUST: CR EC 99 CC] [REVIEW: AR AS CE CG MC OS]	A 5960	CC	03-FEB-2012
M	MIL-PRF-1/1005E	Electron Tube, Cathode Ray Type 10WP7A [CUST: CR EC 85 CC] [REVIEW: AS CG MC MI OS SH]	A 5960	CC	03-FEB-2012
M	MIL-PRF-1/1048D	Electron Tube, Cathode Ray Types 5AFP1 and 5AFP7 [CUST: CR EC 85 CC] [REVIEW: 19 AS CG MC OS]	A 5960	CC	03-FEB-2012
M	MIL-PRF-19500/393K	Semiconductor Device, Transistor, NPN, Silicon Power, Types 2N3418, 2N3418S, 2N3418U4, 2N3419, 2N3419S, 2N3419U4, 2N3420, 2N3420S, 2N3420U4, 2N3421, 2N3421S, and 2N3421U4, JAN, JANTX, JANTXV, JANS, JANSN, JANSR, JANSRL, JANSR, JANSF, JANSF, JANSF, JANSF, JANSF, JANSF, JANKCC, JANKCC, JANKCCM, JANKCCD, JANKCCP, JANKCCL, JANKCCF, JANKCCG, and JANKCCH [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AV MC MI]	A 5961	CC	03-FEB-2012
M	MIL-PRF-19500/643C(1)	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Types 1N6766 and 1N6767, 1N6766R and 1N6767R, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A 5961	CC	03-FEB-2012
M	MIL-PRF-19500/688B	Semiconductor Device, Field Effect Transistor, N-Channel, Silicon, Types 2N7002, 2N7002T2, and 2N7002UB, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC]	A 5961	CC	03-FEB-2012
M	MIL-DTL-5815H	Antenna, Airborne, UHF - Band, General Specification for [CUST: CR 85 CC] [REVIEW: 99 AV]	A 5985	CC	08-FEB-2012
M	MIL-DTL-25879G	Switch, Radio Frequency Transmission Line, Coaxial Type SA-521A/A [CUST: 85 CC] [REVIEW: 99]	A 5985	CC	08-FEB-2012
M	A-A-52217C	Tray, Mess, Compartmented [CUST: GL SA 99 SS] [REVIEW: 03 84 MC MD1 QM1]	A 7350	/ SS	07-FEB-2012
M	QPL-14105 NOT 2	Paint, Heat-Resisting (for Steel Surfaces) (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A 8010	MR	06-FEB-2012
M	MIL-STD-961E(1) NOT 2	Defense and Program-Unique Specifications Format and Content [CUST: AR SH 11 DH] [REVIEW: 16 19 22 68 70 71 84 85 99 AS AT AV CC CE CH CR CT DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU OS PS PT SA SM SS TE TM YD]	A STDZ	SO	10-FEB-2012
M	MIL-STD-962D(1) NOT 2	Defense Standards Format and Content [CUST: AR SH 11 DH] [REVIEW: 16 19 22 68 70 71 84 85 99 AS AT AV CC CE CH CR CT DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU OS PS PT SA SM SS TE TM YD]	A STDZ	SO	10-FEB-2012
M	MIL-STD-967(1) NOT 2	Defense Handbooks Format and Content [CUST: AR SH 11 DH] [REVIEW: 16 19 22 68 69 70 71 84 85 99 AS AT AV CC CE CH CR CT DC1 DM DP DS EA EC GL GS IH IS MC MD MI MP MR MT NU OS PS PT SA SM SS TE TM YD]	A STDZ	SO	10-FEB-2012

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-63997C(2)	Rifle, 5.56 Millimeter - M16A2 [CUST: AR OS 99] [REVIEW: 84 AS CC CG FAS MC NP]	A	1005	AR		07-FEB-2012
M	MIL-DTL-70599B(2)	Carbine, 5.56 Millimeter - M4 [CUST: AR OS 99] [REVIEW: 84 AS CC FAS MC]	A	1005	AR		07-FEB-2012
M	MIL-DTL-71186A(2)	Carbine, 5.56 Millimeter - M4A1 [CUST: AR OS 99] [REVIEW: 84 AS CC CG FAS MC NP]	A	1005	AR		07-FEB-2012
M	MIL-DTL-64003B	Charge Assembly, Expulsion for Projectiles, 15MM, Smoke: M825 and M825A1 [CUST: EA]	X	1320	EA		08-FEB-2012
M	MIL-DTL-64006C	Canister Loading Assembly for, Projectile, 155MM, Smoke, WP: M825 and M825A1 [CUST: EA]	D	1320	EA		08-FEB-2012
M	MIL-DTL-64007F	Projectiles, 155 MM, Smoke, WP: M825 and M825A1, Loading and Assembling [CUST: EA]	X	1320	EA		08-FEB-2012
M	MIL-PRF-19500/187B(1)	Semiconductor Diode, Silicon, High-Voltage Type JAN1N2361 [CUST: CR EC 85 CC NA] [REVIEW: 19 70 99 AR AS AV MC MI OS SH SM]	A	5961	CC		03-FEB-2012
M	MIL-DTL-5794C(1)	Microphone Unit M-6A/UR and Microphone, Carbon M-51/UR (Carbon Noise Cancelling) [CUST: CR 85 CC] [REVIEW: EA MI]	A	5965	CC		01-FEB-2012
M	MIL-DTL-12606E(2)	Loudspeaker, Permanent Magnet (Unencased, 3-Inch and 4-Inch Diameter Cone, 2-Watt; Fungus-, and Immersion-Resistant), Type LS-445/U, M12606-01, and M12606-02 [CUST: CR EC 85 CC] [REVIEW: 99 AV MC]	A	5965	CC		26-JAN-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS33788 NOT 4	Liquid Spring Undercarriage Unit - Oil Replenishment Connection for (No S/S Document) [CUST: AV AS GS] [REVIEW: SA]	A	1620		GS1	03-FEB-2012
M	ASTM-A511	Tubing, Mechanical, Seamless Stainless Steel (S/S by ASTM-A511/A511M) [CUST: MR YD 99 CC] [REVIEW: 71 CR4 MC SA SH]	A	4710		CC	02-FEB-2012
M	ASTM-C335	Insulation, Pipe, Steady-State Heat Transfer Properties of (S/S by ASTM-C335/C335M) [CUST: CR4 SH 99] [REVIEW: IS]	A	5640		SH	31-JAN-2012
M	SAE-ARP1972	Measurement Practices and Procedures Recommended for EMC Testing (No S/S Document) [CUST: CR EC 11]	A	EMCS		11	07-FEB-2012
M	MIL-STD-2032 NOT 1	Eddy Current Inspection of Heat Exchanger Tubing on Ships of the United States Navy (See Notice 1 for Replacement Information) [CUST: SH]	A	NDTI		SH	31-JAN-2012