

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**15 January 2011**

(For the Period 1 January 2011 to 14 January 2011)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-PRF-71229D	Mount, Gun, 120MM [CUST: AT] [REVIEW: AR]	A	1015	AT	06-JAN-2011
M	MIL-DTL-17124E(1)	Cord, Detonating and Dummy Cord, Detonating [CUST: AR OS] [REVIEW: MC]	A	1375	AR	13-DEC-2010
M	MIL-DTL-50911B	Priming Assembly for Demolition Charge Assembly : M183 Parts for and Loading, Assembling and Packing [CUST: AR MC 11] [REVIEW: 70 99 NP]	A	1375	AR	07-JAN-2011
M	MIL-DTL-32113A	Initiator, Cartridge Actuated, JAU-74/A [CUST: OS]	A	1377	OS	04-JAN-2011
M	MIL-DTL-5688E(2) NOT 1	Wire Rope Assemblies; Aircraft, Proof Testing and Prestretching of [CUST: AV AS 99 GS] [REVIEW: 71 MI]	A	1640	GS5	04-JAN-2011
M	MIL-DTL-83420M(2)	Wire Rope, Flexible, for Aircraft Control, General Specification for [CUST: AV AS 99 GS] [REVIEW: 11 71 MI]	A	1640	GS5	04-JAN-2011
M	MS20663F(1) NOT 1	Ball End, Wire Rope, Swaging, Double Shank [CUST: CR4 AS 99 GS] [REVIEW: 71 MC MD]	A	1640	GS5	03-JAN-2011
M	MS20664G(1) NOT 1	Ball End, Wire Rope, Swaging, Single Shank [CUST: CR4 AS 99 GS] [REVIEW: 71 MI]	A	1640	GS5	03-JAN-2011
M	MIL-DTL-62069G(1)	Control, Directional Signal Light, Automotive: 24 Volt DC, Solid State [CUST: AT] [REVIEW: CC]	A	2590	AT	04-JAN-2011
M	MIL-PRF-62122E	Cable, Assembly, Inter-Vehicle Power: Plug, Receptacle, and Adapter [CUST: AT] [REVIEW: CC CR4]	A	2920	AT	11-JAN-2011
M	RR-C-271E	Chains and Attachments, Welded and Weldless [CUST: SH 99 GS] [REVIEW: 71 DS]	A	4010	/ GS5	23-DEC-2010
M	MIL-PRF-52109H	Pumping Assemblies, Portable, Bulk Transfer, Fuel and Water Pumping Service [CUST: AT SH 99] [REVIEW: CC]	A	4320	AT	21-DEC-2010
M	QPL-17882-26 NOT 1	Repair Kits, Metallic Pipe and General Purpose, Damage Control (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	4730	SH	05-JAN-2011
N	SAE-AS4405	Assembly Fitting, Adapter, Reducer and Nonreducer, Internal Flare to Flared Tube [CUST: AV AS 99 CC] [REVIEW: 71 AR CG CR4 MC SA SH YD]	A	4730	CC	11-JAN-2011
N	SAE-AS4406	Assembly Fitting, Union, Reducer and Nonreducer, Internal Flare [CUST: AV AS 99 CC] [REVIEW: 71 AR CG CR4 MC SA SH YD]	A	4730	CC	11-JAN-2011
N	SAE-AS4407	Assembly Fitting, Elbow 90 Degrees, Reducer and Nonreducer, Internal Flare to Flared Tube [CUST: AV AS 99 CC] [REVIEW: 71 AR CG CR4 MC SA SH YD]	A	4730	CC	11-JAN-2011
N	SAE-AS4408	Assembly Fitting, Elbow 90 Degrees, Reducer and Nonreducer, Internal Flare [CUST: AV AS 99 CC] [REVIEW: 71 AR CG CR4 MC SA SH YD]	A	4730	CC	11-JAN-2011
N	SAE-AS4409	Assembly Fitting, Elbow 45 Degrees, Reducer and Nonreducer, Internal Flare to Flared Tube [CUST: AV AS 99 CC] [REVIEW: 71 AR CG CR4 MC SA SH YD]	A	4730	CC	11-JAN-2011
N	SAE-AS4410	Assembly Fitting, Tee, Reducer and Nonreducer, Internal Flare on Run, to Flared Tube [CUST: AV AS 99 CC] [REVIEW: 71 AR CG CR4 MC SA SH YD]	A	4730	CC	11-JAN-2011
N	SAE-AS4411	Assembly Fitting, Tee, Reducer and Nonreducer, Internal Flare on Side to Flared Tube [CUST: AV AS 99 CC] [REVIEW: 71 AR CG CR4 MC SA SH YD]	A	4730	CC	11-JAN-2011
M	MIL-PRF-62382C	Valve, Hydraulic, Pressure Relief (Metric) [CUST: AT CC]	A	4820	AT	04-JAN-2011
M	MS25082P(2) NOT 1	Nut, Plain, Hexagon, Electrical-Thin [CUST: AR AS 99 IS] [REVIEW: 71 AV CR EC MC]	A	5310	IS	05-JAN-2011
M	MS51840D	Plug, Machine Thread, O-Ring [CUST: AR OS GS] [REVIEW: CR CR4 EA GL MC]	A	5365	GS4	07-JAN-2011
M	QPL-39007-98	Resistors, Fixed, Wire-Wound (Power Type), Nonestablished Reliability, Established Reliability, and Space Level, General Specification for	A	5905	CR	13-JAN-2011
M	QPL-55342-114	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, General Specification For	A	5905	CR	13-JAN-2011
M	MIL-PRF-39003M(2) SUP 1	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Established Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910	CC	14-JAN-2011
M	MIL-PRF-39003/1K(1)	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum, (Polarized, Sintered Slug), Established Reliability, Style CSR13 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910	CC	14-JAN-2011
M	MIL-DTL-12109/21B	Solenoid, Electrical; Class 2 (Machine Gun) 7.62MM, 24 Volt DC, 8 AMP Max [CUST: AT OS 85] [REVIEW: 99 AR CC EA MC]	A	5945	AT	11-JAN-2011
M	MIL-PRF-27/365A	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS]	A	5950	CC	21-JUN-2010
M	MIL-PRF-19500/510G	Semiconductor Device, Transistor, NPN, Silicon, Power, Type 2N6249, 2N6249T1, 2N6249T3, 2N6250, 2N6250T1, 2N6250T3, 2N6251, 2N6251T1, 2N6251T3, JAN, JANTX, JANTXV, JANS, JANSM, JANSJ, JANSK, JANSN, JANSR, JANSF, JANSQ, JANSK, JANSKCB, JANKCB, JANKCBM, JANKCBD, JANKCBP, JANKCBL, JANKCBR, JANKCBF, JANKCBG, and JANKCBH [CUST: CR 85 CC NA] [REVIEW: 19 99 MI]	A	5961	CC	10-JAN-2011
M	MIL-PRF-19500/697D	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Type 2N7478T1, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR 85 CC NA] [REVIEW: 71 99 MI]	A	5961	CC	14-JAN-2011
M	MIL-PRF-19500/701B	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7491T2, 2N7492T2, and 2N7493T2, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 71 99 MI]	A	5961	CC	18-JAN-2011
M	MIL-PRF-38535J	Integrated Circuits (Microcircuits) Manufacturing, General Specification For [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS CG MC MI OS SH SM TD]	A	5962	CC	28-DEC-2010
M	A-A-55828A	Sulfuric Acid, Technical [CUST: EA 68 GS] [REVIEW: MD1 MI]	A	6810	/ GS3	07-JAN-2011
M	A-A-59147A	Citric Acid, Technical [CUST: MD1 68 GS]	A	6810	/ GS3	07-JAN-2011
M	MIL-DTL-22606D	Flask and End Plugs, Compressed Gas - Air, Oxygen and Nitrogen [CUST: SH] [REVIEW: GS]	A	8120	SH	10-JAN-2011
M	MIL-PRF-87896A	Propellant, Nitrogen Trifluoride [CUST: MI AS 68 PS] [REVIEW: 19]	A	9135	68	04-JAN-2011
M	MIL-PRF-83261C	Grease, Aircraft, Extreme Pressure, Anti-Wear [CUST: 68 GS]	A	9150	68	07-JAN-2011
N	TOP-2-2-819	Sand and Dust Testing of Wheeled and Tracked Vehicles and Stationary Equipment [CUST: TE]	A	ISDA	TE	18-NOV-2009
M	SD-1	Standardization Directory [CUST: AM NN 01 DH DC1] [REVIEW: DA]	A	STDZ	SO	01-JAN-2011

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION		DATE	
			FSC/AREA	MCA PREP ACTY		
M	MIL-DTL-50525A	Charge Assembly, Demolition, M183 with Charge, Demolition - M112, Parts for, Loading, Assembly, and Packing [CUST: AR MC 11] [REVIEW: 70 99 NP]	D	1375	AR	07-JAN-2011
M	AN901 REV 10	Gasket-Metal Tube Connection Seal [CUST: AV AS 99 IS] [REVIEW: MC MI SA]	A	5330	IS	05-JAN-2011
M	AN742 REV 13	Clamp, Loop, Plain, Support, Aircraft [CUST: AV AS 99 IS] [REVIEW: 71]	A	5340	IS	05-JAN-2011
M	MIL-DTL-55023D	Manometers, U-Tube and Curved-Tube [CUST: AT MS 99 GS] [REVIEW: 71 GL]	A	6685	GS1	06-JAN-2011

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-PRF-40136K NOT 1	Tank and Pump Unit, Fuel Dispensing, for Truck Mounting, and Single Tank Unit, Fuel Dispensing, 525-Gallon, Trailer Mounted (No S/S Document) [CUST: AT 99] [REVIEW: CC]	A 4930		AT	04-JAN-2011
M	A-A-59542B NOT 1	Circuit Breaker, Automotive Blade Type, General Requirements for (No S/S Document) [CUST: EC CC]	A 5925	/	CC	10-JAN-2011
M	A-A-59542/1A NOT 1	Circuit Breaker, Automotive Blade Type, Standard Size, Automatic or Modified Reset, 7.5 Amperes (A) to 30A (No S/S Document) [CUST: EC CC]	A 5925	/	CC	10-JAN-2011
M	A-A-59542/2A NOT 1	Circuit Breaker, Automotive Blade Type, Miniature, Automatic or Modified Reset, 7.5 Amperes (A) to 30A (No S/S Document) [CUST: EC CC]	A 5925	/	CC	10-JAN-2011
M	A-A-59542/3A NOT 1	Circuit Breaker, Automotive Blade Type, Large Size, Automatic or Modified Reset, 10 Amperes (A) to 50A (No S/S Document) [CUST: EC CC]	A 5925	/	CC	10-JAN-2011
M	A-A-59542/4A NOT 1	Circuit Breaker, Automotive Blade Type, Large Size, Manual Reset, 10 Amperes (A) to 30A (No S/S Document) [CUST: EC CC]	A 5925	/	CC	10-JAN-2011
M	AN3105 REV 4 NOT 3	Terminal-Ground (No S/S Document) [CUST: AV AS 85 GS] [REVIEW: 99]	A 5940		GS4	07-JAN-2011
M	MIL-P-14067B(4) NOT 4	Powders, Metal, Atomized (for use in Ammunition) (No S/S Document) [CUST: AR GS] [REVIEW: EA]	A 6810		GS3	06-JAN-2011
M	MIL-C-24782 NOT 1	Coating, Powered Fluoropolymer, for use on High Pressure Gas Flask Interiors (S/S by MIL-DTL-22606) [CUST: SH 99] [REVIEW: 68 84 AS]	A 8010		SH	10-JAN-2011
M	A-A-3132A NOT 1	Coating System: Epoxy Primer/Urethane Topcoat for Minimally Prepared Atmospheric Steel (No S/S Document) [CUST: CE3 99] [REVIEW: 84 AS IS]	A 8010	/	CE3	03-JAN-2011