

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**15 January 2012**

(For the Period 1 January 2012 to 14 January 2012)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-DTL-32318(1)	Cartridge, 12 Gauge Shotgun Non-Lethal, Crowd Dispersal - M1013 [CUST: AR OS 99] [REVIEW: 70 AS MC MR NP]	C	1305			AR	04-JAN-2012
M	MIL-DTL-32319(1)	Cartridge, 12 Gauge Shotgun Non-Lethal, Point Control-M1012 [CUST: AR OS 99] [REVIEW: 70 AS MC MR NP]	C	1305			AR	04-JAN-2012
M	MIL-DTL-32048B	Cartridge, Impulse, CCU-107/B [CUST: OS]	A	1377			OS	04-JAN-2012
M	MIL-DTL-32186A	Explosive Sequence Control [CUST: OS]	A	1377			OS	03-JAN-2012
M	MIL-DTL-60292B	Initiator, Cartridge Actuated, M99 Assembly [CUST: OS 99]	A	1377			OS	06-JAN-2012
M	MIL-DTL-82967B	Squib, Electric SQ85 [CUST: OS]	A	1377			OS	19-DEC-2011
M	A-A-52686A NOT 1	Maintenance Kit, Acrylic Plastic Window Refinishing, Aircraft [CUST: AV AS 99] [REVIEW: 84]	A	1560	/		AV	09-JAN-2012
M	MIL-PRF-14512M(1)	Filter, Gas, 340 L/M, M12A2 [CUST: EA]	X	4240			EA	07-DEC-2011
M	MIL-DTL-27267D	Hose, Cres Wire Reinforced, Polytetrafluoroethylene, 450 Degrees F, Medium Pressure [CUST: AV AS 99 CC] [REVIEW: 71 AR AT EA MC MI SA SH]	A	4720			CC	09-JAN-2012
M	MIL-DTL-83798/4C(1)	Fittings, Rubber Hose, Lightweight, Medium Pressure, Flareless, Swivel Nut, Straight [CUST: AV AS 99 CC] [REVIEW: 71 85 AT SA]	A	4730			CC	09-JAN-2012
M	MIL-DTL-83798/5D(1)	Fittings, Rubber Hose, Lightweight, Medium Pressure, Flareless, Swivel Nut, 45 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 85 AT SA]	A	4730			CC	09-JAN-2012
M	MIL-DTL-83798/6C(1)	Fittings, Rubber Hose, Lightweight, Medium Pressure, Flareless, Swivel Nut, 90 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 85 AT SA]	A	4730			CC	09-JAN-2012
M	MS16624D	Ring, Retaining, External, Basic (Tapered Section Type) [CUST: AR OS 99 IS]	A	5325			IS	10-JAN-2012
M	MIL-PRF-55182/1P(2) NOT 1	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style RN*55 1/ [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905			CR	13-JAN-2012
M	MIL-PRF-55182/3R(2) NOT 1	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style RN*60 1/ [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905			CR	13-JAN-2012
M	MIL-PRF-55182/5M(2) NOT 1	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style RN*65 1/ [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905			CR	13-JAN-2012
M	MIL-PRF-55182/6P(2) NOT 1	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style RN*70 1/ [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905			CR	13-JAN-2012
M	MIL-PRF-55182/7M(2) NOT 1	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style RN*50 1/ [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC OS]	A	5905			CR	13-JAN-2012
M	MIL-PRF-55182/9G(2) NOT 1	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style RN*90 1/ [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905			CR	13-JAN-2012
M	MIL-PRF-55182/10E(2) NOT 1	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style RN*75 1/ [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905			CR	13-JAN-2012
M	MIL-PRF-55365H NOT 2	Capacitor, Fixed, Electrolytic (Tantalum), Chip, Established Reliability, Nonestablished Reliability, and High Reliability, Generation Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH]	A	5910			CR	09-JAN-2012
M	A-A-55519/3C	Fuse, Inclosed Link, Subminiature, Surface Mount (SM) Very Fast Acting, with Wrap Around Terminals [CUST: EC CC]	A	5920	/		CC	09-JAN-2012
M	MIL-PRF-39012/28H(2)	Connectors, Receptacles, Electrical, Coaxial, Radio Frequency, (Series TNC, (Cabled), Socket Contact, Jam Nut Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935			CC	10-JAN-2012
M	MIL-PRF-27/56G	Transformers, Power, 25 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950			CC	06-JAN-2012
M	MIL-PRF-19500/423G	Semiconductor Device, Transistor, NPN, Silicon, Switching, Types 2N5581 and 2N5582, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 99 AR]	A	5961			CC	09-JAN-2012
N	MIL-STD-750-1	Environmental Test Methods for Semiconductor Devices Part 1: Test Methods 1000 through 1999 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI NRO SH SM]	A	5961			CC	03-JAN-2012
N	MIL-STD-750-2	Mechanical Test Method for Semiconductor Devices Part 2: Test Methods 2001 through 2999 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI NRO SH SM]	A	5961			CC	03-JAN-2012
N	MIL-STD-750-3	Transistor Electrical Test Methods for semiconductor Devices Part 3: Test Methods 3000 through 3999 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI NRO SH SM]	A	5961			CC	03-JAN-2012
M	MIL-STD-750-4	Diode Electrical Test Methods for Semiconductor Devices Part 4: Test Methods 4000 through 4999 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI NRO SH SM]	A	5961			CC	03-JAN-2012
N	MIL-STD-750-5	High Reliability Space Application Test Methods for Semiconductor Devices Part 5: Test Methods 5000 through 5999 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI NRO SH SM]	A	5961			CC	03-JAN-2012
M	MIL-HDBK-780D(1)	Standard Microcircuit Drawings [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AR AS CG MC MI SH SM]	A	5962			CC	06-JAN-2012
M	MIL-DTL-55041F	Switches, Waveguide, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV MC MI NS OS SH SM]	A	5985			CC	05-JAN-2012
M	MIL-PRF-64266/1A	Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, Wall Mounting, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA]	A	6060			CC	10-JAN-2012
M	MIL-PRF-64266/2A	Connectors, Fiber Optic, Circular, Plug Style, Multiple Removable Genderless Termini, Screw Threads, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA]	A	6060			CC	06-JAN-2012
M	MIL-PRF-64266/3A	Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Screw Threads, Jamnut Mounting, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA]	A	6060			CC	06-JAN-2012
M	MIL-PRF-64266/10A	Connectors, Fiber Optic, Circular, Plug Style, Multiple Removable Termini, Dust Cover, Screw Threads, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA]	A	6060			CC	10-JAN-2012
M	MIL-PRF-64266/11A	Connectors, Fiber Optic, Circular, Receptacle Style, Multiple Removable Termini, Dust Cover, Screw Threads, Environment Resisting [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS MI NA]	A	6060			CC	10-JAN-2012
M	QPL-15108-37 NOT 1	Transformers, Power, Step-Down, Single-Phase, 60-Hertz, 1-Kilovoltampere Approximate Minimum Rating, Dry Type, Naval Shipboard (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	6120			SH	05-JAN-2012
M	MIL-DTL-24643C SUP 1A	Cables, Electric, Low Smoke Halogen-Free, for Shipboard Use, General Specification for [CUST: MI SH] [REVIEW: AR AV CC CG CR EC]	A	6145			SH	13-DEC-2011
M	A-A-59400A NOT 2	Tester, Spring Resiliency (Push/Pull Force Gauge) [CUST: GL AS 99 GS1] [REVIEW: CR4]	A	6635	/		GS1	09-JAN-2012
M	A-A-50177B NOT 1	Paper, Lens [CUST: MI MS 99 DM] [REVIEW: 03 AR AS AV CG MD]	A	6640	/		MI	09-JAN-2012
M	MIL-DTL-87107E	Propellant, High Density Synthetic Hydrocarbon Type, Grade JP-10 [CUST: AS 68 PS] [REVIEW: 11]	A	9135			68	12-JAN-2012
M	MIL-PRF-32070A	Test Program Sets [CUST: AR AS 70] [REVIEW: 10 13 71 84 AV MC]	A	ATTS			AS	10-JAN-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-STD-1472G	Human Engineering [CUST: MI AS 11] [REVIEW: 01 10 13 19 40 AR AS AT AV CG CR DC2 DH EA EC GL HS MC MD MP MR ND NS OS PE PT SE SH TE TM]	A	HFAC	MI	11-JAN-2012
M	MIL-STD-6020B	Data Forwarding Between Tactical Data Links (TDLs) [CUST: CR2 EC 44 NS]	C	INST	DC2	30-SEP-2011
M	MIL-HDBK-2361C	Army Digital Publications Development Implementation Guide [CUST: AC] [REVIEW: AR AT AV CR CR4 GL MI MR TE TM]	A	IPSC	AC	15-JAN-2012
M	DI-SESS-81269B	Technical Directive [AMSC: N9237]	A	SESS	AS	21-DEC-2011
M	MIL-HDBK-520A	Systems Requirements Document Guidance [CUST: AR SH 11] [REVIEW: 13 44 71 AS AT AV MI]	A	SESS	11	19-DEC-2011
M	SD-1	Standardization Directory [CUST: AM NM 01 DH DC1] [REVIEW: DA]	A	STDZ	SO	01-JAN-2012

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION			DATE
			FSC/AREA	MCA	PREP ACTY	
M	MIL-DTL-48554B	Telescope, Panoramic - M137A2 and M137A3 [CUST: AR]	A 1240		AR	29-DEC-2011
M	MS51944B(1)	Buckle, Tongueless, 2-Bar [CUST: AR 99 IS] [REVIEW: AT AV CR4 GL]	A 5340		IS	10-JAN-2012
M	MIL-PRF-55182/2K(2) NOT 1	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, Style RN*57 1/ [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC OS]	A 5905		CR	13-JAN-2012
M	MIL-R-55182/11E(2)	Resistors, Fixed, Film, Established Reliability, Style RN*51 1/ [CUST: CR EC CC]	A 5905		CC	13-JAN-2012
M	MIL-R-55182/12E(2)	Resistors, Fixed, Film, Established Reliability, Style RN*56 1/ [CUST: CR EC CC]	A 5905		CC	13-JAN-2012
M	W-C-596/107B	Connector, Receptacle, Electrical, Special Purpose, Single, Grounding, 2 Pole, 3 Wire, 20 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH]	A 5935	/	CC	12-JAN-2012
M	MS17814C(1) NOT 2	Coupling, Frangible, Aviation Ground Lights [CUST: AS 99 GS2] [REVIEW: 71 IS]	A 6210		GS2	09-JAN-2012
M	MS17815B(1) NOT 2	Clamp, Cable, Aviation Ground Lights [CUST: AS 99 GS2] [REVIEW: 71 IS YD]	A 6210		GS2	09-JAN-2012
M	MS21205(1) NOT 3	Seal, Cover Bolt, Compression Type [CUST: AS 99 GS] [REVIEW: 71 IS]	A 6210		GS2	09-JAN-2012
M	MS28131H	Transmitter, Pressure, Synchro, Aircraft 320 Degree Movement, High Temperature (177 Degrees C) General Purpose [CUST: AV AS 11 GS] [REVIEW: 99 CG]	A 6620		GS1	12-JAN-2012

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	A-A-59459 NOT 2	Grinding Machine, Tool and Cutter, Computer Numerical Control (CNC) (No S/S Document) [CUST: AR SH 99 GS] [REVIEW: 84 CR4 MC SM]	A	3415	/	GS6		03-JAN-2012
M	A-A-59348A NOT 1	Table, Welding (No S/S Document) [CUST: GS6]	A	3436	/	GS6		11-JAN-2012
M	EIA469	Capacitors, Ceramic Monolithic, Destructive Physical Analysis of High Reliability, Test Method for (See Notice of Withdrawal for Replacement Information) [CUST: CC NA] [REVIEW: 19 99 AS SH]	A	5910		CC		01-DEC-2011
M	EIA-RS483	Effective Series Resistance (ESR) and Capacitance of Multilayer Ceramic Capacitors at High Frequencies (See Notice of Withdrawal for Replacement Information) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC SH]	A	5910		CC		01-DEC-2011
M	A-A-59533A NOT 1	Fuseholder, Block, 5 Ampere (A), 125 Volts (V) AC/DC, Surface Mount (SM), General Requirements For (No S/S Document) [CUST: EC CC]	A	5920	/	CC		06-JAN-2012
M	A-A-59703A NOT 1	Fuse Cartridge, Time-Delay, Class J, 600 Volts (V), Blown Fuse Indication (No S/S Document) [CUST: EC CC]	A	5920	/	CC		06-JAN-2012
M	A-A-59747A NOT 1	Fuseholder Block, Dead-Front, 30 Amperes, Accommodates Class J Fuse Cartridges, General Requirements for (No S/S Document) [CUST: EC CC]	A	5920	/	CC		06-JAN-2012
M	A-A-59747/1A NOT 1	Fuseholder Block, Dead-Front, 30 Amperes, 1 Pole Accommodates Underwriter Laboratory (UL) Class J Fuse Cartridges (No S/S Document) [CUST: EC CC]	A	5920	/	CC		06-JAN-2012
M	A-A-59747/2A NOT 1	Fuseholder Block, Power-Safe, Dead-Front, 30 Amperes, 2 Poles, Accommodates Underwriter Laboratory (UL) Class J Fuse Cartridges (No S/S Document) [CUST: EC CC]	A	5920	/	CC		06-JAN-2012
M	A-A-59747/3A NOT 1	Fuseholder Block, Power-Safe, Dead-Front, 30 Amperes, 3 Poles, Accommodates Underwriter Laboratory (UL) Class J Fuse Cartridges (No S/S Document) [CUST: EC CC]	A	5920	/	CC		06-JAN-2012
M	MIL-T-55309 NOT 2	Test Set, Radio Frequency Power (No S/S Document) [CUST: CR]	A	6625		CR		22-DEC-2011
M	A-A-52575A NOT 1	Theodolites, Surveying, Direction, First-Order with Accessories, Tripod, and Cases (No S/S Document) [CUST: CE3] [REVIEW: CR IS]	A	6675	/	CE3		27-DEC-2011
M	MIL-T-23991E(2) NOT 2	Training Devices, Military, General Specification for (No S/S Document) [CUST: AV AS 70]	A	69GP		70		05-JAN-2012
M	A-A-55449 NOT 1	Rubber, Silicone; Channel, Nonmetallic, Shape 2 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/	IS		11-JAN-2012
M	A-A-55753 NOT 1	Rubber, Silicone; Tubing, Nonmetallic, Round, Flexible Shape 9 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/	IS		11-JAN-2012
M	A-A-55754 NOT 1	Rubber, Silicone; Round Section, Shape 10 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/	IS		11-JAN-2012
M	A-A-55781 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 37 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/	IS		10-JAN-2012
M	A-A-55795 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 52 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/	IS		11-JAN-2012
M	A-A-55796 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 53 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/	IS		11-JAN-2012
M	A-A-55797 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 54 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/	IS		11-JAN-2012
M	A-A-55798 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 55 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/	IS		11-JAN-2012
M	A-A-55799 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 56 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/	IS		11-JAN-2012
M	A-A-55800 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 57 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/	IS		11-JAN-2012
M	A-A-55802 NOT 1	Rubber, Silicone; Nonmetallic Special Shaped Section, Shape 48 (No S/S Document) [CUST: MR AS 11 IS]	A	9320	/	IS		11-JAN-2012