

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 January 2013

(For the Period 1 January 2013 to 14 January 2013)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	MIL-DTL-70679A(1)	Projectile, 60 Millimeter, Smoke, Marking - M722A1 Body Assembly [CUST: AR OS 70] [REVIEW: 99 MC]	D	1310			AR	17-DEC-2012
M	A-A-59200 NOT 2	Grinding Machines, Surface, Rotary Table, Vertical Spindle [CUST: AR SH 99 GS] [REVIEW: 84 MC OS]	A	3415	/		GS6	14-JAN-2013
M	A-A-51161B NOT 2	Holders, Electrode, Shielded Metal, Arc Welding [CUST: AR SH 99] [REVIEW: 84 AS MC YD]	A	3439	/		GS6	14-JAN-2013
M	A-A-51165A NOT 2	Moisture Stabilizer, Welding Electrode [CUST: AR 99 GS6] [REVIEW: 84 SH]	A	3439	/		GS6	14-JAN-2013
M	A-A-59238 NOT 2	Shearing, Machines, Metal, Circular, Power-Driven [CUST: SH 99 GS] [REVIEW: 84 MC]	A	3445	/		GS6	14-JAN-2013
M	MIL-I-81969/1A NOT 1	Installing and Removal Tools, Connector Electrical Contact, Type III, Class 1, Composition C [CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GS MC MI OS SH]	A	5120			AS	14-JAN-2013
M	MIL-I-81969/2A NOT 1	Installing and Removal Tools, Connector Electrical Contact Type I, Class 1, Composition C [CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GS MC MI OS SH]	A	5120			AS	14-JAN-2013
M	MIL-I-81969/5A NOT 1	Installing and Removal Tools, Connector Electrical Contact, (Fork Type, Crimp Removable), Type I, Class 1, Composition A [CUST: CR AS 11] [REVIEW: 19 99 CC CR4 EC GL GS MC MI OS SH]	A	5120			AS	14-JAN-2013
M	MIL-I-81969/13A NOT 1	Installing and Removal Tools, Connector Electrical Contact (Type CR), Type I, Class 1, Composition A [CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH]	A	5120			AS	14-JAN-2013
M	MIL-I-81969/15A NOT 1	Installing and Removal Tools, Connector Electrical Contact Type II, Class 2, Composition A [CUST: CR AS 11] [REVIEW: 19 99 CC CR4 EC GL GS MC MI OS SH]	A	5120			AS	14-JAN-2013
M	MIL-I-81969/16A NOT 1	Installing and Removal Tools, Connector Electrical Contact, Type III, Class 1, Composition B [CUST: CR AS 11] [REVIEW: 19 99 AR AT CC EC GS MC MI OS SH]	A	5120			AS	14-JAN-2013
M	MIL-I-81969/20A NOT 1	Installing and Removal Tools, Connector Electrical Contact, Type II, Class 1, Composition A or B [CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH]	A	5120			AS	14-JAN-2013
M	MIL-I-81969/21 NOT 1	Installing and Removal Tools, Connector Electrical Contacts, Interfacial Seal, Type III, Class 1, Composition A [CUST: CR AS 11] [REVIEW: 99 CC EC GL GS]	A	5120			AS	14-JAN-2013
M	MIL-I-81969/29 NOT 1	Installing and Removal Tools, Connector Electrical Contact, Type II, Class 1, Composition B [CUST: CR AS 11] [REVIEW: 99 AR AT CC CR4 EC GL GS MC MI OS SH]	A	5120			AS	14-JAN-2013
M	MIL-I-81969/30 NOT 1	Installing and Removal Tools, Connector Electrical Contact, Type II, Class 2, Composition C [CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH]	A	5120			AS	14-JAN-2013
M	MIL-DTL-3655/13B(1) NOT 1	Connector, Receptacle, Electrical, Class I (Coaxial, Series Twin, TWTNC, Jam Nut Mounted) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935			CC	15-JAN-2013
M	MIL-DTL-3655/14B(1) NOT 1	Connector, Plug, Electrical, Class I (Coaxial, Series Twin, TWTNC) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935			CC	15-JAN-2013
M	MIL-DTL-3655/15B(2) NOT 1	Connector, Plug, Electrical, Class I (Coaxial, Series Twin, TWBNC) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935			CC	15-JAN-2013
M	MIL-DTL-3655/16B(2) NOT 2	Connector, Receptacle, Electrical, Class I (Coaxial, Series Twin, TWBNC) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935			CC	15-JAN-2013
M	MIL-DTL-3655/17A(1) NOT 1	Connector, Plug, Electrical, Class I (Coaxial, Series Twin, TWTNC, Right Angle) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935			CC	15-JAN-2013
M	MIL-DTL-3655/22B(1) NOT 2	Connector, Receptacle, Electrical, Class I (Coaxial, Series Twin, TWTNC, Bulkhead) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935			CC	15-JAN-2013
M	MIL-DTL-3655/23B(1) NOT 2	Connector, Receptacle, Electrical, Class I (Coaxial, Series Twin, TWBNC, Bulkhead) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT MC MI OS SH]	A	5935			CC	15-JAN-2013
M	MIL-PRF-19500/744D	Semiconductor Device, Field Effect Transistor, N-Channel, Radiation Hardened, Logic-Level Silicon, Types 2N7616UB, 2N7616UBC, 2N7616UBN, 2N7616UBCN, JANTXVR, JANTXVF, JANSR, and JANSF [CUST: CR EC 85 CC NA]	A	5961			CC	04-JAN-2013
M	MIL-DTL-25708/2D(1)	Antenna, Blade, AS-2685/A [CUST: AV 85 CC] [REVIEW: 99]	A	5985			CC	07-JAN-2013
M	MIL-DTL-25708/3E(1)	Antenna, Blade, AS-2686/A (HN Connector) [CUST: CR AS 85 CC] [REVIEW: 99 AV]	A	5985			CC	07-JAN-2013
M	MIL-DTL-25708/5D(1)	Antenna, Blade, L-Band (4 Hole Mount, N Connector) [CUST: CR AS 85 CC] [REVIEW: 99 AV]	A	5985			CC	07-JAN-2013
M	MIL-DTL-83413/7E	Connectors and Assemblies, Electrical, Aircraft Grounding: Grounding Clamp Connector for Types I and III Grounding Assemblies, Clip, Electrical [CUST: AV AS 85 CC] [REVIEW: 02 13 99 AR CR CR4 MC MI]	A	5999			CC	12-DEC-2012
M	A-A-50811 NOT 2	Adhesive Tape, Surgical, 1 Inch by 1 1/2 Yards, 100s [CUST: MD MS 03]	A	6510	/		MB	20-DEC-2012
M	MIL-DTL-3943/289A	Decoration, Commissioner's Distinguished Career Service Award, U.S. Border Patrol [CUST: IH] [REVIEW: CT]	A	8455			IH	12-DEC-2012
M	MIL-DTL-11589/217D	Ribbon, AFROTC Marksmanship Award (Four and Six Week Ft.) and AFJROTC Service Ribbon [CUST: IH 11] [REVIEW: CT]	A	8455			IH	07-JAN-2013
M	MIL-DTL-11589/218D	Ribbon, AFROTC Superior Performance and AFJROTC Longevity [CUST: IH 11] [REVIEW: CT]	A	8455			IH	07-JAN-2013
M	MIL-DTL-11589/219F	Ribbon, AFROTC Leadership School [CUST: IH 11] [REVIEW: CT]	A	8455			IH	07-JAN-2013
M	MIL-DTL-11589/223E	Ribbon, Distinguished Public Service Award U.S. Coast Guard [CUST: IH CG1] [REVIEW: CT]	A	8455			IH	07-JAN-2013
M	MIL-DTL-11589/233D	Ribbon, Humanitarian Service Medal [CUST: IH NU 11] [REVIEW: CG1 CT MC]	A	8455			IH	07-JAN-2013
M	MIL-DTL-11589/234D	Ribbon, Defense Meritorious Service Medal [CUST: IH NU 11] [REVIEW: CG1 CT MC]	A	8455			IH	07-JAN-2013
N	DI-SESS-81874	Engineering Data for Provisioning (EDFP) [AMSC: F9295]	A	SESS			10	07-DEC-2012

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-B-16129B NOT 4	Bearing, Ball, Annular, Open Type (for Torpedo Gyroscopes) [CUST: AT OS GS4] [REVIEW: AR]	A 3110	GS4		14-JAN-2013
M	MIL-B-85684 NOT 6	Bearing, Spin (Sidewinder) [CUST: AS GS4]	A 3110	GS4		14-JAN-2013
M	MS17102A NOT 4	Bearing, Ball, Thrust, Metric, Self-Aligning [CUST: MI MC GS4]	A 3110	GS4		14-JAN-2013
M	MS52142A NOT 5	Bearing, Roller, Needle, Drawn Outer Ring, Full Complement, Without Inner Ring, Open End, Extra Precision Type [CUST: AT OS 99 GS4] [REVIEW: AR AV CR4 GL MC MI SH]	A 3110	GS4		14-JAN-2013
M	MS35794A NOT 4	Bearing, Sleeve, Steel-Backed Bimetal, Split Type, One Piece [CUST: OS GS] [REVIEW: AS AT SH]	A 3120	GS4		14-JAN-2013
M	MS17241C	Heat Interchanger, Refrigerant-12 [CUST: GL YD 99 IS] [REVIEW: 84 CE GS MC MD SH]	A 4130	IS		07-JAN-2013
M	MS9953 NOT 2	Plug, Machine Thread - Ams 4121, Preformed Packing Mil-S-8879 Thread [CUST: AS 99 IS] [REVIEW: CG MC]	A 4730	AS		27-DEC-2012
M	MIL-DTL-3655/1C NOT 1	Connector, Plug, Electrical, Class I (Coaxial, Series Twin) Type UG-421B/U [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A 5935	CC		15-JAN-2013
M	MIL-DTL-3655/10B NOT 1	Connector, Shield, Electrical, Class I (Coaxial, Series Twin) Type MX-1556/U [CUST: CR EC 85 CC] [REVIEW: 19 AS AT AV MC MI OS SH]	A 5935	CC		15-JAN-2013
M	MIL-DTL-3655/11C NOT 1	Connector, Shield, Electrical, Class I (Coaxial, Series Twin) Type UG-106/U [CUST: CR EC 85 CC] [REVIEW: 19 AS AT AV MC MI OS SH]	A 5935	CC		15-JAN-2013
M	MIL-DTL-58085C	Light, Beacon, Anti-Collision, Aircraft [CUST: AV GS]	A 6220	GS2		20-DEC-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MS35223B(1) NOT 2	Screw, Machine, Pan Head, Slotted, Carbon Steel, Cadmium Plated, NC-2A and UNC-2A (S/S by NASM35206) [CUST: AR SH 99 IS]	A	5305	IS	07-JAN-2013
M	MS51053A(1) NOT 1	Setscrew, Fluted Socket, Alloy Steel, Cadmium Plated, NC-3A (See Notice 1 for Replacement Information) [CUST: AR SH 99]	A	5305	IS	07-JAN-2013
M	MS14211A NOT 2	Nut, Floating, Self Locking, Attached Retention Element (A.R.E.), 450 Deg. F, CRES (ASTM-A286), KSI FTU, Replaceable Nut Element, 1/64 Oversize Repair (No S/S Document) [CUST: AS IS]	A	5310	IS	07-JAN-2013
M	MS51416A NOT 2	Washer, Lock-Helical Spring, Heavy Duty (No S/S Document) [CUST: AR SH IS] [REVIEW: AV CR4 EA GL MC NS YD]	A	5310	IS	07-JAN-2013
M	MS21001 NOT 2	Pin, 100 Deg. Countersunk Head, Hi-Shear, Oversize, 160,000 PSI (No S/S Document) [CUST: 99 IS]	A	5320	IS	07-JAN-2013
M	MS51499A NOT 2	Rivet, Tubular, 100 Degree, Countersunk Head (No S/S Document) [CUST: AR OS 99 IS] [REVIEW: 71 CR CR4 EA GL MC MI NS]	A	5320	IS	07-JAN-2013
M	MS51924A NOT 2	Cap, Rivet (No S/S Document) [CUST: AR YD IS] [REVIEW: CR GL MC MI]	A	5320	IS	07-JAN-2013