

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 July 2008

(For the Period 1 July 2008 to 14 July 2008)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | | MCA | PREP ACTY | DATE |
|-------------|------------------------|---|--------------|----------|---|-----|-----------|-------------|
| | | | | | | | | |
| N | MIL-DTL-32296 | Cartridge, 40 Millimeter, Infrared Illuminant - M992 Loading, Assembling, and Packing [CUST: AR] | D | 1310 | | AR | | 11-JUL-2008 |
| M | MIL-DTL-63092C | Cartridges, 40 Millimeter, Parachutes, Loading, Assembling, and Packing [CUST: AR] | D | 1310 | | AR | | 11-JUL-2008 |
| M | MIL-P-50206(5) NOT 1 | Propellant M9, Flake (for use in 40MM Cartridges) [CUST: AR] | A | 1376 | | AR | | 27-JUN-2008 |
| M | MIL-P-60989A(2) NOT 1 | Propellant, M2 for M5 Subsystem Ammunition [CUST: AR] | D | 1376 | | AR | | 27-MAY-2008 |
| N | MIL-DTL-32291 | Cartridge, Impulse, CCU-165/B [CUST: OS] | A | 1377 | | OS | | 01-JUL-2008 |
| M | MIL-DTL-50869G | Fuze, Point Initiating, Base Detonating (PIBD) - M550, Less Spitback Assembly Loading, Assembling, and Packing [CUST: AR] | D | 1390 | | AR | | 11-JUL-2008 |
| M | AFGS-87271A | Engines, Unmanned Air Vehicle, Airbreathing Gas Turbine, Expendable [CUST: AV AS 11] [REVIEW: 99] | D | 2840 | | 11 | | 13-JUL-2008 |
| M | A-A-50012 NOT 2 | Garbage Disposal Machine, Commercial [CUST: YD 99 IS] | A | 4540 | / | IS | | 08-JUL-2008 |
| M | A-A-50460B NOT 2 | Carrier, Storage Battery, Hand [CUST: GL YD 99] [REVIEW: 84 CR4 GS] | A | 5120 | / | IS | | 08-JUL-2008 |
| M | MIL-DTL-23928F SUP 1 | Panels, Electrical, Power Distribution and Manual Transfer, Circuit Breaker Type [CUST: SH CC] | A | 5925 | | CC | | 27-JUN-2008 |
| M | A-A-55571/4D | Circuit Breaker, 28 Volts (V) DC, Manual Reset, Waterproof, 35 Amperes (A) to 150 A [CUST: EC CC] | A | 5925 | / | CC | | 03-JUL-2008 |
| M | A-A-55571/7D | Circuit Breaker, 28 Volts (V) DC, Automatic Reset, Nonwaterproof, 35 Amperes (A) to 150 A [CUST: EC CC] | A | 5925 | / | CC | | 03-JUL-2008 |
| M | MIL-DTL-83513F(1) | Connectors, Electrical, Rectangular, Microminiature, Polarized Shell, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A | 5935 | | CC | | 30-JUN-2008 |
| M | A-A-55528A | Connectors, Telecommunication, Polarized Shell, Plug, Male Rack and Panel, Solder Contact, Screwlock [CUST: CC] | A | 5935 | / | CC | | 07-JUL-2008 |
| M | A-A-55530A | Connectors, Telecommunication, Polarized, Shell, Plug, Male Rack and Panel, Solder Contact, Side Entry Shield, Screwlock [CUST: CC] | A | 5935 | / | CC | | 07-JUL-2008 |
| M | A-A-55531A | Connectors, Telecommunication, Polarized Shell, Receptacle, Female Rack and Panel, Solder Contact, Side Entry Cover, Screwlock [CUST: CC] | A | 5935 | / | CC | | 07-JUL-2008 |
| M | MIL-PRF-19500/420L | Semiconductor Device, Diode, Silicon, Power, Rectifier, Types 1N5550 through 1N5554, 1N5550US through 1N5554US, JAN, JANTX, JANTXV, JANS, JANHCA, JANHCB, JANHCC, JANHCD, JANHCE, JANKCA, JANKCD, and JANKCE [CUST: CR EC 85 CC] [REVIEW: 19 71 84 99 AR AS MC MI SM] | A | 5961 | | CC | | 27-JUN-2008 |
| M | MIL-M-38510/102C NOT 1 | Microcircuits, Linear, Voltage Regulator, Monolithic Silicon [CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | | 01-JUL-2008 |
| M | MIL-M-38510/104C NOT 1 | Microcircuits, Linear, Line Drivers and Receivers, Monolithic Silicon [CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MI SH SM TD] | A | 5962 | | CC | | 01-JUL-2008 |
| M | MIL-M-38510/110C NOT 1 | Microcircuits, Linear, Quad Operational Amplifiers, Monolithic Silicon [CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | | 01-JUL-2008 |
| M | MIL-M-38510/114B NOT 1 | Microcircuits, Linear, Bi-Fet Operational Amplifiers, Monolithic Silicon [CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A | 5962 | | CC | | 01-JUL-2008 |
| M | MIL-DTL-22354C | Antenna AT-948/U [CUST: AS CC] | A | 5985 | | CC | | 14-JUL-2008 |
| M | MIL-W-76D(1) NOT 3 | Wire and Cable, Hookup, Electrical, Insulated, General Specification for [CUST: CR SH 85 CC] [REVIEW: CR4 EA MI OS] | A | 6145 | | CC | | 19-JUN-2008 |
| M | A-A-1761 NOT 2 | Lamp, Metal Halide (175 Watts) [CUST: IS] [REVIEW: 99] | A | 6240 | / | IS | | 08-JUL-2008 |
| M | MIL-PRF-25435D | Transmitters, Pressure, Aircraft General Specification for [CUST: AV AS 71] [REVIEW: 06 99 GS] | A | 6620 | | 71 | | 03-JUL-2008 |
| M | MIL-DTL-51490B(2) | Detector Kit, Chemical Agent: M256A1 [CUST: EA SH] | X | 6665 | | EA | | 09-JUL-2008 |
| M | MIL-PRF-61002B | Pressure-Sensitive Adhesive Labels for Bar Coding [CUST: SM SA 11 DH] [REVIEW: 70 71 84 99 AR AS AT AV CG CR CT DM EA EC GL GS2 IS MC MI MT OS SH] | A | 7690 | | SM | | 30-JUN-2008 |
| M | MIL-M-43719/2A NOT 4 | Marking Materials and Markers, Adhesive, Elastomeric, Pigmented, Legends [CUST: GL SA 99 IS] [REVIEW: 84 AT AV CR MC MD] | A | 7690 | | IS | | 08-JUL-2008 |
| M | MIL-DTL-3060F | Boxes, Small Arms Ammunition - M19A1 and M2A1 [CUST: AR] | A | 8140 | | AR | | 23-JUN-2008 |
| M | MIL-DTL-3943/269A | Medal, KOSOVO Campaign [CUST: IH NU 11] [REVIEW: 99 CT MC] | A | 8455 | | IH | | 30-MAY-2008 |
| M | MIL-DTL-3943/326A | Decoration, Global War on Terrorism Civilian Service Award, Department of Defense [CUST: IH] [REVIEW: CT] | A | 8455 | | IH | | 15-JUL-2008 |
| M | A-A-20140D | Mayonnaise, Salad Dressing, and Tartar Sauce [CUST: GL SA 35] [REVIEW: MC MD QM] | A | 8950 | / | SS | | 25-JUN-2008 |
| M | MIL-STD-190C NOT 3 | Identification Marking of Rubber Products [CUST: MR SH 99] [REVIEW: EA] | A | 9320 | | IS | | 08-JUL-2008 |
| M | A-A-1280B NOT 2 | Sorbent, Oil (Roll, Sweep, Pad) [CUST: YD 99 IS] [REVIEW: 84 AS] | A | 9330 | / | IS | | 08-JUL-2008 |
| M | A-A-1281A NOT 2 | Sorbent, of (Particulate) [CUST: YD 99 IS] [REVIEW: 84] | A | 9330 | / | IS | | 08-JUL-2008 |
| M | A-A-1282A NOT 2 | Sorbent, Oil (Enclosed) [CUST: GL YD 99 IS] [REVIEW: 84] | A | 9330 | / | IS | | 08-JUL-2008 |
| M | MIL-DTL-46100E | Armor Plate, Steel, Wrought, High-Hardness [CUST: MR] [REVIEW: AR AT IS TE] | A | 9515 | | MR | | 09-JUL-2008 |
| M | MIL-STD-2045-47001D(1) | Connectionless Data Transfer Application Layer Standard [CUST: CR1 OM 02 DC1] [REVIEW: 11 13 33 99 AC AV CG CH CM CR DI EC IE IR MC MI MP ND NS PT SE TMI TM3 US] | A | DCPS | | CR1 | | 23-JUN-2008 |
| N | TOP-5-2-599 | Creep Test Procedures [CUST: TE] | A | ISDA | | TE | | 20-NOV-2007 |
| N | TOP-5-2-521 | Pyrotechnic Shock Test Procedures [CUST: TE] | A | ISDA | | TE | | 20-NOV-2007 |
| M | MIL-STD-188-220D(1) | Digital Message Transfer Device Subsystems [CUST: CR1 OM 02 DC1] [REVIEW: 11 13 93 99 AC CG CM CR DC5 DI EC IR MC MI MP NC NS PT SE US] | A | TCSS | | CR1 | | 23-JUN-2008 |

INACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | MCA | | DATE |
|-------------|------------------------|--|--------------|----------|-----------|-------------|
| | | | | FSC/AREA | PREP ACTY | |
| M | MIL-V-5519D(2) NOT 2 | Valves, Regulating Fluid Pressure [CUST: 71] [REVIEW: CC] | A 4820 | 71 | | 09-JUL-2008 |
| M | MIL-V-5529C NOT 2 | Valves, Hydraulic Directional Control, Rotary Selector [CUST: 71] | A 4820 | 71 | | 09-JUL-2008 |
| M | MIL-V-5530D NOT 2 | Valves, Aircraft Hydraulic Shuttle [CUST: AV AS 71] | A 4820 | 71 | | 09-JUL-2008 |
| M | MIL-V-6618C NOT 2 | Valve, Stop Check, Purge [CUST: AS 71] | A 4820 | 71 | | 09-JUL-2008 |
| M | MIL-V-7899C NOT 2 | Valve, Check, Aircraft Fuel System [CUST: AV AS 71] [REVIEW: 99 CC CR4 MI] | A 4820 | 71 | | 09-JUL-2008 |
| M | MIL-V-8057F(3) NOT 3 | Valve, Oxygen, Pressure Buildup and Vent [CUST: 71] [REVIEW: 11 CC] | A 4820 | 71 | | 09-JUL-2008 |
| M | MIL-V-25023B(2) NOT 2 | Valve, Fuel Drain, Self-Locking [CUST: AV AS 71] [REVIEW: MI] | A 4820 | 71 | | 09-JUL-2008 |
| M | MIL-V-25469H NOT 2 | Valves, Filler, Liquid Oxygen, Aircraft Type [CUST: AS 71] | A 4820 | 71 | | 09-JUL-2008 |
| M | MIL-V-25513F NOT 3 | Valve, Check, for 300 PSI Liquid Oxygen Converter Systems Type MH-1 [CUST: 71] [REVIEW: 11 CC] | A 4820 | 71 | | 09-JUL-2008 |
| M | MS29528A NOT 3 | Valve-Fuel Drain, Self-Locking Poppet [CUST: AV AS 71] [REVIEW: 99 CC MC MI] | A 4820 | 71 | | 09-JUL-2008 |
| M | MS29530D NOT 2 | Valve-Fuel Drain, Self-Locking, Line Mounted [CUST: AV AS 71] [REVIEW: 99 CC MC] | A 4820 | 71 | | 09-JUL-2008 |
| M | AN6211 REV 3 NOT 4 | Valve - in Line Type 6 GPM Hydraulic Directional Control [CUST: 71] [REVIEW: 99] | A 4820 | 71 | | 09-JUL-2008 |
| M | AN6213 REV 3 NOT 3 | Valve - Radial Type 3-1/2 G.P.M. Hydraulic Directional Control [CUST: 71] [REVIEW: 99] | A 4820 | 71 | | 09-JUL-2008 |
| M | AN6214 REV 3 NOT 3 | Valve - Radial Type 6 GPM Hydraulic Directional Control [CUST: 71] [REVIEW: 99] | A 4820 | 71 | | 09-JUL-2008 |
| M | AN6278 REV 3 NOT 2 | Valve Hydraulic-Shuttle, 3,000 PSI (Universal and Internal Thread Fitting Outlet) [CUST: 71] | A 4820 | 71 | | 09-JUL-2008 |
| M | MIL-PRF-19500/253K | Semiconductor Device, Transistor, NPN, Silicon, Low-Power, Types 2N930 and 2N930UB, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 71 99 AR AS AV MI SM] | A 5961 | CC | | 03-JUL-2008 |
| M | MIL-M-38510/23D NOT 1 | Microcircuits, Digital, TTL, High Speed, Nand Gates Monolithic Silicon [CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-M-38510/306E NOT 1 | Microcircuits, Digital, Bipolar, Low-Power Schottky TTL, Shift Registers, Cascadable, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-M-38510/314C NOT 1 | Microcircuits, Digital, Low-Power Schottky, TTL, Monostable Multivibrators, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-M-38510/316E NOT 1 | Microcircuits, Digital, Bipolar, Low-Power Schottky TTL, Cascadable Latches, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-M-38510/319C NOT 1 | Microcircuits, Digital, Low-Power Schottky TTL, 4 by 4 Register File, Cascadable, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-M-38510/321C NOT 1 | Microcircuits, Digital, Low-Power Schottky TTL, Buffers/Drivers, Open Collector Output, High Voltage, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-M-38510/322C NOT 1 | Microcircuits, Digital, Bipolar, Low-Power Schottky TTL, Hex Bus Drivers with 3 State Outputs, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-M-38510/323D NOT 1 | Microcircuits, Digital, Bipolar, Low-Power Schottky TTL, Quadruple Bus Buffer Gates with Three State Outputs, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-M-38510/324D NOT 1 | Microcircuits, Digital, Bipolar, Low-Power Schottky TTL, Octal Buffer Gates with Three State Outputs, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-M-38510/325D NOT 1 | Microcircuits, Digital, Bipolar, Low-Power, Schottky TTL, Flip-Flops, Cascadable, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-M-38510/326C NOT 1 | Microcircuits, Digital, Low-Power Schottky TTL, Demultiplexers, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-M-38510/327B NOT 1 | Microcircuits, Digital, Bipolar, Low-Power Schottky TTL, Counters, Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD] | A 5962 | CC | | 01-JUL-2008 |
| M | MIL-DTL-55288D(1) | Antenna AS-1729/VRC [CUST: CR EC CC] [REVIEW: MC MI] | A 5985 | CC | | 14-JUL-2008 |
| M | MIL-P-70786(4) NOT 3 | Pallet, Standard Metal [CUST: AR] | A 8140 | AR | | 10-JUL-2008 |
| M | MIL-HDBK-335 NOT 4 | Management and Design Guidance Electromagnetic Radiation Hardness for Air Launched Ordnance Systems [CUST: 11] | A EMCS | 11 | | 08-JUL-2008 |

CANCELED SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | MCA | | DATE |
|-------------|------------------------|--|--------------|----------|-----------|-------------|
| | | | | FSC/AREA | PREP ACTY | |
| M | MIL-C-25162B(1) NOT 2 | Coupling, Reception, Flight Pressure Refueling, Type MA-2 (S/S by MIL-PRF-81975) [CUST: AS 99] [REVIEW: 71 GS] | A | 1680 | AS | 13-JUL-2008 |
| M | QPL-25162-16 NOT 1 | Coupling, Reception, Flight Pressure Refueling Type MA-2 (S/S by QPL-81975) | A | 1680 | AS | 13-JUL-2008 |
| M | MIL-S-16059B NOT 1 | Shafting, Flexible (Core and Casing Complete) (For the Remote Operation of Valves) (No S/S Document) [CUST: SH] [REVIEW: CC] | A | 3040 | SH | 10-JUL-2008 |
| M | MIL-W-3795B NOT 5 | Wire, Electrical (Tinsel) (No S/S Document) [CUST: CR 85 CC] [REVIEW: 99 AR AV CR4 MI OS SH] | A | 6145 | CC | 15-JUN-2008 |
| M | MIL-DTL-3849/11C NOT 1 | Cords, Electrical (Tinsel), Class PSP, Polyamide Insulated (Extruded), Styrene Butadiene Rubber (SBR) Jacketed and Polyamide Braided (No S/S Document) [CUST: CR SH 85 CC] [REVIEW: 99 AR MC MS SA YD] | A | 6145 | CC | 15-JUN-2008 |
| M | TT-E-489J NOT 2 | Enamel, Alkyd, Gloss, Low VOC Content (See Notice 2 for Replacement Information) | A | 8010 | # FSS | 30-JUL-2008 |