

# **Department of Defense Standardization Program**



## **ASSIST UPDATE**

**(A bi-monthly summary of changes to the ASSIST document database)**

**15 July 2011**

**(For the Period 1 July 2011 to 14 July 2011)**

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-10190F(1)	Cartridge, Caliber .50, Ball - M33 [CUST: AR OS 99] [REVIEW: 70 AS MC MR NP]	D	1305		AR	06-JUL-2011
M	MIL-DTL-70663D	Cartridge, Caliber .50, Saboted Light Armor Penetrator (Slap) Ball - M903 and Cartridge, Caliber .50 Slap Tracer - M962 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR NP]	D	1305		AR	09-JUN-2011
M	MIL-DTL-63268B(1)	Plug, Shock Attenuating and Plug, Lifting, for M107 and M804 [CUST: AR]	A	1320		AR	03-JUL-2011
M	JSSG-2007C	Engines, Aircraft, Turbine [CUST: AS 11] [REVIEW: 99]	C	15GP		11	10-JUN-2011
M	MS21444 NOT 4	Tire, Pneumatic, Aircraft, 36X11 [CUST: 70] [REVIEW: GS]	A	2620		70	13-JUL-2011
M	MS21781 NOT 3	Tire - Pneumatic Type VIII 30 X 11.5 - 14.5/26 PR [CUST: 70] [REVIEW: CC GS]	A	2620		70	13-JUL-2011
M	MS22080 NOT 4	Tire - Pneumatic Rebuilt, Type III 12.50-16/12 PR [CUST: AS 70] [REVIEW: CC GS]	A	2620		70	13-JUL-2011
M	MS22081 NOT 4	Tire, Pneumatic New Type III 20.00-20/26PR [CUST: AS 70] [REVIEW: CC GS]	A	2620		70	13-JUL-2011
M	MS27818A NOT 4	Tire Pneumatic Retread, Type VII 38 X 11 / 14 PR [CUST: AS 70] [REVIEW: CC GS]	A	2620		70	13-JUL-2011
M	MIL-PRF-32197 NOT 1	Heater, Space - Non-Powered, Liquid Fuel, Small [CUST: GL YD 99] [REVIEW: 84 CR4 IS MC]	A	4520		GL	13-JUL-2011
M	MIL-PRF-44493A NOT 1	Heater, Space - Convective, Self-Powered, Liquid Fuel, SHC [CUST: GL YD 99] [REVIEW: 35 84 CC IS MC MD1 QM1]	A	4520		GL	13-JUL-2011
M	MIL-PRF-44494A NOT 1	Heated, Space - Radiant, Non-Powered, Liquid & Solid Fuel [CUST: GL YD 99] [REVIEW: 84 IS MC MD1 QM1]	A	4520		GL	13-JUL-2011
M	MIL-DTL-8789F(2)	Fitting End, Attachable, Hydraulic, High Pressure (3,000 PSI), General Specification for [CUST: AV AS 99 CC] [REVIEW: 71 AT CG MC MI SA SH]	A	4730		CC	14-JUL-2011
M	MIL-PRF-55629/4G	Circuit Breakers, Magnetic, Unsealed Trip-Free, Double Pole, Auxiliary Contacts (0.2 to 50 Amperes) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV CR4 MC MI OS]	A	5925		CR	10-MAR-2011
M	MIL-DTL-28748/18(1)	Connectors, Electrical, Rectangular, Rack and Panel, Printed Wiring Board (PWB) Mount, Straight through, Pin Contacts, Size 22 [CUST: CR EC 85 CC]	A	5935		CC	01-JUL-2011
M	MIL-DTL-28748/19(1)	Connectors, Electrical, Rectangular, Rack and Panel, Printed Wiring Board (PWB) Mount, Straight Through, Socket Contacts, Size 22 [CUST: CR EC 85 CC]	A	5935		CC	01-JUL-2011
M	W-C-596/102C NOT 2	Connector, Receptacle, Electrical, Male Inlet, Special Purpose, Locking, Grounding, 2 Pole, 3 Wire, 15 Amperes, 125 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/106B NOT 2	Connector, Receptacle, Electrical, Male Inlet, Special Purpose, Locking, Grounding, 2 Pole, 3 Wire, 30 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/110B NOT 2	Connector, Receptacle, Electrical, Male Inlet, Special Purpose, Locking, Grounding, 2 Pole, 3 Wire, 20 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/115C NOT 2	Connector, Receptacle, Electrical, Male Inlet, Special Purpose, Locking Grounding, 2 Pole, 3 Wire, 15 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/119B NOT 2	Connector, Receptacle, Electrical, Male Inlet, Special Purpose, Locking, Grounding, 3 Pole, 4 Wire, 30 Amperes, 125/250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/123B NOT 2	Connector, Receptacle, Electrical, Male Inlet, Special Purpose, Locking, Grounding, 3 Pole, 4 Wire, 20 Amperes, 125/250 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/127B NOT 2	Connector, Receptacle, Electrical, Male Inlet, General Purpose, Locking, Grounding, 3 Pole, 4 Wire, 20 Amperes, 250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/131B NOT 2	Connector, Receptacle, Electrical, Male Inlet, General Purpose, Locking, Grounding, 3 Pole, 4 Wire, 30 Amperes, 250 Volts, 50/60 Hertz, 3-Phase [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/133A NOT 2	Connector, Plug, Electrical, Special Purpose, Grounding, 4 Pole, 5 Wire, 30 Amperes, 120/208 Volts, 50/60 Hertz, 3-Phase, Y [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/134B NOT 2	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 4 Pole, 5 Wire, 30 Amperes, 120/208 Volts, 50/60 Hertz, 3-Phase, Y [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/135B NOT 2	Connector, Receptacle, Electrical, Male Inlet, General Purpose, Locking, Grounding, 4 Pole, 5 Wire, 30 Amperes, 120/208 Volts, 50/60 Hertz, 3-Phase Y [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/136A NOT 2	Connectors, Receptacle, Electrical, Special Purpose, Single, Grounding, 4 Pole, 5 Wire, 20 Amperes, 120/208 Volts, 50/60 Hertz, 3-Phase, Y [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/137A NOT 2	Connectors, Plug, Electrical, Special Purpose, Grounding, 4 Pole, 5 Wire, 20 Amperes, 120/208 Volts, 50/60 Hertz, 3-Phase, Y [CUST: CR YD 85 CC] [REVIEW: AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/138C NOT 2	Connector, Plug, Electrical, Special Purpose, Cable Outlet, Locking, Grounding, 4 Pole, 5 Wire, 20 Amperes, 120/208 Volts, 50/60 Hertz, 3-Phase, Y [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	W-C-596/139B NOT 2	Connector, Receptacle, Electrical, Male Inlet, General Purpose, Locking, Grounding, 4 Pole, 5 Wire, 20 Amperes, 120/208 Volts, 50/60 Hertz, 3-Phase, Y [CUST: CR YD 85 CC] [REVIEW: 19 99 AR AS AV CR4 EC MC MI SH]	A	5935	/	CC	15-JUL-2011
M	MIL-PRF-19500/6C NOT 2	Semiconductor, Device Transistor, PNP, Germanium, Low Power Types 2N43AZ1, 2N43AZ2, 2N44AZ1 and 2N44AZ2 [CUST: CR EC 85 NA] [REVIEW: 19 AR AS CG MC MI OS SH SM]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/118J(2)	Semiconductor Device, Diode, Silicon, Types 1N483B, 1N485B, 1N486B, 1N5194, 1N5194UR, 1N5194US, 1N5195, 1N5195UR, 1N5195US, 1N5196, 1N5196UR, and 1N5196US, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI]	A	5961		CC	08-JUL-2011
M	MIL-PRF-19500/383B(1) NOT 2	Semiconductor Device, Diode, Silicon, Voltage-Variable Capacitor Types 1N5139A through 1N5148A JAN, JANTX and JANTXV [CUST: EC 85 CC] [REVIEW: 99 AS CG MC SH]	A	5961		CC	14-JUL-2011
M	MIL-PRF-19500/436A(2) NOT 2	Semiconductor Device, Diode, Silicon, Voltage-Variable Capacitor Types 1N5461B thru 1N5476B and 1N5461C thru 1N5476C JAN, JANTX and JANTXV [CUST: 85 CC] [REVIEW: 19]	A	5961		CC	14-JUL-2011
M	MIL-PRF-19500/498E NOT 1	Semiconductor Device, Translator, NPN, Silicon, Power Types 2N6306, 2N6306T1, 2N6306T3, 2N6308, 2N6308T1, 2N6308T3, JAN, JANTX and JANTXV [CUST: CR 85 CC NA] [REVIEW: 19 MI]	A	5961		CC	14-JUL-2011
M	MIL-PRF-19500/557J	Semiconductor Device, Field Effect Transistor, N-Channel, Silicon Types 2N6796, 2N6796U, 2N6798, 2N6798U, 2N6800, 2N6800U, 2N6802, and 2N6802U JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC] [REVIEW: 19 70 AR AS MC MI SM]	A	5961		CC	19-JUL-2011
M	MIL-PRF-19500/566B(1) NOT 2	Semiconductor Device, Transistor, Field Effect, N-Channel, Silicon, Logic-Level, Types 2N6902 and 2N6904 JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	14-JUL-2011

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-19500/577C NOT 1	Semiconductor Device, Diode, Silicon, Power Rectifier, Fast Recovery, High Voltage, Types 1N6528 through 1N6535, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI OS SM]	A	5961		CC	13-JUL-2011
M	MIL-PRF-19500/581B NOT 1	Semiconductor Device, Transistor, NPN, Silicon Amplifier, Types 2N4237, 2N4238, and 2N4239, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI OS SM]	A	5961		CC	14-JUL-2011
M	MIL-PRF-19500/598B NOT 1	Semiconductor Device, Quad, Field Effect Transistor, P-Channel, and N-Channel, Silicon Type 2N7336, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS MC MI SM]	A	5961		CC	14-JUL-2011
M	MIL-PRF-19500/603H	Semiconductor Device, Field Effect Radiation Hardened (Total Dose Only) Transistors, N-Channel, Silicon, Types 2N7268, 2N7269, 2N7270, 2N7394, 2N7268U, 2N7269U, 2N7270U, and 2N7394U, JANTXVR, F, G, H; JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 19 70 TD]	A	5961		CC	01-JUL-2011
M	MIL-PRF-19500/604B NOT 1	Semiconductor Device, Field Effect Radiation Hardened (Total Dose Characterization Only) Transistors, N-Channel, Silicon, Types 2N7272, 2N7275, 2N7278, and 2N7281, JANTXVM, D, and R, and JANSR, D, and R [CUST: CR EC 85 CC NA] [REVIEW: 19 70 AV MI TD]	A	5961		CC	14-JUL-2011
M	MIL-PRF-19500/606B NOT 1	Semiconductor Device, Field Effect Radiation Hardened (Total Dose Only) Transistors, N-Channel, Silicon, types 2N7291, 2N7293, 2N7295, and 2N7297, JANTXVM, D, and R, and JANSR, D, and R [CUST: CR EC 85 CC] [REVIEW: 19 70 TD]	A	5961		CC	14-JUL-2011
M	MIL-PRF-19500/607B NOT 1	Semiconductor Device, Field Effect Transistors, N-Channel and P-Channel, Silicon, Type 2N7337 JAN, JANTX, JANTXV, JANS, and JANHC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI OS SM]	A	5961		CC	14-JUL-2011
M	MIL-PRF-19500/627A(1) NOT 1	Semiconductor Device, Diode, Silicon, Power Rectifier, Ultrafast, Types 1N6688, 1N6689, 1N6688US, and 1N6689US, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/628A(1) NOT 1	Semiconductor Device, Diode, Silicon, Power Rectifier, Ultrafast, Types 1N6690 through 1N6693, 1N6690US through 1N6693US, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/631B NOT 1	Semiconductor Device, Field Effect Radiation Hardened Total Dose and Single Event Effects) Transistors, N-Channel Silicon, Types 2N7395, 2N7396, 2N7397, and 2N7398, JANSR and JANSR [CUST: CR EC 85 NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/632B NOT 1	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistors, N-Channel Silicon Types 2N7399, 2N7400, 2N7401, and 2N7402, JANSR and JANSR [CUST: CR EC 85 CC NA] [REVIEW: AV MI]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/638B NOT 1	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel Silicon, Type 2N7410, JANSR and JANSR [CUST: CR EC 85 CC NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/639A NOT 2	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, P-Channel Silicon Type 2N7411 JANSR and JANSR [CUST: CR EC 85 CC NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/644A NOT 2	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Types 1N6768 Through 1N6771 and 1N6768R Through 1N6771R JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/649A NOT 2	Semiconductor Device, Diode, Silicon, Power Rectifier, Schottky, Type 1N6781 JAN, JANTX, JANTXV and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/658 NOT 2	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, P-Channel Silicon Type 2N7438, and 2N7439 JANSR and JANSR [CUST: CR EC 85 NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/659 NOT 2	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effect), Transistor, P-Channel Silicon Type 2N7440, and 2N7441 JANSR and JANSR [CUST: CR EC 85 CC NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/670 NOT 2	Semiconductor Device, Hermetic, Diode, Silicon, Rectifier, Schottky Barrier, Types 1N6826, 1N6826US, 1N6831 and 1N6831US JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/672 NOT 2	Semiconductor Device, Transistor, Plastic, NPN, Silicon, Switching, Type 2N2222AUE1 JAN, JANTX, JANJ [CUST: CR EC 85 CC NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/674 NOT 2	Semiconductor Device, Transistor, Plastic, NPN, Silicon, Switching, Low Noise Type 2N2484UE1 JAN, JANTX, JANJ [CUST: CR EC 85 CC NA] [REVIEW: MI]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/678(1) NOT 2	Semiconductor Device, Diode, Silicon, Dual Schottky Center Tap Power Rectifier, Surface Mounted, Types 1N6840U3 and 1N6841U3, JAN, JANTX, JANTXV, JANS [CUST: EC CC NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/680(1) NOT 2	Semiconductor Device, Diode, Silicon, Dual Schottky Center Tap Power Rectifier Surface Mounted, Type 1N6842U3, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/686 NOT 2	Semiconductor Device, Transistor, Plastic, PNP, Silicon, Switching, Type 2N2907AUE1 JAN, JANTX, JANJ [CUST: CR EC 85 CC NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/689 NOT 2	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel Silicon Types 2N7512, 2N7513, and 2N7514 JANTXVD, R and JANSR, R [CUST: CR EC 85 CC NA]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/691 NOT 2	Semiconductor Device, Diode, Silicon, Switching, 1N4148UE2 JAN, JANTX, and JANJ [CUST: CR EC 85 CC NA] [REVIEW: MI]	A	5961		CC	15-JUL-2011
M	MIL-PRF-19500/695 NOT 2	Semiconductor Device, Transistor, Plastic, PNP, Silicon, Switching, Type 2N4033UE1 JAN, JANTX, JANJ [CUST: CR EC 85 CC NA]	A	5961		CC	15-JUL-2011
M	MIL-DTL-17/60D(1) NOT 1	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/060-RG142 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH]	A	6145		CC	15-JUL-2011
M	MIL-DTL-24643C(11)	Cables, Electric, Low Smoke Halogen-Free, for Shipboard use General Specification for [CUST: SH]	A	6145		SH	11-JUL-2011
M	MIL-DTL-24643/45F(11)	Cable, Electrical, -20 Degrees C to +90 Degrees C, Type LS2U [CUST: SH]	A	6145		SH	11-JUL-2011
M	MIL-DTL-24643/49F(11)	Cable, Electrical, -20 Degrees C to +90 Degrees C, 1000 Volts, Type LSTNW [CUST: SH]	A	6145		SH	11-JUL-2011
M	MIL-DTL-24643/63A(11)	Cable, Electrical, 1000 Volts, Type LSYSGU [CUST: SH]	A	6145		SH	11-JUL-2011
M	MIL-DTL-24643/64A(11)	Cable, Electrical, Twisted Shielded Pair(s), -40 Degrees C to 105 Degrees C, 600V, Type LSTPSJ [CUST: SH]	A	6145		SH	11-JUL-2011
M	MIL-DTL-24643/66A(11)	Cable, Electrical, 1000 Volts, Type LS2OW [CUST: SH]	A	6145		SH	11-JUL-2011
M	MIL-DTL-24643/67A(11)	Cable, Electrical, -20 Degrees C to +105 Degrees C, 1000 Volts, Type LS3OW [CUST: SH]	A	6145		SH	11-JUL-2011
M	MIL-DTL-24643/68A(11)	Cable, Electrical, -20 Degrees C to +105 Degrees C, 1000 Volts, Type LS4OW [CUST: SH]	A	6145		SH	11-JUL-2011
M	MIL-DTL-24643/69A(11)	Cable, Electrical, -20 Degrees C to +105 Degrees C, Type LSC264 [CUST: SH]	A	6145		SH	11-JUL-2011
M	MIL-DTL-32361A	Composite Light, Tail Stop, Turn and Marker [CUST: AT GS] [REVIEW: CR4]	A	6220		GS2	06-JUL-2011
M	A-A-50446A	Lamp, Incandescent, S-6, Candelabra Screw [CUST: CR4 SH 99 GS] [REVIEW: 71]	A	6240	/	GS2	05-JUL-2011
N	MIL-DTL-3628/256	Badge, Identification, U.S. Cyber Command [CUST: IH NU 11] [REVIEW: CG1 CT MC]	A	8455		IH	06-JUL-2011

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-3943/251A	Medal, Armed Forces Service [CUST: IH NU 11] [REVIEW: CG1 CT MC]	A	8455	IH		06-JUL-2011
N	MIL-DTL-11484/339	Lapel Button, Humanitarian Service Medal, Defense Logistics Agency [CUST: IH] [REVIEW: CT]	A	8455	IH		11-JUL-2011
N	MIL-DTL-11589/643	Ribbon, Humanitarian Service Medal, Defense Logistics Agency [CUST: IH] [REVIEW: CT]	A	8455	IH		14-JUL-2011
N	TOP-1-1-016	Test Operations Procedure (TOP) 01-1-016 Electroencephalogram-Based Measurement of Workload, Engagement, and Fatigue [CUST: TE]	A	ISDA	TE		12-APR-2011
M	MIL-STD-3014(3)	Mission Data Exchange Format [CUST: MI AS 11] [REVIEW: AC AV CR]	A	MCCR	11		08-JUL-2011
M	MIL-DTL-5002E	Surface Treatments and Inorganic Coatings For Metal Surfaces of Weapons Systems [CUST: MR AS 11 CC] [REVIEW: AR AV EA MI OS]	A	MFFP	AS		12-JUL-2011
M	MIL-STD-3021(1)	Materials Deposition, Cold Spray [CUST: MR AS 11] [REVIEW: 19 84 99 AV DH EC GS4 MC NP SH]	A	MFFP	MR		13-JUL-2011
M	MIL-HDBK-828B(1)	Range Laser Safety [CUST: AR EC 10] [REVIEW: MC]	A	SAFT	EC		05-MAY-2011
M	SD-1	Standardization Directory [CUST: AM NM 01 DH DC1] [REVIEW: DA]	A	STDZ	SO		01-JUL-2011
M	MIL-DTL-87158C	Technical Manuals: Aircraft Battle Damage Assessment and Repair [CUST: TM AS 16] [REVIEW: 10 11 99 AV]	A	TMSS	16		13-JUL-2011



## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-C-48472B(2) NOT 4	Circuit Card Assembly: 11732360 Superelevation and Drift [CUST: AR]	C	1220	AR		22-JUN-2011
M	MIL-C-63358(2) NOT 2	Circuit Card Assembly: 11834811 Output [CUST: AR]	C	1220	AR		07-JUL-2011
M	MIL-DTL-70438A(1)	Plug Assembly, Lifting, Universal [CUST: AR]	A	1320	AR		09-JUN-2011
M	MS24368A NOT 4	Rim Contours, 56 X 1 and 49 X 17, Type VII, Extra High Pressure, MLG Wheel [CUST: 70] [REVIEW: GS]	A	1630	70		13-JUL-2011
M	AND10573 REV E NOT 5	Rim Contours-26X6.6, 30X7.7, 32X8.8, 34X9.9, 36X11, 38X11, 40X12, 44X13, Type VII, Extra High Pressure Main Landing Gear Wheels [CUST: AV AS 70] [REVIEW: GS MC]	A	1630	70		12-JUL-2011
M	AND10576 REV C NOT 4	Rim Contour-24 X 7.7, Type VII, Extra High Pressure, Main Landing Gear Wheel [CUST: AV AS 70] [REVIEW: GS MC]	A	1630	70		12-JUL-2011
M	AND10581 REV C NOT 4	Rim Contour-20 X 4.4, Type VII, Extra High Pressure, Landing Gear Wheel [CUST: AV AS 70] [REVIEW: GS MC]	A	1630	70		12-JUL-2011
M	MS17243E	Valves, Angle, Shut-Off, Packed, Receiver, Refrigerant-12 [CUST: GL SH 99 CC] [REVIEW: 71 AT CR4 MC SA YD]	A	4820	CC		13-JUN-2011
M	MIL-PRF-39015/1H NOT 2	Resistors, Variable, Wire-Wound (Lead-Screw Actuated), Nonestablished Reliability and Established Reliability Style RTR12 [CUST: CR EC 11] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	5905	CR		15-JUL-2011
M	MIL-PRF-19500/312E NOT 1	Semiconductor Device, Transistor, NPN, Silicon, Switching Type 2N708, JAN, JANTX, and JANHC [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AV MC MI OS SH SM]	A	5961	CC		14-JUL-2011
M	MIL-S-19500/2B(1) NOT 4	Semiconductor Device, Transistor, NPN, Silicon, Low-Power Types 2N117, 2N118 and 2N119 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961	CC		07-JUL-2011
M	MIL-S-19500/4D NOT 3	Semiconductor, Device Transistor, PNP, Germanium, Low Power Type 2N331 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG MC MI]	A	5961	CC		12-JUL-2011
M	MIL-S-19500/9B NOT 3	Semiconductor Device, Transistor, PNP, Germanium, High Frequency, 25 Milliwatt, Type JAN-2N128 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI]	A	5961	CC		12-JUL-2011
M	MIL-S-19500/13B(2) NOT 3	Semiconductor Device, Transistor, PNP, Germanium, High Power Type 2N174A [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG MC MI SM]	A	5961	CC		06-JUL-2011
M	MIL-S-19500/16E NOT 3	Semiconductor Device, Transistor, NPN, Silicon Types 2N342, 2N342A and 2N343 [CUST: CR EC 85 CC] [REVIEW: 19 AS CG MC MI]	A	5961	CC		07-JUL-2011
M	MIL-S-19500/20C(1) NOT 3	Semiconductor Device, Transistor, PNP, Germanium, Low Power Types 2N404 and 2N40A [CUST: CR EC 85] [REVIEW: 19 AR AS AV CG MC MI]	A	5961	CC		12-JUL-2011
M	MIL-S-19500/24D(1) NOT 3	Semiconductor Device, Transistor, PNP, Germanium, Power Type 2N158 [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC MI SH]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/25B NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Low-Power Type 2N240 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/27E(3) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, High-Frequency Type 2N384 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/31C(1) NOT 4	Semiconductor Device, Transistor, PNP, Silicon, Low Power Type 2N341 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961	CC		07-JUL-2011
M	MIL-S-19500/36C NOT 4	Semiconductor Device, Transistor, PNP, Germanium, High-Power Type 2N297A [CUST: CR SH 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM]	A	5961	CC		08-JUL-2011
M	MIL-S-19500/38C(1) NOT 3	Semiconductor Device, Transistor, PNP, Germanium, Power Types 2N539 and 2N539A [CUST: CR EC 85] [REVIEW: 19 AS CG MC MI]	A	5961	CC		08-JUL-2011
M	MIL-S-19500/40B(1) NOT 3	Semiconductor, Transistor, NPN, Germanium, Power Type 2N326 [CUST: CR EC 85] [REVIEW: 19 AS CG MC MI OS]	A	5961	CC		08-JUL-2011
M	MIL-S-19500/41B(1) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Switching Types 2N425, 2N426, 2N427 [CUST: CR CC] [REVIEW: AR MI SM]	A	5961	CC		08-JUL-2011
M	MIL-S-19500/44D(1) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Low-Power Type 2N428 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961	CC		12-JUL-2011
M	MIL-S-19500/49C(1) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Types 2N464, 2N465, 2N467 [CUST: CR CC] [REVIEW: AR MI SM]	A	5961	CC		12-JUL-2011
M	MIL-S-19500/58D NOT 4	Semiconductor Device, Transistor, PNP, Germanium, High-Power Type 2N665 [CUST: CR SH 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/60E NOT 3	Semiconductor Device, Transistor, PNP, Germanium, Type JAN-2N526 [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/62B(3) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Low-Power Type 2N501A [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/64D NOT 3	Semiconductor Device, Transistor, PNP, Germanium, Low Power Type 2N396A [CUST: CR EC 85] [REVIEW: 19 AS CG MC MI]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/65B NOT 3	Semiconductor Device, Transistor, NPN, Germanium, Switching Type 2N388 [CUST: CR EC 85] [REVIEW: 19 99 AS CG MC MI]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/67A NOT 4	Semiconductor Device, Transistor, PNP, Germanium, 50-Watt Type 2N1011 [CUST: CR CC] [REVIEW: AR MI SM]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/68A(1) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Switching Type 2N1120 [CUST: CR SH 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/69E NOT 3	Semiconductor Device, Transistor, NPN, Silicon, Types JAN-2N337 and JAN-2N338 [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC MI]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/71D(1) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Low-Power Type 2N1195 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/72C(4) NOT 4	Semiconductor Device, Transistor, PNP, Germanium Types 2N499 and 2N499A [CUST: CR CC] [REVIEW: AR MI SM]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/74E(4) NOT 3	Semiconductor Device, Transistors, NPN, Silicon, Medium Power, Types 2N497, 2N498, 2N656 and 2N657 [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI SH]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/75B(2) NOT 3	Semiconductor Device, Transistors, PN, Silicon Unijunction Types 2N2417A through 2N2422A, and TX2N2417A through TX2N2422A [CUST: CR EC 85] [REVIEW: 19 AR CG MC MI]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/76C(3) NOT 3	Semiconductor Device, Transistor, PNP, Germanium, Power Types 2N1412 and 2N1412A [CUST: EC CC] [REVIEW: OS SH]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/77C(4) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Low-Power Type 2N393 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/78C NOT 4	Semiconductor Device, Transistor PNP, Silicon, Low-Power Types 2N1025, 2N1026 and 2N1469 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961	CC		13-JUL-2011
M	MIL-S-19500/80E NOT 4	Semiconductor Device, Transistor, NPN, Silicon, Low-Power Type 3N35 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961	CC		13-JUL-2011

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-S-19500/86A(4) NOT 3	Semiconductor Device, Transistor, PNP, Germanium Type 2N705 [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC MI SH SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/87A(1) NOT 3	Semiconductor Device, Transistor, PNP, Germanium Low Power Type 2N1142 [CUST: CR CC] [REVIEW: AR AV MI SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/89D NOT 3	Semiconductor Device, Transistor, PNP, Germanium Types 2N1039, 2N1041, 2N2553, 2N2555, 2N2557 and 2N2559 [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC MI OS]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/99E(3) NOT 3	Semiconductor Device, Transistor, NPN, Silicon, Switching, Medium-Power Types 2N696, 2N697, 2N696S and 2N697S [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG EA MC MI OS]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/102A NOT 3	Semiconductor Device, Transistors, PNP, Silicon, High Power Types 2N1016B, 2N1016C, and 2N1016D [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC MI]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/110C(1) NOT 3	Semiconductor Device, Transistor, PNP, Silicon, Low-Power Types 2N328A, 2N329A, 2N328AS, and 2N329AS [CUST: CR EC 85] [REVIEW: 19 AR AS AV CG MC MI]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/112C(4) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Types 2N502A and 2N52B [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/120C(3) NOT 4	Semiconductor Device, Transistor, NPN, Silicon, Switching, Low-Power Type 2N706 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/122C(1) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, High-Power Type 2N1358 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/123A NOT 4	Semiconductor Device, Transistor, PNP, Germanium, VHF 2N700A [CUST: CR] [REVIEW: AR MI]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/125C NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Switching Type 2N1500 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/126C NOT 3	Semiconductor Device, Transistor, NPN, Types 2N1302, 2N1304, 2N1306, 21308 and PNP Types 2N1303, 2N1305, 2N1307 and 2N1309 [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG EA MC MI OS]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/130C NOT 4	Semiconductor Device, Diode, Silicon, Mixer Types 1N78C, 1N78CR, 1N78CM, 1N78CMR, 1N78F, 1N78FR, 1N78FM, and 1N78FMR [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/137C NOT 4	Semiconductor Device, Transistor, PNP, Germanium Power Types 2N1042 through 2N1045 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/138C NOT 4	Semiconductor Device, Transistor, PNP, Silicon, Low-Power Type 2N1118 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/139B(1) NOT 4	Semiconductor Device, Transistor, PNP, Silicon, Type JAN-2N1119 [CUST: CR SH 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/142A(3) NOT 4	Semiconductor Devices, Silicon, High Voltage Rectifier Types 1N1731A, 1N1733A, and 1N1734A [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/143B(2) NOT 4	Semiconductor Device, Transistor, PNP, Germanium Types 2N1183, 2N1183A, 2N1183B and 2N1184, 2N1184A, 2N1184B [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/155E NOT 4	Semiconductor Device, Diode, Silicon, Power Rectifier, General Purpose Types 1N3189, 1N3190, 1N3191, TX and Non-TX Types [CUST: EC] [REVIEW: AS CG MC SH]	A	5961		CC	06-JUL-2011
M	MIL-S-19500/166C(3) NOT 3	Semiconductor Device, Transistor, Type 2N599 [CUST: EC CC] [REVIEW: OS SH]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/167B NOT 4	Semiconductor Device, Diode, Type 1N560 and 1N561 (Navy) [CUST: EC] [REVIEW: 19 AS CG MC]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/170A NOT 4	Semiconductor Device, Transistor, PNP, Germanium Type 2N1499A [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/172B(1) NOT 3	Semiconductor Device, Transistor, PNP, Germanium, Type 2N1854 [CUST: EC CC] [REVIEW: OS SH]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/173A NOT 3	Semiconductor Device, Transistor, Types 2N389 and 2N424 (Navy) [CUST: EC 85 CC] [REVIEW: 70 OS SH]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/174B NOT 3	Semiconductor Device, Transistor, PNP, Germanium, Low Power Type JAN-2N398A [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AV CG MC MI]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/175C(1) NOT 3	Semiconductor Device, Transistor, PNP, Germanium, Low Power Types 2N650A, 2N651A, and 2N652A [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC MI]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/176B NOT 3	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N1047A, 2N1048A, 2N1049A and 2N1050A [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC MI]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/178B(4) NOT 3	Semiconductor Device, Transistor, PNP, Germanium Type 2N1165 [CUST: EC CC] [REVIEW: OS SH]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/179A(1) NOT 4	Semiconductor Device, Transistor, PNP, Silicon Type 2N1234 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/180D(1) NOT 4	Semiconductor Device, Transistor, NPN, Silicon, Medium-Power Types 2N1483, TX2N1483, 2N1484, TX2N1484, 2N1485, TX2N1485, 2N1486, TX2N1486 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/186B NOT 4	Semiconductor Device, Diode, Silicon, RF Mixer Types JAN-1N53B, JAN-1N53BR, JAN-1N53BM and JAN-1N53BMR [CUST: CR SH 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/188A(1) NOT 4	Semiconductor Device, Diode, Silicon, Switching, Type JAN-1N251 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/189B(1) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Low-Power Types 2N1224 and 2N1225 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/191A(1) NOT 3	Semiconductor Device, Diode, Germanium, Mixer Type 1N263 [CUST: CR EC 85] [REVIEW: 19 AS CG MC OS]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/192B(1) NOT 3	Semiconductor Device, Diode, Germanium, Switching Type 1N276, JAN, JANTX, and JANTXV [CUST: CR EC 85] [REVIEW: 19 AS CG MC MI]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/195D NOT 4	Semiconductor Device, Diode, Silicon, Micro-Miniature, Switching Type 1N3206 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/201B(1) NOT 3	Semiconductor Device, Diode, Germanium Type 1N277 JAN, JANTX, and JANTXV [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC MI OS SH SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/205B NOT 3	Semiconductor Device, Diode, Germanium, Low Level, Forward-Voltage-Reference Type 1N3287 JAN, JANTX, and JANTXV [CUST: CR EC 85] [REVIEW: CG MC]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/207C NOT 4	Semiconductor Device, Transistor, NPN, Silicon, Types 2N1479, 2N1480, 2N1481, 2N1482 [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/208B NOT 4	Semiconductor Device, Transistor, NPN, Silicon, High Power, Types 2N1487, 2N1488, 2N1489 and 2N1490 [CUST: CR SH 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM]	A	5961		CC	12-JUL-2011

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-S-19500/210B(1) NOT 3	Semiconductor Device, Transistor, NPN, Silicon, Photo Type 2N986 [CUST: EC CC] [REVIEW: OS SH]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/215(2) NOT 3	Semiconductor Device, Transistor, Types 2N1173 and 2N1174 (Navy) [CUST: EC CC] [REVIEW: OS SH]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/216A(1) NOT 4	Semiconductor Device, Transistor, NPN, Silicon Type 2N1051 [CUST: EC] [REVIEW: 19 AS CG MC]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/217B NOT 4	Semiconductor Device, Transistors, PNP, Germanium, High-Power Types 2N456B, 2N457B, 2N458B, 2N1021A, 2N1022A [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/218A NOT 4	Semiconductor Device, Transistor, NPN, Silicon, Low-Power Types 2N757A, 2N759A and 2N760A [CUST: CR SH 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/219A(6) NOT 4	Transistor, PNP, Germanium, Power Switching, Types 2N1651, 2N1652, 2N1653 [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/226B NOT 3	Semiconductor Device, Diode, Germanium, Switching Type 1N3666(1) JAN, JANTX, and JANTXV [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/227(2) NOT 3	Semiconductor Device, Diode, Type 1N995M (Navy) [CUST: EC 85 CC] [REVIEW: 70 OS SH]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/229(1) NOT 3	Semiconductor Device, Diode, Type 1N830AM (Navy) [CUST: EC CC] [REVIEW: OS SH]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/230C(1) NOT 4	Semiconductor Device, Diode, Silicon, High-Conductance Type JAN-1N3207 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/236A(1) NOT 3	Semiconductor Device, Diode, Silicon Type 1N31 [CUST: CR EC 85 CC] [REVIEW: 19 AS CG MC MI SH]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/244B(6) NOT 3	Transistor, PNP, Germanium Type 2N2273 [CUST: CR CC] [REVIEW: AR AV MI SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/248A(2) NOT 4	Transistor, NPN, Silicon Types 2N2015, 2N2016 [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/250B NOT 4	Semiconductor Diode, Silicon, UHF Mixer Type 1N82AG [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/254B NOT 1	Semiconductor Device, Diode, Silicon, Types 1N1147 and 1N1149, JAN [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/256C(1) NOT 4	Semiconductor Device, Diode, Silicon, Switching, Types 1N643, 1N662 and 1N663 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/258A(4) NOT 4	Semiconductor Device, Transistor Types 2N962 and 2N964 [CUST: EC CC] [REVIEW: MI]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/259A(2) NOT 4	Semiconductor Devices, Diodes, Silicon, Power Rectifiers Types JAN-1N130 and JAN-1N131 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/262F(4) NOT 4	Semiconductor Device, Transistor, NPN, Silicon, High-Power Types 2N1722, TX2N1722, 2N1724, and TX2N1724 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS SH]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/263A(4) NOT 4	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N1714, 2N1714S, 2N1715, 2N1715S, 2N1716, 2N1716S, 2N1717, and 2N1717S [CUST: CR CC] [REVIEW: EA]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/268C(1) NOT 4	Semiconductor Device, Transistor, NPN, Silicon Switching Types 2N2481 and TX2N2481 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/269(1) NOT 3	Semiconductor Device, Tunnel Diode, Types 1N3713, 1N3715, 1N3717, 1N3719 and 1N3721 [CUST: EC CC] [REVIEW: OS SH]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/271A(5) NOT 3	Semiconductor Device, Transistor Type 2N916 [CUST: EC CC] [REVIEW: OS SH]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/273A NOT 3	Semiconductor Device, Transistor Type Type 2N744 [CUST: EC CC] [REVIEW: OS SH]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/274C(1) NOT 3	Semiconductor Device, NPN, Silicon, Transistors Types 2N910, 2N910S, 2N911, 2N911S, 2N912, and 2N912S, JAN and JANTX [CUST: CR 85 CC] [REVIEW: AR AV MI SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/277D(1) NOT 3	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N2150 and 2N2151 JANTX [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC MI OS SH SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/278E(1) NOT 3	Semiconductor Device, Diode, Silicon, Matched Pair Types 1N4306, 1N4306M, JANTX and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/280A(2) NOT 3	Semiconductor Device, Thyristor (Controlled Rectifier), Silicon Types 2N3091, 2N3093, 2N3095, 2N3097, 2N3098, 2N3099, 2N3101, 2N3103, 2N3105, and 2N3106 [CUST: EC CC] [REVIEW: OS SH]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/282C NOT 3	Semiconductor Device, Diode, Silicon, Switching Type 1N4376 JAN and JANTX [CUST: CR EC 85 CC] [REVIEW: 70 99 AR AS CG MC MI OS SH SM]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/283D(1) NOT 3	Semiconductor Device, Transistor, PNP, Silicon, Switching Types 2N869A and 2N4453 JANTX and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG MC MI OS SH SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/288(2) NOT 4	Semiconductor Device, Transistor, PNP, Silicon Type 2N2377 [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/289 NOT 4	Semiconductor Device, Transistor, PNP, Silicon Type 2N2378 [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/298(3) NOT 4	Semiconductor Device, Diode, Silicon Type 1N1742A [CUST: 85 CC] [REVIEW: 19 70 99]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/303 NOT 3	Semiconductor Device, Transistor, Types 2N2631 and 2N2876 [CUST: CR CC] [REVIEW: AR AV MI SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/329C NOT 4	Semiconductor Device, Diode Silicon, Voltage-Variable Capacitor Types 1N4801A through 1N4815A and 1N4801B through 1N4815B JAN, JANTX and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/330A(5) NOT 4	Semiconductor Device, Transistor PNP, Germanium Types 2N1557A through 2N1560A [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/331A(2) NOT 4	Semiconductor Device, Transistor, PNP, Germanium, Power Types 2N1553A through 2N1556A [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/335(2) NOT 4	Semiconductor Device, Silicon, Voltage Reference (Temperature-Stable) Type 1N430A, 1N430B [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/338(2) NOT 4	Semiconductor Device, Transistor, PNP Germanium, Switching Type 2N3449 [CUST: 85 CC] [REVIEW: 19 70 99]	A	5961		CC	07-JUL-2011
M	MIL-S-19500/339 NOT 3	Semiconductor Device, Diode, Silicon, Video Detector Types 1N358A, 1N358AR, 1N358AM, and 1N358AMR [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG MC MI]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/340 NOT 3	Semiconductor Device, Transistor, PNP, Germanium, High Power Type 2N2079A [CUST: CR EC 85 CC] [REVIEW: 19 AS CG MC MI]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/341B(7) NOT 3	Semiconductor Device, Transistor, NPN, Silicon, High-Frequency, Power Types 2N3375, 2N3553, and 2N4440 JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG MC MI]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/352(1) NOT 4	Semiconductor Device, Diode, Silicon Type 1N831A [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	08-JUL-2011



## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-S-19500/362 NOT 4	Semiconductor Device, Diode, Silicon, Mixer Types 1N1132 and 1N1132R [CUST: 85 CC] [REVIEW: 19 70 99]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/364(2) NOT 3	Semiconductor Device, Diode, Germanium, Mixer Type 1N1838 [CUST: CR EC 85 CC] [REVIEW: 19 AS CG MC MI]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/372A(6) NOT 3	Semiconductor Device, Thyristor (Controlled Rectifier), Silicon Types 2N4199 through 2N4206 [CUST: CR CC] [REVIEW: AR AV MI SM]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/373A(1) NOT 4	Semiconductor Device, Transistor, NPN, Silicon Switching Types 2N914 and TX2N914 [CUST: 85 CC] [REVIEW: 19 70 99]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/378B NOT 3	Semiconductor Device, Field-Effect Transistor, P-Channel, Silicon, Types 2N2497 through 2N2500, 2N3329 through 2N3332, JANTX [CUST: CR EC 85] [REVIEW: 19 AS CG MC MI]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/380B NOT 3	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N4865, 2N5250, 2N5251, JANTX, JANTXV, and JANS [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI SH]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/388B NOT 3	Semiconductor Device, Transistor, PN, Silicon, Unijunction Types 2N4947, 2N4948 and 2N4949 JAN, JANTX, JANTX , and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 AS AV MC MI SH SM]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/390 NOT 4	Semiconductor Device, Transistor, NPN, Silicon, Double-Emitter Types 3N74, TX3N74, 3N75, TX3N75, 3N76, TX3N76, 3N127, TX3N127 [CUST: 85 CC] [REVIEW: 19 70 99]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/403(1) NOT 4	Semiconductor Device, Diode, Silicon, Switching Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/419(2) NOT 3	Semiconductor Device, Thyristor (Controlled Rectifier), Silicon Types 2N3027 through 2N3032, and TX2N3027 through TX2N3032 [CUST: CR CC] [REVIEW: AR AV MI SM]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/425(4) NOT 3	Semiconductor Device, Transistor, PN, Silicon, Unijunction JAN2N5431, and JANTX2N5431 [CUST: 85 CC] [REVIEW: 19 70 99]	A	5961		CC	08-JUL-2011
M	MIL-S-19500/438(1) NOT 4	Semiconductor Device, Triode Thyristor (Bi-Directional), Silicon, Types 2N5806 Through 2N5809 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/460(2) NOT 4	Semiconductor Device, Diode, Gallium Arsenide, Mixer Type 1N5764, 1N5764M and 1N5764MR [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/484(1) NOT 4	Semiconductor Device, Diode, Silicon, Power Rectifier, General Purpose TX and Non-TX Types 1N5835 and 1N5836 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/529(1) NOT 4	Semiconductor Device, Transistor, Silicon Type 2N3904 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/530 NOT 4	Semiconductor Device, Transistor, Silicon Type 2N3906 [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	12-JUL-2011
M	MIL-S-19500/536(3) NOT 4	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N6671, and 2N6673 JAN, JANTX, and JANTXV [CUST: 85 CC] [REVIEW: 19 70 99]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/537(2) NOT 4	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N6674, 2N6675, 2N6689, and 2N6690 JAN, JANTX, and JANTXV [CUST: 85 CC] [REVIEW: 19 70 99]	A	5961		CC	13-JUL-2011
M	MIL-S-19500/569(3) NOT 4	Semiconductor Device, Field Effect Transistors, N-Channel, Silicon Types 2N6966, 2N6967, 2N6968, and 2N6969 JANTX, JANTXV, and JANS [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM]	A	5961		CC	13-JUL-2011
M	MIL-P-21381B(1) NOT 3	Plotting Boards, Ship' s Status and Tactical Display (Naval Shipboard Use) [CUST: SH]	A	6605		GS1	08-JUL-2011
M	MIL-T-55603A(1) NOT 2	Test Set, Telephone, AN/PTM-7() [CUST: CR]	A	6625		CR	15-JUL-2011

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS23002D NOT 2	Die, Crimping Tool - for use with MS25036, Size 8 through 4/0 Terminals (S/S by SAE-AS5259/1) [CUST: CR AS 99] [REVIEW: AR EC GL GS MC]	A	5136		AS	11-JUL-2011
M	MIL-M-49258 NOT 3	Multiplexer, TD-202( )/U (No S/S Document) [CUST: CR]	A	5805		CR	20-JUL-2011
M	A-A-55519/2C NOT 1	Fuse, Inclosed Link, Subminiature, Surface Mount (SM), Time Delay, with End Caps (NO S/S Document) [CUST: EC CC]	A	5920	/	CC	08-JUL-2011
M	A-A-55519/4B NOT 1	Fuse, Inclosed Link, Subminiature, Surface Mount (SM), Time Delay, with Wrap Around Terminals (No S/S Document) [CUST: EC CC]	A	5920	/	CC	08-JUL-2011
M	SAE-AMS1426	Fluid, Deicing/Anti-Icing, Runaways and Taxiways Glycol Base (No S/S Document) [CUST: EA OS 11 GS]	A	6850		11	07-JUL-2011
M	ANSI-B92.2MA	Spline, Part III, Metric Module Involute (S/S by ANSI-B92.2M) [CUST: AR SA 16] [REVIEW: 13 99 AS CG CH EA MC PT SE TD TE TM]	A	DRPR		AR	11-JUL-2011