

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 July 2012

(For the Period 1 July 2012 to 14 July 2012)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
N	SAE-AS598	Aerospace Microscopic Sizing and Counting of Particulate Contamination for Fluid Power Systems [CUST: AV AS 99] [REVIEW: 71 AT GSI MC MI SA SH]	A	1650		AS	03-JUL-2012
M	MIL-DTL-6458G	Chain Assemblies, Single Leg, Aircraft Cargo Tie Down [CUST: AV AS 99 GS] [REVIEW: 11 71 84]	A	1670		GS2	09-JUL-2012
M	MIL-DTL-5755E	Mirror, Rearview, Nonmagnetic, General Requirements for (for Aeronautical Use) [CUST: AV AS 99 GS]	A	1680		GS1	02-JUL-2012
N	SAE-AS755	Aircraft Propulsion System Performance Station Designation and Nomenclature [CUST: AV AS 11] [REVIEW: 99]	A	2840		11	10-JUL-2012
M	MIL-DTL-82068D(1)	Sprayers, Pesticide; Trailer-Mounted, Gasoline-Engine-Driven [CUST: 99 GS] [REVIEW: 84]	A	3740		GS3	09-JUL-2012
M	MIL-DTL-28837/1D	Mixer Stages, Radio Frequency, Double Balanced, Pin Plug-in Termination [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5895		CC	05-JUL-2012
M	MIL-DTL-28837/2D	Mixer Stages, Radio Frequency, Double Balanced, Solder Leads [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5895		CC	05-JUL-2012
M	MIL-DTL-28837/7B	Mixer Stages, Radio Frequency, Double Balanced, to-5 Configuration [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5895		CC	05-JUL-2012
M	A-A-55168D	Fuseholder, Block, Class H, 30 Ampere, 250 V AC, One, Two, and Three Pole [CUST: EC CC]	A	5920	/	CC	12-JUL-2012
M	A-A-55426D	Fuseholder, Block, Class H, 60 Ampere, 600 V AC, One, Two, and Three Pole [CUST: EC CC]	A	5920	/	CC	12-JUL-2012
M	A-A-55427D	Fuseholder, Block, Class H, 60 Ampere, 250 V AC, One, Two, and Three Pole [CUST: EC CC]	A	5920	/	CC	12-JUL-2012
M	A-A-55428D	Fuseholder, Block, Class H, 30 Ampere, 600 V AC, One, Two, and Three Pole [CUST: EC CC]	A	5920	/	CC	12-JUL-2012
M	A-A-55429D	Fuseholder, Block, Class H, 100 Ampere, 600 V AC, One, Two, and Three Pole [CUST: EC CC]	A	5920	/	CC	12-JUL-2012
M	MIL-DTL-24308/2T(1)	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Receptacle, Socket Contacts, General Purpose, Class D and G, Crimp Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A	5935		CC	28-JUN-2012
M	MIL-DTL-55302/131D NOT 1	Connectors, Plug, Electrical, Printed Circuit Subassembly and Accessories: Right Angle, Pin Contacts, 64 or 96 Contact Position for Printed Wiring Boards (.100 Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	5935		CC	13-JUL-2012
M	MIL-PRF-27/1F	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950		CC	13-JUL-2012
M	MIL-PRF-27/2G	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950		CC	13-JUL-2012
M	MIL-PRF-27/344C	Transformers, Power, 90 Voltamperes, 3-Phase [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	13-JUL-2012
M	MIL-PRF-27/345C	Transformers, Power, 120 Voltamperes, 3-Phase [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	13-JUL-2012
M	MIL-PRF-27/346C	Transformers, Power, 150 Voltamperes, 3-Phase [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	13-JUL-2012
M	MIL-PRF-27/347C	Transformers, Power, 200 Voltamperes, 3-Phase [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	13-JUL-2012
M	MIL-PRF-27/348C	Transformers, Power, 270 Voltamperes, 3-Phase [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	13-JUL-2012
M	MIL-PRF-27/349C	Transformers, Power, 375 Voltamperes, 3-Phase [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	13-JUL-2012
M	MIL-PRF-27/357D	Transformer, Audio Frequency, Ultra-Miniature [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CR4 MC OS]	A	5950		CC	13-JUL-2012
M	MIL-PRF-27/359D	Transformers, Audio Frequency, Ultra-Miniature [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CR4 MC OS]	A	5950		CC	13-JUL-2012
M	MIL-PRF-55310E(1) SUP 1	Oscillator, Crystal Controlled, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI NA SM]	A	5955		CR	28-JUN-2012
M	MIL-PRF-19500/116S	Semiconductor Device, Diode, Silicon, Switching, Types 1N4148-1, 1N4148UR-1, 1N4148UB, 1N4148UBCA, 1N4148UBCC, 1N4148UBCCC, 1N4148UBD, 1N4148UBCD, 1N4148UB2, 1N4148UB2R, 1N914, 1N914UR, 1N4531, and 1N4531UR, JAN, JANTX, JANTXV, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	06-JUL-2012
M	MIL-PRF-19500/127W	Semiconductor Devices, Diode, Silicon, Voltage Regulator, Types 1N4370A-1 through 1N4372A-1 and 1N746A-1 through 1N759A-1, 1N4370AUR-1 through 1N4372AUR-1 and 1N746AUR-1 through 1N759AUR-1, 1N4370C-1 through 1N4372C-1 and 1N746C-1 through 1N759C-1, 1N4370CUR-1 through 1N4372CUR-1 and 1N746CUR-1 through 1N759CUR-1, 1N4370D-1 through 1N4372D-1 and 1N746D-1 through 1N759D-1, 1N4370DUR-1 through 1N4372DUR-1 and 1N746DUR-1 through 1N759DUR-1, JAN, JANTX, JANTXV, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC	06-JUL-2012
M	MIL-PRF-19500/379J	Semiconductor Device, Transistor, PNP, Silicon, High-Power, Types 2N3791 and 2N3792, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC	02-JUL-2012
M	MIL-PRF-19500/437H(1)	Semiconductor Device, Diode, Silicon, Low-Noise Voltage Regulator, Types 1N5518B-1, 1N5518C-1, 1N5518D-1 through 1N5546B-1, 1N5546C-1, 1N5546D-1, 1N5518BUR-1, 1N5518CUR-1, 1N5518DUR-1 through 1N5546BUR-1, 1N5546CUR-1, 1N5546DUR-1, JAN, JANTX, JANTXV, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99]	A	5961		CC	05-JUL-2012
M	MIL-PRF-19500/477K	Semiconductor Device, Diode, Silicon, Ultrafast Recovery, Power Rectifier, Types 1N5802, 1N5804, 1N5806, 1N5807, 1N5809, and 1N5811, 1N5802US, 1N5804US, 1N5806US, 1N5807US, 1N5809US, and 1N5811US, 1N5802URS, 1N5804URS, 1N5806URS, 1N5807URS, 1N5809URS, and 1N5811URS, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961		CC	09-JUL-2012
M	MIL-PRF-19500/610E(1) NOT 1	Semiconductor Device, Hermetic, Diode, Silicon, Schottky Barrier, Types 1N6677-1 and 1N6677UR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI OS SH SM]	A	5961		CC	09-JUL-2012
N	MIL-PRF-19500/768	Semiconductor Device, Diode, Silicon, Ultrafast Recovery, Power Rectifier, Types 1N7066, 1N7067, 1N7068, 1N7066US, 1N7067US, and 1N7068US, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961		CC	10-JUL-2012
M	MIL-DTL-25708F(1)	Antennas, Blade, L-Band, General Specification for [CUST: CR AS 85 CC] [REVIEW: 99 AV]	A	5985		CC	12-JUL-2012
M	MIL-PRF-7115G	Converters, Aircraft, General Specification for [CUST: AS 99 GS]	A	6130		AS	11-JUL-2012
N	MIL-PRF-7115/4	Converter, Aircraft 300 Ampere, Type II, Class A, Fan Cooled [CUST: AS]	A	6130		AS	11-JUL-2012
M	MIL-PRF-46374G NOT 2	Watch, Wrist: General Purpose [CUST: AR SH 99] [REVIEW: 71 MC]	A	6645		GS1	10-JUL-2012
M	A-A-50223B	Scale, Beam Indicating: Weighing, Specific Gravity: Capacity 0.01 Not Less than 200 Grams, Three or Four Weight Beams: 0.01 Gram Sensitivity [CUST: CE GS] [REVIEW: MD]	A	6670	/	GS1	05-JUL-2012
M	A-A-59231B	Ethanolamines (Monoethanolamine and Triethanolamine), Technical [CUST: CR4 SH 68 GS] [REVIEW: SM]	A	6810	/	GS3	09-JUL-2012

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	A-A-59846A	Anchor, Rock, Spring Loaded Camming Device [CUST: GL MC CT]	A	8465	/	CT	12-JUL-2012
M	MIL-PRF-26087C NOT 2	Lubricating Oil, Reciprocating Compressor, Ground Support [CUST: MR AS 68] [REVIEW: AR AT SH]	A	9150		GS3	11-JUL-2012
N	DI-FNCL-81865	Labor Rate Performance Report [AMSC: N9269]	A	FNCL		SH	29-JUN-2012
N	DI-FNCL-81866	Other Direct Costs (ODCs) Report [AMSC: N9270]	A	FNCL		SH	29-JUN-2012
N	ITOP-5.2.501	Tests of Liquid Propellant Systems [CUST: TE]	C	ISDA		TE	22-SEP-2011
M	ITOP-5.2.503 ED.A	Timber, Masonry, and Urban Type Target Construction for Warhead Testing [CUST: TE]	C	ISDA		TE	10-OCT-2011
M	ITOP-5.2.619 ED.A	Safety Testing of Missile and Rocket Systems [CUST: TE]	C	ISDA		TE	17-AUG-2011
N	TOP-1-2-620	High-Altitude Electromagnetic Pulse (HEMP) Testing [CUST: TE]	A	ISDA		TE	10-NOV-2011
M	TOP-1-1-014A	Ride Dynamics and Evaluation of Human Exposure to Whole Body Vibration [CUST: TE]	A	ISDA		TE	29-NOV-2011
M	TOP-6-2-508A	Vulnerability, Electromagnetic [CUST: TE]	D	ISDA		TE	03-MAR-2011
M	TOP-6-2-558A	RF Power Output (AM,FM,SSB) Non-Pulsed [CUST: TE]	D	ISDA		TE	03-MAR-2011
N	TOP-6-3-014	Methodology Plan For Minimum Resolvable Temperature Difference (MRTD) Testing Of Aircraft Installed Sensors [CUST: TE]	A	ISDA		TE	23-MAR-2011
M	TOP-6-2-145A	Intercommunication Sets [CUST: TE]	D	ISDA		TE	21-APR-2011
M	TOP-6-2-052A	Countermeasures Equipment, NonCommunication Systems [CUST: TE]	D	ISDA		TE	09-MAR-2011
N	TOP-7-3-070	Aircraft Survivability Equipment (ASE) Infrared Countermeasures Flares/Decoys Effectiveness Testing [CUST: TE]	D	ISDA		TE	20-OCT-2010
M	TOP-7-2-513A	Human Factors Engineering Testing of Aircraft Cockpit Lighting Systems [CUST: TE]	A	ISDA		TE	15-JUL-2011
M	TOP-8-2-510A	Chemical and Biological Contamination Survivability (CBCS), Large Item Exteriors [CUST: TE]	A	ISDA		TE	21-MAR-2011
M	DI-MGMT-81502A NOT 1	Sample Chart A and Chart E Report for Aircraft [AMSC: F9015]	A	MGMT		11	05-JUL-2012
N	DI-MGMT-81864	Contracting Officer's Management Report [AMSC: N9268]	A	MGMT		SH	28-JUN-2012
M	DI-SAFT-80901A	Federal Aviation Administration Airworthiness Substantiation Data [AMSC: N9267]	A	SAFT		AS	28-JUN-2012
M	SD-1	Standardization Directory [CUST: AM NM 01 DH DC1] [REVIEW: DA]	A	STDZ		SO	01-JUL-2012
M	DI-TMSS-81515B	User's Manual for Gas Turbine Engine Steady-State and Transient Performance for Digital Computer Programs [AMSC: F9271]	A	TMSS		11	10-JUL-2012

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS27479G	Connector, Receptacle, Electrical, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	27-JUN-2012
M	MS27480H	Connectors, Plug, Electrical, Straight, Crimp Type, Bayonet Coupling, Series II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	27-JUN-2012
M	MIL-PRF-19500/193F(1)	Semiconductor Device, Diode, Silicon, Rectifier Types 1N457, 1N458, and 1N459, JAN [CUST: CR CC] [REVIEW: AR MI SM]	A	5961		CC	05-JUL-2012
M	MIL-DTL-3717C NOT 2	Weight, Sounding [CUST: SH GS1]	A	6605		GS1	05-JUL-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-T-52932D SUP 1 NOT 2	Trucks, Lift, Fork, Internal Combustion Engine, 2000-4000-6000 Pound Capacity, General Specification for (No S/S Document) [CUST: AT SA 99 IS] [REVIEW: 84 MC MT OS SM]	A	3930		IS	25-JUN-2012
M	MS24548J NOT 4	Hose Assembly, Tetrafluoroethylene, Oxygen (S/S by MIL-PRF-26626) [CUST: AV AS 71] [REVIEW: 11 99 CC]	A	4720		71	07-JUL-2012