Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 July 2015

(For the Period 1 July 2015 to 14 July 2015)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.dla.mil/ for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at https://assist.dla.mil/online/registration/registration.cfm.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: https://assist.dla.mil/online/news/AlertService.htm .								

ACTIVE SECTION

ASSIST UPDATE

_	CITYLBLCTION	ABBIST CLEATE					
NOI			DISTRIBUTION			>-	
ACT			IBU	REA		ACTY	
LAST ACTION			STR	FSC/AREA	MCA		
-	DOCUMENT NUMBER	DOCUMENT TITLE Cartridge, 81MM Practice - M879A1 W/Fuze, Practice - M751 Loading, Assembling and Packing		1315	Σ	AR	DATE 29-JUN-2015
	MIL-DTL-48635A(1)	[CUST: AR]					
1	MIL-DTL-48636A(1) MIL-DTL-71055B(1)	Body, Painted 81MM for Cartridge: Practice - M879A1 [CUST: AR] Body Assembly for Cartridge, 120MM Smoke, WP - M929 [CUST: AR]		1315 1315		AR AR	29-JUN-2015 19-JUN-2015
1	A-A-52532 NOT 2	Socket, Kingpin, Fifth Wheel - Universal [CUST: AT]		2510	/	AT	10-JUL-2015
1	A-A-52543 NOT 2	Fifth Wheel Assembly -36 Inch Universal, Truck-Tractor, 45000 Lbs. Capacity [CUST: AT MC 99]		2510	/	AT	10-JUL-2015
	MIL-DTL-62099D NOT 2 A-A-52595 NOT 2	Transmission, Hydraulic: Modified Automatic TX-100-1 [CUST: AT] Bit, Star, Rock Drill, X-Type, for Drifter Drills [CUST: AT MC 99] [REVIEW: 84]		2520 3820	/	AT AT	10-JUL-2015 10-JUL-2015
M	A-A-60004A	Truck, Lift, Platform, Engine-Driven, Telescoping Boom [CUST: AT 84] [REVIEW: 99 CC IS SH]	A		/	84	30-JUN-2015
M	A-A-52534 NOT 2	Slings, Cargo Net: (Nylon, Manila, or Polypropylene) (Metric) [CUST: AT MC 99] [REVIEW: 84 IS]	A	3940	/	AT	14-JUL-2015
1	A-A-52538 NOT 2	Hook, Log-Grab (127 by 203 Millimeters) [CUST: AT YD 99] [REVIEW: 71]	A		/	AT	10-JUL-2015
1	A-A-52555 NOT 2 MIL-PRF-20042F	Hook, Hoist, Burton-Style [CUST: AT] Flanges, Pipe, Bronze (Silver Brazing) [CUST: CR4 SH 99] [REVIEW: 71 CC OS YD]	A	4030 4730	/	AT SH	10-JUL-2015 13-MAY-2015
1	MS51952C NOT 2	Elbows, Pipe, Street, Brass or Bronze, Threaded, 90-Deg., Street, Class 125 [CUST: AR YD 99 CC] [REVIEW: AV CR4 MC]	l	4730		CC	29-JUN-2015
	A-A-52481 NOT 2	Gasket, Rubber, Synthetic [CUST: AT] [REVIEW: IS MI]		5330	/	AT	10-JUL-2015
	MIL-PRF-15160/15H(1) QPL-24236-37	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F15 [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CG CR4 MC MI OS] Switches, Thermostatic (Metallic and Bimetallic), General Specification for	A	5920 5930		CC	30-JUN-2015 29-JUN-2015
	MIL-DTL-24308/26M	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Screw-Lock		5935		CC	06-JUL-2015
M	MIL-DTL-55302/91F NOT 1	Assembly, Female [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH] Connectors, Printed Circuit Subassembly and Accessories: Plug, Straight-Thru, Hermaphroditic	A	5935		CC	15-JUL-2015
	MIL-DTL-55302/92F NOT 1	Contacts (.100 Inch Spacing) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] Connectors, Printed Circuit Subassembly and Accessories: Receptacle, Straight-thru, Hermaphroditic				CC	15-JUL-2015
	MIL-DTL-55302/93F NOT 1	Contacts (.100 Inch Spacing) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] Connectors, Printed Circuit Subassembly and Accessories: Plug, Insert (Insulator), Rectangular,		5935		CC	15-JUL-2015
		Polarized, Removable Crimp Type, Hermaphroditic Contacts (100 Inch Spacing) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI]					
M	MIL-DTL-55302/94F NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Receptacle, Insert (Insulator), Rectangular, Polarized, Removable. Crimp Type Hermaphroditic Contacts (.100 Inch Spacing) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI]	A	5935		CC	15-JUL-2015
M	MIL-DTL-55302/157B(1) NOT 2	Connectors, Printed Circuit Subassembly and Accessories: Plug, Straight Thru Contacts, 64 or 96 Contact Positions, for Printed Wiring Boards (.100 Inch Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	5935		CC	22-JUN-2015
M	MIL-DTL-83733/12E	Connectors, Electrical, Plug, Socket Contact, Miniature, Rectangular Type, Rack to Panel, Staggered Spring Mounting, Environment Resisting, 200 Degrees C [CUST: 85 CC] [REVIEW: 99]	A	5935		CC	01-JUL-2015
1	A-A-50305A	Connector Assembly, Electrical, In-Line [CUST: YD 99] [REVIEW: 85]	A		/	CC	10-JUL-2015
1	A-A-59289B NOT 1 MIL-PRF-28750/9G	Terminal, Stud, Feedthru, Double-Double [CUST: MI AS 85 GS4] Relay, Solid-State, Hermetically Sealed, Class II, Optically Isolated, Zero Voltage Turn-on, 1 Ampere (2 Amperes with Heat Sink), 400 HZ, Power Switching, SPST (N.O.) [CUST: EC 85 CC]	A A	5940 5945	/	GS4 CC	10-JUL-2015 02-JUL-2015
M	MIL-PRF-28750/10D	Relay, Solid-State, Sealed, Class I, Optically Isolated, Zero Voltage Turn-on, 25 Amperes, 250 V Maximum, 400 HZ, Power Switching, SPST (N.O.) [CUST: EC 85]	A	5945		CC	07-JUL-2015
M	MIL-PRF-39010E(1) SUP 1	Coil, Radio Frequency, Fixed, Molded, Established Reliability and Nonestablished Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MDA MI NA OS]	A	5950		CR	22-JUN-2015
M	MIL-PRF-19500/231R	Device, Diode, Switching, Silicon, Types 1N4150-1, 1N4150UR-1, 1N4150UB, 1N4150UBCA, 1N4150UBCC, 1N4150UBD, and 1N3600, Quality Levels JAN, JANTX, JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961		CC	26-JUN-2015
M	MIL-PRF-19500/251T	Transistor, NPN, Silicon, Switching, Types 2N2218, and 2N2219, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS MC MI SH SM]	A	5961		CC	25-JUN-2015
M	MIL-PRF-19500/391P	Transistor, NPN, Silicon, Low-Powder, Encapsulated (Through-Hole and Surface Mount), and Unencapsulated, Radiation Hardness Assurance, Device Types 2N3019, 2N3057A, AND 2N3700, Quality Levels JAN, JANTXV, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961		CC	26-JUN-2015
M	MIL-PRF-19500/580D	Transistor, PNP, Silicon Amplifier, Types 2N4234, 2N4235, and 2N4236, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI OS SM]	A	5961		CC	10-JUL-2015
M	MIL-PRF-19500/614K	Transistor, Field Effect Radiation Hardened N-Channel, Silicon, Types 2N7380, and 2N7381, JANTXV and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS MC OS SM]	A	5961		CC	02-JUL-2015
M	MIL-PRF-26542/1E(2) NOT 1	Microphone and Microphone Assemblies, M26542/1, M26542/1-01 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT CR4 OS]	A	5965		CC	07-JUL-2015
	MIL-PRF-26542/11B(2) NOT 2	Microphone and Microphone Assembly, M26542/11, and M26542/11-01 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT CR4 OS]		5965		CC	07-JUL-2015
	MIL-DTL-39030/3E(1)	Dummy Loads, Electrical, Coaxial, Type I (SMA), Low Power [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS AV MC MI OS SH]		5985		CC	10-JUL-2015
	MIL-DTL-39030/4A(1) NOT 1	Dummy Loads, Electrical, Coaxial, Type I (SMA), Medium Power [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS AV MC MI OS SH] Dummy Loads, Electrical, Coaxial, Type IV (TMC), Low Power (CUST: CR EC 85 CC) [REVIEW.		5985		CC	10-JUL-2015
	MIL-DTL-39030/5C(3) NOT 1 MIL-DTL-39030/6C(2)	Dummy Loads, Electrical, Coaxial, Type IV (TNC), Low Power [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS AV MC MI OS SH] Dummy Loads, Electrical, Coaxial, Type V (N), Low Power [CUST: CR EC 85 CC] [REVIEW: 11		5985 5985		CC	10-JUL-2015 10-JUL-2015
	MIL-DTL-39030/6C(2) MIL-DTL-39030/8A(1) NOT 1	Dummy Loads, Electrical, Coaxial, Type V (N), Low Power [CUS1: CR EC 85 CC] [REVIEW: 11 19 99 AS AV MC MI OS SH] Dummy Load, Electrical, Coaxial, Type IV (TNC), Medium Power [CUST: CR EC 85 CC]		5985		CC	10-JUL-2015
	A-A-55507B	[REVIEW: 11 19 99 AS AV MC MI OS SH] Clip, Electrical, Fuse General Requirements for [CUST: CR SH 99 CC] [REVIEW: 85]	A		/	CC	08-JUL-2015
M	MIL-DTL-83413/8E	Connectors and Assemblies, Electrical, Aircraft Grounding: Type IV Jumper Cable Assembly, Lead, Electrical [CUST: AV AS 85 CC] [REVIEW: 71 99 AR CR CR4 GS MC MI]	A	6150	,	CC	10-JUN-2015
	MIL-DTL-15098E SUP 1 NOT 1	Lamps, Glow, General Specification for [CUST: CR SH 99 GS] [REVIEW: 71 AR AS CG CR4 IS MC MI]		6240		GS2	14-JUL-2015
M	MIL-DTL-15098/10D NOT 1	Lamps, Glow, Indicator, Types B1A, B1AR, B2A and B2AR [CUST: CR SH 99 GS] [REVIEW: 71 AR AS CG CR4 IS MC MI]	A	6240		GS2	14-JUL-2015
	**** ***						

15-JUL-2015 1

ACTIVE SECTION

ASSIST UPDATE

ACTIVE SECTION	ASSIST OFDATE					
LAST ACTION LAST A		DISTRIBUTION	FSC/AREA	4	P ACTY	
O DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA	PREP	DATE
M MIL-DTL-15098/11C NOT 1	Lamps, Glow, Indicator, Types C7A, C9A, A1G, and A1H [CUST: CR SH 99 GS] [REVIEW: 71 AR AS CG CR4 IS MI]	A			GS2	14-JUL-2015
M MIL-DTL-15098/12C NOT 1	Lamp, Glow, Indicator, Type R1A [CUST: CR SH 99 GS] [REVIEW: 71 AR AS CG CR4 IS MC MI]	A	6240		GS2	14-JUL-2015
M A-A-59303B	Talc, Technical [CUST: EA 68 GS] [REVIEW: MD1]	A	6810	/	GS3	01-JUL-2015
M MIL-PRF-25567E NOT 3 M MIL-DTL-18264E	Leak Detection Compound, Oxygen Systems [CUST: AV AS 68 GS] [REVIEW: 20 EA MI] Finishes, Organic, Weapons System, Application and Control of [CUST: CR4 AS 20] [REVIEW: 84 AT AV MI MR]		6850 8010		GS3 AS	10-JUL-2015 29-JUN-2015
M A-A-59295 NOT 2	Corrosion Preventive Compounds, Cold Application (for New and Fielded Motor Vehicles and Trailers) [CUST: AT YD 99] [REVIEW: 84 AR CR4 MR]	A	8030	/	AT	10-JUL-2015
M MIL-DTL-3943/77K	Decoration, Exceptional Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW: CT]	A	8455		IH	26-JUN-2015
M MIL-DTL-3943/78L	Decoration, Meritorious Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW: CT]	A	8455		IH	26-JUN-2015
M MIL-DTL-3943/106G M MIL-DTL-3943/126G	Decoration, Public Service Commendation Medal, U.S. Army [CUST: IH] [REVIEW: CT] Decoration, Superior Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW:		8455 8455		IH IH	26-JUN-2015 26-JUN-2015
M MIL-DTL-11484/29K	CT] Lapel Button, Exceptional Civilian Service Award, Defense Logistics Agency [CUST: IH]	A	8455		IH	26-JUN-2015
M MIL-DTL-11484/139D	[REVIEW: CT] Lapel Button, Public Service Commendation Medal, U.S. Army [CUST: IH] [REVIEW: CT]	_	8455		IH	26-JUN-2015
M MIL-DTL-11484/200E	Lapel Button, Meritorious Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW: CT]	A	8455		IH	26-JUN-2015
M MIL-DTL-11484/201C	Lapel Button, Superior Civilian Service Award, Defense Logistics Agency [CUST: IH] [REVIEW: CT]		8455		IH	26-JUN-2015
M MIL-DTL-11589/280F M MIL-DTL-11589/281E	Ribbon, Achievement Medal, U.S. Army [CUST: IH] [REVIEW: CT] Ribbon, Army Service [CUST: IH] [REVIEW: CT]	A	8455 8455		IH IH	26-JUN-2015 26-JUN-2015
M MIL-DTL-11589/283E	Ribbon, Army NCO Professional Development [CUST: IH] [REVIEW: CT]	A			IH	26-JUN-2015
M MIL-DTL-11589/285E M MIL-DTL-11589/286E	Ribbon, Outstanding Service Medal, Uniformed Services University of the Health Sciences [CUST: IH NU 11] [REVIEW: CG1 CT MC] Ribbon, Outstanding Career Achievement Award, U.S.A.I.D., U.S. Department of State [CUST: IH]		8455 8455		IH	07-JUL-2015 26-JUN-2015
M MIL-DTL-11589/291E	[REVIEW: CT] Ribbon, Public Service Commendation Medal, U.S. Army [CUST: IH] [REVIEW: CT]		8455		IH	26-JUN-2015
M MIL-DTL-32221B	Filled Bakery Item, Shelf Stable, for Operational Rations [CUST: GL SA 35] [REVIEW: FV MC MD QM SS]		8920		GL	02-JUL-2015
M MIL-PRF-81329E	Lubricant, Solid Film, Extreme Environment, NATO Code Number S-1737 [CUST: AV AS 20 GS] [REVIEW: 68 AT OS]		9150		GS3	29-JUL-2015
M DI-EMCS-81540B NOT 1	Electromagnetic Environmental Effects (E3) Integration and Analysis Report (E31AR) [AMSC: F9154]	A	EMCS		11	10-JUL-2015
M DI-EMCS-81541B NOT 1	Electromagnetic Environmental Effects (E3) Verification Procedures (E3VP) [AMSC: F9155]		EMCS		11	10-JUL-2015
M DI-EMCS-81542B NOT 1 M DI-EMCS-81827 NOT 1	Electromagnetic Environmental Effects (E3) Verification Report (E3VR) [AMSC: F9156] Spectrum Certification Spectral Characteristics Data [AMSC: F9157]	A	EMCS EMCS		11 11	10-JUL-2015 10-JUL-2015
M MIL-STD-871C	Electro-Chemical Stripping of Inorganic Finishes [CUST: 70]	A	MFFP		70	30-JUN-2015
M SD-1	Standardization Directory [CUST: AM NM 01 DH DC1] [REVIEW: DA]	A	STDZ		SO	01-JUL-2015
15 HH 2015						

15-JUL-2015 2

INACTIVE SECTION

ASSIST UPDATE

DOCUMENT VISIABLE DOCUMENT TITLE	INACTIVE SECTION	ASSIST OFDATE					
M MIL-F-8815/22A NOT 2 Filter Element, Noncleanable, Fluid Pressure, Hydraulic Line, 3000 PSL, Micron Absolute, -65 A 1650 AS 01-JUL-2015	Z O		NOI			×.	
M MIL-F-8815/22A NOT 2 Filter Element, Noncleanable, Fluid Pressure, Hydraulic Line, 3000 PSL, Micron Absolute, -65 A 1650 AS 01-JUL-2015			BUT	ΈA		CT	
M MIL-F-8815/22A NOT 2 Filter Element, Noncleanable, Fluid Pressure, Hydraulic Line, 3000 PSL, Micron Absolute, -65 A 1650 AS 01-JUL-2015 M MIL-F-8815/23 NOT 1 Degrees to +275 Degrees a Pain-whiet, F14 Aircraft, 30 GPM; CUST: AS GS] [REVIEW: CC] A 1650 AS 01-JUL-2015 M MIL-DTL-62270B NOT 2 Chassis, Tank: Armored Vehicle Bridge Launcher, M48A5 [CUST: AS GS] [REVIEW: CC] A 2350 AT 26-JUN-2015 M MIL-C-3874K NOT 2 Compressors, Reciprocating and Rotary, Air, Electric Motor Driven [CUST: AT YD] [REVIEW: CC] A 4310 AT 10-JUL-2015 M MIL-C-52980B NOT 2 Compressor, Reciprocating and Rotary Gasoline-Engine-Driven, Air [CUST: AT YD] [REVIEW: CA A 4310 AT 10-JUL-2015 M MIL-DTL-18866J Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AT ROS 99 CC] [REVIEW: 71 AS AT AV GL MC MISH YD] Adapter, 37 Degree Flare, Female Swivel to Weld Socket, 34 Inch to 1 Inch [CUST: AT SH 99 CC] A 4730 CC 25-JUN-2015 M MS51503B Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] A 4730 CC 25-JUN-2015 M MIL-C-46793C NOT 4 Elbow, Pipe to Tube, 90 Degrees, Male Pipe End, 37 Degree Flar	A LIST W		TRI	Z/AR	Ą	EP A	
Degrees to +275 Degrees Fahrenheit, F14 Aircraft, 12 GPM [CUST: AS GS] [REVIEW: CC]	DOCUMENT NUMBER	DOCUMENT TITLE			MC	PR	DATE
65 to Plus 275 Degrees Fahrenheit, F14 Aircraft, 30 GPM [CUST: AS GS] [REVIEW: CC]		Degrees to +275 Degrees Fahrenheit, F14 Aircraft, 12 GPM [CUST: AS GS] [REVIEW: CC]					
M MIL-C-13874K NOT 2 Compressors, Reciprocating and Rotary, Air, Electric Motor Driven [CUST: AT YD] [REVIEW: CC] A 4310 AT 10-JUL-2015 M MIL-C-52980B NOT 2 Compressor, Reciprocating and Rotary Gasoline-Engine-Driven, Air [CUST: AT YD] [REVIEW: CC] A 4310 AT 10-JUL-2015 M MIL-DTL-18866J Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS 99 CC] [REVIEW: 71 AS AT AV GL MC MI SH YD] A 4730 CC 25-JUN-2015 M MS39322A Adapter: 37 Degree Flarer, Female Swivel to Weld Socket, 3/4 Inch to 1 Inch [CUST: AT SH 99 CC] [REVIEW: 71 AR AC GM CS SA] A 4730 CC 25-JUN-2015 M MS51503B Adapter: 37 Degree Flarer, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS CG MC SA] A 4730 CC 25-JUN-2015 M MS51504B Elbow, Pipe to Tube, 90 Degrees, Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS CG MC SA] A 4730 CC 25-JUN-2015 M MIL-C-46793C NOT 4 Cupola Body Assembly for Armored Vehicle Bridge Launcher, M60A1 and M48A5 Tank Chassis [CUST: AT] [REVIEW: CC] A 4730 CC 25-JUN-2015 M MIL-S-52325D NOT 5 Bridge, Armored-Vehicle-Launched, Scissoring-Type: Class 60, Aluminum, 60-Foot Span [CUST: AT] [REVIEW: CC] A 5420 AT 10-JUL-2015 M MIL-C-52325D NOT 5 Launcher, Transporter, Bridge, M48A5 or M60A1 Tank Chassis [CUST: AT] [REVIEW: CC] <td></td> <td>65 to Plus 275 Degrees Fahrenheit, F14 Aircraft, 30 GPM [CUST: AS GS] [REVIEW: CC]</td> <td></td> <td></td> <td></td> <td></td> <td></td>		65 to Plus 275 Degrees Fahrenheit, F14 Aircraft, 30 GPM [CUST: AS GS] [REVIEW: CC]					
M MIL-DTL-18866J Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS 90 CC] [REVIEW: 71 AS AT AV GL MC MI SH YD] M MS39322A Adapter, 37 Degree Flare, Female Swivel to Weld Socket, 3/4 Inch to 1 Inch [CUST: AT SH 99 CC] M MS51503B Adapter, 37 Degree Flare, Female Swivel to Weld Socket, 3/4 Inch to 1 Inch [CUST: AT SH 99 CC] M MS51503B Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] M MS51504B Ellow, Pipe to Tube, 90 Degrees, Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] M MIL-C-46793C NOT 4 Ellow, Pipe to Tube, 90 Degrees, Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] M MIL-G-46793C NOT 4 Cupola Body Assembly for Armored Vehicle Bridge Launcher, M60A1 and M48A5 Tank Chassis [CUST: AT] [REVIEW: CC] M MIL-S-52088F NOT 4 Bridge, Armored-Vehicle-Launched, Scissoring-Type: Class 60, Aluminum, 60-Foot Span [CUST: AT] [REVIEW: CC] M MIL-S-52159C NOT 4 Sling, Multiple Leg., 625 Inch By 6-Foot Chain, With Special Hooks and Ring [CUST: AT] A 5420 AT 10-JUL-2015 M MIL-S-2325D NOT 5 Launcher, Transporter, Bridge, M48A5 or M60A1 Tank Chassis [CUST: AT] A 5420 AT 10-JUL-2015 M MIL-S-523464C NOT 4 Cylinder Assemblies, Actuating, Linear: Hydraulic, for Bridge and Bridge Launcher [CUST: AT] A 5420 AT 10-JUL-2015 M MIL-S-3325D NOT 5 Launcher, Transporter, Bridge, M48A5 or M60A1 Tank Chassis [CUST: AT] A 5420 AT 10-JUL-2015 M MIL-S-18425A(1) NOT 1 Radar Set AN/APS 116 [CUST: AS] [REVIEW: GS] A 5841 AS 27-JUN-2015 M MIL-DTL-52286/FB NOT 1 Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 M MIL-DTL-52286/FB NOT 1 Indicator, Turn and Slip, 28V DC, 1-78 Inch Dial [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MIL-DTL-51461A Tester, AirFlow-Gas Particulate Filter Unit, May [CUST: AV AS 99 GS] [REVIEW: 71] A 6600 GS1 10-JUL-2015 M MI		Compressors, Reciprocating and Rotary, Air, Electric Motor Driven [CUST: AT YD] [REVIEW: CC					
99 CČ [RÉVIEW: 71 AS AT AV GL MC MI SH YD]	M MIL-C-52980B NOT 2		A	4310		AT	10-JUL-2015
REVIEW: 71 ÅR CG MC SA Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] A 4730 CC 25-JUN-2015		99 CČ] [RÉVIEW: 71 AS AT AV GL MC MI SH YD]					
REVIEW: 71 AR AS CG MC SA		[REVIEW: 71 ÅR CG MC SA]					
REVIEW: 71 AR AS CG MC SA M MIL-C-46793C NOT 4 Cupola Body Assembly for Armored Vehicle Bridge Launcher, M60A1 and M48A5 Tank Chassis CUST: AT REVIEW: CC M MIL-B-52088F NOT 4 Bridge, Armored-Vehicle-Launched, Scissoring-Type: Class 60, Aluminum, 60-Foot Span [CUST: A 5420 AT 10-JUL-2015 AT [REVIEW: CC] AT REVIEW: CC M MIL-S-52159C NOT 4 Sling, Multiple Leg., 625 Inch By 6-Foot Chain, With Special Hooks and Ring [CUST: AT] A 5420 AT 10-JUL-2015 REVIEW: CC AT REVIEW: CC M MIL-L-52325D NOT 5 Launcher, Transporter, Bridge, M48A5 or M60A1 Tank Chassis [CUST: AT] A 5420 AT 10-JUL-2015 Cylinder Assemblies, Actuating, Linear: Hydraulic, for Bridge and Bridge Launcher [CUST: AT] A 5420 AT 10-JUL-2015 REVIEW: CC A 5420 AT 10-JUL-2015 A 5420 AT 10-JUL-2015 REVIEW: CC A 5420 AT 10-JUL-2015		[REVIEW: 71 AR AS CG MC SA]					
CÜST: AT] [REVIEW: CC] Bridge, Armored-Vehicle-Launched, Scissoring-Type: Class 60, Aluminum, 60-Foot Span [CUST: A 5420 AT 10-JUL-2015 AT] [REVIEW: CC] M MIL-S-52159C NOT 4 Sling, Multiple Leg625 Inch By 6-Foot Chain, With Special Hooks and Ring [CUST: AT] A 5420 AT 10-JUL-2015 [REVIEW: CC] M MIL-L-52325D NOT 5 Launcher, Transporter, Bridge, M48A5 or M60A1 Tank Chassis [CUST: AT] A 5420 AT 10-JUL-2015 Cylinder Assemblies, Actuating, Linear: Hydraulic, for Bridge and Bridge Launcher [CUST: AT] A 5420 AT 10-JUL-2015 REVIEW: CC] M MIL-R-81648B NOT 1 Radar Set AN/APS 116 [CUST: AS] [REVIEW: GS] A 5841 AS 27-JUN-2015 M MIL-DTL-83425A(1) NOT 1 Earcup, Sound Protective MX-8376/AR [CUST: 99 CC] [REVIEW: 85] A 5965 CC 19-JUN-2015 M MIL-DTL-52286/7B NOT 1 Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 M MIL-DTL-7627G NOT 1 Indicator, Turn and Slip, 28V DC [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MIL-DTL-51461A Tester, AirFlow-Gas Particulate Filter Unit, M39 [CUST: EA] C 6680 EA 29-JUN-2015 M MIL-17075A NOT 1 Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015 A 601-2015 Cable Assembly and contact the properature of the properature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015 Cable Assembly and contact the properature in the properature i		[REVIEW: 71 AR AS CG MC SA]					
AT] [REVIEW: CC] M MIL-S-52159C NOT 4 Sling, Multiple Leg, .625 Inch By 6-Foot Chain, With Special Hooks and Ring [CUST: AT] A 5420 AT 10-JUL-2015 [REVIEW: CC] M MIL-L-52325D NOT 5 Launcher, Transporter, Bridge, M48A5 or M60A1 Tank Chassis [CUST: AT] A 5420 AT 10-JUL-2015 [REVIEW: CC] M MIL-C-52464C NOT 4 Cylinder Assemblies, Actuating, Linear: Hydraulic, for Bridge and Bridge Launcher [CUST: AT] A 5420 AT 10-JUL-2015 [REVIEW: CC] M MIL-R-81648B NOT 1 Radar Set AN/APS 116 [CUST: AS] [REVIEW: GS] A 5841 AS 27-JUN-2015 [REVIEW: AS] [REVIEW: AS] [REVIEW: AS] A 5965 CC 19-JUN-2015 [REVIEW: AS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 [A MIL-DTL-52286/18A NOT 1 Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 [A MIL-DTL-7627G NOT 1 Indicator, Turn and Slip, 28V DC [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 [A MIL-M-24579A NOT 1 Measuring System, Submarine Storage Battery Current (Metric) [CUST: AV SH] A 6625 SH 30-JUN-2015 [M MIL-DTL-51461A Tester, AirFlow-Gas Particulate Filter Unit, M39 [CUST: EA] C 6680 EA 29-JUN-2015 [Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015		[CÜST: AT] [REVIEW: CC]					
REVIEW: CC M MIL-L-52325D NOT 5 Launcher, Transporter, Bridge, M48A5 or M60A1 Tank Chassis [CUST: AT] A 5420 AT 10-JUL-2015 M MIL-C-52464C NOT 4 Cylinder Assemblies, Actuating, Linear: Hydraulic, for Bridge and Bridge Launcher [CUST: AT] A 5420 AT 10-JUL-2015 M MIL-R-81648B NOT 1 Radar Set AN/APS 116 [CUST: AS] [REVIEW: GS] A 5841 AS 27-JUN-2015 M MIL-DTL-83425A(1) NOT 1 Earcup, Sound Protective MX-8376/AR [CUST: 99 CC] [REVIEW: 85] A 5965 CC 19-JUN-2015 M MIL-DTL-52286/7B NOT 1 Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 M MIL-DTL-52286/18A NOT 1 Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 M MIL-DTL-7627G NOT 1 Indicator, Turn and Slip, 28V DC [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MS28041H NOT 1 Indicator, Turn and Slip, 28V DC, 1-7/8 Inch Dial [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MIL-DTL-51461A Tester, AirFlow-Gas Particulate Filter Unit, M39 [CUST: EA] A 6625 SH 30-JUN-2015 M MIL-1-7075A NOT 1 Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015 Color Col		AT] [REVIEW: CC]					
M MIL-C-52464C NOT 4 Cylinder Assemblies, Actuating, Linear: Hydraulic, for Bridge and Bridge Launcher [CUST: AT] A 5420 AT 10-JUL-2015 M MIL-R-81648B NOT 1 Radar Set AN/APS 116 [CUST: AS] [REVIEW: GS] A 5841 AS 27-JUN-2015 M MIL-DTL-83425A(1) NOT 1 Earcup, Sound Protective MX-8376/AR [CUST: 99 CC] [REVIEW: 85] A 5965 CC 19-JUN-2015 M MIL-DTL-52286/7B NOT 1 Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 M MIL-DTL-7627G NOT 1 Indicator, Turn and Slip, 28V DC [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MS28041H NOT 1 Measuring System, Submarine Storage Battery Current (Metric) [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MIL-DTL-51461A Tester, AirFlow-Gas Particulate Filter Unit, M39 [CUST: EA] C 6680 EA 29-JUN-2015 M MIL-1-7075A NOT 1 Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015		[REVIEW: CC]					
M MIL-DTL-83425A(1) NOT 1 Earcup, Sound Protective MX-8376/AR [CUST: 99 CC] [REVIEW: 85] A 5965 CC 19-JUN-2015 M MIL-DTL-52286/7B NOT 1 Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 M MIL-DTL-52286/18A NOT 1 Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 M MIL-DTL-7627G NOT 1 Indicator, Turn and Slip, 28V DC [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MS28041H NOT 1 Indicator, Turn and Slip, 28V DC, 1-7/8 Inch Dial [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MIL-M-24579A NOT 1 Measuring System, Submarine Storage Battery Current (Metric) [CUST: AV SH] A 6625 SH 30-JUN-2015 M MIL-JT-7075A NOT 1 Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015	1	Cylinder Assemblies, Actuating, Linear: Hydraulic, for Bridge and Bridge Launcher [CUST: AT]					
M MIL-DTL-52286/7B NOT 1 Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 M MIL-DTL-52286/18A NOT 1 Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 M MIL-DTL-7627G NOT 1 Indicator, Turn and Slip, 28V DC [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MS28041H NOT 1 Indicator, Turn and Slip, 28V DC, 1-7/8 Inch Dial [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MIL-M-24579A NOT 1 Measuring System, Submarine Storage Battery Current (Metric) [CUST: AV SH] A 6625 SH 30-JUN-2015 M MIL-DTL-51461A Tester, AirFlow-Gas Particulate Filter Unit, M39 [CUST: EA] C 6680 EA 29-JUN-2015 M MIL-1-7075A NOT 1 Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015		Radar Set AN/APS 116 [CUST: AS] [REVIEW: GS]	1				
M MIL-DTL-52286/18A NOT 1 Cable Assembly, Power, Electrical [CUST: CR4 GS] [REVIEW: AT] A 6150 GS1 10-JUL-2015 M MIL-DTL-7627G NOT 1 Indicator, Turn and Slip, 28V DC [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MS28041H NOT 1 Indicator, Turn and Slip, 28V DC, 1-7/8 Inch Dial [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MIL-M-24579A NOT 1 Measuring System, Submarine Storage Battery Current (Metric) [CUST: AV SH] A 6625 SH 30-JUN-2015 M MIL-DTL-51461A Tester, AirFlow-Gas Particulate Filter Unit, M39 [CUST: EA] C 6680 EA 29-JUN-2015 M MIL-1-7075A NOT 1 Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015	* *	1 2	1				
M MIL-DTL-7627G NOT 1 Indicator, Turn and Slip, 28V DC [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MS28041H NOT 1 Indicator, Turn and Slip, 28V DC, 1-7/8 Inch Dial [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MIL-M-24579A NOT 1 Measuring System, Submarine Storage Battery Current (Metric) [CUST: AV SH] A 6625 SH 30-JUN-2015 M MIL-DTL-51461A Tester, AirFlow-Gas Particulate Filter Unit, M39 [CUST: EA] C 6680 EA 29-JUN-2015 M MIL-1-7075A NOT 1 Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015			1				
M MS28041H NOT 1 Indicator, Turn and Slip, 28V DC, 1-7/8 Inch Dial [CUST: AV AS 99 GS] [REVIEW: 71] A 6610 GS1 10-JUL-2015 M MIL-M-24579A NOT 1 Measuring System, Submarine Storage Battery Current (Metric) [CUST: AV SH] A 6625 SH 30-JUN-2015 M MIL-DTL-51461A Tester, AirFlow-Gas Particulate Filter Unit, M39 [CUST: EA] C 6680 EA 29-JUN-2015 Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015			1				
M MIL-M-24579A NOT 1 Measuring System, Submarine Storage Battery Current (Metric) [CUST: AV SH] M MIL-DTL-51461A Tester, AirFlow-Gas Particulate Filter Unit, M39 [CUST: EA] M MIL-I-7075A NOT 1 Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015			1				
M MIL-DTL-51461A Tester, AirFlow-Gas Particulate Filter Unit, M39 [CUST: EA] C 6680 EA 29-JUN-2015 M MIL-I-7075A NOT 1 Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015	1		1				
M MIL-I-7075A NOT 1 Indicator, Temperature, Electrical Resistance, Multifunction, -50 Degrees to +50 Degrees C, 2-Inch A 6685 AS 01-JUL-2015							
Size [CUST: AV AS] [REVIEW: GS]			A				

15-JUL-2015

CANCELED SECTION

ASSIST UPDATE

CANCELED SECTION	ASSIST UPDATE				
Z OL DOCUMENT NUMBER		DISTRIBUTION	FSC/AREA	MCA PREP ACTY	
AST		IST	SC//	MCA PREP	
DOCUMENT NUMBER M MIL-C-52437/1 NOT 2	DOCUMENT TITLE Chassis, Trailer, Size 1, CCE (No S/S Document) [CUST: AT 99] [REVIEW: 84]	A		≥ ⊑ AT	DATE 07-JUL-2015
M MIL-C-52437/1 NOT 2 M MIL-C-52437/2 NOT 2	Chassis, Trailer, Size 1, CCE (No S/S Document) [CUST: AT 99] [REVIEW: 84] Chassis, Trailer, Size 3, CCE (No S/S Document) [CUST: AT 99] [REVIEW: 84]		2330	AT AT	07-JUL-2015 07-JUL-2015
M MIL-C-52437/3 NOT 2	Chassis, Trailer, Size 4, CCE (No S/S Document) [CUST: AT 99] [REVIEW: 84]	A		AT	07-JUL-2015
M MIL-T-40632B NOT 1	Truck, Forklift, Diesel Engine Driven, 120 Inch (3050 MM) Lift Height, DS Safety Rated, Pneumatic Rubber Tires, Rough Terrain, for Shipboard Use (S/S By A-A-59492) [CUST: CR4 SA 99] [REVIEW: 84 AT CC IS MT OS]	A	3930	SA	13-JUL-2015
M ASTM-F1040	Filter Units, Air Conditioning: Viscous-Impingement and Dry Types, Replaceable (No S/S	A	4130	IS	14-JUL-2015
M ASTM-D2481	Document) [CUST: MI YD] [REVIEW: EA GS] Wood Preservatives for Marine Services by Means of Small-Size Specimens, Accelerated Evaluation of, Standard Test Method of (No S/S Document) [CUST: CR4 SH 99 CC] [REVIEW: 84 CE]	A	5510	IS	14-JUL-2015
M ASTM-D529	Materials, Bituminous, Enclosed Carbon-Arc Exposures of (No S/S Documents) [CUST: CR4 YD		5610	IS	14-JUL-2015
M ASTM-D3441	99 IS] [REVIEW: CE MC] Soil, Mechanical Cone Penetration Tests of (No S/S Document) [CUST: CR4 YD 99 IS] [REVIEW:	A	5610	IS	14-JUL-2015
M ASTM-D225	84 MC] Asphalt Shingles (Organic Felt) Surfaced with Mineral Granules (No S/S Documents) [CUST: CR4	A	5650	IS	14-JUL-2015
M MIL-I-26299G NOT 3	YD] [REVIEW: CE MC] Indicator, Rate of Flow, 0-5,000 PPH, Integrally Lighted (No S/S Document) [CUST: AS 71]	A	6620	71	30-JUN-2015
M MIL-I-38391(4) NOT 3	[REVIEW: 99 GS] Indicator, Electrical Tachometer, ERU-12/A 0-350 RPM (Rotor), 0-7000 RPM (Engine) (No S/S	A	6620	71	30-JUN-2015
M MIL-PRF-87978A NOT 1	Document) [CUST: 71] [REVIEW: 99 GS]	A		184	07-JUL-2015
M MIL-HDBK-223 NOT 3	Remover, Paint, Epoxy and Polyurethane Systems, Tank Type, Ambient Temperature, for Aircraft Wheels and Landing Gear Components (No S/S Document) [CUST: 184] [REVIEW: 99] Coded List of Materials (No S/S Document) [CUST: AR SA 11]		DRPR	SA	13-JUL-2015
M IEEE1220	Application and Management of the Systems Engineering Process, Standard for (S/S by ISO26702) [CUST: AM AS 10 SE] [REVIEW: 01 08 11 16 19 24 33 94 AC AR AV CC CG CH CR DC1 DC5		SESS	SE	07-JUL-2015
M ISO15288	DH DMS MA MC MDA MI NS OS PT SA SH SO SY TE USTC]		SESS	SE	06-JUL-2015
M 15O13288	Systems and Software Engineering - System Life Cycle Processes (S/S by IEEE15288 and IEEE15288.1) [CUST: AM NM 19 SE] [REVIEW: 01 08 11 16 19 24 33 94 AC AR AV CC CG CH CR DC1 DC5 DH DMS MA MC MDA MI NS OS PT SA SH SO SY TE TM USTC]	A	SESS	SE	00-JUL-2013
15-IUL-2015	4				

15-JUL-2015