

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 June 2011

(For the Period 1 June 2011 to 14 June 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
N	A-A-59884	E-Track Ratchet Strap, Cargo, Tie Down Assembly [CUST: AS 84]	A	1670	/	84	06-JUN-2011
N	MIL-STD-3038	Test Methods for Ballistic Defeat Materials [CUST: SH 99] [REVIEW: CC]	A	2040		SH	18-MAY-2011
M	MIL-STD-1179E	Lamps, Reflectors and Associated Signaling Equipment for Military Vehicles [CUST: AT MC 99]	A	23GP		AT	13-JUN-2011
M	A-A-55748 NOT 3	Sprayers, Insecticide, Manually-Carried: Hand-Operated-Compression [CUST: MD YD 99 GS] [REVIEW: 84 CG MC MS]	A	3740	/	GS3	02-JUN-2011
M	MIL-PRF-51193F	Filter, Gas, 10 CFM, M18A1 [CUST: EA]	X	4240		EA	08-JUN-2011
M	A-A-52506C NOT 1	Clamps, Hose [CUST: AT YD 99] [REVIEW: 11 84 AR AS AV CC MC MI SH]	A	4730	/	AT	08-JUN-2011
M	MIL-PRF-26139D	Tester, Pressurized Cabin Leakage, Aircraft, (AF/M24T-3 AND AF/M32T-1) [CUST: 99]	A	4920		84	06-JUN-2011
M	A-A-59828B	Oil Cooling Cart [CUST: 84]	A	4920	/	84	06-JUN-2011
M	A-A-59862B	Test Set, Radar Pressurizing (Portable, Shock Mounted) [CUST: 84] [REVIEW: 99]	A	4920	/	84	06-JUN-2011
M	AN510 REV 7	Screw, Machine, Flat Head, 82 Degree, Fine Thread [CUST: AV AS 99 IS] [REVIEW: MI]	A	5305		IS	02-JUN-2011
M	MS90311M	Switch, Toggle, Positive Break, Miniature Toggle Sealed, Solder Lug, Double Pole, .469 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV EC MI]	A	5930		CC	09-JUN-2011
M	MIL-PRF-39012/35H	Connectors, Plug, Electrical, Coaxial, Radio Frequency (Series SC (Cabled), Pin Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV EA MC MI OS SA SH]	A	5935		CC	08-JUN-2011
M	MIL-PRF-39012/38J	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency (Series SC (Cabled), Socket Contact, Flange Mounted, Rear Mounted, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	08-JUN-2011
M	MIL-PRF-39012/39H	Connectors, Plugs, Electrical, Coaxial, Radio Frequency (Series SC (Cabled), Pin Contact, Right Angle, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	08-JUN-2011
M	MIL-PRF-39012/56G	Connectors, Plugs, Electrical, Coaxial, Radio Frequency (Series SMA (Cabled) - Plug, Pin Contact, Right Angle, Class 2) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT EA MC MI OS SH]	A	5935		CC	08-JUN-2011
M	MIL-DTL-83723/85G(1)	Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Single Hole Mount, Threaded Coupling, Crimp Pin Contact), (Series III, Classes A, G, K, M, N, R, S, T, W and Z) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MI]	A	5935		CC	06-JUN-2011
M	MIL-DTL-83723/90F(1)	Connectors, Electrical, (Circular, Environment Resisting), Receptacle, (Solder or Weld Flange Mount, Threaded Coupling, Solder Pin Contact), (Series III, Classes H, J, L, N, P and Y) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MI]	A	5935		CC	06-JUN-2011
M	MS90561G(2)	Grip, Cable, Woven, Strain Relief, Axial [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG CR4 MC MI OS]	A	5935		CC	06-JUN-2011
N	A-A-59125/18	Terminal Board, Molded, Barrier, Stud Type, Class 13TB [CUST: CR SH 85] [REVIEW: AS GS]	A	5940	/	SH	03-JUN-2011
M	A-A-59126A	Terminals, Feedthru (Insulated) and Terminals, Stud (Insulated and Noninsulated) [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/1A	Terminals, Feedthru (Insulated) Style FT01 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/2A	Terminals, Feedthru (Insulated) Style FT02 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/3A	Terminals, Feedthru (Insulated) Style FT03 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/4A	Terminals, Feedthru (Insulated) Style FT04 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/5A	Terminals, Feedthru (Insulated) Style FT05 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/6A	Terminals, Feedthru (Insulated) Style FT06 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/7A	Terminals, Stud (Insulated) Style SE07 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/8A	Terminals, Stud (Insulated) Style SE08 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/9A	Terminals, Stud (Insulated) Style SE09 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/10A	Terminals, Stud (Insulated) Style SE10 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/11A	Terminals, Stud (Insulated) Style SE11 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/12A	Terminals, Stud (Insulated) Style SE12 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/13A	Terminals, Stud (Insulated) Style SE13 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/14A	Terminals, Stud (Insulated) Style SE14 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/15A	Terminals, Stud (Noninsulated) Style SE15 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/17A	Terminals, Stud (Noninsulated) Style SE17 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/18A	Terminals, Stud (Insulated) Style SE18 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/19A	Terminals, Stud (Insulated) Style SE19 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/20A	Terminals, Stud (Insulated) Style SE20 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/21A	Terminals, Stud (Insulated) Style SE21 [CUST: CR EC 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/22A	Terminals, Stud (Insulated) Style SE22 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/23A	Terminals, Stud (Noninsulated) Style SE23 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/24A	Terminals, Stud (Noninsulated) Style SE24 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/25A	Terminals, Stud (Noninsulated) Style SE25 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	A-A-59126/26A	Terminals, Stud (Noninsulated), (Circular, Ground) Style SE26 [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2011
M	MIL-PRF-6106/38D	Relay, Electromagnetic, Type I, Magnetic Latch, Permanent Magnet Drive, Low Level to 5 Amperes, 2PDT, Hermetically Sealed [CUST: 85 CC] [REVIEW: 99]	A	5945		CC	07-JUN-2011
M	MS27243K	Relay, 10 AMP, 4PDT, Sealed, Class O [CUST: AS 85 CC] [REVIEW: 99]	A	5945		CC	07-JUN-2011
M	MIL-PRF-19500/337K(3)	Semiconductor Device, Diode, Silicon, Switching, Types 1N4153-1, 1N4153UR-1, 1N4153UB, 1N4153UBCA, 1N4153UBCC, 1N4153UBD, 1N4534, and 1N4534UB, JAN, JANTX, JANTXV, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MI SM]	A	5961		CC	03-JUN-2011
M	MIL-PRF-19500/349J	Semiconductor Device, Transistor, NPN, Silicon, Switching, Types 2N3506, 2N3506A, 2N3506L, 2N3506AL, 2N3506U4, 2N3506AU4, 2N3507, 2N3507L, 2N3507A, 2N3507AL, 2N3507U4, AND 2N3507AU4, JAN, JANTX, JANTXV, JANS, JANSM, JANSJ, JANSK, JANSR, JANSF, JANSF, JANSJ, JANSH, JANHC, JANKCA, JANKCAM, JANKCAD, JANKCAF, JANKCAL, JANKCAR, JANKCAF, JANKCAG, and JANKCAH [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AV MC MI]	A	5961		CC	10-JUN-2011
M	MIL-PRF-19500/516F	Semiconductor Device, Diode Silicon, Bipolar Transient Voltage Suppressor, Types 1N6102 Through 1N6137, 1N6102A Through 1N6137A, 1N6138 Through 1N6173, 1N6138A Through 1N6173A, 1N6102US Through 1N6137US, 1N6102AUS Through 1N6137AUS, 1N6138US Through 1N6173US, 1N6138AUS Through 1N6173AUS, 1N6102URS Through 1N6137URS, 1N6102AURS Through 1N6137AURS, 1N6138URS Through 1N6173URS, 1N6138AURS Through 1N6173AURS, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA]	A	5961		CC	07-JUN-2011
M	MIL-PRF-19500/601H	Semiconductor Device, Field Effect Radiation Hardened (Total Dose Only) Transistors, N-Channel, Silicon, Types 2N7261 and 2N7262 and U Suffixes, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 19 70 MI]	A	5961		CC	10-JUN-2011

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-PRF-19500/662D	Semiconductor Device, Transistor, Field Effect Radiation Hardened (Total Dose Only), P-Channel, Silicon, Types 2N7422, 2N7422U, 2N7423, and 2N7423U, JANTXVR and F and JANSR and F [CUST: CR EC 85 CC NA]	A 5961		CC	06-JUN-2011
N	MIL-PRF-19500/759	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Dual Transistor, N-Channel and P-Channel, Logic-Level Silicon Types 2N7632UC, JANTXVR, F, and JANSR, F [CUST: CR EC 85 CC NA]	A 5961		CC	01-JUN-2011
M	MIL-DTL-85K	Waveguides, Rigid, Rectangular General Specification For [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS]	A 5985		CC	02-JUN-2011
M	MIL-DTL-3922D SUP 1	Flanges, Waveguide, General Purpose, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS]	A 5985		CC	31-MAY-2011
M	A-A-59751A	Analyzer, Spectrum, 2.9 GHZ RF with Internal Tracking Generator [CUST: 84] [REVIEW: 99]	A 6625	/	84	06-JUN-2011
M	A-A-59123 NOT 2	Sodium Dichromate Dihydrate, Technical [CUST: MI OS 68 GS]	A 6810	/	GS3	02-JUN-2011
N	MIL-DTL-3628/257	Badge, Field Medical Readiness and Insignia, Collar, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A 8455		IH	09-JUN-2011
M	MIL-DTL-11589/46G	Ribbon, Distinguished Civilian Service Award (Non-Civil Service), Army [CUST: IH] [REVIEW: CT]	A 8455		IH	02-JUN-2011
M	A-A-59594A	Toilet Tissue, Institutional [CUST: GL SS] [REVIEW: MD]	A 8540	/	SS	01-JUN-2011
M	MIL-DTL-83133G(1)	Turbine Fuel, Aviation, Kerosene Type, JP-8 (NATO F-34), NATO F-35, and JP-8+100 (NATO F-37) [CUST: AT AS 68 PS] [REVIEW: 11 AR AV]	A 9130		68	01-JUN-2011
N	ASTM-C297/C297M	Sandwich Constructions, Flatwise Tensile Strength of [CUST: MR AS 11]	A CMPS		AS	09-JUN-2011
M	MIL-STD-46855A	Human Engineering Requirements for Military Systems, Equipment, and Facilities [CUST: MI AS 11] [REVIEW: 13 19 AR AT AV CR4 EA EC GL MC MD MR OS PE SH TD TE TM] [AMSC: A9204]	A HFAC		MI	24-MAY-2011
N	MIL-STD-6018 NOT 1	Integrated Broadcast Service (IBS) Common Message Format (CMF) Standard [CUST: CR EC 44 NS]	A INST		DC2	03-JUN-2011
M	MIL-STD-1501F	Chromium Plating, Low Embrittlement, Electrodeposition [CUST: 70]	A MFFP		70	06-JUN-2011
M	DI-MGMT-81739B	Software Resources Data Reporting: Initial Developer Report and Data Dictionary [AMSC: D9201]	A MGMT		CAPE	25-MAY-2011
M	MIL-HDBK-189C	Reliability Growth Management [CUST: SY EC 11] [REVIEW: AV CR MI]	A SESS		SY	14-JUN-2011
N	SD-24	Value Engineering: A Guidebook of Best Practices and Tools [CUST: SO]	A STDZ		SO	13-JUN-2011

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA	PREP ACTY	DATE
			FSC/AREA			
M	MIL-I-52997(2) NOT 1	Installation Fixture Kit, Roller, Mine Clearing: Track-Width, Tank-Mounted [CUST: AT]	A 1095		AT	01-JUN-2011
M	MIL-R-53002(2) NOT 1	Retrofit Kit, Roller, Mine Clearing: Track-Width, Tank-Mounted [CUST: AT]	A 1095		AT	01-JUN-2011
M	MIL-M-53008(2) NOT 1	Mounting Kit Roller, Mine Clearing: Track-Width, Tank-Mounted [CUST: AT]	A 1095		AT	01-JUN-2011
M	AN838 REV 9	Elbow, Tube to Hose, 90 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 SA]	A 4730		CC	07-JUN-2011
M	AN839 REV 8	Elbow, Tube to Hose, 45 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 SA]	A 4730		CC	07-JUN-2011
M	AN840 REV 10	Adapter, Straight, Pipe to Hose [CUST: AV AS 99 CC] [REVIEW: 71]	A 4730		CC	07-JUN-2011
M	MS25035E	Relays, Electromagnetic, Type I, 25 Amperes, 1PST, Sealed Class O [CUST: AS 85 CC]	A 5945		CC	07-JUN-2011
M	MS27714F	Relays, 75 Ampere, 3PST, N.O. Type I, Coil and Contacts Individually Sealed [CUST: 85 CC]	A 5945		CC	07-JUN-2011
M	AN3308 REV 6	Relay, 10 AMP, 3 PDT, Sealed, Connector Mounting, Class 0 [CUST: 85 CC] [REVIEW: 99]	A 5945		CC	07-JUN-2011
M	AN3335 REV 5	Relay, 5 AMP, 3PST, Unsealed, Class O [CUST: AV 85 CC] [REVIEW: 99]	A 5945		CC	07-JUN-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION			DATE
			FSC/AREA	MCA	PREP ACTY	
M	AN3314 REV 3 NOT 1	Relay, 10 AMP, 1PDT, Unsealed, Class O (No S/S Document) [CUST: AV 85 CC] [REVIEW: 99]	A	5945	CC	08-JUN-2011
M	ASTM-C297	Constructions, Sandwich, for Flatwise Tensile Strength of, Standard Test Method for (S/S by ASTM-C297/C297M) [CUST: MR AS 11]	A	CMPS	AS	09-JUN-2011
M	MIL-HDBK-46855 NOT 2	Human Engineering Program Process and Procedures (S/S by MIL-STD-46855) [CUST: MI AS 11] [REVIEW: 13 19 AR AT AV CR4 EA EC GL MC MD MR OS PE SH TD TE TM]	A	HFAC	MI	24-MAY-2011