

# **Department of Defense Standardization Program**



## **ASSIST UPDATE**

**(A bi-monthly summary of changes to the ASSIST document database)**

**15 June 2012**

**(For the Period 1 June 2012 to 14 June 2012)**

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA			MCA	PREP ACTY	DATE
M	MIL-F-13926B(5) NOT 2	Fire Control Materiel, Manufacture and Inspection, General Specification for [CUST: AR]	A	12GP			AR		05-JUN-2012
M	MIL-DTL-51353E	Fuzes, Hand Grenade, Floating Smoke Pot, and Incendiary [CUST: EA]	D	1330			EA		07-JUN-2012
M	MIL-PRF-32350(3)	Fan and Filter Housing Assembly (FFHA), 400 CFM, Variable Speed, Lightweight [CUST: EA]	X	4240			EA		12-JUN-2012
M	MIL-PRF-51193G	Filter, Gas, 10 CFM, M18A1 [CUST: EA]	X	4240			EA		13-JUN-2012
M	MIL-DTL-83796/17A(1)	Hose Assembly, Rubber, Lightweight, Medium Pressure, Internal Support Coil, Field Attachable End Fittings, Flareless to Flange, with Lockwire Hole [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720			CC		24-MAY-2012
M	A-A-52426A	Hose and Hose Assemblies, Non-Metallic, Silicone, Polyester and Wire Reinforced (for Coolant and Heating Systems of Diesel and Gasoline Powered Engines) [CUST: AT] [REVIEW: CC CR4]	A	4720	/		AT		21-MAY-2012
M	MS20756F(1)	Flange, Swivel, Retaining [CUST: AV AS 99 CC] [REVIEW: 85 AT SA]	A	4730			CC		12-JUN-2012
M	MS28753E	Fitting End, Self-Sealing Fuel Hose, Swivel, Detachable, Flanged, Straight [CUST: AV AS 99 CC] [REVIEW: 71 MC SH]	A	4730			CC		05-JUN-2012
M	MS28754E	Fitting End, Self-Sealing Fuel Hose, Swivel, Detachable, Flanged, 45 Degrees [CUST: AS 99 CC] [REVIEW: 71 SA]	A	4730			CC		05-JUN-2012
M	MS28755E	Fitting End, Self-Sealing Fuel Hose, Swivel, Detachable, Flanged, 90 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 MC SA SH]	A	4730			CC		05-JUN-2012
M	MIL-DTL-28837C SUP 1	Mixer Stages, Radio Frequency, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG MC MI OS]	A	5895			CC		05-JUN-2012
M	MIL-PRF-24236/30A	Switches, Thermostatic, (Bimetallic), Type I, Environmentally Sealed, Single Pole Double throw (SPDT), 5 Amperes, and Low Level [CUST: CR EC 85 CC]	A	5930			CC		14-JUN-2012
M	MIL-DTL-3786/13G(1)	Switch, Rotary, Closed Construction, .500 Ampere, Style SR13 [CUST: CR EC 85 CC]	A	5930			CC		06-JUN-2012
M	QPL-24236-35	Switches, Thermostatic (Metallic and Bimetallic), General Specification for	A	5930			CC		04-JUN-2012
M	MIL-DTL-55302/166B(1)	Connectors, Printed Circuit Subassembly and Accessories: Low Mating Force, Male Brush, Straight-Through, Polarized, for Multilayered Printing Wiring Boards (.100 Spacing) [CUST: 85 CC] [REVIEW: 19 99]	A	5935			CC		31-MAY-2012
M	MIL-DTL-55302/167B(1)	Connectors, Printed Circuit Subassembly and Accessories: Low Mating Force, Male Brush, Straight-Through, Polarized, with Wrappost Termination (.100 Spacing) [CUST: 85 CC] [REVIEW: 19 99]	A	5935			CC		31-MAY-2012
M	MS18196F	Jackscrew, Electrical Connector, Male and Female, Fixed [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH]	A	5935			CC		04-JUN-2012
M	MS18197F	Guide Pin, Electrical Connector Male and Female [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS]	A	5935			CC		04-JUN-2012
N	SAE-AS31391	Connector, Receptacle, Electric thru Bulkhead, Wall Mounting Flange, Series I (Class E) [CUST: CR AS 85 CC]	A	5935			AS		15-JUN-2012
N	SAE-AS31831	Cover, Protective, Electrical Connector, Receptacle, Push-Pull Coupling [CUST: CR AS 85 CC]	A	5935			AS		15-JUN-2012
M	MIL-PRF-83726/28J	Relays, Hybrid, Time Delay (on Operate), Class B, Type I, Hermetically Sealed, DPDT, 10 Amperes, Fixed Time, 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]	A	5945			CC		14-JUN-2012
M	MIL-PRF-83726/29H	Relays, Hybrid, Time Delay (on Release), Class B, Type IIA, Hermetically Sealed, DPDT, 10 Amperes, Fixed Time, 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]	A	5945			CC		14-JUN-2012
M	MIL-PRF-83446/36B	Coils, Radio Frequency, Chip, Open Construction, Surface Mount, 0603 Size [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS]	A	5950			CC		01-JUN-2012
M	MIL-PRF-1/806J	Electron Tube, Thyratron Type 4C35A [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS SH]	A	5960			CC		12-JUN-2012
M	MIL-PRF-1/1313G	Electron Tube, Power Type 8167 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG CR4 MC OS]	A	5960			CC		07-JUN-2012
M	MIL-PRF-1/1361H	Electron Tube, Thyratron Types 7390 and 7390A [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG]	A	5960			CC		12-JUN-2012
M	MIL-PRF-1/1385K	Electron Tube, Power Types 7580W and 8930 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS]	A	5960			CC		07-JUN-2012
M	MIL-PRF-1/1473F	Electron Tube, Power Type 8189 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]	A	5960			CC		07-JUN-2012
M	MIL-PRF-1/1485G	Electron Tube, Thyratron Type 7665 and 7665A [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MI OS SH]	A	5960			CC		12-JUN-2012
M	MIL-PRF-1/1679C	Electron Tube Power Type 8252W [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG CR4 MC MI OS SH]	A	5960			CC		07-JUN-2012
M	MIL-PRF-19500/290P(1)	Semiconductor Device, Transistor, PNP, Silicon, Switching, Types, 2N2904, 2N2904A, 2N2904AL, 2N2905, 2N2905A, and 2N2905AL, JAN, JANTX, JANTXV, JANS, JANTXVM, JANTXVD, JANTXVR, JANTXVH, JANSM, JANSJ, JANSR, and JANSJ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MI SM]	A	5961			CC		03-JUN-2012
M	MIL-PRF-19500/421H	Semiconductor Device, Dual Transistor, Unitized, NPN/PNP, Complementary, Silicon, Types 2N3838, 2N4854, and 2N4854U, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 99 AR MC MI]	A	5961			CC		03-JUN-2012
M	MIL-PRF-19500/573C	Semiconductor Device, Transistor, PNP, Silicon, Switching Types 2N4209, JAN, JANTX, JANTXV, JANTXVM, JANTXVD, JANTXVJ, JANTXVL, JANTXVR, JANTXVF, JANTXVG, JANTXVH, JANS, JANSM, JANSJ, JANSR, JANSL, JANSR, JANSF, JANSF, JANSF, JANSF, JANHC, JANHCL, JANHCD, JANHCP, JANHCL, JANHCR, JANHCF, JANHCG, JANHCH, JANKC, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961			CC		11-JUN-2012
M	MIL-PRF-19500/678A	Semiconductor Device, Diode, Silicon, Dual Schottky Center Tap Power Rectifier, Surface Mounted, Types 1N6840U3 and 1N6841U3, JAN, JANTX, JANTXV, JANS [CUST: EC CC NA]	A	5961			CC		14-JUN-2012
M	MIL-PRF-19500/740(1)	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Quad Transistor, N-Channel and P-Channel, Silicon Types 2N7521U, 2N7522U, 2N7525, AND 2N7526, JANTXVR and F and JANSR and F [CUST: CR EC 85 CC NA]	A	5961			CC		15-JUN-2012
M	A-A-59590/17B	Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .260 X .260 Inch Body Size [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/		CC		17-JUN-2012
M	A-A-59789/11A	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .375 X .375 Inch Body Size, with Two Mounting Holes, Screw Actuated [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/		CC		11-JUN-2012
M	A-A-59789/12A	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .375 X .375 Inch Body Size, with Two Mounting Holes and Visual Lock Indication, Screw Actuated [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/		CC		12-JUN-2012
M	MIL-STD-1678-1A	Fiber Optic Cabling Systems Requirements and Measurements (Part 1: Design, Installation and Maintenance Requirements) (Part 1 of 6 Parts) [CUST: CR AS 85 CC] [REVIEW: 99]	A	60GP			CC		07-JUN-2012
N	MIL-STD-1678-6	Fiber Optic Cabling Systems Requirements and Measurements (Part 6: Parts and Support Equipment Commonality and Standardization Requirements, Cable Harness Configurations) [CUST: CR AS 85 CC] [REVIEW: 99]	A	60GP			CC		07-JUN-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS35423B(1) NOT 3	Light, Marker, Clearance-Service [CUST: AT MC 99 GS2] [REVIEW: IS]	A	6220	GS2		14-JUN-2012
M	MIL-PRF-27197E	Indicator, Airspeed, Mach Number and Maximum Allowable Speed [CUST: 71] [REVIEW: 99]	A	6610	71		11-JUN-2012
M	MS28034B NOT 1	Bulbs, Temperature, Electrical Resistance (-70 Deg. C TO +300 Deg. C) [CUST: CR AS 99 GS1] [REVIEW: 71 AV]	A	6685	GS1		11-JUN-2012
M	MIL-DTL-44410C	Insect Repellent, Clothing Application, Individual Dynamic Absorption Application (IDAA) Kit [CUST: GL 68 GS] [REVIEW: MD PM]	A	6840	GS3		12-JUN-2012
M	MIL-PRF-23377K	Primer Coatings: Epoxy, High-Solids [CUST: MR AS 99] [REVIEW: 11 84 AR CG DS EA FAS MC MI OS SH]	A	8010	AS		07-JUN-2012
N	QPL-AMS-S-7124	Sealing Compound, Polysulfide, Accelerator Required, for Aircraft Structures	A	8030	AS		06-JUN-2012
N	MIL-DTL-3943/346	Decoration, State and Local Law Enforcement, Congressional Badge of Bravery, U.S. Department of Justice [CUST: IH] [REVIEW: BJA]	A	8455	IH		08-MAY-2012
N	MIL-DTL-3943/347	Decoration, Federal Law Enforcement, Congressional Badge of Bravery, U.S. Department of Justice [CUST: IH] [REVIEW: BJA]	A	8455	IH		08-MAY-2012
M	MIL-DTL-11589/125E	Ribbon, Presidential Unit Citation, U.S. Navy [CUST: IH NU] [REVIEW: CG1 CT MC]	A	8455	IH		04-JUN-2012
M	MIL-DTL-11589/135G	Ribbon, Silver Life-Saving Medal, U.S. Coast Guard [CUST: IH CG1] [REVIEW: CT]	A	8455	IH		04-JUN-2012
M	MIL-DTL-11589/144E	Ribbon, Gordon Canfield Trophy, U.S. Coast Guard (Reserve Guidon) [CUST: IH CG1] [REVIEW: CT]	A	8455	IH		04-JUN-2012
N	MIL-DTL-41819/49	Ribbon Attachment, State and Local Law Enforcement, Congressional Badge of Bravery, U.S. Department of Justice [CUST: IH] [REVIEW: BJA]	A	8455	IH		09-MAY-2012
N	MIL-DTL-41819/50	Ribbon Attachment, Federal Law Enforcement, Congressional Badge of Bravery, U.S. Department of Justice [CUST: IH] [REVIEW: BJA]	A	8455	IH		14-MAY-2012

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	AN775 REV 14(1)	Bolt - Fluid Passage [CUST: AV AS 99 CC] [REVIEW: 71 MC SH]	A	4730	CC		12-JUN-2012
M	AN912 REV 10(1)	Bushing, Pipe [CUST: AV AS 99 CC] [REVIEW: 71 MC SH]	A	4730	CC		12-JUN-2012
M	MIL-T-27/36C	Transformer, Power, Step Down and Step Up [CUST: CR EC 85 CC] [REVIEW: 19 99 AR CR4 MI OS SH]	A	5950	CC		08-JUN-2012
M	MIL-T-27/129B	Transformer, Power, Step-Down and Step-Up [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950	CC		08-JUN-2012
M	MIL-T-27/138B	Transformer, Power, Step-Down, 3-Phase [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950	CC		08-JUN-2012
M	MIL-T-27/151C	Transformer, Power, Step-Down [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950	CC		08-JUN-2012
M	MIL-T-27/158B	Transformers and Inductors (Audio, Power, and High-Power Pulse) Transformer, Power, Step-Down [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS SH]	A	5950	CC		08-JUN-2012
M	MIL-T-27/163D	Transformers and Inductors (Audio, Power and High-Power Pulse), Inductors, Audio Frequency, High Q [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS]	A	5950	CC		08-JUN-2012
M	MIL-T-27/170C	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950	CC		08-JUN-2012
M	MIL-T-27/291C	Transformer, Power, Step-Down [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5950	CC		08-JUN-2012
M	MIL-T-27/295C	Transformer, Power, Step-Down [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5950	CC		08-JUN-2012
M	MIL-PRF-1/776F NOT 1	Electron Tube, Power Type 4D21 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG CR4 MC OS]	A	5960	CC		07-JUN-2012
M	MIL-PRF-1/876G NOT 2	Electron Tube, Power Type 8165 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG CR4 MC MI OS]	A	5960	CC		07-JUN-2012
M	MIL-PRF-1/911E NOT 1	Electron Tube, Power Type 719A [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC OS]	A	5960	CC		07-JUN-2012
M	MIL-PRF-1/1331F NOT 1	Electron Tube, Power Type 7609 [CUST: CR EC 85 CC] [REVIEW: 19 AS]	A	5960	CC		07-JUN-2012
M	MIL-PRF-1/1424C NOT 1	Electron Tube, Power Type 6303A [CUST: EC CC] [REVIEW: AS CG MC OS]	A	5960	CC		07-JUN-2012
M	MIL-PRF-1/1541F NOT 1	Electron Tube, Power Type 8561 [CUST: 85 CC] [REVIEW: 99]	A	5960	CC		07-JUN-2012
M	MIL-PRF-1/1609C NOT 1	Electron Tube, Voltage Regulator Type 8515 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC]	A	5960	CC		07-JUN-2012
M	AN3050 REV 4 NOT 3	Ferrule and Conduit, Flexible [CUST: AV AS 85 GS] [REVIEW: 99]	A	5975	GS8		05-JUN-2012
M	MIL-DTL-24215/8A NOT 1	Attenuators, Variable Coaxial, Frequency Range DC to 2 GHZ (SMA) [CUST: CR EC 85 CC] [REVIEW: 99 AR MI]	A	5985	CC		12-JUN-2012
M	MS25215 NOT 3	Light Assembly, Upward Recognition [CUST: AS 99] [REVIEW: GS IS]	A	6220	AS		14-JUN-2012
M	MS53047A(1) NOT 4	Light, Marker-Service Park, Service Signal and Blackout Marker, 24 Volt [CUST: AT GS2] [REVIEW: IS]	A	6220	GS2		14-JUN-2012

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-T-52864/6A NOT 4	Truck, Lift, Fork, Diesel-Engine Driven, Pneumatic Tired, 10,000 Pound Capacity at 48 Inch Load Center, 150 Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: DP IS OS SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52864/7A NOT 4	Truck, Lift, Fork, Diesel-Engine-Driven, Pneumatic Tired, 15,000 Pound Capacity at 48 Inch Load Center, 210 Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: DP IS OS SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52930B NOT 4	Truck, Lift, Fork, Electric, Front/Side Loading, Sit-Down, 4000/3000-Pound Capacity (No S/S Document) [CUST: AT SA] [REVIEW: CC IS MT SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52941B NOT 4	Trucks; Lift, Fork, Diesel-Engine-Driven: Pneumatic-Tired, Rough Terrain: 4,000 Pound Capacity At 24-Inch Load Center (No S/S Document) [CUST: AT SA 99] [REVIEW: 84 DP OS]	A	3930		AT	01-JUN-2012
M	MIL-T-52951 NOT 4	Truck, Container Handler, With Top Lift Attachments, Diesel Engine Driven, Pneumatic Tired, Four Wheel Driven, Articulated Frame Steer, Rough Terrain, 50,000 Pound Capacity at 48 Inch Load Center (No S/S Document) [CUST: AT]	A	3930		AT	01-JUN-2012
M	MIL-T-52953C SUP 1 NOT 4	Trucks, Lift, Fork, Electric Motor Driven, 2000-3000-4000-6000 Pound Capacity General Specification for (No S/S Document) [CUST: AT SA 99] [REVIEW: 84 DP IS MC MT SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52953/1B NOT 4	Trucks, Lift, Fork, Electric, Solid Tires, 2000-Pound Capacity, 144-Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: 84 DP IS MC MT SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52953/2B NOT 4	Truck, Lift, Fork, Electric, Solid Tires, 4000-Pound Capacity, 144-Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: 84 DP IS MC MT SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52953/3B NOT 4	Truck, Lift, Fork, Electric, Solid Tires, 4000-Pound Capacity, 180-Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: 84 DP IS MC MT SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52953/4B NOT 4	Truck, Lift, Fork, Electric, Solid Tires, 6000-Pound Capacity, 180-Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: 84 DP IS MC MT SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52953/5A NOT 4	Truck, Lift, Fork, Electric, Solid Tires, 3000-Pound Capacity, 130-Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: 84 DP IS MC MT SM]	A	3930		AT	01-JUN-2012
M	MIL-T-52953/6A NOT 4	Truck, Lift, Fork, Electric, Pneumatic, 4000-Pound Capacity, 144-Inch Lift (No S/S Document) [CUST: AT SA 99] [REVIEW: 84 DP IS MC MT SM]	A	3930		AT	01-JUN-2012
M	MIL-T-53019(1) NOT 4	Truck, Forklift, Electric, Front/Side Loading 6000/6000 Pound Capacity Type E Commercial (No S/S Document) [CUST: AT]	A	3930		AT	01-JUN-2012
M	MIL-T-53038(1) NOT 4	Truck, Lift, Fork, Variable Reach, Diesel-Engine-Driven, Pneumatic-Tired, Rough Terrain; 6,000 Pound Capacity At 24-Inch Load Center (No S/S Document) [CUST: AT] [REVIEW: IS]	A	3930		AT	01-JUN-2012
M	A-A-59690A NOT 1	Fuseholder, Block, Accommodating Dual-Element, Finger-Safe Fuses, General Requirements for (No S/S Document) [CUST: EC CC]	A	5920	/	CC	08-JUN-2012
M	A-A-59690/1A NOT 1	Fuseholder, Block, 30 Ampere (A), 600 Volts AC, Accommodating Dual-Element, Finger-Safe Fuses (No S/S Document) [CUST: EC CC]	A	5920	/	CC	08-JUN-2012
M	A-A-59690/2A NOT 1	Fuseholder, Block, 60 Ampere (A), 600 Volts AC, Accommodating Dual-Element, Finger-Safe Fuses (No S/S Document) [CUST: EC CC]	A	5920	/	CC	08-JUN-2012
M	MS3139D NOT 3	Connector, Receptacle, Electric thru Bulkhead, Wall Mounting Flange, Series I (Class E) (S/S by SAE-AS31391) [CUST: CR AS 85 CC]	A	5935		AS	15-JUN-2012
M	MS3183E NOT 3	Cover, Protective, Electric Connector, Receptacle, Push-Pull Coupling (S/S by SAE-AS31831) [CUST: CR AS 85 CC]	A	5935		AS	15-JUN-2012
M	MIL-DTL-29183C NOT 2	Panelboards, Power Distribution, Portable, Weatherproof, General Specification for (No S/S Document) [CUST: CR4 YD CC] [REVIEW: MC MS]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/1B NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type I, Class 1, Configuration 1: 208Y/120 Volt, 10 Kilowatt, without Main Breakers, with Feedthrough Connector (No S/S Document) [CUST: YD CC] [REVIEW: MC]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/2B NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type 1, Class 1, Configuration 2: 208Y/120 Volt, 15 Kilowatt (No S/S Document) [CUST: YD CC] [REVIEW: MC]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/3B NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type I, Class 1, Configuration 3: 208Y/120 Volt, 30 Kilowatt (No S/S Document) [CUST: YD CC] [REVIEW: MC]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/4C NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type II, Class 1, Configuration 1: 150 Kilowatt, 15 KVA Transformer (No S/S Document) [CUST: CR4 YD CC] [REVIEW: MC MS]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/5C NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type II, Class 1, Configuration 2: 150 Kilowatt, 30 KVA Transformer (No S/S Document) [CUST: CR4 YD CC] [REVIEW: MC MS]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/6B NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type I, Class 1, Configuration 4: 208Y/120 Volt, 100 Kilowatt (No S/S Document) [CUST: YD CC] [REVIEW: MC]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/7B NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type I, Class 1, Configuration 5: 480 or 208 Volt, 120 Kilowatt, Terminal Type Connectors (No S/S Document) [CUST: YD CC] [REVIEW: MC]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/8B NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type I, Class 1, Configuration 6: 480 or 208 Volt, 240 Kilowatt, Terminal Type Connectors (No S/S Document) [CUST: YD CC] [REVIEW: MC]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/9B NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type I, Class 1, Configuration 7: 480 or 208 Volt, 400 Kilowatt, Terminal Type Connectors (No S/S Document) [CUST: YD CC] [REVIEW: MC]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/15A NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type I, Class 1, Configuration 2: 208Y/120 Volt, 15 Kilowatt (No S/S Document) [CUST: CR4 YD CC] [REVIEW: MC MS]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/16A NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type I, Class 1, Configuration 1: 208Y/120 Volt, 60 Kilowatt (No S/S Document) [CUST: CR4 YD CC] [REVIEW: MC MS]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/17A NOT 2	Panelboard, Power Distribution, Portable, Weatherproof Type 1, Class 1, Configuration 4: 208Y/120 Volt, 100 Kilowatt (No S/S Document) [CUST: CR4 YD CC] [REVIEW: MC MS]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/18A NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type I, Class 1, Configuration 4: 208Y/120 Volt, 200 Kilowatt (No S/S Document) [CUST: CR4 YD CC] [REVIEW: MC MS]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/19A NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type I, Class 1, Configuration 5: 208Y/120 Volt, 100 Kilowatt (No S/S Document) [CUST: CR4 YD CC] [REVIEW: MC MS]	A	6110		CC	04-JUN-2012
M	MIL-DTL-29183/20A NOT 2	Panelboard, Power Distribution, Portable, Weatherproof, Type I, Class 1, Configuration 1: 208Y/120 Volt, 25 Kilowatt (No S/S Document) [CUST: YD CC] [REVIEW: MC MS]	A	6110		CC	04-JUN-2012