Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 June 2016

(For the Period 1 June 2016 to 14 June 2016)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.dla.mil/ for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at https://assist.dla.mil/online/registration/registration.cfm.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: https://assist.dla.mil/online/news/AlertService.htm .								

ASSIST UPDATE

ACTIVE SECTION	ASSIST OFDATE					
N.		DISTRIBUTION				
O C C C C C C C C C C C C C C C C C C C		5	Y.		ACTY	
AC		RIB	FSC/AREA		AC	
YST		STI	/\ C/	MCA	PREP	
DOCUMENT NUMBER	DOCUMENT TITLE	ᆵ	FS	ž	PR	DATE
M MIL-E-46495A(4) NOT 3	Explosive Composition HTA-3 [CUST: AR]	A	1375		AR	24-MAY-2016
M DOD-M-64040A(1) NOT 2	Methyl Diphenylurea [CUST: AR]	l .	1376		AR	24-MAY-2016
M MIL-STD-1171B	Energetic Material Description Sheets and Propellant Loading Authorization Sheets [CUST: AR OS 11] [REVIEW: 70 99 AS AV MC MR SH TE]	A	1376		AR	31-MAY-2016
N MIL-STD-1791-1	Criteria for Nonstandard Airdrop Equipment and Payloads [CUST: AV AS 11]	D	1510		11	16-MAY-2016
M A-A-59884 NOT 1	E-Track Ratchet Strap, Cargo, Tie Down Assembly [CUST: AS 184] [REVIEW: 11 99]	A	1670	/	184	14-JUN-2016
M MS21444 NOT 5	Tire, Pneumatic, Aircraft, 36X11 [CUST: 70] [REVIEW: GS]	A	2620		70	07-JUN-2016
M MS21781 NOT 4	Tire - Pneumatic Type VIII 30 X 11.5 - 14.5/26 PR [CUST: 70] [REVIEW: CC GS]	A	2620		70	08-JUN-2016
M MS22080 NOT 5	Tire - Pneumatic Rebuilt, Type III 12.50-16/12 PR [CUST: AS 70] [REVIEW: CC GS]	A	2620		70	08-JUN-2016
M MS22081 NOT 5	Tire, Pneumatic New Type III 20.00-20/26PR [CUST: AS 70] [REVIEW: CC GS]	A	2620		70	08-JUN-2016
M MS27811A(1) NOT 3	Tire - Pneumatic Retread, Type VII 49 X 17/26 PR [CUST: 70] [REVIEW: GS]	A			70	08-JUN-2016
M MS27813A NOT 5	Tire Pneumatic Retread, Type VII 56 X 16/38 PR 250 MPH [CUST: AS 70] [REVIEW: CC GS]	A	2620		70	08-JUN-2016
M MS27815C(1) NOT 4	Tire - Pneumatic Rebuilt, Type VII 44 X 16, 28 PR [CUST: 70] [REVIEW: GS]	A			70 70	08-JUN-2016
M MS27817B(1) NOT 4 M MS27818A NOT 5	Tire - Pneumatic Rebuilt, Type V11 36 X 11/22 PR [CUST: 70] [REVIEW: GS] Tire Pneumatic Retread, Type VII 38 X 11 / 14 PR [CUST: AS 70] [REVIEW: CC GS]	A	2620 2620		70 70	08-JUN-2016 07-JUN-2016
M MS27818A NOT 5	Tire - Pneumatic Rebuilt, Type VII 20.00-20/26 PR [CUST: AS 70] [REVIEW: CC GS]	A	2620		70	08-JUN-2016
M A-A-50222 NOT 4	Bucket, Helicopter, Fire Fighting [CUST: AV] [REVIEW: IS]	A	4210	/	AV	08-JUN-2016
M A-A-50230 NOT 4	Blanket, Fire (Wool, with Case) [CUST: AV 99] [REVIEW: 84 CC IS MC MD]	A	4210	,	AV	08-JUN-2016
M A-A-58004F NOT 1	Truck, Fire Fighting, Water Tanker, 4,000 Gallon Capacity [CUST: 184] [REVIEW: 99 IS]		4210	/	184	31-MAY-2016
M A-A-58005C NOT 1	Truck, Fire Fighting (Telescoping Aerial Ladder and Work Platform) [CUST: 184] [REVIEW: 99		4210	/	184	31-MAY-2016
	IS]					
M A-A-58028D NOT 1	Truck, Fire Fighting, Hazardous Materials (HAZMAT) Response Vehicle [CUST: 184] [REVIEW: 99 IS]	A	4210	/	184	31-MAY-2016
M A-A-59108C NOT 1	Truck, Fire Fighting (Aircraft Rescue) (ARFF) [CUST: 184] [REVIEW: 99 CC]	A		/	84	31-MAY-2016
M A-A-59152D NOT 1	Truck, Fire Fighting, (Rescue) (Medium Rescue Truck) [CUST: 184] [REVIEW: 99 IS]	A	4210	/	184	31-MAY-2016
M A-A-59724C NOT 1	Truck, Fire Fighting (Quint) [CUST: 184] [REVIEW: 99 IS]	A	4210	/,	184	31-MAY-2016
M A-A-59879 NOT 1	Truck, Short Wheel Base, Fire Fighting (Structural, 4x2) [CUST: 184] [REVIEW: 99 IS]		4210	/	184	31-MAY-2016
M MIL-DTL-81581/8A NOT 2 M A-A-59237A NOT 1	Hose Assemblies, Cable Assemblies, Communication, Associated [CUST: AS 11] Composite Repair Set, Aircraft (Dual Zone) [CUST: 84] [REVIEW: 99]	A	4720 4920	,	AS 84	14-JUN-2016
M A-A-59240A NOT 1 M A-A-59240A NOT 1	Composite Repair Set, Aircraft (Dual Zone, Class 1 Div 2) [CUST: 84] [REVIEW: 99]	A	4920	,	84	13-JUN-2016 13-JUN-2016
M A-A-59268A NOT 1	Composite Repair Set, Aircraft (Buai Zone, Class 1 Div 2) [CUST: 84] [REVIEW: 99]	A	4920	,	84	13-JUN-2016
M A-A-59271A NOT 1	Composite Repair Set, Aircraft (Single Zone, Class 1 Div 2) [CUST: 84] [REVIEW: 99]	A	4920	,	84	13-JUN-2016
M A-A-59862B NOT 1	Test Set, Radar Pressurizing (Portable, Shock Mounted) [CUST: 184] [REVIEW: 99]		4920	,	184	08-JUN-2016
M A-A-59863 NOT 1	Linear and Rotary Electro-Mechanical Actuator Test Stand (LREATS) [CUST: 184] [REVIEW: 99]		4920	/	184	07-JUN-2016
M A-A-50202A NOT 1	Pump, Bucket, Lubrication, Hand-Operated [CUST: AT YD 99] [REVIEW: CC MC]	l .	4930	/	AT	02-JUN-2016
M MIL-DTL-45932/1D(2)	Insert, Screw Thread - Thin Wall, Locked in [CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR4 MC		5325		IS	07-JUN-2016
	NS OS]	١.				
M MIL-PRF-2818E M MIL-PRF-22684F(2)	Insulation Blanket, Thermal [CUST: CR4 SH] [REVIEW: YD] Resistors, Fixed, Film (Insulated) General Specification for [CUST: CR EC 85 CC] [REVIEW: 19	l .	5640 5905		SH CC	10-MAY-2016 27-MAY-2016
M MIL-PRF-32535/10(1)	99 AR AS AT CG CR4 MC MI OS] Capacitor, Chip, Fixed, Ceramic Dielectric (General Purpose), Extended Range, High Reliability and	A	5910		CC	31-MAY-2016
	Standard Reliability, Size 0508 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]					
M MIL-PRF-39003/11(1)	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum (Polarized, Sintered Slug), High Frequency, Established Reliability, Style CSS21 (High Reliability Applications) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA OS SH]	A	5910		CC	31-MAY-2016
M MIL-PRF-39014J	Capacitor, Fixed, Ceramic Dielectric (General Purpose), Established Reliability and Non-Established Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT AV MC MDA MI]	A	5910		CR	13-JUN-2016
M MIL-PRF-15733/75A(2) NOT 1	Filters, Radio Frequency Interference, Hermetically Sealed, Style FL98 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH]	A	5915		CC	01-JUN-2016
M A-A-59886 NOT 1	Circuit Breakers, Miniature, Thermal Magnetic, Shock Enhanced, Trip-Free Series Trip, High Density Design, 35 MM Din Channel Mount, 0.2 to 30 Amperes (A), General Requirements for [CUST: EC CC]	A	5925	/	CC	31-MAY-2016
M MIL-PRF-8805/45G NOT 2	Switches, Sensitive, SPST, 5 Amperes, Resilient Seal [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS SH]	A	5930		CC	31-MAY-2016
M MIL-PRF-8805/73K NOT 2	Switches, Sensitive, SPDT, Plunger, 4 Amperes, Hermetically Sealed Contacts, Resilient Sealed Plunger [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	31-MAY-2016
M MIL-PRF-22885/18L	Switch, Push Button, Illuminated, Dripproof Seal, Momentary and Alternate Action (DPDT/Two Circuit - 2 Amperes) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	25-MAY-2016
M MS21027R(1)	Switch, Toggle, Positive Break, Lever Lock, Miniature Toggle Sealed, Solder Lug, Double Pole, 469 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 EC MI]	A	5930		CC	19-MAY-2016
M MS24655S(2)	Switch, Toggle, Positive Break, Miniature Toggled Sealed, Single Pole, Solder Lug or Integrated Wire Terminals: .250 Mounting Bushings [CUST: CR AS 85 CC] [REVIEW: 99 AV EC MI]	A	5930		CC	25-MAY-2016
M MS27720H(1)	Switch, Toggle, Miniature, Single Pole, Toggle Seal, Lever Lock [CUST: CR AS 85 CC] [REVIEW: 99 AV]	A	5930		CC	25-MAY-2016
M MS35058K NOT 2 M MIL-PRF-39012/6D(2) NOT 2	Switch, Toggle One Pole, Sealed Toggle [CUST: CR AS 85 CC] [REVIEW: 99 AV EC MI] Connectors, Plug, Electrical, Coaxial, Radio Frequency, (Series C (Cabled), Female, Class 2)	l .	5930 5935		CC CC	31-MAY-2016 08-JUN-2016
M MIL-PRF-39012/7E(1)	[CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH] Connectors, Plug, Electrical, Coaxial, Radio Frequency, (Series C (Cabled), Female, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	5935		CC	08-JUN-2016
M MIL-PRF-39012/8E(1)	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series C (Cabled), Female, Flange Mounted, Rear Mounted, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS	A	5935		CC	08-JUN-2016
M MIL-PRF-39012/11D(1) NOT 1	SH] Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series C (Cabled), Female, Jam Nut Rear Mounted Pressurized, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI	A	5935		CC	08-JUN-2016
M MIL-PRF-39012/67C(1)	OS SH] Connectors, Plugs, Electrical, Coaxial, Radio Frequency, Series SMB (Cabled, Socket Contact, Class	A	5935		CC	08-JUN-2016
15 HJN 2016	2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SA SH]					

15-JUN-2016

ASSIST UPDATE

z			N				
LAST ACTION			DISTRIBUTION	-		≥	
AC			ΙΒſ	RE/		₽ CJ	
ST			STR	FSC/AREA	Ą	PREP ACTY	
LA	DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FS(MCA	PR	DATE
M	MIL-DTL-28731/13G	Connector, Electrical, Insert (Insulator), Male Rectangular, Polarized, Center Screw Lock, for 56	A	5935		CC	17-MAY-2016
M	MIL-DTL-28731/16F	Removable Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS] Connectors, Electrical, Insert (Insulator), Female Rectangular, Polarized, Center Screw Lock, for 90	A	5935		CC	17-MAY-2016
M	MIL-DTL-28754/59A	Removable Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS] Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Center Contact Tails on .100 Centers (Comparison Comparish), ICUST: AS 85 CC]	A	5935		CC	07-JUN-2016
M	MIL-DTL-28754/67A	(Ceramic Compatible) [CUST: AS 85 CC] Connectors, Electrical, Modular, Connector Frame, Type IV, Double Span, Center [CUST: AS 85	A	5935		CC	07-JUN-2016
M	MIL-C-28804/2D NOT 4	CC] Connectors, Plug, Electric, Rectangular, High Density, Polarized Center Jackscrew, Crimp	A	5935		CC	07-JUN-2016
M	MIL-C-28804/3D NOT 4	Removable Pin Contacts, Class G [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI] Connectors, Receptacle, Electric, Rectangular, High Density, Polarized Center Jackscrew, Crimp Removable Socket Contacts, Class E [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]	A	5935		СС	07-JUN-2016
M	MIL-C-28804/4D NOT 4	Connectors, Plug, Electric, Rectangular, High Density, Polarized Center Jackscrew, Crimp Removable Pin Contacts, Class E [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]	A	5935		CC	07-JUN-2016
M	MIL-C-28804/5D NOT 4	Connectors, Receptacle, Electric, Rectangular, High Density, Polarized Center Jackscrew, Crimp Removable Socket Contacts, Class P [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]	A	5935		CC	07-JUN-2016
M	MIL-C-28804/6D NOT 4	Connectors, Plug, Electric, Rectangular, High Density, Polarized Center Jackscrew, Crimp Removable Pin Contacts, Class P [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]	A	5935		CC	07-JUN-2016
M	MIL-C-28804/8D NOT 4	Connectors, Plug, Electric, Rectangular, High Density, Polarized Center Jackscrew, Solder Pin Contacts, Class S [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]	A	5935		CC	07-JUN-2016
M	MIL-C-28804/11D NOT 4	Connectors, Plug, Electric, Rectangular, High Density, Polarized Center Jackscrew, Interfacial Seal, Solder Pin Contacts, Class SE [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]	A	5935		CC	07-JUN-2016
M	MS27661F NOT 1	Connectors, Plug, Electrical, Crimp Type, Lanyard Release, Fail-Safe, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	02-JUN-2016
N	SAE-AS31571	Insert Arrangements for AS81659 Series 1 and 2 Electrical Connectors [CUST: CR AS 85 CC] [REVIEW: EC OS]	A	5935		AS	08-JUN-2016
M	A-A-59125/1 NOT 2	Terminal Boards, Molded, Barrier Screw Type, Class 37TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
M	A-A-59125/2 NOT 2	Terminal Boards, Molded, Barrier Screw Type, Class 38TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
M	A-A-59125/3 NOT 2	Terminal Boards, Molded, Barrier Screw Type, Class 39TB [CUST: CR AS 85] [REVIEW: GS]	Α	5940	/	CR	31-MAY-2016
M	A-A-59125/4 NOT 2	Terminal Boards, Molded, Barrier Screw Type, Class 40TB [CUST: CR AS 85] [REVIEW: GS]	Α	5940	/	CR	31-MAY-2016
M	A-A-59125/5 NOT 2	Terminal Boards, Molded, Barrier Screw Type, Class 41TB [CUST: CR AS 85] [REVIEW: GS]	Α	5940	/	CR	31-MAY-2016
M	A-A-59125/7 NOT 2	Terminal Lugs, Solder Type, Styles TBLD and TBLS [CUST: CR AS 85] [REVIEW: GS]	Α	5940	/	CR	31-MAY-2016
M	A-A-59125/9 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 3TB [CUST: CR AS 85] [REVIEW: GS]	Α	5940	/	CR	31-MAY-2016
	A-A-59125/10 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 4TB [CUST: CR AS 85] [REVIEW: GS]	Α	5940	/	CR	31-MAY-2016
M	A-A-59125/12 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 6TB [CUST: CR AS 85] [REVIEW: GS]	Α	5940	/	CR	31-MAY-2016
1	A-A-59125/13 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 7TB [CUST: CR AS 85] [REVIEW: GS]	A		/	CR	31-MAY-2016
1	A-A-59125/14 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 8TB [CUST: CR AS 85] [REVIEW: GS]	A		/	CR	31-MAY-2016
1	A-A-59125/15 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 9TB [CUST: CR AS 85] [REVIEW: GS]	A		/	CR	31-MAY-2016
	A-A-59125/16 NOT 2		A		/	CR	31-MAY-2016
1		Terminal Boards, Molded, Barrier Stud Type, Class 10TB [CUST: CR AS 85] [REVIEW: GS]					
	A-A-59125/20 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 16TB [CUST: CR AS 85] [REVIEW: GS]	A		/	CR	31-MAY-2016
	A-A-59125/22 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 18TB [CUST: CR AS 85] [REVIEW: GS]	A		/	CR	31-MAY-2016
1	A-A-59125/23 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 25TB [CUST: CR AS 85] [REVIEW: GS]		5940	/	CR	31-MAY-2016
1	A-A-59125/24 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 26TB [CUST: CR AS 85] [REVIEW: GS]	A		/	CR	31-MAY-2016
	A-A-59125/26 NOT 2 A-A-59125/28 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 43TB [CUST: CR AS 85] [REVIEW: GS] Bus (Jumper) Connectors Styles TBJA, TBJB, TBJC, TBJD, TBJE, TBJF, TBJG, TBJH and TBJI [CUST: CR AS 85] [REVIEW: GS]		5940 5940	/	CR CR	31-MAY-2016 31-MAY-2016
M	A-A-59125/29 NOT 2	Marker Strips, for Class 37TB Terminal Boards [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
M	A-A-59125/30 NOT 2	Marker Strips, for Class 38TB Terminal Boards [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
M	A-A-59125/31 NOT 2	Marker Strips, for Class 39TB Terminal Boards [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
N	SAE-AS25439	Splice-Permanent Crimp Style, 2 way Type for Aluminum Aircraft Wire, Class 1 [CUST: CR AS 85] [REVIEW: 99 AV GS]	A	5940		AS	19-MAY-2016
1	MIL-PRF-27/76D(1) NOT 1 MIL-PRF-27/79A(1) NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH] Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950 5950		CC CC	26-MAY-2016 26-MAY-2016
	MIL-PRF-27/96A(1) NOT 1	Transformer, Audio Frequency, Sub-Miniature [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]		5950		CC	26-MAY-2016
1	MIL-PRF-1/747F NOT 1	Electron Tube, Cathode Ray 3XP1 [CUST: CR EC 85 CC] [REVIEW: 99 CG MC MI OS]		5960		CC	02-JUN-2016
	MIL-PRF-1/1222D NOT 2	Electron Tube, Cathode Ray Type 12DP7C [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC OS SH]		5960		CC	02-JUN-2016
M	MIL-PRF-1/1261H NOT 1	Electron Tube, Cathode Ray Types 12ABP1A, 12ABP7A, and 12ABP19A [CUST: CR EC 85 CC] [REVIEW: 99]	A	5960		CC	02-JUN-2016
	MIL-STD-1311D NOT 1	Test Methods for Electron Tubes [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG CR4 MI OS SH SM]		5960		CC	02-JUN-2016
M	MIL-PRF-19500/673C	Transistor, Field Effect, Radiation Hardened N-Channel, Silicon, Encapsulated (Surface Mount and Carrier Board Packages), Types 2N7468 and 2N7469 JANTXVR, F, G and H and JANSR, F, G and H [CUST: CR EC 85 CC NA] [REVIEW: 71 99 MI]		5961		CC	26-MAY-2016
M	MIL-DTL-85K(1) NOT 1	Waveguides, Rigid, Rectangular General Specification For [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS]	A	5985		CC	02-JUN-2016
M	MIL-DTL-3928/15G NOT 1	Switches, Radio Frequency Transmission Line (Coaxial) (Electrically Operated) (Optional Venting for Space Applications) Class 5, 1P2T [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS]	A	5985		CC	02-JUN-2016
M	MIL-DTL-3933/16E NOT 1	Attenuators, Fixed, Space Level, Non Space Level Coaxial Line (SMA Connectors), Frequency Range: DC to 18 GHz, Class IV, Low [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI]	A	5985		CC	02-JUN-2016
M	MIL-DTL-3933/17D NOT 1	Attenuators, Fixed, Space Level, Non Space Level, Coaxial Line (TNC Connectors), Frequency Range: DC to 18 GHz, Class IV, Low Power [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI SH]	A	5985		CC	02-JUN-2016
M	MIL-DTL-15370/4E NOT 1	Couplers, Directional (Waveguide-Multihole) [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]	A	5985		CC	02-JUN-2016
M	MIL-DTL-15370/5E NOT 1	Couplers, Directional (Waveguide-Crossguide) [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]	A	5985		CC	02-JUN-2016
15	UN-2016	2					

15-JUN-2016 2

ASSIST UPDATE

	CITYLBLCTION	ABBIBT CIDATE					
Z			ON				
CHI			Σ	EA		ACTY	
TA			RE	/AR	-	P A(
LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP	DATE
_	A-A-55563/30A	Holder, Electrical Card, Metal Card Guide, Center Mounting, with Multiple Mounting Holes, Unsupported for Chassis or Supported Mounting Applications [CUST: CR EC 85 CC] [REVIEW:		5998	/	CC	30-MAY-2016
M	A-A-59590/1C	[99] Holders, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .225 x .260 Inch Body Size, Wedge Body Mounting, with Lever Action Locking [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	01-JUN-2016
M	MIL-PRF-29504/4E	Termini, Fiber Optic, Connector, Removable, Environment Resisting, Pin Terminus, Size 16, Rear Release, MIL-DTL-38999, Series III [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060		CC	24-MAY-2016
M	MIL-PRF-29504/5E	Termini, Fiber Optic, Connector, Removable, Environment Resisting, Socket Terminus, Size 16, Rear Release, MIL-DTL-38999, Series III [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060		CC	24-MAY-2016
M	MIL-PRF-32383 NOT 1	Batteries, Rechargeable, Sealed General Specification for [CUST: CR MC 99] [REVIEW: 71 AS CC SH]	A	6140		CR	31-MAY-2016
M	MIL-PRF-32383/1 NOT 1	Battery, Rechargeable, Sealed, Lithium-Ion, BB-2545/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]	A	6140		CR	31-MAY-2016
M	MIL-PRF-32383/2 NOT 1	Battery, Rechargeable, Sealed, Lithium-Ion, BB-2580/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]	A	6140		CR	31-MAY-2016
M	MIL-PRF-32383/3 NOT 1	Battery, Rechargeable, Sealed, BB-2590()/U, BB-390()/U, and BB3590()/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]	A	6140		CR	31-MAY-2016
M	MIL-DTL-17/178B	Cables, Radio Frequency, Flexible, Triaxial, 95 OHMS, M17/178-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH]	A	6145		CC	28-MAY-2016
M	MIL-DTL-17/201A	Cables, Radio Frequency, Flexible, Twinaxial, Single Shield, Data Bus, 77 OHMS [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/220A	Cable, Radio Frequency, Flexible, Coaxial, 50 Ohms, Low Smoke, Low Loss Diameter .195 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/221A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, Low Smoke, Low Loss Diameter .242 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/222A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, Low Smoke, Low Loss Diameter .300 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/225A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, Low Smoke, Low Loss Diameter .590 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/227A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, Low Smoke, Low Loss Diameter 1.200 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/228A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, Low Smoke, Low Loss Diameter 1.670 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/234	Cables, Radio Frequency, Flexible, Coaxial, 75 OHMS, Low Noise, Low Smoke, Enhanced Insulation Resistance [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	28-MAY-2016
	MIL-DTL-83413/8E(1)	Connectors and Assemblies, Electrical, Grounding: Type IV Jumper Cable Assembly, Lead, Electrical [CUST: AV AS 85 CC] [REVIEW: 71 99 AR CR CR4 GS MC MI]		6150		CC	23-MAY-2016
- 1	A-A-59880 NOT 1 A-A-59883 NOT 1	Load Bank, Electrical 160 Kilowatts, 60 Hertz [CUST: 84] [REVIEW: 99 IS] Borescope [CUST: 184] [REVIEW: 99]	A A	6625 6650	/	84 184	31-MAY-2016 13-JUN-2016
- 1	A-A-59123 NOT 3	Sodium Dichromate Dihydrate, Technical [CUST: MI OS 68 GS]		6810	/	GS3	02-JUN-2016
	A-A-59117B	Insecticide, Malathion, Emulsifiable Concentrate [CUST: EA GS] [REVIEW: GL MD1 PM]		6840	/	GS3	01-JUN-2016
	A-A-52465A NOT 1 MMM-A-101	Primer Coating, Synthetic, VOC Complaint (for Brake Drums) [CUST: AT] [REVIEW: CR4 SM] Adhesive, Bonding Vulcanized Synthetics Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 AS AV DC5 DH GS4 IS MC MI PT]		8010 8040	/	AT MR	31-MAY-2016 02-JUN-2016
M	MIL-DTL-43637E	Cloth, Plain Weave, Ripstop, Nylon [CUST: GL NU 11 CT]	A	8305		CT	26-MAY-2016
	MIL-DTL-3628/13G	Badge, Qualification, Excellence in Competition, Rifle and Pistol U.S. Army, Pendant, Suspension Bar and Suspension Device [CUST: IH] [REVIEW: CT]		8455		IH	02-JUN-2016
	MIL-DTL-3628/65H	Badge, Qualification, Combat Parachutist, U.S. Army and U.S. Air Force [CUST: IH 11] [REVIEW: CT]				IH	18-MAY-2016
	MIL-DTL-3628/194A	Badge, Qualification, Aviation, Naval Aviator, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]		8455		IH	27-MAY-2016
	MIL-DTL-3628/195A	Badge, Qualification, Aviation, Naval Aviation Observer and Flight Meteorologist, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]		8455		IH	27-MAY-2016
	MIL-DTL-3943/146F	Decoration, Distinguished Service Medal, Department of Homeland Security [CUST: IH] [REVIEW: CT]		8455		IH	08-JUN-2016
	MIL-DTL-3943/256C	Decoration, Meritorious Civilian Service Award, National Imagery and Mapping Agency [CUST: IH] [REVIEW: CT]		8455		IH	24-MAY-2016
	MIL-DTL-3943/320A	Administration [CUST: IH] [REVIEW: CT]		8455		IH	08-JUN-2016
	MIL-DTL-3943/322A	Decoration, NOAA Corps Commendation Medal, National Oceanic and Atmospheric Administration [CUST: IH] [REVIEW: CT]				IH	08-JUN-2016
	MIL-DTL-3943/342A MIL-DTL-3943/343A	Medal, Global Health Initiative Service, U.S. Public Health Service [CUST: IH] [REVIEW: CT] Medal, Global Health Campaign, U.S. Public Health Service [CUST: IH] [REVIEW: CT]		8455 8455		IH IH	27-MAY-2016 27-MAY-2016
N		Medal, Defense Threat Reduction Agency Honorable Civilian Service [CUST: IH] [REVIEW: CT]		8455		IH	21-APR-2016
	MIL-DTL-3943/375	Medal, Ebola Campaign Medal, USPHS [CUST: IH] [REVIEW: CT]		8455		IH	02-JUN-2016
	MIL-DTL-11484/337A	Lapel Button, Global Health Initiative Service Medal, U.S. Public Health Service [CUST: IH] [REVIEW: CT]		8455		IH	27-MAY-2016
	MIL-DTL-11484/338A	Lapel Button, Global Health Campaign Medal, U.S. Public Health Service [CUST: IH] [REVIEW: CT]		8455		IH	27-MAY-2016
	MIL-DTL-11484/339A MIL-DTL-11484/374	Lapel Button, Humanitarian Service Medal, Defense Logistics Agency [CUST: IH] [REVIEW: CT] Lapel Button, Ebola Campaign Medal, USPHS [CUST: IH] [REVIEW: CT]	A A	8455 8455		IH IH	02-JUN-2016 02-JUN-2016
M	MIL-DTL-11589/246F	Ribbon, Achievement Award, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455		IH	02-JUN-2016
	MIL-DTL-11589/561C	Ribbon, Civilian Career Service, Defense Contract Management Agency [CUST: IH] [REVIEW: CT]		8455		IH	13-MAY-2016
- 1	MIL-DTL-11589/643A MIL-DTL-11589/675	Ribbon, Humanitarian Service Medal, Defense Logistics Agency [CUST: IH] [REVIEW: CT] Ribbon, Honorable Civilian Service Medal, Defense Threat Reduction Agency [CUST: IH]	A A	8455 8455		IH IH	02-JUN-2016 07-JUN-2016
	MIL-DTL-11369/673 MIL-DTL-14639/37A	[REVIEW: CT] Insignia, Rank, General of the U.S. Army and General of the U.S. Air Force (Pentagon Star Group)		8455		IH	27-MAY-2016
	MIL-DTL-14639/38A	[CUST: IH 11] [REVIEW: CT] Insignia, Rank, General of the U.S. Army and General of the U.S. Air Force Coat of Arms [CUST:		8455		IH	27-MAY-2016
		IH Ĭ1] [ŔEVIÉW: CT]					

ASSIST UPDATE

1101111	L DLC HOIV	ADDIST CLEATIE					
z			Š				
LAST ACTION MOOOD			DISTRIBUTION			>	
5			Ž.	EA		ACTY	
Ā			Ξ	AR.		₹	
LST			ST	FSC/AREA	MCA	PREP.	
DOCUM	IENT NUMBER	DOCUMENT TITLE	Ŋ	FS	Ĭ	PR	DATE
M MIL-DT	L-14639/43A	Insignia, Rank, Lieutenant (JG) and Ensign U.S. Navy, Lieutenant and Second Lieutenant, U.S.	Α	8455		IH	27-MAY-2016
		Marine Corps [CUST: IH NU] [REVIEW: CT MC]					
M MIL-DT	L-14639/44A	Insignia, Rank, Lieutenant, U.S. Navy and Captain, U.S. Marine Corps [CUST: IH NU] [REVIEW:	A	8455		IH	27-MAY-2016
		CT MC]					
M MIL-DT	L-14639/45A	Insignia, Rank, Commander and Lieutenant Commander, U.S Navy and Lieutenant Colonel and	A	8455		IH	27-MAY-2016
		Major, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]	١.				
M MIL-DT	L-14639/47A	Insignia, Rank, Rear Admiral, U.S. Navy and Major General, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	27-MAY-2016
M MIL DE	T 14620/49 A		١,	0455		TTT	27 MAY 2016
M MIL-DI	L-14639/48A	Insignia, Rank, Vice Admiral, U.S. Navy and Lieutenant General, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455		IH	27-MAY-2016
M MII DT		Insignia, Rank, Admiral, U.S. Navy and General, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT		0155		TIT	27-MAY-2016
M MIL-DI	L-14639/49A	MC	A	6433		IH	27-IVIA 1-2010
M MII DT	L-14639/50A	Insignia, Rank, Fleet Admiral, (Pentagon Star Group) [CUST: IH NU] [REVIEW: CT MC]	_	8455		IH	27-MAY-2016
	L-14639/51A	Insignia, Rank, Picet Admirat, (Tentagon star Group) [CCST: HT NO] [REVIEW: CT MC] Insignia, Rank, Chief Warrant Officer W-2 and W-4, U.S. Navy and U.S. Marine Corps [CUST: IH	A			IH	27-MAY-2016
M MIL-DI		NU] [REVIEW: CT MC]	A	6433		IП	27-IVIA 1-2010
M MII DT	L-14639/52A	Insignia, Rank, Chief Warrant Officer W-3 and W-1, U.S. Navy and U.S. Marine Corps [CUST: IH		8455		IH	27-MAY-2016
WI WIIL-DI		NU] [REVIEW: CT MC]	A	0433		ш	27-WA 1-2010
M MII DT	L-14639/54A	Insignia, Grade, Command Chief Master Sergeant, U.S. Air Force [CUST: IH 11] [REVIEW: CT]	_	8455		IH	27-MAY-2016
	L-15665/23G	Insignia, Service Cap, Enlisted, U.S. Marine Corps [CUST: IH MC] [REVIEW: CT]	A				
						IH	26-APR-2016
M MIL-DT		Ribbon Attachment, Letter "C" [CUST: IH] [REVIEW: CT]		8455		IH	02-JUN-2016
M DI-ADM		Conference Agenda [AMSC: F9658]		ADMN		11	24-MAY-2016
M DI-ADM		Conference Minutes [AMSC: F9659]		ADMN		11	24-MAY-2016
M DI-MGM		Material Improvement Project (MIP) Report [AMSC: F9669]		MGMT		11	08-JUN-2016
M DI-MGM	/IT-81803 NOT 1	Item Unique Identification (IUID) Marking Plan [REVIEW: 27] [AMSC: F9124]	A	MGMT		70	14-JUN-2016
N DI-MGM	4T-82035	Software Resources Data Reporting: Development and Maintenance Reports and Data Dictionary	A	MGMT		CAPE	02-JUN-2016
		[AMSC: D9643]					
M DI-PSSS	-81535A	Deficiency Report (DR) [AMSC: F9660]	A	PSSS		11	24-MAY-2016
N DI-SESS	5-82043	Software Architecture Document (SAD) [AMSC: N9665]	A	SESS		AS	25-MAY-2016
N DI-SESS	S-82044	System/Software Integration Plan [AMSC: N9666]	A	SESS		AS	25-MAY-2016
				SESS		NM	20-MAY-2016
III DILL GL		Configuration Management Standard Implementation Guide [CUST: AR NM 11 CC SE] [REVIEW: 01 08 10 13 16 19 33 94 99 AC AS AV CG CH CR DC1 DC5 DH DMS EA EC MA MC MDA MI	•	DEDD			20 11111 2010
		MP ND NS OS PT SA SH SO SY TE TM USTC]					
M MIL-PRI	F-32216A NOT 1	Evaluation of Commercial Off-the-Shelf (COTS) Manuals and Preparation of Supplemental Data	A	TMSS		TM	07-JUN-2016
		[CUST: TM OS 16 CC] [REVIEW: 01 10 11 13 19 70 84 99 AR AS AT AV CG CR CT EA EC GS					
		MC MD MI OM SA SH] [AMSC: A9148]					
M DI-TMS	S-80527C NOT 1	Commercial Off-The-Shelf (COTS) Manuals and Associated Supplemental Data [REVIEW: 27]	A	TMSS		TM	08-JUN-2016
		[AMSC: A9207]					
M DI-TMS	S-81784A NOT 1	Army S1000D Project Business Rules [AMSC: A9189]	A	TMSS		TM	08-JUN-2016
1							

15-JUN-2016

ASSIST UPDATE

M. A-A-52162A NOT 2 Automobile, Hearse: Commercial [CUST: AT] A. 2310 / AT 08-JUN-2016 M. A-A-52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A. 2340 / AT 31-MAY-2016 M. MIL-DTL-18866J(1) Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS 99 CC] [REVIEW: 71 AS AT AV GL MC MI SH YD] A 4730 CC 07-JUN-2016 M. MS51500E Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51501C Nipple Tube, Regular Hex, 37 Degree Flared, Short [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51502C Nipple Tube, Regular Hex, 37 Degree Flared, Long [CUST: AT SH 99 CC] [REVIEW: 71 AR AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51503C Adapter, Straight, Pipe to Tube, Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51504C Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MIL-R-22684/1B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M. MIL-R-22684/2C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 9 AR MI]<	INACTIVE SECTION	ASSIST OFDATE					
M MILC-45931A(3) NOT 2 Clip, Cartridge, 5.56 Millimeter, 10 Round [CUST: AR] A 1305 AR 24-MAY-201 M A-A-52162A NOT 2 Automobile, Hearse: Commercial [CUST: AT] A 2310 A A 3305 AR 24-MAY-201 M A-A-52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A 2310 A A 730 A 31-MAY-201 M MILD-TL-1886GJ(1) Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS A 4730 CC 07-JUN-2016 O9 CC] [REVIEW: 71 AS AT A A G. M.C. MI (SH YD] Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AT A A A A A A A A A	NOI		TION			λ.	
M MILC-45931A(3) NOT 2 Clip, Cartridge, 5.56 Millimeter, 10 Round [CUST: AR] A 1305 AR 24-MAY-201 M A-A-52162A NOT 2 Automobile, Hearse: Commercial [CUST: AT] A 2310 A A 3305 AR 24-MAY-201 M A-A-52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A 2310 A A 730 A 31-MAY-201 M MILD-TL-1886GJ(1) Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS A 4730 CC 07-JUN-2016 O9 CC] [REVIEW: 71 AS AT A A G. M.C. MI (SH YD] Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AT A A A A A A A A A	ACT		BU	ZEA		\CT	
M MILC-45931A(3) NOT 2 Clip, Cartridge, 5.56 Millimeter, 10 Round [CUST: AR] A 1305 AR 24-MAY-201 M A-A-52162A NOT 2 Automobile, Hearse: Commercial [CUST: AT] A 2310 A A 3305 AR 24-MAY-201 M A-A-52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A 2310 A A 730 A 31-MAY-201 M MILD-TL-1886GJ(1) Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS A 4730 CC 07-JUN-2016 O9 CC] [REVIEW: 71 AS AT A A G. M.C. MI (SH YD] Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AT A A A A A A A A A	7 LS		STR	C/A	Ą	EP /	
M. A.A.52162A NOT 2 Automobile, Hearse: Commercial [CUST: AT] A 2310 / AT 08-JUN-2016 M. A.A.52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A 2340 / AT 31-MAY-2010 M. MIL-DTL-18866J(1) Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS 99 CC] [REVIEW: 71 AS AT AV GL MC MI SH YD] A 4730 CC 07-JUN-2016 M. MS51500E Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51501C Nipple Tube, Regular Hex, 37 Degree Flared, Long [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51502C Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M. MS51503C Adapter, Straight, Pipe to Tube, Pemale Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M. MS51504C Elbow, Pipe to Tube, 90 Degree Male Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M. MS1505C Elbow, Tube, 90 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MIL-R-22684/3CQ; NOT 1 Resistor, Fixed, Film, Insulated, Style RL0 [CUST: CR EC 85 CC] [REVIEW: 19 AR MI] A 4730 CC 07-JUN-2016 M. MIL-R-22684/	DOCUMENT NUMBER	DOCUMENT TITLE	ă	FS	M	PR	DATE
M A-A-52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A 2340 / AT 31-MAY-201 M MIL-DTL-18866J(1) Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS 9C] [REVIEW: 71 AS AT AV GL MC MISH YD] A 4730 CC 07-JUN-2016 M MS51500E Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51501C Nipple Tube, Regular Hex, 37 Degree Flared, Short [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51502C Nipple Tube, Regular Hex, 37 Degree Flared, Long [CUST: AT SH 99 CC] [REVIEW: 71 AR AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51503C Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51505C Elbow, Pipe to Tube, 90 Degree Flared [Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/1B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 4R MI] A 5905 CC 27-MAY-201 M MIL-R-22684/4B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL32 [CUST: CR	* *				,		24-MAY-2016
M MIL-DTL-18866J(1) Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS 99 CC] [RÉVIEW: 71 AS AT AV GL MC MI SH YD] A 4730 CC 07-JUN-2016 M MS51500E Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51501C Nipple Tube, Regular Hex, 37 Degree Flared, Short [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51502C Nipple Tube, Regular Hex, 37 Degree Flared, Long [CUST: AT SH 99 CC] [REVIEW: 71 AR AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51503C Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51505C Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/1B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RLO? [CUST: CR EC 85 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RLO? [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG A 5905 CC 27-MAY-201		, ,					
M MS51500E Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51501C Nipple Tube, Regular Hex, 37 Degree Flared, Short [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51502C Nipple Tube, Regular Hex, 37 Degree Flared, Long [CUST: AT SH 99 CC] [REVIEW: 71 AR AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51503C Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51504C Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MS51505C Elbow, Tube, 90 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MS51505C Elbow, Tube, 90 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/2B(2) NOT 1 Resistor, Fixed, Film, Insulat					,		07-JUN-2016
A V CG MI SA]		37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA]					07-JUN-2016
CG MI SA] M MS51503C Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M MS51504C Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M MS51505C Elbow, Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M MIL-R-22684/IB(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 71 AT AV MI] A 5905 CC 27-MAY-201 M MIL-R-22684/2C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL20 [CUST: CR EC 85 CC] [REVIEW: 19 AR MI] A 5905 CC 27-MAY-201 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL32 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG EA A 5905 CC 27-MAY-201 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL32 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG EA A 5905 CC 27-MAY-201 M MIL-R-22684/4B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG MC MI OS] M A-A-52526 NOT 2 Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5945 AT 08-JUN-2016 M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] A 5965 CC 26-MAY-201 M MIL-PRF-3098/103D NOT 1 Tubes, Pitot Static, Electrically Heated, Aircraft [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 M MIL-15420B(2) NOT 1 Tubes, Pitot Static, Electrically Heated, Aircraft [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 M MIL-16115A(4) NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 MR 03-JUN-2016 M MMM-A-121 NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 MR 03-JUN-2016 M MMM-A-121 NOT 1 Adhesive, Bonding Vulcan		AV CG MI SA]					
M MS51504C Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 [REVIEW: 71 AR AS AV CG MI SA] Elbow, Tube, 90 Degree 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/1B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 19 AR MI] A 5905 CC 27-MAY-201 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: AR MI] A 5905 CC 27-MAY-201 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL32 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG EA MC MI OS] Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG EA MC MI OS] M A-A-52526 NOT 2 Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5905 CC 27-MAY-201 M MIL-PRF-3098/70E NOT 2 Crystal Unit, Quartz, CR95/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-19500/403A Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99] M MIL-F-55119B Electro -Acoustical Transducer Equipments [CUST: CR CC] A 5965 CC 26-MAY-201 CC 27-MAY-201 M MIL-16115A(4) NOT 1 Tubes, Pitot Static, Electrically Heated, Aircraft [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 REVIEW: GS] M MMM-A-121 NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 MR 03-JUN-2016 CC 27-MAY-201 CC 27-M		CG MI SA] Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC]					07-JUN-2016
M MS51505C	M MS51504C	Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC]	A	4730		CC	07-JUN-2016
M MIL-R-22684/1B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 19 AR MI] A 5905 CC 27-MAY-201 M MIL-R-22684/2C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL20 [CUST: CR EC 85 CC] [REVIEW: AR MI] A 5905 CC 27-MAY-201 M MIL-R-22684/3C(2) NOT 1 Resistors, Fixed, Film, Insulated, Style RL32 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG EA MC MI OS] A 5905 CC 27-MAY-201 M MIL-R-22684/4B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG MC MI OS] A 5905 CC 27-MAY-201 M A-A-52526 NOT 2 Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG MC MI OS] A 5905 CC 27-MAY-201 M MIL-PRF-3098/70E NOT 2 Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5945 A T 08-JUN-2016 M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR95/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-19500/403A Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99] A 5965 CC 26-MAY-201 M MIL-T-5420B(2) NOT 1 Tubes, Pitot Static, Electrically Heated, Aircraft [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 M MMM-A-121 NOT 1 Adhes	M MS51505C		A	4730		CC	07-JUN-2016
M MIL-R-22684/3C(2) NOT 1 Resistors, Fixed, Film, Insulated, Style RL32 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG EA MC MI OS] A 5905 CC 27-MAY-201 MC MI OS] M MIL-R-22684/4B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG MC MI OS] A 5905 CC 27-MAY-201 MC MI OS] M A-A-52526 NOT 2 Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5945 / AT 08-JUN-2016 MC MI OS] M MIL-PRF-3098/70E NOT 2 Crystal Unit, Quartz, CR95/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 MC MI OS] M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 MI	M MIL-R-22684/1B(2) NOT 1	Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 19 AR MI]	A	5905		CC	27-MAY-2016
M MIL-R-22684/4B(2) NOT 1 MC MI OS] Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG MC MI OS] A 5905 CC 27-MAY-201 M A-A-52526 NOT 2 Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5945 / AT 08-JUN-2016 M MIL-PRF-3098/70E NOT 2 Crystal Unit, Quartz, CR95/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-19500/403A Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99] A 5961 CC 27-MAY-201 M MIL-E-55119B Electro -Acoustical Transducer Equipments [CUST: CR CC] A 5965 CC 26-MAY-201 M MIL-T-5420B(2) NOT 1 Tubes, Pitot Static, Electrically Heated, Aircraft [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] A 6610 AS 01-JUN-2016 M MMM-A-121 NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 / MR 03-JUN-2016	, ,						27-MAY-2016
MC MI OS] M A-A-52526 NOT 2 M MIL-PRF-3098/70E NOT 2 M MIL-PRF-3098/102D NOT 2 M MIL-PRF-19500/403A MIL-PRF-19500/403A M MIL-E-55119B M MIL-T-5420B(2) NOT 1 M MIL-I-6115A(4) NOT 1 M MIL-I-6115A(4) NOT 1 M MMM-A-121 NOT 1 M C MI OS] Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5945 / AT 08-JUN-2016 A 5955 CC 26-MAY-201 A 5955 CC 26-MAY-201 A 5961 CC 27-MAY-201 A 5961 CC 27-MAY-201 A 5965 CC 26-MAY-201 A 6610 AS 01-JUN-2016 A 6610 AS 01-JUN-2016 A MIL-I-6115A(4) NOT 1 A 5961 CC 27-MAY-201 A 5965 CC 26-MAY-201 A 6610 AS 01-JUN-2016 A 6610 AS 01-JUN-2016 A MIL-I-6115A(4) NOT 1 A 5965 CC 26-MAY-201 A 6610 AS 01-JUN-2016 A 5965 CC 36-MAY-201 A 6610 AS 01-JUN-2016 A 6610 AS 01-JUN-2016 A 5965 CC 36-MAY-201 A 5965 C	, ,	MC MI OS]					
M MIL-PRF-3098/70E NOT 2 M MIL-PRF-3098/102D NOT 2 M MIL-PRF-3098/102D NOT 2 M MIL-PRF-3098/102D NOT 2 M MIL-PRF-3098/102D NOT 2 M MIL-PRF-19500/403A MIL-PRF-19500/403A MIL-PRF-19500/403A MIL-PRF-19500/403A MIL-E-55119B M MIL-E-55119B Electro -Acoustical Transducer Equipments [CUST: CR CC] M MIL-T-5420B(2) NOT 1 M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] [REVIEW: GS] M MMM-A-121 NOT 1 A 5955 CC 26-MAY-201 A 5965 CC 27-MAY-201 A 5965 CC 26-MAY-201 A 5965 CC 26-MAY-201 A 6610 AS 01-JUN-2016 A 6610 AS 01-JUN-2016		MC MI OS]					
M MIL-PRF-3098/102D NOT 2 M MIL-PRF-19500/403A Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99] M MIL-E-55119B Electro -Acoustical Transducer Equipments [CUST: CR CC] M MIL-T-5420B(2) NOT 1 M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] [REVIEW: GS] M MMM-A-121 NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99] A 8040 M R 5955 CC 26-MAY-201 A 5965 CC 26-MAY-201 A 5965 CC 26-MAY-201 A 6610 AS 01-JUN-2016 B 6610 AS 01-JUN-2016 A 6610 AS 01-JUN-2016 A 6610 AS 01-JUN-2016 B 6610 AS 01-JUN-2016 B 6610					/		08-JUN-2016
M MIL-PRF-19500/403A Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99] M MIL-E-55119B Electro -Acoustical Transducer Equipments [CUST: CR CC] M MIL-T-5420B(2) NOT 1 M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] [REVIEW: GS] M MMM-A-121 NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99] A 8040 M MR O3-JUN-2016							
M MIL-T-5420B(2) NOT 1 M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016		Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and					27-MAY-2016
M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 [REVIEW: GS] Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 / MR 03-JUN-2016		Electro -Acoustical Transducer Equipments [CUST: CR CC]					26-MAY-2016
[REVIEW: GS] M MMM-A-121 NOT 1 [REVIEW: GS] Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 / MR 03-JUN-2016	* *						01-JUN-2016
		[REVIEW: ĞS]			/		
	15 HIN 2016						

15-JUN-2016 5

CANCELED SECTION

ASSIST UPDATE

-	STRICELED BECTION	ABBIST CLEATE					
	z		DISTRIBUTION				
	Z O O O O O O O O O O O O O O O O O O O		<u>E</u>	ΨE		ACTY	
	I AC		KIB	ARI		AC.	
	A DOCKHATNIAN MED	DOCUMENTS THE F	IST	FSC/AREA	MCA	PREP	DATE
H	DOCUMENT NUMBER M A-A-50580 NOT 1	DOCUMENT TITLE Truck, Tank: Sewage or Waste Collection, Commercial 4 by 2 (No S/S Document) [CUST: AT	A	2320		YD	DATE 10-MAY-2016
		YD]				IID.	
- 1	M A-A-50577 NOT 1 M A-A-50579 NOT 1	Semitrailers, Rear Dump; Single Axle and Tandem Axle (No S/S Document) [CUST: YD] Trailer, Equipment, Elevating Body, 4-Wheel (No S/S Document) [CUST: YD]	A	2330 2330	/	YD YD	10-MAY-2016 10-MAY-2016
- 1	M A-A-50538 NOT 1	Applicator, Bait, Insecticide (No S/S Document) [CUST: MD YD] [REVIEW: CC GS]		3740	/	YD	10-MAY-2016
	M A-A-50555 NOT 1	Pumping Units, Sewage, Duplex, Centrifugal, Automatic Wet-Pit Type (No S/S Document) [CUST: AT YD] [REVIEW: CC CE CG MC]		4630	/	YD	10-MAY-2016
- 1	M ASTM-F405 M MS3157D NOT 1	Pipe and Fittings, Corrugated Polyethylene (PE) (S/S by ASTM-F667/F667M) [CUST: CE YD 99] Insert Arrangement, MIL-C-81659 Electric Connector, Series 1 and 2 (S/S by SAE-AS31571)		4730 5935		CC AS	07-JUN-2016 08-JUN-2016
	M MS313/D NOT 1	[CUST: CR AS 85 CC] [REVIEW: EC OS]	A	3933		AS	08-JUN-2016
	M MS25439A NOT 2	Splice-Permanent Crimp Style, 2 Way Type for Aluminum Aircraft Wire, Class 1 (S/S By SAE-AS25439) [CUST: AS 85] [REVIEW: 99 GS]		5940	,	AS	19-MAY-2016
- 1	M A-A-50504 NOT 1 M A-A-50566 NOT 1	Analyzers, Flue-Gas, Orsat-Type, Portable (No S/S Document) [CUST: YD] Monitoring Devices, Emission; Stack Related (No S/S Document) [CUST: EA YD] [REVIEW: DP		6630 6630	/	YD YD	10-MAY-2016 10-MAY-2016
		MS]			,		
	M MIL-T-81821(3) NOT 1 M A-A-59253 NOT 1	Trainers, Maintenance, Equipment and Services General Specification For (No S/S Document) [CUST: AV AS 11] [REVIEW: 99] Pails, Utility, Plastic (No S/S Document) [CUST: GL YD 99] [REVIEW: 03 84]		69GP 7240	/	AS YD	08-JUN-2016 10-MAY-2016
- 1	M ASTM-D358	Wood to Be Used as Panels in Weathering Tests of Coatings (S/S by ASTM-D7787) [CUST: MR 20] [REVIEW: 99 AS CR4 SH]		8010	,	MR	07-JUN-2016
	M ASTM-F1614	Footwear, Athletic, Shock Attenuating Properties of Material Systems, Standard Test Method for (S/S by ASTM-F1976) [CUST: GL NU 99]	A	84GP		CT	07-JUN-2016
	M ASTM-D3177	Coal and Coke, Total Sulfur in the Analysis Sample of (S/S by ASTM-D4239) [CUST: CR4 YD 68] [REVIEW: PS]	A	9110		IS	07-JUN-2016
	M ASTM-A82	Steel Wire, Plain, for Concrete Reinforcement (S/S by ASTM-A1064/A1064M) [CUST: CR4 YD 99] [REVIEW: CE IS MC]	A	9505		YD	07-JUN-2016
	M ASTM-A185	Steel Welded Wire Reinforcement, Plain, for Concrete (S/S by ASTM-AA1064) [CUST: CR4 YD] [REVIEW: IS MC]	A	9505		YD	07-JUN-2016
	M ASTM-A496	Steel Wire, Deformed, for Concrete Reinforcement (S/S by ASTM-A1064/A1064M) [CUST: CR4 YD 99] [REVIEW: IS]	A	9505		YD	07-JUN-2016
	M ASTM-A497	Steel Welded Wire Fabric, Deformed, for Concrete Reinforcement (S/S by ASTM-A1064/A1064M) [CUST: MR YD 99] [REVIEW: IS]	A	9505		YD	07-JUN-2016
	M ASTM-A176	Steel, Plate, Sheet, and Strip, Stainless and Heat-Resisting Chromium (S/S by ASTM-A240/A240A) [CUST: MR YD 99] [REVIEW: AR CE CR CR4 GL IS OS SH]	A	9515		MR	07-JUN-2016
	M MIL-PRF-49501A NOT 4	Manuals, Technical: Daily Preventive Maintenance Checklist (S/S by MIL-STD-40051-1C and MIL-STD-40051-2C) [CUST: TM] [REVIEW: AR AT AV CR MI]	A	TMSS		TM	08-JUN-2016
	M MIL-PRF-63003B(1) NOT 2	Manuals, Technical: Battlefield Damage Assessment and Repair, Preparation of (S/S By Mil-Std-40051-1C/-2C) [CUST: TM] [REVIEW: AR AT AV CR MI]	A	TMSS		TM	08-JUN-2016
	M MIL-PRF-63004D NOT 2	Manuals, Technical: Preparation of Lubrication Orders (S/S By Mil-Std-40051-1C/-2C) [CUST: TM] [REVIEW: AR AT AV CR EA MI]	A	TMSS		TM	08-JUN-2016
	M MIL-PRF-63012B(1) NOT 3	Manuals, Technical: Depot Maintenance Work Requirements (DMWRs) for Maintenance/Demilitarization of Conventional and Chemical Ammunition (S/S By Mil-Std-40051-	A	TMSS		TM	08-JUN-2016
	M MIL-PRF-63042D(1) NOT 3	1C/-2C) [CUST: TM SH] [REVIEW: AR AS AT AV CR EA MI NM] Manuals, Technical: Procedures for Destruction of Equipment to Prevent Enemy Use (S/S by MIL-STD-40051-1C and MIL-STD-40051-2C) [CUST: TM] [REVIEW: AR AT AV CR MI]	A	TMSS		TM	08-JUN-2016
	M MIL-PRF-63045B(1) NOT 3	Manuals, Technical: Preparation of Depot Manuals for Depot Test, Measurement, and Diagnostic Equipment (S/S by MIL-STD-40051-1C and MIL-STD-40051-2C) - [CUST: TM] [REVIEW: AR AT AV CR MI]	A	TMSS		TM	08-JUN-2016
	M MIL-STD-40051B(3) NOT 3	Preparation of Digital Technical Information for Multi-Output Presentation of Technical Manuals (S/S by MIL-STD-40051-1C and MIL-STD-40051-2C) [CUST: TM] [REVIEW: AC AR AT AV	A	TMSS		TM	08-JUN-2016
		CR EA MI]					

15-JUN-2016