Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 June 2016

(For the Period 1 June 2016 to 14 June 2016)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.dla.mil/ for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at https://assist.dla.mil/online/registration/registration.cfm.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: https://assist.dla.mil/online/news/AlertService.htm .								

ASSIST UPDATE

z			ON				
LAST ACTION			DISTRIBUTION	⋖		TY	
AC			ZIB]	\RE		ACTY	
AST			STI	FSC/AREA	MCA	PREP	
_	DOCUMENT NUMBER	DOCUMENT TITLE	-		Ž		DATE
M	* /	Explosive Composition HTA-3 [CUST: AR]	A	1375		AR	24-MAY-2016
	DOD-M-64040A(1) NOT 2 MIL-STD-1171B	Methyl Diphenylurea [CUST: AR] Energetic Material Description Sheets and Propellant Loading Authorization Sheets [CUST: AR OS		1376 1376		AR AR	24-MAY-2016 31-MAY-2016
"	MIE STE TITIE	11] [REVIEW: 70 99 AS AV MC MR SH TE]	*	1570		7110	31 WHIT 2010
	MIL-STD-1791-1	Criteria for Nonstandard Airdrop Equipment and Payloads [CUST: AV AS 11]		1510		11	16-MAY-2016
	A-A-59884 NOT 1	E-Track Ratchet Strap, Cargo, Tie Down Assembly [CUST: AS 184] [REVIEW: 11 99]	A	1670	/	184	14-JUN-2016
	MS21444 NOT 5 MS21781 NOT 4	Tire, Preumatic, Aircraft, 36X11 [CUST: 70] [REVIEW: GS]		2620 2620		70 70	07-JUN-2016
	MS22080 NOT 5	Tire - Pneumatic Type VIII 30 X 11.5 - 14.5/26 PR [CUST: 70] [REVIEW: CC GS] Tire - Pneumatic Rebuilt, Type III 12.50-16/12 PR [CUST: AS 70] [REVIEW: CC GS]	A A			70 70	08-JUN-2016 08-JUN-2016
	MS22081 NOT 5	Tire, Pneumatic New Type III 20.00-20/26PR [CUST: AS 70] [REVIEW: CC GS]	A	2620		70	08-JUN-2016
	MS27811A(1) NOT 3	Tire - Pneumatic Retread, Type VII 49 X 17/26 PR [CUST: 70] [REVIEW: GS]		2620		70	08-JUN-2016
M	MS27813A NOT 5	Tire Pneumatic Retread, Type VII 56 X 16 / 38 PR 250 MPH [CUST: AS 70] [REVIEW: CC GS]	Α	2620		70	08-JUN-2016
M	MS27815C(1) NOT 4	Tire - Pneumatic Rebuilt, Type VII 44 X 16, 28 PR [CUST: 70] [REVIEW: GS]	Α	2620		70	08-JUN-2016
	MS27817B(1) NOT 4	Tire - Pneumatic Rebuilt, Type V11 36 X 11/22 PR [CUST: 70] [REVIEW: GS]	A	2620		70	08-JUN-2016
	MS27818A NOT 5	Tire Pneumatic Retread, Type VII 38 X 11 / 14 PR [CUST: AS 70] [REVIEW: CC GS]	A			70	07-JUN-2016
	MS27823A NOT 5	Tire - Pneumatic Rebuilt, Type VII 20.00-20/26 PR [CUST: AS 70] [REVIEW: CC GS]	A	2620 4210	,	70	08-JUN-2016
	A-A-50222 NOT 4 A-A-50230 NOT 4	Bucket, Helicopter, Fire Fighting [CUST: AV] [REVIEW: IS] Blanket, Fire (Wool, with Case) [CUST: AV 99] [REVIEW: 84 CC IS MC MD]	A A	4210	/	AV AV	08-JUN-2016 08-JUN-2016
	A-A-58004F NOT 1	Truck, Fire Fighting, Water Tanker, 4,000 Gallon Capacity [CUST: 184] [REVIEW: 99 IS]		4210	/	184	31-MAY-2016
	A-A-58005C NOT 1	Truck, Fire Fighting (Telescoping Aerial Ladder and Work Platform) [CUST: 184] [REVIEW: 99		4210	/	184	31-MAY-2016
M	A-A-58028D NOT 1	Truck, Fire Fighting, Hazardous Materials (HAZMAT) Response Vehicle [CUST: 184] [REVIEW: 99 IS]	A	4210	/	184	31-MAY-2016
	A-A-59108C NOT 1	Truck, Fire Fighting (Aircraft Rescue) (ARFF) [CUST: 184] [REVIEW: 99 CC]	A		/	84	31-MAY-2016
	A-A-59152D NOT 1	Truck, Fire Fighting, (Rescue) (Medium Rescue Truck) [CUST: 184] [REVIEW: 99 IS]	A	4210	/	184	31-MAY-2016
	A-A-59724C NOT 1	Truck, Fire Fighting (Quint) [CUST: 184] [REVIEW: 99 IS] Truck, Short Wheel Prog. Fire Fighting (Surgeture) 4x(2) [CUST: 184] [DEVIEW: 00 IS]	A	4210	/	184	31-MAY-2016
	A-A-59879 NOT 1	Truck, Short Wheel Base, Fire Fighting (Structural, 4x2) [CUST: 184] [REVIEW: 99 IS]	A	4210 4720	/	184	31-MAY-2016
	MIL-DTL-81581/8A NOT 2 A-A-59237A NOT 1	Hose Assemblies, Cable Assemblies, Communication, Associated [CUST: AS 11] Composite Repair Set, Aircraft (Dual Zone) [CUST: 84] [REVIEW: 99]	A	4920	/	AS 84	14-JUN-2016 13-JUN-2016
	A-A-59240A NOT 1	Composite Repair Set, Aircraft (Dual Zone, Class 1 Div 2) [CUST: 84] [REVIEW: 99]	A	4920	/	84	13-JUN-2016
	A-A-59268A NOT 1	Composite Repair Set, Aircraft (Single Zone) [CUST: 84] [REVIEW: 99]	A	4920	/	84	13-JUN-2016
	A-A-59271A NOT 1	Composite Repair Set, Aircraft (Single Zone, Class 1 Div 2) [CUST: 84] [REVIEW: 99]	Α	4920	/	84	13-JUN-2016
M	A-A-59862B NOT 1	Test Set, Radar Pressurizing (Portable, Shock Mounted) [CUST: 184] [REVIEW: 99]	Α	4920	/	184	08-JUN-2016
	A-A-59863 NOT 1	Linear and Rotary Electro-Mechanical Actuator Test Stand (LREATS) [CUST: 184] [REVIEW: 99]		4920	/	184	07-JUN-2016
	A-A-50202A NOT 1	Pump, Bucket, Lubrication, Hand-Operated [CUST: AT YD 99] [REVIEW: CC MC]		4930	/	AT	02-JUN-2016
M	MIL-DTL-45932/1D(2)	Insert, Screw Thread - Thin Wall, Locked in [CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR4 MC NS OS]	A	5325		IS	07-JUN-2016
M	MIL-PRF-2818E	Insulation Blanket, Thermal [CUST: CR4 SH] [REVIEW: YD]	A	5640		SH	10-MAY-2016
	MIL-PRF-22684F(2)	Resistors, Fixed, Film (Insulated) General Specification for [CUST: CR EC 85 CC] [REVIEW: 19	Α	5905		CC	27-MAY-2016
M	MIL-PRF-32535/10(1)	99 AR AS AT CG CR4 MC MI OS] Capacitor, Chip, Fixed, Ceramic Dielectric (General Purpose), Extended Range, High Reliability and	_	5910		CC	31-MAY-2016
IVI	WIIL-FRI -32333/10(1)	Standard Reliability, Size 0508 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA MI NA OS SH]	A	3910		cc	31-MA 1-2010
M	MIL-PRF-39003/11(1)	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum (Polarized, Sintered Slug), High	Α	5910		CC	31-MAY-2016
		Frequency, Established Reliability, Style CSS21 (High Reliability Applications) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MDA OS SH]					
М	MIL-PRF-39014J	Capacitor, Fixed, Ceramic Dielectric (General Purpose), Established Reliability and Non-Established	A	5910		CR	13-JUN-2016
		Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT AV MC					
м	MIL-PRF-15733/75A(2) NOT 1	MDA MI] Filters, Radio Frequency Interference, Hermetically Sealed, Style FL98 [CUST: CR EC 85 CC]	Δ	5915		CC	01-JUN-2016
IVI	WIL-1 KI-13/33//3A(2) NOT 1	[REVIEW: 19 99 AR AS AT AV MC OS SH]	Α.	3913		cc	01-3011-2010
M	A-A-59886 NOT 1	Circuit Breakers, Miniature, Thermal Magnetic, Shock Enhanced, Trip-Free Series Trip, High	Α	5925	/	CC	31-MAY-2016
		Density Design, 35 MM Din Channel Mount, 0.2 to 30 Amperes (A), General Requirements for [CUST: EC CC]					
M	MIL-PRF-8805/45G NOT 2	Switches, Sensitive, SPST, 5 Amperes, Resilient Seal [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS SH]	A	5930		CC	31-MAY-2016
M	MIL-PRF-8805/73K NOT 2	Switches, Sensitive, SPDT, Plunger, 4 Amperes, Hermetically Sealed Contacts, Resilient Sealed	A	5930		CC	31-MAY-2016
M	MIL-PRF-22885/18L	Plunger [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] Switch, Push Button, Illuminated, Dripproof Seal, Momentary and Alternate Action (DPDT/Two	A	5930		CC	25-MAY-2016
M	MS21027R(1)	Circuit - 2 Amperes) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] Switch, Toggle, Positive Break, Lever Lock, Miniature Toggle Sealed, Solder Lug, Double Pole,	A	5930		CC	19-MAY-2016
M	MS24655S(2)	.469 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 EC MI] Switch, Toggle, Positive Break, Miniature Toggled Sealed, Single Pole, Solder Lug or Integrated	A	5930		CC	25-MAY-2016
	MS27720H(1)	Wire Terminals: .250 Mounting Bushings [CÜST: CR AS 85 CC] [REVIEW: 99 AV EC MI] Switch, Toggle, Miniature, Single Pole, Toggle Seal, Lever Lock [CUST: CR AS 85 CC] [REVIEW:				CC	25-MAY-2016
1,41	(-)	99 AV]		2,30			25 1/1111-2010
M	MS35058K NOT 2	Switch, Toggle One Pole, Sealed Toggle [CUST: CR AS 85 CC] [REVIEW: 99 AV EC MI]	Α	5930		CC	31-MAY-2016
M	MIL-PRF-39012/6D(2) NOT 2	Connectors, Plug, Electrical, Coaxial, Radio Frequency, (Series C (Cabled), Female, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	5935		CC	08-JUN-2016
M	MIL-PRF-39012/7E(1)	Connectors, Plug, Electrical, Coaxial, Radio Frequency, (Series C (Cabled), Female, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	5935		CC	08-JUN-2016
М	MIL-PRF-39012/8E(1)	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series C (Cabled), Female, Flange	A	5935		CC	08-JUN-2016
1,1		Mounted, Rear Mounted, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	``	2,33			00 0011 2010
M	MIL-PRF-39012/11D(1) NOT 1	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, (Series C (Cabled), Female, Jam Nut	A	5935		CC	08-JUN-2016
	.,	Rear Mounted Pressurized, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]					
M	MIL-PRF-39012/67C(1)	Connectors, Plugs, Electrical, Coaxial, Radio Frequency, Series SMB (Cabled, Socket Contact, Class	A	5935		CC	08-JUN-2016
		2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV EA MC MI OS SA SH]				-	
15	IUN-2016	1	_				

15-JUN-2016 1

ASSIST UPDATE

	CITYLDLCTION	ABBIST CLDATE					
z			DISTRIBUTION				
LAST ACTION			E	∢		ΙΧ	
AC			IBI	RE.		ACTY	
ST			TR	(A)	ٍ	£ E	
LA	DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC/AREA	MCA	PREP.	DATE
-	MIL-DTL-28731/13G	Connector, Electrical, Insert (Insulator), Male Rectangular, Polarized, Center Screw Lock, for 56	Α	5935		CC	17-MAY-2016
		Removable Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS]					
M	MIL-DTL-28731/16F	Connectors, Electrical, Insert (Insulator), Female Rectangular, Polarized, Center Screw Lock, for 90	A	5935		CC	17-MAY-2016
	MIL DTI 20754/50A	Removable Contacts [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS]	١.	5025		CC	07 HIN 2016
M	MIL-DTL-28754/59A	Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Center Contact Tails on .100 Centers (Ceramic Compatible) [CUST: AS 85 CC]	A	5935		CC	07-JUN-2016
М	MIL-DTL-28754/67A	Connectors, Electrical, Modular, Connector Frame, Type IV, Double Span, Center [CUST: AS 85]	A	5935		CC	07-JUN-2016
1	B12 2070 W0711	[CC]		0,00			0, 001, 2010
M	MIL-C-28804/2D NOT 4	Connectors, Plug, Electric, Rectangular, High Density, Polarized Center Jackscrew, Crimp	A	5935		CC	07-JUN-2016
		Removable Pin Contacts, Class G [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]					
M	MIL-C-28804/3D NOT 4	Connectors, Receptacle, Electric, Rectangular, High Density, Polarized Center Jackscrew, Crimp	A	5935		CC	07-JUN-2016
		Removable Socket Contacts, Class E [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]					
M	MIL-C-28804/4D NOT 4	Connectors, Plug, Electric, Rectangular, High Density, Polarized Center Jackscrew, Crimp	A	5935		CC	07-JUN-2016
		Removable Pin Contacts, Class E [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]					
M	MIL-C-28804/5D NOT 4	Connectors, Receptacle, Electric, Rectangular, High Density, Polarized Center Jackscrew, Crimp	A	5935		CC	07-JUN-2016
		Removable Socket Contacts, Class P [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]					
м	MIL-C-28804/6D NOT 4	Connectors, Plug, Electric, Rectangular, High Density, Polarized Center Jackscrew, Crimp	_	5935		CC	07-JUN-2016
IVI	WIL-C-28004/0D NOT 4	Removable Pin Contacts, Class P [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]	^	3933		cc	07-3014-2010
M	MIL-C-28804/8D NOT 4	Connectors, Plug, Electric, Rectangular, High Density, Polarized Center Jackscrew, Solder Pin	A	5935		CC	07-JUN-2016
		Contacts, Class S [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]					
M	MIL-C-28804/11D NOT 4	Connectors, Plug, Electric, Rectangular, High Density, Polarized Center Jackscrew, Interfacial Seal,	A	5935		CC	07-JUN-2016
	Magazzanyoma	Solder Pin Contacts, Class SE [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI]	١.	5025			02 WD1 2016
M	MS27661F NOT 1	Connectors, Plug, Electrical, Crimp Type, Lanyard Release, Fail-Safe, Series I [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	02-JUN-2016
N	SAE-AS31571	Insert Arrangements for AS81659 Series 1 and 2 Electrical Connectors [CUST: CR AS 85 CC]	Δ	5935		AS	08-JUN-2016
1	SAL-A5313/1	[REVIEW: EC OS]	^	3933		Ab	08-3014-2010
M	A-A-59125/1 NOT 2	Terminal Boards, Molded, Barrier Screw Type, Class 37TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
M	A-A-59125/2 NOT 2	Terminal Boards, Molded, Barrier Screw Type, Class 38TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
M	A-A-59125/3 NOT 2	Terminal Boards, Molded, Barrier Screw Type, Class 39TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
M	A-A-59125/4 NOT 2	Terminal Boards, Molded, Barrier Screw Type, Class 40TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
M	A-A-59125/5 NOT 2	Terminal Boards, Molded, Barrier Screw Type, Class 41TB [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
	A-A-59125/7 NOT 2	Terminal Lugs, Solder Type, Styles TBLD and TBLS [CUST: CR AS 85] [REVIEW: GS]	A		/		31-MAY-2016
	A-A-59125/9 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 3TB [CUST: CR AS 85] [REVIEW: GS]	A		/		31-MAY-2016
	A-A-59125/10 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 4TB [CUST: CR AS 85] [REVIEW: GS]	A		/		31-MAY-2016
1	A-A-59125/12 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 6TB [CUST: CR AS 85] [REVIEW: GS]		5940	/		31-MAY-2016
	A-A-59125/13 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 7TB [CUST: CR AS 85] [REVIEW: GS]	A		/		31-MAY-2016
	A-A-59125/14 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 8TB [CUST: CR AS 85] [REVIEW: GS]	A		/		31-MAY-2016
	A-A-59125/15 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 9TB [CUST: CR AS 85] [REVIEW: GS]	A		/		31-MAY-2016
1	A-A-59125/16 NOT 2			5940	/		31-MAY-2016
1	A-A-59125/20 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 10TB [CUST: CR AS 85] [REVIEW: GS] Terminal Boards, Molded, Barrier Stud Type, Class 16TB [CUST: CR AS 85] [REVIEW: GS]	A		/		
	A-A-59125/20 NOT 2 A-A-59125/22 NOT 2				/		31-MAY-2016
		Terminal Boards, Molded, Barrier Stud Type, Class 18TB [CUST: CR AS 85] [REVIEW: GS]		5940	/		31-MAY-2016 31-MAY-2016
1	A-A-59125/23 NOT 2 A-A-59125/24 NOT 2	Terminal Boards, Molded, Barrier Stud Type, Class 25TB [CUST: CR AS 85] [REVIEW: GS] Terminal Boards, Molded, Barrier Stud Type, Class 26TB [CUST: CR AS 85] [REVIEW: GS]	A	5940 5940	/		
1	A-A-59125/26 NOT 2			5940	/		31-MAY-2016
1		Terminal Boards, Molded, Barrier Stud Type, Class 43TB [CUST: CR AS 85] [REVIEW: GS]	A		/,		31-MAY-2016
IVI	A-A-59125/28 NOT 2	Bus (Jumper) Connectors Styles TBJA, TBJB, TBJC, TBJD, TBJE, TBJF, TBJG, TBJH and TBJI [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
M	A-A-59125/29 NOT 2	Marker Strips, for Class 37TB Terminal Boards [CUST: CR AS 85] [REVIEW: GS]	A	5940	/	CR	31-MAY-2016
1	A-A-59125/30 NOT 2	Marker Strips, for Class 38TB Terminal Boards [CUST: CR AS 85] [REVIEW: GS]	A		/	CR	31-MAY-2016
1	A-A-59125/31 NOT 2	Marker Strips, for Class 39TB Terminal Boards [CUST: CR AS 85] [REVIEW: GS]	A		/		31-MAY-2016
1	SAE-AS25439	Splice-Permanent Crimp Style, 2 way Type for Aluminum Aircraft Wire, Class 1 [CUST: CR AS		5940	,	AS	19-MAY-2016
[*		85] [REVIEW: 99 AV GS]	``	2770		110	.> 11111-2010
M	MIL-PRF-27/76D(1) NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5950		CC	26-MAY-2016
1	MIL-PRF-27/79A(1) NOT 1	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS	A	5950		CC	26-MAY-2016
1	. ,	SH]					
M	MIL-PRF-27/96A(1) NOT 1	Transformer, Audio Frequency, Sub-Miniature [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4	A	5950		CC	26-MAY-2016
.,	NAME OF THE PARTY	MC MI OS SH]	١.	50.50			02 HD1 2016
	MIL-PRF-1/747F NOT 1	Electron Tube, Cathode Ray 3XP1 [CUST: CR EC 85 CC] [REVIEW: 99 CG MC MI OS]		5960		CC	02-JUN-2016
M	MIL-PRF-1/1222D NOT 2	Electron Tube, Cathode Ray Type 12DP7C [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG	A	5960		CC	02-JUN-2016
м	MIL-PRF-1/1261H NOT 1	MC OS SH] Electron Tube Cathode Pay Types 12 A PRIA 12 A PRIA and 12 A PRIOA (CUST: CR EC 85 CC)		5960		CC	02 HIN 2016
IVI	MIL-PRF-1/1201H NOT 1	Electron Tube, Cathode Ray Types 12ABP1A, 12ABP7A, and 12ABP19A [CUST: CR EC 85 CC] [REVIEW: 99]	A	3900		CC	02-JUN-2016
М	MIL-STD-1311D NOT 1	Test Methods for Electron Tubes [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG CR4 MI	A	5960		CC	02-JUN-2016
	ME SIB ISIIB NOT I	OS SH SM]	• •	2700		-	02 0011 2010
M	MIL-PRF-19500/673C	Transistor, Field Effect, Radiation Hardened N-Channel, Silicon, Encapsulated (Surface Mount and	A	5961		CC	26-MAY-2016
		Carrier Board Packages), Types 2N7468 and 2N7469 JANTXVR, F, G and H and JANSR, F, G					
	NAME OF THE OFTEN AND ADDRESS OF THE OFTEN ADDRESS OF THE OFTEN ADDRESS OF THE OFTEN AND ADDRESS OF THE OFTEN ADD	and H [CUST: CR EC 85 CC NA] [REVIEW: 71 99 MI]	١,	500 -		~~	00 7777 207
M	MIL-DTL-85K(1) NOT 1	Waveguides, Rigid, Rectangular General Specification For [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS]	A	5985		CC	02-JUN-2016
м	MII -DTI -3928/15G NOT 1	-		5985		CC	02 HIN 2016
IVI	MIL-DTL-3928/15G NOT 1	Switches, Radio Frequency Transmission Line (Coaxial) (Electrically Operated) (Optional Venting for Space Applications) Class 5, 1P2T [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS]	A	2703		CC	02-JUN-2016
М	MIL-DTL-3933/16E NOT 1	Attenuators, Fixed, Space Level, Non Space Level Coaxial Line (SMA Connectors), Frequency	A	5985		CC	02-JUN-2016
		Range: DC to 18 GHz, Class IV, Low [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI]	`	- , , , ,			.2 001, 2010
M	MIL-DTL-3933/17D NOT 1	Attenuators, Fixed, Space Level, Non Space Level, Coaxial Line (TNC Connectors), Frequency	A	5985		CC	02-JUN-2016
		Range: DC to 18 GHz, Class IV, Low Power [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI SH]					
M	MIL-DTL-15370/4E NOT 1	Couplers, Directional (Waveguide-Multihole) [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS	A	5985		CC	02-JUN-2016
3.4	MIL DTI 15270/5E NOT 1	SH] Coupling Directional (Waysowide Crossowide) [CUST, CD EC 95 CC] [DEVIEW, 00 AS CC MC		5005		00	02 HDV 2015
M	MIL-DTL-15370/5E NOT 1	Couplers, Directional (Waveguide-Crossguide) [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]	A	5985		CC	02-JUN-2016
<u></u>		00 0111					

[O5 511] 15-JUN-2016

ASSIST UPDATE

-	CITYLBLCTION	ABBIST CIDATE					
Z			ON				
			Σ	EA		ACTY	
TA			RE	/AR	-	P A(
LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP	DATE
	A-A-55563/30A	Holder, Electrical Card, Metal Card Guide, Center Mounting, with Multiple Mounting Holes, Unsupported for Chassis or Supported Mounting Applications [CUST: CR EC 85 CC] [REVIEW:		5998	/	СС	30-MAY-2016
M	A-A-59590/1C	99] Holders, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .225 x .260 Inch Body Size, Wedge Body Mounting, with Lever Action Locking [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	01-JUN-2016
M	MIL-PRF-29504/4E	Termini, Fiber Optic, Connector, Removable, Environment Resisting, Pin Terminus, Size 16, Rear Release, MIL-DTL-38999, Series III [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060		CC	24-MAY-2016
M	MIL-PRF-29504/5E	Termini, Fiber Optic, Connector, Removable, Environment Resisting, Socket Terminus, Size 16, Rear Release, MIL-DTL-38999, Series III [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060		CC	24-MAY-2016
M	MIL-PRF-32383 NOT 1	Batteries, Rechargeable, Sealed General Specification for [CUST: CR MC 99] [REVIEW: 71 AS CC SH]	A	6140		CR	31-MAY-2016
M	MIL-PRF-32383/1 NOT 1	Battery, Rechargeable, Sealed, Lithium-Ion, BB-2545/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]	A	6140		CR	31-MAY-2016
M	MIL-PRF-32383/2 NOT 1	Battery, Rechargeable, Sealed, Lithium-Ion, BB-2580/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]	A	6140		CR	31-MAY-2016
M	MIL-PRF-32383/3 NOT 1	Battery, Rechargeable, Sealed, BB-2590()/U, BB-390()/U, and BB3590()/U [CUST: CR MC 99] [REVIEW: 71 AS CC SH]	A	6140		CR	31-MAY-2016
M	MIL-DTL-17/178B	Cables, Radio Frequency, Flexible, Triaxial, 95 OHMS, M17/178-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH]	A	6145		CC	28-MAY-2016
M	MIL-DTL-17/201A	Cables, Radio Frequency, Flexible, Twinaxial, Single Shield, Data Bus, 77 OHMS [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/220A	Cable, Radio Frequency, Flexible, Coaxial, 50 Ohms, Low Smoke, Low Loss Diameter .195 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/221A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, Low Smoke, Low Loss Diameter .242 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/222A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, Low Smoke, Low Loss Diameter .300 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/225A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, Low Smoke, Low Loss Diameter .590 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/227A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, Low Smoke, Low Loss Diameter 1.200 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/228A	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, Low Smoke, Low Loss Diameter 1.670 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NA OS SH]	A	6145		CC	27-MAY-2016
M	MIL-DTL-17/234	Cables, Radio Frequency, Flexible, Coaxial, 75 OHMS, Low Noise, Low Smoke, Enhanced Insulation Resistance [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	28-MAY-2016
	MIL-DTL-83413/8E(1)	Connectors and Assemblies, Electrical, Grounding: Type IV Jumper Cable Assembly, Lead, Electrical [CUST: AV AS 85 CC] [REVIEW: 71 99 AR CR CR4 GS MC MI]		6150		CC	23-MAY-2016
- 1	A-A-59880 NOT 1 A-A-59883 NOT 1	Load Bank, Electrical 160 Kilowatts, 60 Hertz [CUST: 84] [REVIEW: 99 IS] Borescope [CUST: 184] [REVIEW: 99]	A A	6625 6650	/	84 184	31-MAY-2016 13-JUN-2016
- 1	A-A-59883 NOT 1 A-A-59123 NOT 3	Sodium Dichromate Dihydrate, Technical [CUST: MI OS 68 GS]		6810	/	GS3	02-JUN-2016
	A-A-59117B	Insecticide, Malathion, Emulsifiable Concentrate [CUST: EA GS] [REVIEW: GL MD1 PM]		6840	/	GS3	01-JUN-2016
	A-A-52465A NOT 1 MMM-A-101	Primer Coating, Synthetic, VOC Complaint (for Brake Drums) [CUST: AT] [REVIEW: CR4 SM] Adhesive, Bonding Vulcanized Synthetics Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 AS AV DC5 DH GS4 IS MC MI PT]		8010 8040	/	AT MR	31-MAY-2016 02-JUN-2016
M	MIL-DTL-43637E	Cloth, Plain Weave, Ripstop, Nylon [CUST: GL NU 11 CT]	A	8305		CT	26-MAY-2016
	MIL-DTL-3628/13G	Badge, Qualification, Excellence in Competition, Rifle and Pistol U.S. Army, Pendant, Suspension Bar and Suspension Device [CUST: IH] [REVIEW: CT]		8455		IH	02-JUN-2016
	MIL-DTL-3628/65H	Badge, Qualification, Combat Parachutist, U.S. Army and U.S. Air Force [CUST: IH 11] [REVIEW: CT]				IH	18-MAY-2016
	MIL-DTL-3628/194A	Badge, Qualification, Aviation, Naval Aviator, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]		8455		IH	27-MAY-2016
	MIL-DTL-3628/195A	Badge, Qualification, Aviation, Naval Aviation Observer and Flight Meteorologist, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]		8455		IH	27-MAY-2016
	MIL-DTL-3943/146F	Decoration, Distinguished Service Medal, Department of Homeland Security [CUST: IH] [REVIEW: CT]		8455		IH	08-JUN-2016
	MIL-DTL-3943/256C	Decoration, Meritorious Civilian Service Award, National Imagery and Mapping Agency [CUST: IH] [REVIEW: CT]		8455		IH	24-MAY-2016
	MIL-DTL-3943/320A	Administration [CUST: IH] [REVIEW: CT]		8455		IH	08-JUN-2016
	MIL-DTL-3943/322A	Decoration, NOAA Corps Commendation Medal, National Oceanic and Atmospheric Administration [CUST: IH] [REVIEW: CT]				IH	08-JUN-2016
	MIL-DTL-3943/342A MIL-DTL-3943/343A	Medal, Global Health Initiative Service, U.S. Public Health Service [CUST: IH] [REVIEW: CT] Medal, Global Health Campaign, U.S. Public Health Service [CUST: IH] [REVIEW: CT]		8455 8455		IH IH	27-MAY-2016 27-MAY-2016
N		Medal, Defense Threat Reduction Agency Honorable Civilian Service [CUST: IH] [REVIEW: CT]		8455		IH	21-APR-2016
	MIL-DTL-3943/375	Medal, Ebola Campaign Medal, USPHS [CUST: IH] [REVIEW: CT]	A	8455		IH	02-JUN-2016
	MIL-DTL-11484/337A	Lapel Button, Global Health Initiative Service Medal, U.S. Public Health Service [CUST: IH] [REVIEW: CT]		8455		IH	27-MAY-2016
	MIL-DTL-11484/338A	Lapel Button, Global Health Campaign Medal, U.S. Public Health Service [CUST: IH] [REVIEW: CT]		8455		IH	27-MAY-2016
- 1	MIL-DTL-11484/339A MIL-DTL-11484/374	Lapel Button, Humanitarian Service Medal, Defense Logistics Agency [CUST: IH] [REVIEW: CT] Lapel Button, Ebola Campaign Medal, USPHS [CUST: IH] [REVIEW: CT]	A A	8455 8455		IH IH	02-JUN-2016 02-JUN-2016
M	MIL-DTL-11589/246F	Ribbon, Achievement Award, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455		IH	02-JUN-2016
	MIL-DTL-11589/561C	Ribbon, Civilian Career Service, Defense Contract Management Agency [CUST: IH] [REVIEW: CT]		8455		IH	13-MAY-2016
- 1	MIL-DTL-11589/643A MIL-DTL-11589/675	Ribbon, Humanitarian Service Medal, Defense Logistics Agency [CUST: IH] [REVIEW: CT] Ribbon, Honorable Civilian Service Medal, Defense Threat Reduction Agency [CUST: IH]	A A	8455 8455		IH IH	02-JUN-2016 07-JUN-2016
	MIL-DTL-14639/37A	[REVIEW: CT] Insignia, Rank, General of the U.S. Army and General of the U.S. Air Force (Pentagon Star Group)		8455		IH	27-MAY-2016
	MIL-DTL-14639/38A	[CUST: IH 11] [REVIEW: CT] Insignia, Rank, General of the U.S. Army and General of the U.S. Air Force Coat of Arms [CUST:	A	8455		IH	27-MAY-2016
L		IH 11] [REVIEW: CT]					

ASSIST UPDATE

ACTIVE SECTION	ASSIST OFDATE				
z		Š			
N O D V S J O D O D O D O D O D O D O D O D O D O		DISTRIBUTION	_	≻	
5		BU	EA	ACTY	
T V		Z	ÄΚ	A A	
AS		SI	FSC/AREA	MCA PREP	
	DOCUMENT TITLE	, ,			DATE
M MIL-DTL-14639/43A	Insignia, Rank, Lieutenant (JG) and Ensign U.S. Navy, Lieutenant and Second Lieutenant, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455	IH	27-MAY-2016
M MIL-DTL-14639/44A	Insignia, Rank, Lieutenant, U.S. Navy and Captain, U.S. Marine Corps [CUST: IH NU] [REVIEW:	A	8455	IH	27-MAY-2016
III IIII BIB I 1000), I III	CT MC]		0.00		27 11111 2010
M MIL-DTL-14639/45A	Insignia, Rank, Commander and Lieutenant Commander, U.S Navy and Lieutenant Colonel and	Α	8455	IH	27-MAY-2016
	Major, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]				
M MIL-DTL-14639/47A	Insignia, Rank, Rear Admiral, U.S. Navy and Major General, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455	IH	27-MAY-2016
M MIL-DTL-14639/48A	Insignia, Rank, Vice Admiral, U.S. Navy and Lieutenant General, U.S. Marine Corps [CUST: IH	_	8455	IH	27-MAY-2016
M MIL-D1L-14039/48A	NU] [REVIEW: CT MC]	A	0433	ш	27-WIA 1-2010
M MIL-DTL-14639/49A	Insignia, Rank, Admiral, U.S. Navy and General, U.S. Marine Corps [CUST: IH NU] [REVIEW: CT	A	8455	IH	27-MAY-2016
	MC]				
M MIL-DTL-14639/50A	Insignia, Rank, Fleet Admiral, (Pentagon Star Group) [CUST: IH NU] [REVIEW: CT MC]	A	8455	IH	27-MAY-2016
M MIL-DTL-14639/51A	Insignia, Rank, Chief Warrant Officer W-2 and W-4, U.S. Navy and U.S. Marine Corps [CUST: IH	A	8455	IH	27-MAY-2016
N. N. P. 14520/524	NU] [REVIEW: CT MC]	١.	0.455	***	25 24 44 2016
M MIL-DTL-14639/52A	Insignia, Rank, Chief Warrant Officer W-3 and W-1, U.S. Navy and U.S. Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455	IH	27-MAY-2016
M MIL-DTL-14639/54A	Insignia, Grade, Command Chief Master Sergeant, U.S. Air Force [CUST: IH 11] [REVIEW: CT]	A	8455	IH	27-MAY-2016
M MIL-DTL-15665/23G	Insignia, Service Cap, Enlisted, U.S. Marine Corps [CUST: IH MC] [REVIEW: CT]		8455	IH	26-APR-2016
M MIL-DTL-41819/58	Ribbon Attachment, Letter "C" [CUST: IH] [REVIEW: CT]		8455	IH	02-JUN-2016
M DI-ADMN-81249B	Conference Agenda [AMSC: F9658]		ADMN	11	24-MAY-2016
M DI-ADMN-81250B	Conference Minutes [AMSC: F9659]		ADMN	11	24-MAY-2016
M DI-MGMT-80258B	Material Improvement Project (MIP) Report [AMSC: F9669]		MGMT	11	08-JUN-2016
M DI-MGMT-80238B M DI-MGMT-81803 NOT 1	Item Unique Identification (IUID) Marking Plan [REVIEW: 27] [AMSC: F9124]		MGMT	70	14-JUN-2016
N DI-MGMT-82035	Software Resources Data Reporting: Development and Maintenance Reports and Data Dictionary		MGMT	CAPE	02-JUN-2016
1. DI-WIGHT = 02003	[AMSC: D9643]	^	MONT	CAFE	02-3011-2010
M DI-PSSS-81535A	Deficiency Report (DR) [AMSC: F9660]	A	PSSS	11	24-MAY-2016
N DI-SESS-82043	Software Architecture Document (SAD) [AMSC: N9665]	A		AS	25-MAY-2016
N DI-SESS-82044	System/Software Integration Plan [AMSC: N9666]		SESS	AS	25-MAY-2016
			SESS	NM	20-MAY-2016
TV SILE GENTING COST	Configuration Management Standard Implementation Guide [CUST: AR NM 11 CC SE] [REVIEW: 01 08 10 13 16 19 33 94 99 AC AS AV CG CH CR DC1 DC5 DH DMS EA EC MA MC MDA MI		5255	1,1,1	20 11111 2010
	MP ND NS OS PT SA SH SO SY TE TM USTC]				
M MIL-PRF-32216A NOT 1	Evaluation of Commercial Off-the-Shelf (COTS) Manuals and Preparation of Supplemental Data	A	TMSS	TM	07-JUN-2016
	[CUST: TM OS 16 CC] [REVIEW: 01 10 11 13 19 70 84 99 AR AS AT AV CG CR CT EA EC GS MC MD MI OM SA SH] [AMSC: A9148]				
M DI-TMSS-80527C NOT 1	Commercial Off-The-Shelf (COTS) Manuals and Associated Supplemental Data [REVIEW: 27]	Δ	TMSS	TM	08-JUN-2016
W DI-TWISE-00327C NOT I	[AMSC: A9207]	1	TWISS	1141	00-3011-2010
M DI-TMSS-81784A NOT 1	Army S1000D Project Business Rules [AMSC: A9189]	A	TMSS	TM	08-JUN-2016

15-JUN-2016

ASSIST UPDATE

M. A-A-52162A NOT 2 Automobile, Hearse: Commercial [CUST: AT] A. 2310 / AT 08-JUN-2016 M. A-A-52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A. 2340 / AT 31-MAY-2016 M. MIL-DTL-18866J(1) Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS 99 CC] [REVIEW: 71 AS AT AV GL MC MI SH YD] A 4730 CC 07-JUN-2016 M. MS51500E Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51501C Nipple Tube, Regular Hex, 37 Degree Flared, Short [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51502C Nipple Tube, Regular Hex, 37 Degree Flared, Long [CUST: AT SH 99 CC] [REVIEW: 71 AR AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51503C Adapter, Straight, Pipe to Tube, Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51504C Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MIL-R-22684/1B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M. MIL-R-22684/2C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 9 AR MI]<	INACTIVE SECTION	ASSIST OFDATE					
M MILC-45931A(3) NOT 2 Clip, Cartridge, 5.56 Millimeter, 10 Round [CUST: AR] A 1305 AR 24-MAY-201 M A-A-52162A NOT 2 Automobile, Hearse: Commercial [CUST: AT] A 2310 A A 3305 AR 24-MAY-201 M A-A-52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A 2310 A A 730	NOI		TION			λ.	
M MILC-45931A(3) NOT 2 Clip, Cartridge, 5.56 Millimeter, 10 Round [CUST: AR] A 1305 AR 24-MAY-201 M A-A-52162A NOT 2 Automobile, Hearse: Commercial [CUST: AT] A 2310 A A 3305 AR 24-MAY-201 M A-A-52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A 2310 A A 730	ACT		BU	ZEA		\CT	
M MILC-45931A(3) NOT 2 Clip, Cartridge, 5.56 Millimeter, 10 Round [CUST: AR] A 1305 AR 24-MAY-201 M A-A-52162A NOT 2 Automobile, Hearse: Commercial [CUST: AT] A 2310 A A 3305 AR 24-MAY-201 M A-A-52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A 2310 A A 730	7 LS		STR	C/A	Ą	EP /	
M. A.A.52162A NOT 2 Automobile, Hearse: Commercial [CUST: AT] A 2310 / AT 08-JUN-2016 M. A.A.52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A 2340 / AT 31-MAY-2010 M. MIL-DTL-18866J(1) Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS 99 CC] [REVIEW: 71 AS AT AV GL MC MI SH YD] A 4730 CC 07-JUN-2016 M. MS51500E Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51501C Nipple Tube, Regular Hex, 37 Degree Flared, Long [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MS51502C Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M. MS51503C Adapter, Straight, Pipe to Tube, Pemale Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M. MS51504C Elbow, Pipe to Tube, 90 Degree Male Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M. MS1505C Elbow, Tube, 90 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M. MIL-R-22684/3CQ; NOT 1 Resistor, Fixed, Film, Insulated, Style RL0 [CUST: CR EC 85 CC] [REVIEW: 19 AR MI] A 4730 CC 07-JUN-2016 M. MIL-R-22684/	DOCUMENT NUMBER	DOCUMENT TITLE	ĭ	FS	M	PR	DATE
M A-A-52165A NOT 2 Motorcycle: 1000 and 1300 CC, Commercial [CUST: AT] A 2340 / AT 31-MAY-201 M MIL-DTL-18866J(1) Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS 9C] [REVIEW: 71 AS AT AV GL MC MISH YD] A 4730 CC 07-JUN-2016 M MS51500E Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51501C Nipple Tube, Regular Hex, 37 Degree Flared, Short [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51502C Nipple Tube, Regular Hex, 37 Degree Flared, Long [CUST: AT SH 99 CC] [REVIEW: 71 AR AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51503C Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51505C Elbow, Pipe to Tube, 90 Degree Flared [Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/1B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 4R MI] A 5905 CC 27-MAY-201 M MIL-R-22684/4B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL32 [CUST: CR	* *				,		24-MAY-2016
M MIL-DTL-18866J(1) Fittings, Hydraulic Tube, Flared, 37 Degree and Flareless, General Specification for [CUST: AR OS 99 CC] [RÉVIEW: 71 AS AT AV GL MC MI SH YD] A 4730 CC 07-JUN-2016 M MS51500E Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51501C Nipple Tube, Regular Hex, 37 Degree Flared, Short [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51502C Nipple Tube, Regular Hex, 37 Degree Flared, Long [CUST: AT SH 99 CC] [REVIEW: 71 AR AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51503C Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51505C Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/1B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RLO7 [CUST: CR EC 85 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RLO2 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG A 5905 CC 27-MAY-201		, ,					
M MS51500E Fittings, Hydraulic Tube, Flared 37 Degree and Flareless, Adapter, Straight, Pipe to Tube, Male End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51501C Nipple Tube, Regular Hex, 37 Degree Flared, Short [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51502C Nipple Tube, Regular Hex, 37 Degree Flared, Long [CUST: AT SH 99 CC] [REVIEW: 71 AR AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51503C Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA] A 4730 CC 07-JUN-2016 M MS51504C Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MS51505C Elbow, Tube, 90 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MS51505C Elbow, Tube, 90 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/2B(2) NOT 1 Resistor, Fixed, Film, Insulat					,		07-JUN-2016
A V CG MI SA]		37 Degree Flared [CUST: AT SH 99 CC] [REVIEW: 71 AR AS AV CG MI SA]					07-JUN-2016
CG MI SA] M MS51503C Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M MS51504C Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M MS51505C Elbow, Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 M MIL-R-22684/IB(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 71 AT AV MI] A 5905 CC 27-MAY-201 M MIL-R-22684/2C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL20 [CUST: CR EC 85 CC] [REVIEW: 19 AR MI] A 5905 CC 27-MAY-201 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL32 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG EA A 5905 CC 27-MAY-201 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL32 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG EA A 5905 CC 27-MAY-201 M MIL-R-22684/4B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG MC MI OS] M A-A-52526 NOT 2 Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5945 AT 08-JUN-2016 M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] A 5965 CC 26-MAY-201 M MIL-PRF-3098/103D NOT 1 Tubes, Pitot Static, Electrically Heated, Aircraft [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 M MIL-15420B(2) NOT 1 Tubes, Pitot Static, Electrically Heated, Aircraft [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 M MIL-16115A(4) NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 MR 03-JUN-2016 M MMM-A-121 NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 MR 03-JUN-2016 M MMM-A-121 NOT 1 Adhesive, Bonding Vulcan		AV CG MI SA]					
M MS51504C Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC] A 4730 CC 07-JUN-2016 [REVIEW: 71 AR AS AV CG MI SA] Elbow, Tube, 90 Degree 37 Degree Flared [CUST: AR OS 99 CC] [REVIEW: 71 AT AV MI] A 4730 CC 07-JUN-2016 M MIL-R-22684/1B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 19 AR MI] A 5905 CC 27-MAY-201 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: AR MI] A 5905 CC 27-MAY-201 M MIL-R-22684/3C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL32 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG EA MC MI OS] Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG EA MC MI OS] M A-A-52526 NOT 2 Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5905 CC 27-MAY-201 M MIL-PRF-3098/70E NOT 2 Crystal Unit, Quartz, CR95/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-19500/403A Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99] M MIL-F-55119B Electro -Acoustical Transducer Equipments [CUST: CR CC] A 5965 CC 26-MAY-201 CC 27-MAY-201 M MIL-16115A(4) NOT 1 Tubes, Pitot Static, Electrically Heated, Aircraft [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 REVIEW: GS] M MMM-A-121 NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 MR 03-JUN-2016 CC 27-MAY-201 CC 27-M		CG MI SA] Adapter, Straight, Pipe to Tube, Female Pipe End, 37 Degree Flared [CUST: AT SH 99 CC]					07-JUN-2016
M MS51505C	M MS51504C	Elbow, Pipe to Tube, 90 Degrees Male Pipe End, 37 Degrees Flared [CUST: AT SH 99 CC]	A	4730		CC	07-JUN-2016
M MIL-R-22684/1B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 19 AR MI] A 5905 CC 27-MAY-201 M MIL-R-22684/2C(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL20 [CUST: CR EC 85 CC] [REVIEW: AR MI] A 5905 CC 27-MAY-201 M MIL-R-22684/3C(2) NOT 1 Resistors, Fixed, Film, Insulated, Style RL32 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG EA MC MI OS] A 5905 CC 27-MAY-201 M MIL-R-22684/4B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG MC MI OS] A 5905 CC 27-MAY-201 M A-A-52526 NOT 2 Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG MC MI OS] A 5905 CC 27-MAY-201 M MIL-PRF-3098/70E NOT 2 Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5945 A T 08-JUN-2016 M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR95/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-19500/403A Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99] A 5965 CC 26-MAY-201 M MIL-T-5420B(2) NOT 1 Tubes, Pitot Static, Electrically Heated, Aircraft [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 M MMM-A-121 NOT 1 Adhes	M MS51505C		A	4730		CC	07-JUN-2016
M MIL-R-22684/3C(2) NOT 1 Resistors, Fixed, Film, Insulated, Style RL32 [CUST: CR EC 85 CC] [REVIEW: 19 AR AT CG EA MC MI OS] A 5905 CC 27-MAY-201 MC MI OS] M MIL-R-22684/4B(2) NOT 1 Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG MC MI OS] A 5905 CC 27-MAY-201 MC MI OS] M A-A-52526 NOT 2 Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5945 / AT 08-JUN-2016 MC MI OS] M MIL-PRF-3098/70E NOT 2 Crystal Unit, Quartz, CR95/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 MC MI OS] M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 MC MI OS] M MIL-PRF-19500/403A Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99] A 5961 CC 27-MAY-201 MC MI OS] M MIL-E-55119B Electro -Acoustical Transducer Equipments [CUST: CR CC] A 5965 CC 26-MAY-201 MC MI MI MI MC MI	M MIL-R-22684/1B(2) NOT 1	Resistor, Fixed, Film, Insulated, Style RL07 [CUST: CR EC 85 CC] [REVIEW: 19 AR MI]	A	5905		CC	27-MAY-2016
M MIL-R-22684/4B(2) NOT 1 MC MI OS] Resistor, Fixed, Film, Insulated, Style RL42 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT CG MC MI OS] A 5905 CC 27-MAY-201 M A-A-52526 NOT 2 Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5945 / AT 08-JUN-2016 M MIL-PRF-3098/70E NOT 2 Crystal Unit, Quartz, CR95/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-3098/102D NOT 2 Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] A 5955 CC 26-MAY-201 M MIL-PRF-19500/403A Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99] A 5961 CC 27-MAY-201 M MIL-E-55119B Electro -Acoustical Transducer Equipments [CUST: CR CC] A 5965 CC 26-MAY-201 M MIL-T-5420B(2) NOT 1 Tubes, Pitot Static, Electrically Heated, Aircraft [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] A 6610 AS 01-JUN-2016 M MMM-A-121 NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 / MR 03-JUN-2016	, ,						27-MAY-2016
MC MI OS] M A-A-52526 NOT 2 M MIL-PRF-3098/70E NOT 2 M MIL-PRF-3098/102D NOT 2 M MIL-PRF-19500/403A MIL-PRF-19500/403A M MIL-E-55119B M MIL-T-5420B(2) NOT 1 M MIL-I-6115A(4) NOT 1 M MIL-I-6115A(4) NOT 1 M MMM-A-121 NOT 1 M C MI OS] Time Delay Unit; Adjustable, Solid State (Metric) [CUST: AT] [REVIEW: CC] A 5945 / AT 08-JUN-2016 A 5955 CC 26-MAY-201 A 5955 CC 26-MAY-201 A 5961 CC 27-MAY-201 A 5961 CC 27-MAY-201 A 5965 CC 26-MAY-201 A 6610 AS 01-JUN-2016 A 6610 AS 01-JUN-2016 A MIL-I-6115A(4) NOT 1 A S965 CC 26-MAY-201 A 5965 CC 26-MAY-201 A 6610 AS 01-JUN-2016 A MIL-I-6115A(4) NOT 1 A 5961 CC 37-MAY-201 A 6610 AS 01-JUN-2016 A 6610 AS 01-JUN-2016 A MIL-I-6115A(4) NOT 1 A 5965 CC 36-MAY-201 A 6610 AS 01-JUN-2016 A MIL-I-6115A(4) NOT 1 A 5965 CC 36-MAY-201 A 6610 AS 01-JUN-2016 A 5965 CC 36-MAY-201 A 596	, ,	MC MI OS]					
M MIL-PRF-3098/70E NOT 2 M MIL-PRF-3098/102D NOT 2 M MIL-PRF-3098/102D NOT 2 M MIL-PRF-3098/102D NOT 2 M MIL-PRF-3098/102D NOT 2 M MIL-PRF-19500/403A MIL-PRF-19500/403A MIL-PRF-19500/403A MIL-PRF-19500/403A MIL-E-55119B M MIL-E-55119B Electro -Acoustical Transducer Equipments [CUST: CR CC] M MIL-T-5420B(2) NOT 1 M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] [REVIEW: GS] M MMM-A-121 NOT 1 A 5955 CC 26-MAY-201 A 5965 CC 27-MAY-201 A 5965 CC 26-MAY-201 A 6610 AS 01-JUN-2016 A 6610 AS 01-JUN-2016		MC MI OS]					
M MIL-PRF-3098/102D NOT 2 M MIL-PRF-19500/403A Crystal Unit, Quartz, CR125/U [CUST: CR EC CC] Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99] M MIL-E-55119B Electro -Acoustical Transducer Equipments [CUST: CR CC] M MIL-T-5420B(2) NOT 1 M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] [REVIEW: GS] M MMM-A-121 NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99] A 8040 M R 5955 CC 26-MAY-201 A 5965 CC 26-MAY-201 A 5965 CC 26-MAY-201 A 6610 AS 01-JUN-2016 B 6610 AS 01-JUN-2016 A 6610 AS 01-JUN-2016 A 6610 AS 01-JUN-2016 B 6610 AS 01-JUN-2016 B 6610					/		08-JUN-2016
M MIL-PRF-19500/403A Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and JANTX [CUST: 85 CC] [REVIEW: 19 70 99] M MIL-E-55119B Electro -Acoustical Transducer Equipments [CUST: CR CC] M MIL-T-5420B(2) NOT 1 M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] [REVIEW: GS] M MMM-A-121 NOT 1 Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99] A 8040 M MR O3-JUN-2016							
M MIL-T-5420B(2) NOT 1 M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016		Semiconductor Device, Diode, Silicon, Switching Axial Leaded Package, Type 1N4500, JAN and					27-MAY-2016
M MIL-I-6115A(4) NOT 1 Instrument Systems, Pitot Tube and Flush Static Port Operated, Installation of [CUST: AV AS] [REVIEW: GS] A 6610 AS 01-JUN-2016 [REVIEW: GS] Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 / MR 03-JUN-2016		Electro -Acoustical Transducer Equipments [CUST: CR CC]					26-MAY-2016
[REVIEW: GS] M MMM-A-121 NOT 1 [REVIEW: GS] Adhesive, Bonding Vulcanized Synthetic Rubber to Steel [CUST: MR SH 11] [REVIEW: 13 19 99 A 8040 / MR 03-JUN-2016	* *						01-JUN-2016
		[REVIEW: ĞS]			/		
	15 HIN 2016						

15-JUN-2016 5

CANCELED SECTION

ASSIST UPDATE

	ANCELED SECTION	ASSIST UPDATE					
ž	z S		DISTRIBUTION				
į	Z D D S E Z DOCUMENT NUMBER		BUT	EA		ACTY	
Ę	H 10		TRI	FSC/AREA	Ą.	3P A	
	DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA	PREP	DATE
1	M A-A-50580 NOT 1	Truck, Tank: Sewage or Waste Collection, Commercial 4 by 2 (No S/S Document) [CUST: AT YD]	A	2320	/	YD	10-MAY-2016
- 1	M A-A-50577 NOT 1	Semitrailers, Rear Dump; Single Axle and Tandem Axle (No S/S Document) [CUST: YD]		2330	/		10-MAY-2016
- 1	M A-A-50579 NOT 1 M A-A-50538 NOT 1	Trailer, Equipment, Elevating Body, 4-Wheel (No S/S Document) [CUST: YD] Applicator, Bait, Insecticide (No S/S Document) [CUST: MD YD] [REVIEW: CC GS]	A	2330 3740	/	YD YD	10-MAY-2016 10-MAY-2016
- 1	M A-A-50555 NOT 1	Pumping Units, Sewage, Duplex, Centrifugal, Automatic Wet-Pit Type (No S/S Document) [CUST: AT YD] [REVIEW: CC CE CG MC]		4630	/	YD	10-MAY-2016
	M ASTM-F405 M MS3157D NOT 1	Pipe and Fittings, Corrugated Polyethylene (PE) (S/S by ASTM-F667/F667M) [CUST: CE YD 99] Insert Arrangement, MIL-C-81659 Electric Connector, Series 1 and 2 (S/S by SAE-AS31571) [CUST: CR AS 85 CC] [REVIEW: EC OS]		4730 5935		CC AS	07-JUN-2016 08-JUN-2016
	M MS25439A NOT 2	Splice-Permanent Crimp Style, 2 Way Type for Aluminum Aircraft Wire, Class 1 (S/S By SAE-AS25439) [CUST: AS 85] [REVIEW: 99 GS]		5940	,	AS	19-MAY-2016
	M A-A-50504 NOT 1 M A-A-50566 NOT 1	Analyzers, Flue-Gas, Orsat-Type, Portable (No S/S Document) [CUST: YD] Monitoring Devices, Emission; Stack Related (No S/S Document) [CUST: EA YD] [REVIEW: DP		6630 6630	/	YD YD	10-MAY-2016 10-MAY-2016
1	M MIL-T-81821(3) NOT 1	MS] Trainers, Maintenance, Equipment and Services General Specification For (No S/S Document) [CUST: AV AS 11] [REVIEW: 99]	A	69GP		AS	08-JUN-2016
1	M A-A-59253 NOT 1	Pails, Utility, Plastic (No S/S Document) [CUST: GL YD 99] [REVIEW: 03 84]	Α	7240	/	YD	10-MAY-2016
	M ASTM-D358 M ASTM-F1614	Wood to Be Used as Panels in Weathering Tests of Coatings (S/S by ASTM-D7787) [CUST: MR 20] [REVIEW: 99 AS CR4 SH] Footwear, Athletic, Shock Attenuating Properties of Material Systems, Standard Test Method for		8010 84GP		MR CT	07-JUN-2016 07-JUN-2016
		(S/S by ASTM-F1976) [CUST: GL NU 99]					
	M ASTM-D3177 M ASTM-A82	Coal and Coke, Total Sulfur in the Analysis Sample of (S/S by ASTM-D4239) [CUST: CR4 YD 68] [REVIEW: PS] Steel Wire, Plain, for Concrete Reinforcement (S/S by ASTM-A1064/A1064M) [CUST: CR4 YD		9110 9505		IS YD	07-JUN-2016 07-JUN-2016
		99] [REVIEW: CE IS MC]					
	M ASTM-A185	Steel Welded Wire Reinforcement, Plain, for Concrete (S/S by ASTM-AA1064) [CUST: CR4 YD] [REVIEW: IS MC]		9505		YD	07-JUN-2016
1	M ASTM-A496	Steel Wire, Deformed, for Concrete Reinforcement (S/S by ASTM-A1064/A1064M) [CUST: CR4 YD 99] [REVIEW: IS]	A	9505		YD	07-JUN-2016
1	M ASTM-A497	Steel Welded Wire Fabric, Deformed, for Concrete Reinforcement (S/S by ASTM-A1064/A1064M) [CUST: MR YD 99] [REVIEW: IS]	A	9505		YD	07-JUN-2016
1	M ASTM-A176	Steel, Plate, Sheet, and Strip, Stainless and Heat-Resisting Chromium (S/S by ASTM-A240/A240A) [CUST: MR YD 99] [REVIEW: AR CE CR CR4 GL IS OS SH]	A	9515		MR	07-JUN-2016
1	M MIL-PRF-49501A NOT 4	Manuals, Technical: Daily Preventive Maintenance Checklist (S/S by MIL-STD-40051-1C and MIL-STD-40051-2C) [CUST: TM] [REVIEW: AR AT AV CR MI]	A	TMSS		TM	08-JUN-2016
1	M MIL-PRF-63003B(1) NOT 2	Manuals, Technical: Battlefield Damage Assessment and Repair, Preparation of (S/S By Mil-Std-40051-1C/-2C) [CUST: TM] [REVIEW: AR AT AV CR MI]	A	TMSS		TM	08-JUN-2016
1	M MIL-PRF-63004D NOT 2	Manuals, Technical: Preparation of Lubrication Orders (S/S By Mil-Std-40051-1C/-2C) [CUST: TM] [REVIEW: AR AT AV CR EA MI]	A	TMSS		TM	08-JUN-2016
1	M MIL-PRF-63012B(1) NOT 3	Manuals, Technical: Depot Maintenance Work Requirements (DMWRs) for Maintenance/Demilitarization of Conventional and Chemical Ammunition (S/S By Mil-Std-40051-	A	TMSS		TM	08-JUN-2016
1	M MIL-PRF-63042D(1) NOT 3	1C/-2C) [CUST: TM SH] [REVIEW: AR AS AT AV CR EA MI NM] Manuals, Technical: Procedures for Destruction of Equipment to Prevent Enemy Use (S/S by MIL-STD-40051-1C and MIL-STD-40051-2C) [CUST: TM] [REVIEW: AR AT AV CR MI]	A	TMSS		TM	08-JUN-2016
1	M MIL-PRF-63045B(1) NOT 3	Manuals, Technical: Preparation of Depot Manuals for Depot Test, Measurement, and Diagnostic Equipment (S/S by MIL-STD-40051-1C and MIL-STD-40051-2C) - [CUST: TM] [REVIEW: AR AT AV CR MI]	A	TMSS		TM	08-JUN-2016
1	M MIL-STD-40051B(3) NOT 3	Preparation of Digital Technical Information for Multi-Output Presentation of Technical Manuals (S/S by MIL-STD-40051-1C and MIL-STD-40051-2C) [CUST: TM] [REVIEW: AC AR AT AV CR EA MI]	A	TMSS		TM	08-JUN-2016
_	5 H IN 2016						

15-JUN-2016