

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 March 2012

(For the Period 1 March 2012 to 14 March 2012)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-60162A(1)	Cartridge, Caliber .50, Test, High Pressure, M1 [CUST: AR OS 99] [REVIEW: 40 70 AS AV MC MI MR NP]	D	1305		AR	29-FEB-2012
M	MIL-DTL-60477D(2)	Projectile, 155MM, Smoke, WP, M110A2, Loading and Assembling [CUST: EA] [REVIEW: AR]	X	1320		EA	08-FEB-2012
M	MIL-DTL-757C	Lead Styphnate, Normal [CUST: AR OS 70] [REVIEW: 11 99 AS NP TE]	A	1376		AR	05-MAR-2012
M	MIL-P-18716C NOT 2	Primer, Electric, Mark 48 MOD 2 [CUST: OS 99]	A	1390		OS	23-FEB-2012
N	MIL-DTL-32408	Integral Motor Pump (IMP) [CUST: AT SH 99] [REVIEW: 03 84 AS AV CC MI]	A	4320		SH	07-FEB-2012
M	MIL-DTL-8788F(1)	Hose, Rubber, Hydraulic, High Pressure 3,000 PSI, Operating Temperature Range -65 Degrees F to +160 Degrees F [CUST: AT AS 99 CC] [REVIEW: 71 AV MC MI SA]	A	4720		CC	28-FEB-2012
M	MS27404B	Adapter, Straight, Reusable, Type to Hose, Low Pressure [CUST: MI AS 99 CC] [REVIEW: 71 AV SA]	A	4730		CC	28-FEB-2012
N	MIL-PRF-32407	Mounts, Resilient (Surface Ship Application) [CUST: SH 03] [REVIEW: 71 CG IS NP YD]	A	5340		SH	14-FEB-2012
M	QPL-15280-31 NOT 1	Plastic Material, Unicellular (Sheets and Tubes) (Replaced by the Qualified Products Database (QPD) See Notice 1 for Additional Information)	A	5640		SH	01-MAR-2012
M	MIL-PRF-39015/2J NOT 1	Resistors, Variable, Wire-Wound (Lead-Screw Actuated), Nonestablished Reliability and Established Reliability Style RTR22 [CUST: CR EC 85] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	5905		CR	12-MAR-2012
M	MIL-PRF-39015/3M NOT 1	Resistors, Variable, Wire-Wound (Lead-Screw Actuated), Nonestablished Reliability and Established Reliability Style RTR24 [CUST: CR EC 85] [REVIEW: 19 AR AS AT AV CR4 MC MI OS]	A	5905		CR	12-MAR-2012
M	MIL-PRF-20M SUP 1	Capacitor, Fixed, Ceramic Dielectric (Temperature Compensating), Established Reliability and Non-Established Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5910		CC	27-FEB-2012
M	MIL-PRF-55514/1C NOT 2	Capacitors, Fixed, Plastic Dielectric, DC, in Nonmetal Cases, Established Reliability, Style CFR02 [CUST: CR EC 85 CC] [REVIEW: 19 71 AS MC OS]	A	5910		CR	12-MAR-2012
M	MIL-PRF-55514/4F NOT 2	Capacitors, Fixed, Metallized Plastic Dielectric, DC, in Nonmetal Cases, Established Reliability and Non-Established Reliability, Styles CFR05 and CFR06 [CUST: CR EC 85 CC] [REVIEW: 19 AS MC OS]	A	5910		CR	12-MAR-2012
N	EIA/ECA-469	Destructive Physical Analysis (DPA) of Ceramic Monolithic Capacitors [CUST: EC 85 CC NA] [REVIEW: 19 99 AS SH]	A	5910		CC	09-MAR-2012
N	ECA-483	Effective Series Resistance (ESR) and Capacitance of Multilayer Ceramic Capacitors at High Frequencies [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC SH]	A	5910		CC	09-MAR-2012
M	MIL-PRF-19207/6P	Fuseholders, Extractor Post Type, Blown Fuse Indicating and Nonindicating, Type FHL15G [CUST: CR SH 85 CC] [REVIEW: 70 71 AR AS AT AV CR4 EC MC MI OS]	A	5920		CC	13-MAR-2012
M	MIL-PRF-19207/17H	Fuseholders, Extractor Post Type, Nonindicating, Non-EMI/RFI Shielded and EMI/RFI Shielded Types FHN28W, FHN28WS, FHN28WB, and FHN28WBS [CUST: CR SH 85 CC] [REVIEW: 70 71 AR AS AT AV CR4 EC MC MI OS]	A	5920		CC	13-MAR-2012
M	MIL-PRF-39012/2H(3)	Connectors, Plugs and Receptacles, Electrical, Coaxial, Radio Frequency, (Series N (Cabled), Flange Mounted, Socket Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC	12-MAR-2012
M	W-C-596/113C	Connector, Plug, Electrical, Special Purpose, Grounding, Locking, 2 Pole, 3 Wire, 15 Amperes, 277 Volts, 50/60 Hertz [CUST: CR YD 85 CC] [REVIEW: 99 AS AV CR4 EC MC MI SH]	A	5935	/	CC	07-MAR-2012
M	QPL-AS85049-3 NOT 1	Connector Accessories, Electrical, General Specification for (Replaced by the Qualified Products Database (QPD) See Notice I for Additional Information)	A	5935		AS	14-MAR-2012
M	A-A-59555A NOT 1	Post, Binding, Electrical, Waterproof (Insulated), Top Entry [CUST: CR EC 85 GS4] [REVIEW: 99]	A	5940	/	GS4	12-MAR-2012
M	A-A-59559A NOT 1	Post, Binding, Electrical, Waterproof (Insulated), Dual O-Ring Seal [CUST: CR SH 85 GS4] [REVIEW: 99 AR AS AT MC MI OS]	A	5940	/	GS4	06-MAR-2012
M	A-A-59562A NOT 1	Post, Binding, Electrical, Screw-Type (Uninsulated) [CUST: CR EC 85 GS4] [REVIEW: 99 AS AT MC MI OS]	A	5940	/	GS4	06-MAR-2012
M	MIL-PRF-19500/117R(1)	Semiconductor Devices, Diode, Silicon, Voltage Regulator, Types 1N962B- 1 through 1N992B-1, and 1N962BUR-1 through 1N992BUR-1, 1N962C-1 through 1N992C-1, and 1N962CUR-1 through 1N992CUR-1, and 1N962D-1 through 1N992D-1, 1N962DUR-1 through 1N992DUR-1, JAN, JANTX, JANTXV, JANHC and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC	09-MAR-2012
M	MIL-PRF-19500/156N(1)	Semiconductor Device, Diode, Silicon, Low Level Voltage-Reference Temperature Compensated, Types 1N935B-1, 1N937B-1, 1N938B-1, 1N939B-1, and 1N940B-1, 1N935BUR-1, 1N937BUR-1, 1N938BUR-1, 1N939BUR-1, and 1N940BUR-1, JAN, JANTX, JANTXV, and JANS, Radiation Hardened (Total Dose Only) Types JANTXVM, D, L, R, F, G, H, JANSM, D, L, R, F, G, H [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	13-MAR-2012
M	MIL-PRF-19500/159P(1)	Semiconductor Device, Diode, Silicon, Temperature Compensated, Voltage-Reference, Types 1N821-1, 1N823-1, 1N825-1, 1N827-1, and 1N829-1, 1N821UR-1, 1N823UR-1, 1N825UR-1, 1N827UR-1, and 1N829UR-1, JAN, JANTX, JANTXV, JANS, JANHC and JANKC, Radiation Hardened (Total Dose Only) Types JANTXVM, D, L, R, F, G, H; JANSM, D, L, R, F, G, H; JANHCM, D, L, R, F, G, H; and JANKCM, D, L, R, F, G, H [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	01-MAR-2012
M	MIL-PRF-19500/246J(1)	Semiconductor Device, Diode, Silicon, Power Rectifier, Types 1N3289, 1N3291, 1N3293, 1N3294, 1N3295, and R Types, JAN, JANTX and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI]	A	5961		CC	08-MAR-2012
M	MIL-PRF-19500/452J(1)	Semiconductor Device, Diode, Silicon, Temperature Compensated, Voltage Reference, Types 1N4565A-1 Through 1N4584A-1, and 1N4565AUR-1 through 1N4584AUR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC, Radiation Hardened (Total Dose Only) Types JANTXVM, D, L, R, F, G, H; JANSM, D, L, R, F, G, H, JANHCM, D, L, R, F, G, H; and JANKCM, D, L, R, F, G, H [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	08-MAR-2012
M	MIL-PRF-19500/601J	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistors, N-Channel, Silicon, Types 2N7261 and 2N7262, U and U5 Suffixes, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 19 70 MI]	A	5961		CC	14-MAR-2012
M	MIL-DTL-3970F	Waveguide Assemblies, Rigid, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC MI OS SH]	A	5985		CC	29-FEB-2012
M	MIL-DTL-25895A(1)	Antenna AT-505/AP [CUST: 85 CC]	A	5985		CC	06-MAR-2012
M	MIL-DTL-28875C	Amplifiers, Radio-Frequency and Microwave, Solid-State, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS AV MC MI OS SH]	A	5996		CC	05-MAR-2012
M	MIL-P-53132/1 NOT 2	Power Plant, Tactical Quiet Generator Set, Trailer Mounted Size 3, 3KW, Mode III (60 Hertz) AN/MJQ-43 [CUST: CR4] [REVIEW: GS]	A	6115		CR4	13-MAR-2012
M	MIL-P-53132/2 NOT 2	Power Plant, Tactical Quiet Generator Set, Trailer Mounted Size 3, 3KW, Mode III (60 Hertz) AN/MJQ-42 [CUST: CR4] [REVIEW: GS]	A	6115		CR4	13-MAR-2012

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA	PREP ACTY	DATE
			FSC/AREA			
M	MIL-P-53132/3 NOT 2	Power Plant, Tactical Quiet Generator Set, Trailer Mounted Size 5, 5KW, Mode III (60 Hertz) AN/MJQ-35 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	13-MAR-2012
M	MIL-P-53132/4 NOT 2	Power Plant, Tactical Quiet Generator Set, Trailer Mounted Size 5, 5KW, Mode III (60 Hertz) AN/MJQ-36 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	13-MAR-2012
M	MIL-P-53132/5 NOT 2	Power Unit, Tactical Quiet Generator Set, Trailer Mounted Size 5, 5KW, Mode III (60 Hertz) PU-797 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	13-MAR-2012
M	MIL-P-53132/6 NOT 2	Power Plant, Tactical Quiet Generator Set, Trailer Mounted Size 10, 10KW, Mode III (60 Hertz) AN/MJQ-37 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	14-MAR-2012
M	MIL-P-53132/7 NOT 2	Power Plant, Tactical Quiet Generator Set, Trailer Mounted Size 10, 10KW, Mode II (400 Hertz) AN/MJQ-38 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	13-MAR-2012
M	MIL-P-53132/8 NOT 2	Power Unit, Tactical Quiet Generator Set, Trailer Mounted Size 10, 10KW, Mode III (69 Hertz) PU-798 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	13-MAR-2012
M	MIL-P-53132/9 NOT 2	Power Unit, Tactical Quiet Generator Set, Trailer Mounted Size 10, 10KW, Mode II (400 Hertz) PU-799 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	13-MAR-2012
M	MIL-P-53132/10 NOT 2	Power Plant, Tactical Quiet Generator Set, Trailer Mounted Size 15, 15KW, Mode II (400 Hertz) AN/MJQ-39 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	13-MAR-2012
M	MIL-P-53132/11 NOT 2	Power Unit, Tactical Quiet Generator Set, Trailer Mounted Size 15, 15KW, Mode II (400 Hertz) Pu-8000 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	14-MAR-2012
M	MIL-P-53132/12 NOT 2	Power Unit, Tactical Quiet Generator Set, Trailer Mounted Size 15, 15KW, Mode I (50/60 Hertz) PU-801 (Light Weight) [CUST: CR4] [REVIEW: GS]	A 6115		CR4	14-MAR-2012
M	MIL-P-53132/13 NOT 2	Power Unit, Tactical Quiet Generator Set, Trailer Mounted Size 15, 15KW, Mode I (50/60 Hertz) PU-802 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	14-MAR-2012
M	MIL-P-53132/14 NOT 2	Tactical Quiet Generator Set, Trailer Mounted Size 30, 30KW, Mode I (50/60 Hertz) AN/MJQ-40 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	14-MAR-2012
M	MIL-P-53132/15 NOT 2	Power Plant, Tactical Quiet Generator Set, Trailer Mounted Size 30, 30KW, Mode I (50/60 Hertz) PU-803 [CUST: CR4]	A 6115		CR4	14-MAR-2012
M	MIL-P-53132/16 NOT 2	Power Plant, Tactical Quiet Generator Set, Trailer Mounted Size 30, 30KW, Mode II (400 Hertz) PU-804 [CUST: CR4] [REVIEW: GS]	A 6115		CR4	14-MAR-2012
M	MIL-PRF-8565/16(1)	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 5-Ampere-Hour [CUST: CR SH GS] [REVIEW: AS]	A 6140		CR	12-JAN-2012
M	MIL-STD-681F	Identification Coding and Application of Hookup and Lead Wire [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH]	A 6145		CC	07-MAR-2012
M	MIL-PRF-32144B	Clock, Aircraft, Electronic [CUST: AV 71] [REVIEW: 06 GS]	A 6645		71	12-MAR-2012
M	A-A-59370 NOT 2	Ammonium Hydroxide, Technical [CUST: GS3]	A 6810	/	GS3	01-MAR-2012
M	A-A-2702B NOT 4	Sealing Compound (Liquid Protectant and "Beautifier") [CUST: MR SH]	A 8030	*	FAS	19-JAN-2012
M	A-A-529A NOT 4	Adhesive and Sealing Compound, Cellulose Nitrate Base (Solvent Type) [CUST: MR SH]	A 8040	*	FAS	31-JAN-2012
M	A-A-863A NOT 4	Adhesives, Rubber, For Paper Bonding	A 8040	#	FAS	31-JAN-2012
M	A-A-2985A NOT 2	Adhesive, Air-Cure, Silicone Rubber	A 8040	#	FAS	18-JAN-2012
M	A-A-3097 NOT 4	Adhesives, Cyanoacrylate, Rapid Room Temperature-Curing, Solventless	A 8040	#	FAS	31-JAN-2012
M	MIL-DTL-32082A	Coveralls, Mechanics, Cold Weather [CUST: GL CT] [REVIEW: MD]	A 8415		CT	16-FEB-2012
M	MIL-PRF-6855F(1)	Rubber, Synthetic, Sheets, Strips, Molded or Extruded Shapes, General Specification for [CUST: MR SH 11 IS] [REVIEW: 99 AS EA]	A 9320		SH	27-FEB-2012
M	DI-MGMT-81398B	Hazardous Materials Management Program (HMMP) Plan Using NAS 411 [AMSC: F9243]	A MGMT		11	30-SEP-2011
M	DI-MISC-81397B	Hazardous Materials Management Program (HMMP) Report Using NAS 411 [AMSC: F9242]	A MISC		11	30-SEP-2011
M	DI-PACK-80880D	Transportability Report [AMSC: A9422]	A PACK		MT	01-MAR-2012

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-M-17185A(1) NOT 1	Mounts, Resilient, General Specifications and Tests For (Shipboard Application) [CUST: MI SH] [REVIEW: IS MC]	A	5340	SH	14-FEB-2012
M	MIL-P-53132 NOT 2	Power Plant/Power Unit, Tactical Quiet Generator Set, Trailer-Mounted 3KW Through 60KW, General Specification for [CUST: CR4] [REVIEW: GS]	A	6115	CR4	13-MAR-2012
M	MIL-P-53132/17 NOT 2	POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 60, 60KW, MODE I (50/60 HERTZ) AN/MJQ-41 [CUST: CR4] [REVIEW: GS]	A	6115	CR4	14-MAR-2012
M	MIL-P-53132/18 NOT 2	Power Plant, Tactical Quiet Generator Set, Trailer Mounted Size 60, 60KW, Mode I (50/60 Hertz) PU-805 [CUST: CR4] [REVIEW: GS]	A	6115	CR4	14-MAR-2012
M	MIL-P-53132/19 NOT 2	Power Unit, Tactical Quiet Generator Set, Trailer Mounted Size 60, 60KW, Mode II (400 Hertz) PU-806 [CUST: CR4] [REVIEW: GS]	A	6115	CR4	14-MAR-2012
M	MS17245E NOT 3	Light, Cockpit Utility [CUST: AV AS 99 GS] [REVIEW: 71 IS]	A	6220	GS2	01-MAR-2012
M	MS17246B NOT 4	Mounting Base, Cockpit Utility [CUST: AV AS 99 GS2] [REVIEW: 71 IS]	A	6220	GS2	01-MAR-2012

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION			DATE
			FSC/AREA	MCA	PREP ACTY	
M	MIL-T-85070A NOT 2	Test Set, Data Link Controller AN/ASM-496B (No S/S Document) [CUST: AS CC]	A 1450		CC	01-MAR-2012
M	A-A-59689B NOT 1	Fuse, Finger-Safe, Dual-Element, Time Delay, Indicating, General Requirements for (No S/S Document) [CUST: EC CC]	A 5920	/	CC	03-MAR-2012
M	A-A-59689/1A NOT 1	Fuse, Finger-Safe, Dual-Element, Time-Delay, Indicating, 1 Amperes (A) to 30 A (No S/S Document) [CUST: EC CC]	A 5920	/	CC	03-MAR-2012
M	A-A-59689/2A NOT 1	Fuse, Finger-Safe, Dual-Element, Time-Delay, Indicating, 35 Amperes (A) to 60 A (No S/S Document) [CUST: EC CC]	A 5920	/	CC	03-MAR-2012
M	EIA455.43	Output Near-Field Radiation Pattern Measurement of Optical Waveguide Fibers (S/S by TIA455.43) [CUST: CR AS 85 CC] [REVIEW: 13 19 EC MC SH TE]	A 60GP		CC	23-FEB-2012
M	EIA455.50	Fiber, Optical, Spectral Attenuation Measurements, Light launch Conditions for Long-Length Graded-Index (S/S by TIA455.50) [CUST: CR AS 85 CC] [REVIEW: AR AT CR4 EC MC MI SH]	A 60GP		CC	23-FEB-2012
M	TT-W-550G NOT 1	Wood, Preservative: Chromated Copper Arsenate Mixture (No S/S Document)	A 8030	#	FAS	24-FEB-2012
M	TT-W-551F NOT 1	Wood Preservative, Chromated Zinc Chloride Mixture (No S/S Document)	A 8030	#	FAS	24-FEB-2012
M	AIAA-R024	Space Operations and Support Documentation, Recommended (No S/S Document) [CUST: 16] [REVIEW: 19 99]	A TMSS		16	08-MAR-2012