

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 March 2014

(For the Period 1 March 2014 to 14 March 2014)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-M-70969(2) NOT 3	Mortar, 81 Millimeter: M252 [CUST: AR]	D	1015		AR		17-JAN-2014
M	MIL-PRF-32062 NOT 1	Case, Carrying for M198/M119 Fire Control Optics [CUST: AR]	A	1240		AR		10-MAR-2014
M	MIL-DTL-1318D(4)	Cartridge, Caliber .50, Tracer - M17 [CUST: AR OS 99] [REVIEW: 70 AS MC MR SH]	D	1305		AR		26-FEB-2014
M	MIL-DTL-46281H(1)	Cartridge, 7.62 Millimeter, Tracer - M62 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]	D	1305		AR		10-JAN-2014
M	MIL-DTL-46482C NOT 1	Cartridge, Caliber .45, Ball - M1911 Match Grade [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR NP]	D	1305		AR		13-MAR-2014
M	MIL-DTL-50704C(1)	Cartridge, 7.62 Millimeter, Dim Tracer - M276 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]	D	1305		AR		10-JAN-2014
M	MIL-DTL-781J	Terminal, Wire Rope Swaging, General Specification for [CUST: CR AS 99 GS] [REVIEW: 71 AR GL MC MI]	A	1640		GS5		10-MAR-2014
N	MIL-PRF-32479	Trailers, Lift - Aircraft and Missile Engine [CUST: 84] [REVIEW: 11 85 99]	A	1730		84		28-FEB-2014
M	A-A-58068A	Truck, Lift, Fork, Electric, Sit Down, Solid Tires, 6,000 Pound Capacity at 24 Inch Load Center, 180 Inch Minimum Lift Height [CUST: AT SA 84] [REVIEW: 99 IS]	A	3930	/	84		12-FEB-2014
M	MIL-DTL-24402F	Filters (Hydraulic), Filter Elements, and Filter Differential Pressure Indicators, General Specification for [CUST: SH]	A	4330		SH		11-FEB-2014
M	MIL-DTL-24402/1A	Filter Housings, Hydraulic, Single-Element [CUST: SH 99] [REVIEW: 84 CC]	A	4330		SH		11-FEB-2014
M	MIL-DTL-24402/2A	Filter Housings, Hydraulic, Duplex [CUST: SH 99] [REVIEW: 84 CC]	A	4330		SH		11-FEB-2014
M	MIL-DTL-24402/3A	Filter Housings, Hydraulic, Three Elements [CUST: SH]	A	4330		SH		11-FEB-2014
M	MIL-DTL-24402/5B	Filter Indicators, Differential Pressure, Hydraulic [CUST: SH]	A	4330		SH		11-FEB-2014
M	MIL-DTL-6000D(1) NOT 1	Hose, Rubber, Aircraft, Fuel, Oil, Coolant, Water, and Alcohol [CUST: AT AS 99 CC] [REVIEW: 71 CG CR4 MC MI SA]	A	4720		CC		05-MAR-2014
M	MIL-DTL-13444H(1) NOT 1	Hose and Hose Assemblies, Rubber: Fuel and Oil [CUST: AT YD CC] [REVIEW: AR MC MI SA]	A	4720		CC		05-MAR-2014
M	MIL-DTL-26499E(1) NOT 1	Hose Assembly, Metal, Flexible, Breathing Oxygen [CUST: AV AS 99 CC] [REVIEW: 11 71 MC SA SH]	A	4720		CC		10-MAR-2014
M	MIL-DTL-26521L	Hose Assembly, Nonmetallic, Fuel, Collapsible, Low Temperature with Non-Reusable Couplings [CUST: AR SH 99 CC] [REVIEW: 71 AS AV MC SA]	A	4720		CC		11-FEB-2014
M	MIL-DTL-29210E NOT 1	Hose Assembly, Rubber, Lightweight, Medium Pressure, Field Attachable End Fittings, Flare to Flare [CUST: AV AS 99 CC] [REVIEW: 71 AT MC SA]	A	4720		CC		05-MAR-2014
M	MIL-DTL-52471/5C NOT 1	Hose, Rubber, Hydraulic Pressure-Type, Type 100R2 Double-Wire-Braided Reinforcement Hose [CUST: AT SH 99 CC] [REVIEW: CG GL MC SA]	A	4720		CC		05-MAR-2014
M	MIL-DTL-83796/1B NOT 1	Hose Assembly, Rubber, Lightweight, Medium Pressure, Field Attachable End Fittings, Flare to Flare [CUST: AV AS 99 CC] [REVIEW: 71 AT MC SA]	A	4720		CC		05-MAR-2014
M	MIL-DTL-83796/2B NOT 1	Hose Assembly, Rubber, Lightweight, Medium Pressure, Field Attachable End Fittings, Flare to Flare, with Lockwire Hole [CUST: AV AS 99 CC] [REVIEW: 71 AT MC SA]	A	4720		CC		05-MAR-2014
M	MIL-DTL-83796/10 NOT 1	Hose Assembly, Rubber, Light Weight, Internal Support Coil, Medium Pressure, Field Attachable End Fittings, Flare to Flare [CUST: AV AS 99 CC] [REVIEW: 71 AT MC SA]	A	4720		CC		05-MAR-2014
M	MIL-DTL-83796/11 NOT 1	Hose Assembly, Rubber, Lightweight, Medium Pressure, Internal Support Coil, Field Attachable End Fittings, Flare to Flare, with Lockwire Hole [CUST: AV AS 99 CC] [REVIEW: 71 AT MC SA]	A	4720		CC		05-MAR-2014
M	MIL-DTL-52525/2C NOT 1	Fittings, Hose, Screw-on to 37 Degrees Flare Female Swivel, 45 Degrees Bent Tube [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		07-MAR-2014
M	MIL-DTL-52525/6C NOT 1	Fittings, Hose, Screw-on to 37 Degrees Flare Female Swivel, 45 Degrees Tube [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		05-MAR-2014
M	MIL-DTL-52525/8C NOT 1	Fittings, Hose, Screw-on to 37 Degrees Flare Female Swivel, 90 Degrees Bent Tube, Long Drop [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		07-MAR-2014
M	MIL-DTL-52525/9C NOT 1	Fittings, Hose, Screw-on to 37 Degrees Flare Female Swivel, Straight [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		05-MAR-2014
M	MIL-DTL-52525/13C NOT 1	Fittings, Hose, Crimp Type, Split-Flange Straight [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		05-MAR-2014
M	MIL-DTL-52525/14C NOT 1	Fittings, Hose Crimp Type, Split-Flange, 45 Degree Bent [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		05-MAR-2014
M	MIL-DTL-52525/15C NOT 1	Fittings, Hose, Screw-On to 4-Bolt Split-Flange, 90 Degree Bent Tube [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		05-MAR-2014
M	MIL-DTL-52525/16D NOT 1	Fittings, Clamp-Halves, for 4-Bolt Split-Flange, SAE-J518, Type Split-Flange Clamp (SFC) [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		07-MAR-2014
M	MIL-DTL-52525/17C NOT 1	Fittings, Clamp-Halves, Flange to Port, for 4-Bolt Split-Flange [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		05-MAR-2014
M	MIL-DTL-52525/31B NOT 1	Fittings, Hose, Screw-on to 37 Degrees Flare Female Swivel [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		13-MAR-2014
M	MIL-DTL-52525/32A NOT 1	Fittings, Hose, Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37 Degrees Flare Female Swivel, 45 Degrees Bent Tube, for use with Type 100RE Four-Spiral-Wrap Reinforcement Hose [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		05-MAR-2014
M	MIL-DTL-52525/33A NOT 1	Fittings, Wire Reinforced Hydraulic Hose and Clamp-Halves: Field Attachable (Reusable), Screw-on to 37 Degrees Flare Female Swivel, 90 Degrees Bent Tube, for use with Type 100RE Four-Spiral-Wrap Reinforcement Hose [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		05-MAR-2014
M	MIL-DTL-52525/34B NOT 1	Fittings, Hose, Screw-on to 4-Bolt Split-Flange, Straight [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		07-MAR-2014
M	MIL-DTL-52525/35B NOT 1	Fittings, Hose, Screw-on to 4-Bolt Split-Flange, 45 Degrees Bent Tube [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		13-MAR-2014
M	MIL-DTL-52525/36B NOT 1	Fittings, Hose, Crimp Type, Split-Flange 90 Degrees, Bent Tube [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		13-MAR-2014
M	MIL-DTL-52525/37B NOT 1	Fittings, Hose, Screw-on to 37 Degrees Flare Female Swivel, Straight [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		07-MAR-2014
M	MIL-DTL-52525/38B NOT 1	Fittings, Hose, Screw-on to 37 Degrees Flare Female Swivel, 45 Degrees Bent Tube [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		07-MAR-2014
M	MIL-DTL-52525/39B NOT 1	Fittings, Hose, Screw-on to 37 Degrees Flare Female Swivel, 90 Degrees Bent Tube [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		07-MAR-2014
M	MIL-DTL-52525/40B NOT 1	Fittings, Hose, Crimp Type, Split-Flange, Straight [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		07-MAR-2014
M	MIL-DTL-52525/41A NOT 1	Fittings, Hose, Crimp Type, Split-Flange, 45 Degrees Bent Tube [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC		05-MAR-2014

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-52525/42B NOT 1	Fittings, Hose, Crimp Type, Split-Flange 90 Degrees Bent [CUST: AT SH 99 CC] [REVIEW: AS CG CR4 MC SA YD]	A	4730		CC	07-MAR-2014
M	MIL-DTL-52525/43 NOT 1	Fittings, Hose, Crimp Type, Split-Flange, Straight [CUST: AT 99 CC]	A	4730		CC	05-MAR-2014
M	MIL-DTL-52525/44 NOT 1	Fittings, Hose, Crimp Type, Split-Flange, 45 Degrees Bent Tube [CUST: AT 99 CC]	A	4730		CC	05-MAR-2014
M	MIL-DTL-52525/45 NOT 1	Fittings, Hose, Crimp Type, Split-Flange, 90 Degrees Bent Tube [CUST: AT 99 CC]	A	4730		CC	05-MAR-2014
M	MIL-DTL-83798/1C NOT 1	Fittings, Rubber Hose, Lightweight, Medium Pressure, Flared, Swivel Nut, Straight [CUST: AV AS 99 CC] [REVIEW: 11 71 AT SA]	A	4730		CC	05-MAR-2014
M	MIL-DTL-83798/2C NOT 1	Fittings, Rubber Hose, Lightweight, Medium Pressure, Flared, Swivel Nut, 45 Degrees [CUST: AV AS 99 CC] [REVIEW: 11 71 AT SA]	A	4730		CC	05-MAR-2014
M	MIL-DTL-83798/3C NOT 1	Fittings, Rubber Hose, Lightweight, Medium Pressure, Flared, Swivel Nut, 90 Degrees [CUST: AV AS 99 CC] [REVIEW: 11 71 AT SA]	A	4730		CC	05-MAR-2014
M	MIL-DTL-83798/7C NOT 1	Fittings, Rubber Hose, Lightweight, Medium Pressure, Swivel Flange, Straight [CUST: AV AS 99 CC] [REVIEW: 71 AT SA]	A	4730		CC	05-MAR-2014
M	MIL-DTL-83798/8C NOT 1	Fittings, Rubber Hose, Lightweight, Medium Pressure, Swivel Flange, 45 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 AT SA]	A	4730		CC	05-MAR-2014
M	MIL-DTL-83798/9C NOT 1	Fittings, Rubber Hose, Lightweight, Medium Pressure, Swivel Flange, 90 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 AT SA]	A	4730		CC	05-MAR-2014
M	MS20756F(2)	Flange, Swivel, Retaining [CUST: AV AS 99 CC] [REVIEW: 85 AT SA]	A	4730		CC	06-MAR-2014
M	MS21955C NOT 1	Body, Cluster Fitting, Two-Way 180 Deg., Flare [CUST: AS 99 CC] [REVIEW: 71 SA]	A	4730		CC	05-MAR-2014
N	A-A-59614/7	Coupling Assembly, Hose (Garden, Water, and Water Suction), Rocker Lug Swivel [CUST: AT SH 99 CC] [REVIEW: 71 SA]	A	4730	/	CC	13-JAN-2014
N	A-A-59614/8	Coupling Assembly, Hose (Garden, Water, and Water Suction), Pin Lug Swivel [CUST: AT SH 99 CC] [REVIEW: 71 SA]	A	4730	/	CC	13-JAN-2014
N	A-A-59614/9	Coupling Assembly, Hose (Garden, Water, and Water Suction), Long Handle Swivel [CUST: AT SH 99 CC] [REVIEW: 71 SA]	A	4730	/	CC	13-JAN-2014
M	MIL-STD-398A	Shields, Operational for Ammunition Operations, Criteria for Design of and Tests for Acceptance [CUST: AR OS 99] [REVIEW: 70 AS AV GS GS6 MC MI SH]	A	4925		AR	29-JAN-2014
M	MS35335G NOT 2	Washer, Lock, Flat-External Tooth [CUST: AT AS 99 IS] [REVIEW: 71 AV CR CR4 GL MC MI OS YD]	A	5310		IS	13-MAR-2014
M	A-A-55634A NOT 2	Zippers (Fasteners, Slide Interlocking) [CUST: GL AS 99] [REVIEW: MC MI NU OS SA]	A	5325	/	IS	13-MAR-2014
M	FF-L-2890A NOT 2	Lock Extension (Pedestrian Door, Deadbolt) [CUST: AR 99 IS]	A	5340	/	IS	13-MAR-2014
M	MIL-PRF-39017/1P(1) NOT 1	Resistors, Fixed, Film (Insulated), Nonestablished Reliability, and Established Reliability, Style RLR07 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	12-MAR-2014
M	MIL-PRF-39017/2K(1) NOT 1	Resistors, Fixed, Film (Insulated), Nonestablished Reliability, and Established Reliability, Style RLR20 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	12-MAR-2014
M	MIL-PRF-39017/3H(1) NOT 1	Resistors, Fixed, Film (Insulated), Nonestablished Reliability, and Established Reliability, Style RLR32 [CUST: CR EC 85] [REVIEW: 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	12-MAR-2014
M	MIL-PRF-39017/5M(1) NOT 1	Resistors, Fixed, Film (Insulated), Nonestablished Reliability, and Established Reliability, Style RLR05 [CUST: CR EC 85] [REVIEW: 99 AR AS AT AV CG CR4 MC OS]	A	5905		CR	12-MAR-2014
M	MIL-PRF-19207/25G	Fuseholders, Extractor Post Type, Nonindicating, Non-EMI/RFI Shielded and EMI/RFI Shielded, Types FHN41W, FHN41WS, FHN41WB and FHN41WBS [CUST: CR SH 85 CC] [REVIEW: 70 71 99 AS AT CR4 EC MI OS]	A	5920		CC	06-MAR-2014
M	MIL-PRF-19207/26J	Fuseholders, Extractor Post Type, Nonindicating, Type FHN42W [CUST: CR SH 85 CC] [REVIEW: 19 AS AV CE CG CR4 MC MI]	A	5920		CC	06-MAR-2014
M	MIL-PRF-19207/28G	Fuseholders, Extractor Post Type, Blown Fuse Indicating, Type FHN44G [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CR4 EC MC MI OS]	A	5920		CC	06-MAR-2014
M	MIL-PRF-19207/29H	Fuseholders, Extractor Post Type, Blown Fuse Indicating, Type FHL45G [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CR4 EC MC MI OS]	A	5920		CC	06-MAR-2014
M	MIL-PRF-19207/30F	Fuseholders, Extractor Post Type, Nonindicating, Types FHN46W and FHN46WB [CUST: CR SH 85 CC] [REVIEW: 70 71 AS AT CR4 EC MC MI OS]	A	5920		CC	06-MAR-2014
M	MIL-PRF-19207/31F	Fuseholders, Extractor Post Type, Nonindicating, Types FHN47W and FHN47WB [CUST: CR SH 85 CC] [REVIEW: 70 71 AS AT CR4 MC MI]	A	5920		CC	06-MAR-2014
M	MIL-PRF-19207/36E	Fuseholders, Extractor Post Type, Nonindicating, R. F. Shielded, Type FHN55W [CUST: CR SH 85 CC] [REVIEW: AR AS]	A	5920		CC	06-MAR-2014
M	MIL-PRF-19207/38E	Fuseholders, Extractor Post Type, Blown Fuse Indicating, Type FHL57G [CUST: CR SH 85 CC] [REVIEW: 70 71 99 AS AT CR4 EC MC MI OS]	A	5920		CC	06-MAR-2014
M	MIL-PRF-8805/23J	Switch Assemblies, Sensitive, Push, Momentary, 5 Amperes, Unsealed [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS]	A	5930		CC	10-MAR-2014
M	MIL-PRF-39012/25F NOT 1	Connectors, Coaxial, Radio Frequency, (Hardware for Radio Frequency Coaxial Connectors) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV EA MC MI OS SH]	A	5935		CC	07-MAR-2014
M	MIL-DTL-2726/37G NOT 1	Receptacle, Electrical, 15 - Ampere, 125 - Volt, 60 Hertz, Bladed Type, Grounded (Symbol No. 1099.1) [CUST: SH CC]	A	5935		CC	05-MAR-2014
M	MIL-DTL-38999/9B	Connectors, Electrical, Circular, Receptacle, Dummy Stowage, Bayonet Coupling, (MIL-DTL-27599 Series I and MIL-DTL-38999 Series I) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	14-FEB-2014
M	MIL-DTL-38999/48B	Connectors, Electrical, Circular, Receptacle, Weld Mounting, Hermetic, Breech Coupling, Hermetic Soler Contacts, Series IV, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	05-FEB-2014
M	MIL-DTL-38999/49B	Connectors, Electrical, Circular, Receptacle, In-Line Cable, Breech Coupling, Removable Crimp Contacts, Series IV, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MI MS OS]	A	5935		CC	05-FEB-2014
M	MIL-DTL-38999/50C	Connectors, Electrical, Circular, Receptacle, Dummy Stowage, Breech Coupling, Series IV, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 EC MC MI OS]	A	5935		CC	05-FEB-2014
M	MIL-DTL-55302/90F NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Receptacle, Right Angle, Hermaphroditic Contact (.100 Inch Spacing) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI]	A	5935		CC	05-MAR-2014
M	MIL-DTL-55302/96F NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Receptacle, Wrappost (Removable) Hermaphroditic Contacts (.100 Inch Spacing) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI]	A	5935		CC	05-MAR-2014
M	MIL-DTL-83513/2H NOT 1	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Socket Contacts, Class M, Solder Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	07-MAR-2014
M	MIL-DTL-83513/11D NOT 1	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Right Angle, Pin Contacts, 3 Row, Solder Type, Narrow Profile, 51 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935		CC	07-MAR-2014

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-DTL-83513/13D NOT 1	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Right Angle, Socket Contacts, 2 Row, Solder Type, Narrow Profile, 9 Through 37 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/14D NOT 1	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Right Angle, Socket Contacts, 3 Row, Solder Type, Narrow Profile, 51 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/15E NOT 1	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Right Angle, Sockets Contacts, 4 Row, Solder Type, Narrow Profile, 100 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/16D NOT 1	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Right Angle, Pin Contacts, 2 Row, Solder Type, Standard Profile, 9 Through 37 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/17D NOT 1	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Right Angle, Pin Contacts, 3 Row, Solder Type, Standard Profile, 51 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/18D NOT 1	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Right Angle, Pin Contacts, 4 Row, Solder Type, Standard Profile, 100 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/19D NOT 1	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Right Angle, Socket Contacts, 2 Row, Solder Type, Standard Profile, 9 Through 37 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/20D NOT 1	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Right Angle, Socket Contacts, 3 Row, Solder Type, Standard Profile, 51 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	05-MAR-2014
M	MIL-DTL-83513/21D NOT 1	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Right Angle, Socket Contacts, 4 Row, Solder Type, Standard Profile, 100 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	05-MAR-2014
M	MIL-DTL-83513/22D NOT 1	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Straight, Pin Contacts, 2 Row, Solder Type, 9 Through 37 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935			CC	05-MAR-2014
M	MIL-DTL-83513/23D NOT 1	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Straight, Pin Contacts, 3 Row, Solder Type, 51 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/24D NOT 1	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Straight, Pin Contacts, 4 Row, Solder Type, 100 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/25D NOT 1	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Straight, Socket Contacts, 2 Row, Solder Type, 9 Through 37 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/26D NOT 1	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Straight, Socket Contacts, 3 Row, Solder Type, 51 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/28B NOT 1	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Straight, Pin Contacts, 2 Row, Solder Type, Standard Profile, 9 Through 37 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935			CC	07-MAR-2014
M	MIL-DTL-83513/29B NOT 1	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Straight, Pin Contacts, 3 Row, Solder Type, Standard Profile, 51 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935			CC	05-MAR-2014
M	MIL-DTL-83513/30B NOT 1	Connectors, Electrical, Rectangular, Plug, Microminiature, Polarized Shell, Straight, Pin Contacts, 4 Row, Solder Type, Standard Profile, 100 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935			CC	05-MAR-2014
M	MIL-DTL-83513/31B NOT 1	Connectors, Electrical, Rectangular, Receptacle, Microminiature, Polarized Shell, Straight, Socket Contacts, 2 Row, Solder Type, Standard Profile, 9 through 37 Contacts, Printed Circuit Board [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935			CC	05-MAR-2014
M	MS3115G NOT 1	Connectors, Receptacle, Electrical, Dummy Stowage, Bayonet Coupling, for MIL-DTL-26482 Connectors, Series 1 and 2 [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MI SH]	A	5935			CC	05-MAR-2014
M	MS3470E(1) NOT 1	Connectors, Receptacle, Electrical, Series 2, Crimp Type, Narrow Flange Mount, Bayonet Coupling, Classes A, D, L, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC SH]	A	5935			CC	12-MAR-2014
M	MS3471E(1) NOT 1	Connectors, Receptacle, Electrical, Series 2, Crimp Type, Cable Connecting, Bayonet Coupling, Classes A, D, L, T, W and Z [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC SH]	A	5935			CC	12-MAR-2014
M	MS3474J(1) NOT 1	Connectors, Receptacle, Electrical, Series 2, Crimp Type, Rear Mounting Jam Nut, Bayonet Coupling, Classes A, D, L, T, W and Z [CUST: CR AS 85 CC NA] [REVIEW: 99 AR AV EC MC SH]	A	5935			CC	12-MAR-2014
M	MIL-STD-1698B NOT 1	Insert Arrangements for MIL-DTL-28840 High Density High Shock Circular Electrical Connectors [CUST: EC CC]	A	5935			CC	07-MAR-2014
M	A-A-55469/1C NOT 1	Connectors, Electrical, Plugs, Tip, Single (Banana Plug) [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG CR4 MC MI OS]	A	5935		/	CC	10-MAR-2014
M	MIL-PRF-55310/8J NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 50 Hz Through 50 MHz, Hermetic Seal, Square Wave, TTL [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	13-MAR-2014
M	MIL-PRF-55310/9J NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 400 kHz Through 60 MHz, Hermetic Seal, Square Wave, TTL [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	13-MAR-2014
M	MIL-PRF-55310/10J NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 1 kHz Through 60 MHz, Hermetic Seal, Square Wave, TTL [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	13-MAR-2014
M	MIL-PRF-55310/11G NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 0.05 MHz Through 10 MHz, Hermetic Seal, Square Wave, CMOS [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	13-MAR-2014
M	MIL-PRF-55310/12H NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 0.05 MHz Through 10 MHz, Hermetic Seal, Square Wave, CMOS [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	13-MAR-2014
M	MIL-PRF-55310/14H NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 0.1 Hz Through 25 MHz, Hermetic Seal, Square Wave, TTL [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	13-MAR-2014
M	MIL-PRF-55310/15G NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 0.01 Hz Through 10 MHz, Hermetic Seal, Square Wave, CMOS [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	13-MAR-2014

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
M	MIL-PRF-55310/17F NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), Gated, 250 kHz Through 50 MHz, Hermetic Seal, Square Wave, TTL [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	13-MAR-2014
M	MIL-PRF-55310/18F NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 0.01 Hz Through 15.0 MHz, Hermetic Seal, Square Wave, CMOS [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	13-MAR-2014
M	MIL-PRF-55310/19E NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 1.0 MHz Through 60.0 MHz, Hermetic Seal, Square Wave, TTL [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	13-MAR-2014
M	MIL-PRF-55310/25D NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 25 MHz Through 175 MHz, Hermetic Seal, Square Wave, Emitter Coupled Logic [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	13-MAR-2014
M	MIL-PRF-55310/26D NOT 1	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 10kHz Through 65 MHz, Hermetic Seal, Square Wave, High Speed CMOS [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI SM]	A	5955			CR	13-MAR-2014
M	MIL-PRF-19500/162D NOT 1	Semiconductor Devices, Diode, Silicon, Power Rectifier, Types 1N1614, 1N1615, 1N1616, 1N4458, 1N4459, 1N1614R, 1N1615R, 1N1616R, 1N4458R, 1N4459R, JAN and JANTX [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI SH]	A	5961			CC	11-MAR-2014
M	MIL-PRF-19500/336L(2)	Semiconductor Device, Unitized, Dual-Transistor, PNP, Silicon, Types 2N3810, 2N3810L, 2N3810U, 2N3811, 2N3811L, and 2N3811U, JAN, JANTX, JANTXV, JANS, JANSM, JANSND, JANSPL, JANSLS, JANSR, JANHCF, JANHCG, JANSJ, JANHCA, JANHCB, JANKCA, JANKCB, JANKAM, JANKAD, JANKAP, JANKAL, JANKAR, JANKCAF, JANKCAG, and JANKCAH [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI]	A	5961			CC	27-FEB-2014
M	MIL-PRF-19500/374E NOT 1	Semiconductor Device, Transistor, NPN, Silicon, Power, Types 2N3996 through 2N3999, JAN, JANTX, JANTXV, JANS, JANHC and JANKC [CUST: CR EC 85 CC] [REVIEW: 99 AV]	A	5961			CC	13-MAR-2014
M	MIL-PRF-19500/406L	Semiconductor Devices, Diode, Silicon, Voltage Regulator, Types 1N4460, 1N4460C, 1N4460D through 1N4496, 1N4496C, 1N4496D, and 1N6485, 1N6485C, 1N6485D through 1N6491, 1N6491C, 1N6491D, 1N4460US, 1N4460CUS, 1N4460DUS through 1N4496US, 1N4496CUS, 1N4496DUS, and 1N6485US, 1N6485CUS, 1N6485DUS through 1N6491US, 1N6491CUS, 1N6491DUS, 1N4460UM through 1N4496UM, Plus C and D Tolerance Suffix: JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961			CC	03-MAR-2014
M	MIL-PRF-19500/461F NOT 1	Semiconductor Device, Transistor, PNP, Silicon, High-Power Type 2N6211, 2N6212, 2N6213, 2N6213A, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AV]	A	5961			CC	11-MAR-2014
M	MIL-PRF-19500/464G NOT 1	Semiconductor Device, Transistor, NPN, Silicon, Power, Types 2N5685 and 2N5686, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR MI]	A	5961			CC	12-MAR-2014
M	MIL-PRF-19500/474G NOT 1	Semiconductor Device, Silicon, Multiple Diode Arrays, Types 1N5768, 1N5770, 1N5772, 1N5774, 1N6100, 1N6101, 1N6496, 1N6506, 1N6507, 1N6508, 1N6509, 1N6510, and 1N6511, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 99 AR AS AV MC MI SM]	A	5961			CC	11-MAR-2014
M	MIL-PRF-19500/502G	Semiconductor Device, Transistor, NPN, Silicon, Power Darlington, Types 2N6058 and 2N6059, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AV]	A	5961			CC	28-FEB-2014
M	MIL-PRF-19500/553F	Semiconductor Device, Diode, Silicon, Schottky Barrier, Fast Recovery, Type 1N6391, JAN, JANTX, JANTXV, JANS, and JANHC [CUST: 85 CC] [REVIEW: 19 99]	A	5961			CC	25-FEB-2014
M	MIL-PRF-19500/556L	Semiconductor Device, Field Effect Transistor, N-Channel, Silicon, Types 2N6782, 2N6782U, 2N6784, 2N6784U, 2N6786, and 2N6786U, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MI SM]	A	5961			CC	07-MAR-2014
M	MIL-PRF-19500/616G NOT 1	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Types 1N6657 through 1N6659 and 1N6657R through 1N6659R, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961			CC	12-MAR-2014
M	MIL-PRF-19500/617D NOT 1	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Types 1N6672 through 1N6674 and 1N6672R through 1N6674R, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM]	A	5961			CC	13-MAR-2014
M	MIL-PRF-19500/620J	Semiconductor Device, Hermetic, Diode, Silicon, Rectifier, Schottky Barrier, Types 1N5822, 1N5822US, 1N6864, 1N6864US, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961			CC	28-FEB-2014
M	MIL-PRF-19500/656A NOT 1	Semiconductor Device, Diode, Silicon, Schottky, Power Rectifier, Common Cathode or Common Anode Center Tap, Types 1N6785 and 1N6785R, JAN, JANTX, JANTXV and JANS [CUST: CR EC 85 CC NA]	A	5961			CC	11-MAR-2014
M	MIL-PRF-19500/661E	Semiconductor Device, Field Effect Radiation Hardened Transistors, N-Channel, Silicon, Types 2N7444, 2N7434, 2N7391, and 2N7392, JANTXVR and JANSR [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS]	A	5961			CC	25-FEB-2014
M	MIL-PRF-19500/694A NOT 2	Semiconductor Device, Transistor, Plastic, NPN, Silicon, Switching, Type 2N3700UE1, JAN, JANTX, JANJ [CUST: CR EC 85 CC NA]	A	5961			CC	11-MAR-2014
M	MIL-PRF-19500/702D	Semiconductor Device, Field Effect Radiation Hardened Transistor, N-Channel, Silicon, Types 2N7482T3, 2N7483T3, and 2N7484T3, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961			CC	26-FEB-2014
M	MIL-PRF-19500/703C	Semiconductor Device, Field Effect Radiation Hardened Transistor, N-Channel, Silicon, Types 2N7479U3, 2N7480U3, and 2N7481U3, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 99 AV MI]	A	5961			CC	26-FEB-2014
M	MIL-STD-883J(2)	Microcircuits [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AR AS CG EA MC MI SH SM]	A	5962			CC	14-MAR-2014
M	MIL-HDBK-103AP	List of Standard Microcircuit Drawings [CUST: CC]	A	5962			CC	06-MAR-2014
N	MIL-PRF-64266/24	Connectors, Fiber Optic, Rectangular, Receptacle, Backplane Style, Multiple Removable Termini, Single Fiber Cables, Blind Mated, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA]	A	6060			CC	03-FEB-2014
N	MIL-PRF-64266/28	Connectors, Fiber Optic, Rectangular, Multiple Removable Termini, Single Fiber Cables, Receptacle Backshell, Card Front Edge Style, no Strength Member Capture at Cable Entry Interface, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA]	A	6060			CC	03-FEB-2014
N	MIL-PRF-64266/29	Connectors, Fiber Optic, Rectangular, Multiple Removable Termini, Single Fiber Cables, Plug Backshell, Backplane Style, no Strength Member Capture at Cable Entry Interface, Nonenvironment Resisting, Temperature Ranges 1 and 2 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA]	A	6060			CC	03-FEB-2014
M	MIL-DTL-17/191B(1) NOT 2	Cable, Radio Frequency, Flexible, Coaxial, 75 Ohms, M17/191-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145			CC	10-MAR-2014

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-17/192D(2) NOT 1	Cable, Radio Frequency, Flexible, Coaxial, 50 Ohms, Low Smoke, M17/192-00001, M17/192-00002 (Temperature Stabilized) and M17/192-00003 (Water Resistant) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145	CC	05-MAR-2014
M	MIL-L-3661/36A NOT 5	Lenses, Indicator-Light, Style LC36, Complete-Blackout, Watertight, Mechanical Dimmer [CUST: CR AS 99 GS2] [REVIEW: IS]	A	6210	GS2	10-MAR-2014
M	MIL-L-3661/37A NOT 5	Lenses, Indicator-Light, Style LC37, Semi-Blackout, Watertight, Mechanical Dimmer [CUST: CR AS 99 GS2] [REVIEW: IS]	A	6210	GS2	10-MAR-2014
M	MIL-L-3661/38A NOT 5	Housing, Indicator-Light, Style LH80 [CUST: CR AS 11 GS2] [REVIEW: IS]	A	6210	GS2	10-MAR-2014
N	A-A-59942	Voltmeter, Vector [CUST: 84] [REVIEW: 99]	A	6625	/ 84	20-FEB-2014
M	QPL-32359 NOT 2	Cleaner, General, for Ground Vehicles and Ground Support Equipment, Hap-Free	A	6850	MR	24-FEB-2014
M	QPL-32405 NOT 2	Cleaner, Hand Wipe, for Aviation and Missile Systems, Metallic Substrates, Low or Exempt VOC	A	6850	MR	24-FEB-2014
M	QPL-32490 NOT 2	Additive, Lubricity Improver, Diesel (Replaced by the Qualified Products Database (QPD) See Notice 2 for Additional Information)	A	6850	SH	12-MAR-2014
M	MIL-PRF-24712B	Coatings, Powder, Thermosetting [CUST: AV SH 99] [REVIEW: 84 AS CG MR]	A	8010	SH	11-FEB-2014
M	QPL-11414-19 NOT 3	Primer, Alkyd, Fast Dry, Corrosion Inhibiting Lead and Chromate Free, VOC Complaint (Replaced by the Qualified Products Database (QPD) See Notice 3 for Additional Information)	A	8010	MR	05-MAR-2014
N	MIL-DTL-3943/365	Decoration, National Intelligence Exceptional Achievement Medal, Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455	IH	18-FEB-2014
N	MIL-DTL-11484/365	Lapel Button, National Intelligence Exceptional Achievement Medal, Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455	IH	18-FEB-2014
M	A-A-20346B	Catsup (Ketchup, Catchup) [CUST: GL SA 35] [REVIEW: MC MD QM]	A	8950	/ SS	21-FEB-2014
M	MIL-PRF-25604F	Propellant, uns-Dimethylhydrazine [CUST: AS 68 PS]	A	9135	68	11-MAR-2014
M	VV-G-671G	Grease, Graphite [CUST: AT AS 68] [REVIEW: AR AS AV CD GS MC NS SA SH]	A	9150	/ AT	25-FEB-2014
M	MIL-DTL-46063H(2) NOT 1	Armor Plate, Aluminum Alloy, 7039 [CUST: MR AS 11 IS]	A	9535	MR	07-MAR-2014
M	MIL-DTL-46192C(1) NOT 1	Aluminum Alloy Armor Rolled Plate (1/2 to 4 Inches Thick), Weldable (Alloy 2519) [CUST: MR] [REVIEW: AR AT IS TE]	A	9535	MR	07-MAR-2014
N	DI-DRPR-81961	Engineering Drawing Tree [AMSC: F9455]	A	DRPR	11	27-FEB-2014
N	AAITP-4 ED.A(1)	ASSET, CONSIGNMENT AND PERSONNEL TRACKING INFORMATION EXCHANGE	A	ISDA	AI	04-MAR-2014
N	AAITP-6 ED.A(1)	SYSTEM ARCHITECTURE REQUIREMENTS FOR ASSET, CONSIGNMENT AND PERSONNEL TRACKING INFORMATION EXCHANGE	A	ISDA	AI	04-MAR-2014
N	AEP-38-2 ED.B(1)	OPERATIONAL REQUIREMENTS, TECHNICAL SPECIFICATIONS AND EVALUATION CRITERIA FOR CBRN PROTECTIVE CLOTHING	A	ISDA	AI3	11-NOV-2013
N	STANAG-2183 ED.2(1)	SYSTEM ARCHITECTURE REQUIREMENTS FOR ASSET, CONSIGNMENT AND PERSONNEL TRACKING INFORMATION EXCHANGE - AAITP-06 EDITION A	A	ISDA	AI	04-MAR-2014
N	STANAG-2185 ED.4	ASSET, CONSIGNMENT AND PERSONNEL TRACKING INFORMATION EXCHANGE - AAITP-04 EDITION A	A	ISDA	AI	04-MAR-2014
N	TOP-1-1-020	Tropical Regions Environment Considerations [CUST: TE]	A	ISDA	TE	08-FEB-2013
N	TOP-7-2-033	Weaponized Manned/Unmanned Aircraft [CUST: TE]	A	ISDA	TE	14-JAN-2013
N	ATP-45 ED.E(1)	WARNING AND REPORTING AND HAZARD PREDICTION OF CHEMICAL, BIOLOGICAL, RADIOLOGICAL AND NUCLEAR INCIDENTS (OPERATORS MANUAL)	A	ISDD	SO1	23-JAN-2014
N	STANAG-2103 ED.11	WARNING AND REPORTING AND HAZARD PREDICTION OF CHEMICAL, BIOLOGICAL, RADIOLOGICAL AND NUCLEAR INCIDENTS (OPERATORS MANUAL) - ATP-45 EDITION E	A	ISDD	SO1	23-JAN-2014
N	STANAG-2433 ED.4	THE NATO MILITARY INTELLIGENCE DATA EXCHANGE STANDARD - AINTP-3 EDITION C	A	ISDD	SO1	27-NOV-2013
N	AIR-STD-40281(2)	Lunette Eye or Towing Ring	C	ISDF	06	13-NOV-2013
N	ATP-3.3.2.2 ED.A(1)	MINIMUM QUALIFICATIONS FOR FORWARD AIR CONTROLLERS AND LASER OPERATORS IN SUPPORT OF FORWARD AIR CONTROLLERS	A	ISDF	06	02-APR-2014
N	STANAG-3797 ED.6	MINIMUM QUALIFICATIONS FOR FORWARD AIR CONTROLLERS AND LASER OPERATORS IN SUPPORT OF FORWARD AIR CONTROLLERS - ATP-3.3.2.2 EDITION A	A	ISDF	06	04-FEB-2014
N	ANEP-77 ED.E(1)	NAVAL SHIP CODE	A	ISDN	NI	13-JAN-2014
M	MIL-DTL-55330D	Connectors, Electrical and Fiber Optic, Packaging of [CUST: CR EC 99 CC] [REVIEW: DH MI SM]	A	PACK	CC	14-MAR-2014

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	MIL-M-70821	NOT 2	Mount, Howitzer, M182 [CUST: AR]	A	1025		AR	05-MAR-2014
M	MIL-S-48459B(1)	NOT 1	Select Unit, Ammunition: 11732600 [CUST: AR]	A	1220		AR	05-MAR-2014
M	MIL-P-46322B(1)	NOT 2	Periscope, Tank. XM42 [CUST: AR]	A	1240		AR	05-MAR-2014
M	MIL-P-48450A(1)	NOT 2	Periscope, Tank. M35E1 [CUST: AR]	A	1240		AR	05-MAR-2014
M	MIL-P-46530D(1)	NOT 2	Projectile, 20MM, Target Practice, M99A1 [CUST: AR]	A	1305		AR	05-MAR-2014
M	MIL-P-14785B	NOT 3	Projectile, 60MM Metal Parts Assembly [CUST: AR]	A	1310		AR	05-MAR-2014
M	MIL-P-12764G(7)	NOT 2	Projectile, 4.2 Inch, Illuminating, M335A2 Loading, Assembling and Packing [CUST: AR]	A	1315		AR	05-MAR-2014
M	MIL-P-14829(1)	NOT 3	Projectile, 4.2 Inch Tactical CS, XM633 Metal Parts Assembly [CUST: AR]	A	1315		AR	05-MAR-2014
M	MIL-P-14901(1)	NOT 3	Projectile, 4.2 Inch: Tactical CS, XM633 Loading, Assembling and Packing (For Cartridge, Tactical CS, XM630) [CUST: AR]	A	1315		AR	13-MAR-2014
M	MIL-C-63085	NOT 5	Cable, Assembly, Rocket for Demolition Kit, Cratering, M180 Assembling and Packing [CUST: AR]	A	1340		AR	04-MAR-2014
M	MIL-P-46458F(3)	NOT 2	Propellant M30 for use in Cartridge, 105MM, HEAT-T, M456A1 HEAT-T-MP, M456A1E2 (M456A2) and TP-T, M490 [CUST: AR]	A	1376		AR	05-MAR-2014
M	MIL-DTL-226G	NOT 1	Halyards, Signal, Braided Treated [CUST: GL 99 IS]	A	4020		IS	13-MAR-2014
M	MS51825H(1)	NOT 1	Sleeves, Clinches, Tube Fitting, Flareless Type, Hydraulic [CUST: AR SH 99 CC] [REVIEW: AS AT AV GL MC MI SA]	A	4730		CC	05-MAR-2014
M	MS21430B	NOT 1	Valve, Check, Fuel and Air, Poppet Type, Zero, Leak [CUST: AV AS 99 CC] [REVIEW: 71 CR4 MI]	A	4820		CC	05-MAR-2014
M	MS28882G	NOT 1	Valve, Fuel Check, Low Pressure, Gasket Seal Straight Thread Connection [CUST: AV AS 99 CC] [REVIEW: 71 CR4 MI]	A	4820		CC	05-MAR-2014
M	MS28884F	NOT 1	Valve, Fuel Check, Low Pressure, Flared Tube Connection [CUST: AV AS 99 CC] [REVIEW: 71 CR4 MI]	A	4820		CC	10-MAR-2014
M	MS29537A	NOT 2	Gasket, Cap, Outlet Fitting, Booster Pump [CUST: AR AS 99 IS] [REVIEW: 71 CG MC SA]	A	5330		IS	13-MAR-2014
M	MIL-PRF-55359A	NOT 1	Antenna AS-1304()/ARN-30 [CUST: CR] [REVIEW: GS]	A	5826		CR	11-MAR-2014
M	MIL-PRF-39012/100A(1)	NOT 2	Connectors, Plug, Electrical, Coaxial, Radio Frequency, High Voltage (Series MHV (Cabled), Pin Contact, Class 2) [CUST: CR EC 85 CC] [REVIEW: 19 99 AM AS AT AV CR4 MC MI OS SH]	A	5935		CC	05-MAR-2014
M	MIL-DTL-27434/9A(1)	NOT 1	Adapter, Connector, Coaxial, RadioFrequency, Between Series, Series LC, Socket Contact, to Series N, Socket Contact, Type UG-270A/U [CUST: CR EC 85 CC] [REVIEW: 99 SH]	A	5935		CC	10-MAR-2014
M	MIL-DTL-27434/10B	NOT 1	Adapter, Connector, Coaxial, Radiofrequency, Between Series, Series LC, Socket Contact, to Series N, Socket Contact, Flange Mount, Type UG-271A/U [CUST: CR EC 85 CC] [REVIEW: 99 SH]	A	5935		CC	07-MAR-2014
M	MS3113J	NOT 1	Connectors, Receptacle, Electrical, Series I, Solder Type, Solder Mounting, Bayonet Coupling, Class H [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC SH]	A	5935		CC	12-MAR-2014
M	MS3120G	NOT 1	Connectors, Receptacle, Electrical, Crimp Type, Wall Mounting, Flange, No. 4 Holes, Bayonet Coupling, Series 1, Classes E, F and P [CUST: CR 85 CC] [REVIEW: 99 CR4 MI]	A	5935		CC	05-MAR-2014
M	MS3127L(1)	NOT 1	Connectors, Receptacle, Electrical, Series 1, Crimp Type, Box Mounting, Flange, No. 4/6 Holes, Bayonet Coupling, Class E [CUST: CR AS 85 CC] [REVIEW: 99 AV EC MI SH]	A	5935		CC	05-MAR-2014
M	MIL-PRF-19500/198E	NOT 1	Semiconductor Device, Thyristors, Types 2N1870A, 2N1871A, 2N1872A, and 2N1874A, JAN [CUST: CR EC 85 CC] [REVIEW: 19 AS MC MI]	A	5961		CC	11-MAR-2014
M	MIL-PRF-19500/424B	NOT 1	Semiconductor Device, Diode, Silicon, Fast Recovery, Power Rectifier, 1N5186, 1N5187, 1N5188, and 1N5190, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG MC MI]	A	5961		CC	11-MAR-2014
M	MIL-S-38160B(3)	NOT 2	Selector, Antenna C-4808/ARC [CUST: 84] [REVIEW: 99]	A	5985	84		12-MAR-2014
M	MIL-PRF-49450/8A	NOT 1	Battery, Rechargeable, Nickel-Cadmium, Vented, Aircraft, BB-716/A [CUST: CR] [REVIEW: GS]	A	6140		CR	24-FEB-2014
M	MIL-PRF-49450/9	NOT 1	Battery, Rechargeable, Nickel-Cadmium, Vented, Aircraft, BB-432B/A [CUST: CR] [REVIEW: GS]	A	6140		CR	24-FEB-2014
M	MIL-PRF-49450/11	NOT 1	Battery, Rechargeable, Nickel-Cadmium, Vented, Aircraft, BB-476/A [CUST: CR] [REVIEW: GS]	A	6140		CR	24-FEB-2014
M	MIL-PRF-49450/13	NOT 1	Battery, Rechargeable, Nickel-Cadmium, Vented, Aircraft, BB-649A/A [CUST: CR] [REVIEW: GS]	A	6140		CR	24-FEB-2014
M	MIL-PRF-49450/15	NOT 1	Battery, Rechargeable, Nickel-Cadmium, Vented, Aircraft, BB-664/A [CUST: CR] [REVIEW: GS]	A	6140		CR	24-FEB-2014
M	MIL-DTL-13276C	NOT 1	Wire, Electrical; Antenna, (Wire W-28) [CUST: CR CC]	A	6145		CC	07-MAR-2014
M	MIL-DTL-49285/1A	NOT 1	Cable, Special Purpose, Electrical, One Individually Shielded Pair of 18 (16 X 30) AWG [CUST: CR SH 85 CC] [REVIEW: 99 MI]	A	6145		CC	10-MAR-2014
M	MIL-DTL-49285/2A	NOT 1	Cable, Special Purpose, Electrical, Fifteen Individually Shielded Pairs of 22 (7 X 30) AWG [CUST: CR SH 85 CC] [REVIEW: 99 MI]	A	6145		CC	10-MAR-2014
M	MIL-DTL-49285/3A	NOT 1	Cable, Special Purpose, Electrical, Nine Individually Shielded Pairs of 22 AWG Solid Wire [CUST: CR SH 85 CC] [REVIEW: 99 MI]	A	6145		CC	10-MAR-2014
M	MIL-DTL-49285/4A	NOT 1	Cable, Special Purpose, Electrical, Six Individually Shielded Pairs of 22 (7 X 30) AWG [CUST: CR SH 85 CC] [REVIEW: 99 MI]	A	6145		CC	10-MAR-2014
M	MIL-DTL-49285/5A	NOT 1	Cable, Special Purpose, Electrical, Nineteen Individually Shielded Pairs of 22 (7 X 30) AWG [CUST: CR SH 85 CC] [REVIEW: 99 MI]	A	6145		CC	10-MAR-2014
M	MIL-DTL-49285/6A	NOT 1	Cable, Special Purpose, Electrical, Nine Individually Shielded Pairs of 18 (16 X 30) AWG [CUST: CR SH 85 CC] [REVIEW: 99 MI]	A	6145		CC	10-MAR-2014
M	MIL-DTL-49285/7A	NOT 1	Cable, Special Purpose, Electrical, One Individually Shielded Pair of 22 AWG Solid Wire [CUST: CR SH 85 CC] [REVIEW: 99 MI]	A	6145		CC	10-MAR-2014
M	MIL-DTL-49285/8A	NOT 1	Cable, Special Purpose, Electrical, Eleven Individually Shielded Pairs of 22 AWG Solid Wire [CUST: CR SH 85 CC] [REVIEW: 99 MI]	A	6145		CC	10-MAR-2014
M	MIL-DTL-49285/9A	NOT 1	Cable, Special Purpose, Electrical, Eleven Individually Shielded Pairs of 22 (7 X 30) AWG [CUST: CR SH 85 CC] [REVIEW: 99 MI]	A	6145		CC	10-MAR-2014
M	MIL-DTL-49285/10A	NOT 1	Cable, Special Purpose, Electrical, One Individually Shielded Pair of 22 (7 X 30) AWG [CUST: CR SH 85 CC] [REVIEW: 99 MI]	A	6145		CC	10-MAR-2014
M	MS90373B	NOT 1	Indicator, Elapsed Time, Electrochemical (Copper) 115V 50/2400 Hz AC or 28V DC [CUST: AS 71 GS1]	A	6645		GS1	05-MAR-2014
M	MIL-A-16288/5	NOT 5	Adapter, Compressed Gas Cylinder Valve Connections: U. S. Regulator to German Oxygen Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120		GS7	12-MAR-2014
M	MIL-P-20293A	NOT 3	Paper, Kraft, Asphalt-Impregnated [CUST: AR AS 69] [REVIEW: 11 EA GL]	A	8135		AR	05-MAR-2014
M	MIL-P-3409(2)	NOT 1	Plastic-Material, Molding Rigid Thermoplastic, Polydichlorostyrene; for use in Electronic, Communications, and Allied Electrical Equipment [CUST: CR SH 11] [REVIEW: AS AT IS MR]	A	9330		CR	11-MAR-2014
M	MIL-HDBK-1012/1	NOT 1	Electronic Facilities Engineering [CUST: YD]	A	FACR		YD	27-FEB-2014
M	MIL-HDBK-1012/3(1)	NOT 2	Telecommunications Premises Distribution Planning, Design, and Estimating [CUST: YD]	A	FACR		YD	27-FEB-2014

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-S-7852B(2) NOT 1	Seat, Aircrew, Adjustable, Swivel, Type E-1 (No S/S Document) [CUST: AV AS 11] [REVIEW: GS]	A	1680	11	21-FEB-2014
M	MIL-F-20670B(2) NOT 2	Flanges, Pipe, Carbon Steel, 150 P.S.I., W.S.P. (For Naval Shipboard Use)(No S/S Document) [CUST: SH] [REVIEW: CC]	A	4730	SH	25-FEB-2014
M	MIL-D-22531A(2) NOT 1	Display-Plotting Board Group OA-1768(*)/ASA-13 (No S/S Document) [CUST: AS] [REVIEW: GS]	A	5841	AS	21-FEB-2014
M	MIL-C-25601C(2) NOT 2	Coupler, Antenna CU-308D/U (No S/S Document) [CUST: 84] [REVIEW: 99]	A	5985	84	10-MAR-2014
M	MIL-PRF-64266/4 NOT 1	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, Straight Backshell, Heavy Duty, Environment Resisting (S/S by MIL-PRF-64266/18) [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060	CC	04-MAR-2014
M	MIL-PRF-64266/5 NOT 1	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, 45 Degrees Backshell, Heavy Duty, Environment Resisting (S/S by MIL-PRF-64266/18) [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060	CC	04-MAR-2014
M	MIL-PRF-64266/6 NOT 1	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, 90 Degrees Backshell, Heavy Duty, Environment Resisting (S/S by MIL-PRF-64266/18) [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060	CC	04-MAR-2014
M	MIL-PRF-64266/7 NOT 1	Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Genderless Termini, Screw Threads, Light Duty Backshell, Environment Resisting (S/S by MIL-PRF-64266/18) [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS NA]	A	6060	CC	04-MAR-2014
M	MIL-PRF-32052/10 NOT 1	Battery, Rechargeable, Sealed, BB-X112/U (No S/S Document) [CUST: CR] [REVIEW: GS]	A	6140	CR	03-FEB-2014
M	MIL-PRF-32052/11 NOT 1	Battery, Rechargeable, Sealed, BB-XX68/U (No S/S Document) [CUST: CR] [REVIEW: GS]	A	6140	CR	03-FEB-2014
M	MIL-HDBK-1004/6 NOT 1	Lightning Protection (See Notice 1 for Replacement Information) [CUST: YD]	A	FACR	YD	27-FEB-2014
M	MIL-HDBK-1005/2 NOT 2	Hydrology (See Notice 2 for Replacement Information) [CUST: YD]	A	FACR	YD	27-FEB-2014
M	MIL-HDBK-1005/3 NOT 2	Drainage Systems (See Notice 2 for Replacement Information) [CUST: YD]	A	FACR	YD	27-FEB-2014
M	MIL-HDBK-1005/7A(1) NOT 2	Water Supply Systems (See Notice 2 for Replacement Information) [CUST: YD 50]	A	FACR	YD	27-FEB-2014
M	MIL-HDBK-1005/8A NOT 2	Domestic Wastewater Control (See Notice 2 for Replacement Information) [CUST: YD]	A	FACR	YD	27-FEB-2014
M	MIL-HDBK-1005/16(1) NOT 2	Wastewater Treatment System Design Augmenting Handbook (See Notice 2 for Replacement Information) [CUST: CE YD 50]	A	FACR	YD	27-FEB-2014
M	MIL-HDBK-1013/10 NOT 1	Design Guidelines for Security Fencing, Gates, Barriers, and Guard Facilities (See Notice 1 for Replacement Information) [CUST: YD]	A	FACR	YD	27-FEB-2014