Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 March 2016

(For the Period 1 March 2016 to 14 March 2016)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.dla.mil/ for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at https://assist.dla.mil/online/registration/registration.cfm.

Once you have your account, you can establish your Alert Portal profile. For more information the ASSIST Alert Service, go to: https://assist.dla.mil/online/news/AlertService.htm .	ion

ACTIVE SECTION

ASSIST UPDATE

			DISTRIBUTION	FSC/AREA	Α,	EP ACTY	
	DOCUMENT NUMBER	DOCUMENT TITLE			MCA	PREP	DATE
	MIL-DTL-83420N	Wire Rope, Flexible, for Aircraft Control, General Specification for [CUST: AV AS 99 GS] [REVIEW: 11 71 MI]	A	1640		GS5	01-MAR-2016
M M M	A-A-52617 NOT 2 A-A-52523 NOT 2 MIL-PRF-62284B NOT 1 A-A-50691C NOT 1 A-A-59757B NOT 1 MS9879B	Trailer, Van: Mobile Hearing Test Center [CUST: AT] Tank, Pressure: Air Brake, Tactical Trailers [CUST: AT 99] [REVIEW: CC MC MI] Blower Assembly, Air Cleaner [CUST: AT] [REVIEW: CC] Truck, Aircraft Baggage Loading-Unloading [CUST: 184] [REVIEW: 99 IS] Crane Truck, Warehouse, Pneumatic Rubber Tires [CUST: MI 84] [REVIEW: 99 CC] Sleeve, Swivel-Piloted O-Ring Tube Connection, Brazing, AMS 5046 [CUST: AS 71 GS]	A A A A A	2530 2940 3930 3950	/ /	AT AT AT 184 84 71	09-MAR-2016 02-MAR-2016 11-MAR-2016 02-MAR-2016 08-MAR-2016 29-FEB-2016
	MS20762D	Elbow, Flared Tube, Flanged, Swivel, 90 Degree [CUST: AV AS 99 CC] [REVIEW: 71 AR MC MI SA]		4730		CC	01-MAR-2016
M	MS27769B NOT 1 A-A-52506C NOT 2 MIL-PRF-25961H(1) NOT 1	Plug, Pipe, Countersink Hex Head [CUST: AV AS 99 CC] [REVIEW: 71 MC SH] Clamps, Hose [CUST: AT YD 99] [REVIEW: 11 84 AR AS AV CC MC MI SH] Valve, Fill-Buildup-Vent, Liquid Oxygen Converter, CRU-50/A [CUST: AS 71] [REVIEW: 99 CC MC]		4730 4730 4820	/	CC AT 71	11-MAR-2016 08-MAR-2016 11-MAR-2016
M	MIL-DTL-45932A(1)	Insert, Screw Thread, Thin Wall, Locked in: General Specification for [CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR4 MC MI NS OS YD]	A	5325		IS	22-FEB-2016
M	MIL-DTL-45932/1D(1)	Insert, Screw Thread - Thin Wall, Locked in [CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR4 MC NS OS]	A	5325		IS	22-FEB-2016
M	MIL-DTL-45932/2C(1)	Insert, Screw Thread - Thin Wall, Locked-In, Non Metallic Locking Element (-60 Degrees to +250 Degrees Fahrenheit) [CUST: AR 99 IS] [REVIEW: AV]	A	5325		IS	22-FEB-2016
M	MIL-DTL-45932/3C(1)	Insert, Screw Thread - Thin Wall, Locked In, Oversize Replacer [CUST: AR AS 99 IS] [REVIEW: 71 AT AV CR CR4 MC MI NS OS YD]	A	5325		IS	22-FEB-2016
M	MIL-PRF-8805G SUP 1	Switches and Switch Assemblies, Sensitive, Snap Action (Basic, Limit, Push Button and Toggle Switches), General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AV MC MDA MI OS SH]	A	5930		CC	29-FEB-2016
M	MIL-PRF-8805/11J NOT 2	Switches, Sensitive-Momentary, 2 Circuit, 10 Amperes, Unsealed [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	07-MAR-2016
M	MIL-PRF-8805/18G NOT 2	Switches, Sensitive, Momentary, 6 Circuit, 15 Amperes, Unsealed [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5930		CC	07-MAR-2016
M	MIL-PRF-8805/19F NOT 2	Switches, Sensitive-Momentary, 2 Circuit, 40 Amperes, Unsealed [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	07-MAR-2016
M	MIL-PRF-8805/47G NOT 2	Switches, Sensitive, SPDT, Lever, 25 Amperes, Hermetic [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV MC MI SH]	A	5930		CC	07-MAR-2016
M	MIL-PRF-8805/55J NOT 1	Switch, Push, Microphone, DPST, Normally Open, Foot Operated, Momentary, Unsealed and Watertight [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	07-MAR-2016
M	MIL-PRF-8805/101K NOT 2	Switches, Sensitive, 2 Circuit (5 Amperes) or SPST (8 Amperes), Unsealed, Low Level Switching, Form C or Form Z [CUST: EC 85 CC] [REVIEW: 99]	A	5930		CC	07-MAR-2016
M	MIL-PRF-22885J SUP 1	Switches, Push Button, Illuminated, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	29-FEB-2016
M	MIL-PRF-22885/18K NOT 1	Switch, Push Button, Illuminated, Dripproof Seal, Momentary and Alternate Action (DPDT/Two Circuit - 2 Amperes) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	07-MAR-2016
M	MIL-PRF-22885/90C(1) NOT 3	Switch, Pushbutton, Illuminated, 4-Lamp, 0 750 Square, Low Level to 7 Amperes, (Dripproof, EMI/RFI Shielding, Night Vision Goggle Compatible) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	07-MAR-2016
M	MIL-PRF-24236/25D NOT 1	Switches, Thermostatic, (Bimetallic Type I, Hermetically Sealed Single Pole, Single Throw (SPST), 2 Amperes [CUST: CR EC 85 CC] [REVIEW: 99 AR AT AV MC MI SH]	A	5930		CC	07-MAR-2016
M	MIL-DTL-3950K SUP 1	Switches, Toggle, Environmentally Sealed, General Specification for [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV MC MI]	A	5930		CC	29-FEB-2016
M	MIL-DTL-5423E SUP 1 NOT 1	Boots, Dust and Moisture Seal (for Toggle and Push-Button Switches, Circuit Breakers, and Rotary-Actuated Parts), General Specification for [CUST: CR AS 85 CC] [REVIEW: EA]	A	5930		CC	08-MAR-2016
M	MIL-DTL-8834K SUP 1	Switches, Toggle, Positive Break, General Specification for [CUST: CR AS 85 CC] [REVIEW: 99 AR AT EC MC MI]	A	5930		CC	29-FEB-2016
M	MIL-DTL-9395K SUP 1	Switches, Pressure, (Absolute, Gage, and Differential), General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AV MC SH]	A	5930		CC	29-FEB-2016
M	MIL-DTL-9419H	Switch, Toggle, Momentary, Four-Position on, Center Off, General Specification for [CUST: AV AS 85 CC]	A	5930		CC	29-FEB-2016
M	MIL-DTL-83731E SUP 1	Switches, Toggle, Unsealed and Sealed Toggle General Specification for [CUST: CR AS 85 CC] [REVIEW: AR AV EC MC MI]	A	5930		CC	29-FEB-2016
	MS16569E NOT 5 MS16656F NOT 6	Switch, Toggle, Double Pole, Single Throw (for Use in Lighting Fixtures) [CUST: SH] Switch, Toggle, Single Pole, Single Throw [CUST: SH]	A	5930 5930		CC CC	07-MAR-2016 08-MAR-2016
	MS24523J NOT 1	Switch, Toggle, One Pole, Environmentally Sealed [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]		5930		CC	08-MAR-2016
M	MS24524K NOT 1	EC. MC. MI] Switch, Toggle, Two Pole, Environmentally Sealed [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	08-MAR-2016
M	MS24525K NOT 1	Switch, Toggle, Four Pole, Environmentally Sealed [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	07-MAR-2016
M	MS24658G NOT 1	Switch, Toggle, One Pole, Environmentally Sealed, Lever Lock [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV EC MC MI]	A	5930		CC	07-MAR-2016
M	MS24659G NOT 1	Switch, Toggle, Four Pole, Environmentally Sealed, Lever Lock [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	07-MAR-2016
M	MS24660G NOT 1	Switch, Toggle, Four Pole, Environmentally Sealed, Lever Lock [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	07-MAR-2016
	MS25452H NOT 1 MS27407E NOT 1	Guard, Switch, 2 Position, Lock [CUST: CR AS 11 CC] [REVIEW: 99] Switch, Toggle, Two Pole, Environmentally Sealed [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]		5930 5930		CC CC	08-MAR-2016 07-MAR-2016
M	MS27408E NOT 1	Switch, Toggle, Two Pole, Environmentally Sealed, Lever Lock [CUST: CR AS 85 CC] [REVIEW:	A	5930		CC	07-MAR-2016
M	MS27724E NOT 1	99 AR AV EC MC MI] Switch, Toggle, Four Pole, Environmentally Sealed, Integrated Wire Terminals [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	08-MAR-2016
M	MS27734E NOT 1	CC] [REVIEW: 99 AR AV EC MC MI] Switch, Toggle, One Pole, Environmentally Sealed, Solder Terminal [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	07-MAR-2016
L	MAD 2016	[REVIEW. 27 AR AV EC MC MI]					

ACTIVE SECTION

ASSIST UPDATE

			NO				
			DISTRIBUTION	EA		ACTY	
			RE	FSC/AREA	_		
D	OCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA	PREP.	DATE
	IS27735E NOT 1	Switch, Toggle, Two Pole, Environmentally Sealed, Solder Terminal [CUST: CR AS 85 CC]	A	5930		CC	08-MAR-2016
M M	1S27737G NOT 1	[REVIEW: 99 AR AV EC MC MI] Switch, Toggle, One Pole, Environmentally Sealed, Lever-Lock, Solder Terminal [CUST: CR AS 85 CC] [REVIEW: 99 AV EC]	A	5930		CC	08-MAR-2016
M M	IS27738F NOT 1	Switch, Toggle, Two Pole, Environmentally Sealed, Lever Lock, Solder Terminal [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	08-MAR-2016
M M	1S27754F NOT 1	Switch, Toggle, Miniature, Double Pole Toggle Seal, Lever Lock [CUST: CR AS 85 CC] [REVIEW: 99 AV EA EC]	A	5930		CC	07-MAR-2016
M M	1S27781D NOT 1	Switch, Toggle, One Pole, Environmentally Sealed, Lever Lock, Integrated Wire Terminals [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	08-MAR-2016
M M	IS27782D NOT 1	Switch, Toggle, Two Pole, Environmentally Sealed, Lever Lock, Integrated Wire Terminals [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	08-MAR-2016
M M	IS27783D NOT 1	Switch, Toggle, Four Pole, Environmentally Sealed, Lever Lock, Integrated Wire Terminals [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	08-MAR-2016
M M	IS27784D NOT 1	Switch, Toggle, One Pole, Environmentally Sealed, Integrated Wire Terminals [CUST: CR AS 85 CC] [REVIEW: 99 AV EC]	A	5930		CC	08-MAR-2016
M M	1S27787D NOT 1	Switch, Toggle, One Pole, Environmentally Sealed, Lever Lock, Integrated Wire Terminals [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	08-MAR-2016
M M	IS27788D NOT 1	Switch, Toggle, One Pole, Environmentally Sealed, Lever Lock, Integrated Wire Terminals [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	08-MAR-2016
M M	1S39061D NOT 2	Switch, Toggle, SPST, and SPDT, 24 Volt DC, 25 Ampere (Waterproof) [CUST: AT CC]	A	5930		CC	07-MAR-2016
	1S53001B NOT 1	Switch, Beam Selecting Headlight DPDT, No Off, 28 Volt DC [CUST: AT CC] [REVIEW: CR4]	A	5930		CC	08-MAR-2016
M M	MIL-PRF-39012F SUP 1	Connectors, Coaxial, Radio Frequency, General Specification for [CUST: CR EC 85 CC NA]	A	5935		CC	11-MAR-2016
M M	MIL-PRF-49142B(1) SUP 1 NOT 1	[REVIEW: 19 99 AR AS AT MC MI OS SH] Connector, Triaxial, Radio Frequency General Specification for [CUST: CR EC 11 CC NA] [REVIEW: 19 85 99 AR AS AT MC MI OS SH]	A	5935		CC	11-MAR-2016
M M	MIL-PRF-55339C(1) SUP 1 NOT 1	Adapters, Connectors, Coaxial, Radio Frequency, (Between Series and within Series), General Specification for [CUST: CR EC 11 CC NA] [REVIEW: 19 85 99 AR AS AT MC MI OS SH]	A	5935		CC	11-MAR-2016
M M	MIL-DTL-24308/6R(3)	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Receptacle Socket Contacts, Nonmagnetic, Classes M and N, Crimp Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935		CC	25-FEB-2016
M M	MIL-DTL-24308/8R(3)	Connectors, Electric, Rectangular, Miniature, Polarized Shell, Rack and Panel, Pin Contacts, Nonmagnetic, Class M and N, Crimp Type [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT CG CR4 MC MI SH]	A	5935		CC	25-FEB-2016
M M	IIL-PRF-83536/16D	Relays, Electromagnetic, Established Reliability, 4PDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed, all Welded, Transient Suppressed DC Coil [CUST: CR EC 85 CC] [REVIEW: 99]	A	5945		CC	29-FEB-2016
M M	MIL-DTL-12109/21B NOT 1	Solenoid, Electrical Class 2 (Machine Gun) 7 62MM, 24 Volt DC, 8 AMP Max [CUST: AT OS 85] [REVIEW: 99 AR CC EA MC]	A	5945		AT	02-MAR-2016
M M	IIL-PRF-1/970G	Electron Tube, Gas Switching Type 1B58A [CUST: CR EC 85 CC] [REVIEW: AS CG MC OS SH]	A	5960		CC	25-FEB-2016
M M	IIL-PRF-19500/467B	Semiconductor Device, Diode, Light Emitting Type 1N5765 JAN and JANTX [CUST: CR 11 CC]	A	5961		CC	26-FEB-2016
M M	IIL-PRF-19500/474J	Unitized, Multiple Diode Arrays, Silicon Types 1N5768, 1N5770, 1N5772, 1N5774, 1N6100, 1N6101, 1N6496, 1N6506, 1N6507, 1N6508, 1N6509, 1N6510, and 1N6511 [CUST: CR EC 85 CC NA] [REVIEW: 99 AR AS AV MC MI SM]	A	5961		CC	26-FEB-2016
M M	IIL-PRF-19500/535F	Transistor, PNP, Silicon, Power, Through Hole, Types 2N5003 and 2N5005, Quality Levels JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: 85 CC NA] [REVIEW: 19 99]	A	5961		CC	03-MAR-2016
M M	IIL-PRF-19500/644B	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Through Hole Mount Package Types 1N6768 Through 1N6771, Quality Levels JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	26-FEB-2016
M M	MIL-M-38510/555B NOT 2	Microcircuits, Digital, CMOS, Remote Terminal Interface, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	09-MAR-2016
M M	MIL-DTL-3954D SUP 1	Dummy Loads, Electrical, Waveguide, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG MC MI OS SH]	A	5985		CC	11-MAR-2016
M A	-A-59832B	Extractor, Electrical Card, Metal, General Requirements for [CUST: CR EC 85 CC] [REVIEW: 99]		5998	/	CC	29-FEB-2016
M A	A-59832/1B	Extractor, Electrical Card, Metal, Non-Locking, Single Action, for U Channel Actuating Surfaces, for 032, 063, 094, and 125 Inch Thick Circuit Card Assemblies [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	01-MAR-2016
M A	A-59832/2B	Extractor, Electrical Card, Metal, Non Locking, Single Action, for U Channel Actuating Surfaces, for 032, 063, 094, and 125 Inch Thick Circuit Card Assemblies [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	02-MAR-2016
	-A-50728A NOT 1	Frequency Selective Levelmeter and Spectrum Display (FSLSD) [CUST: 84] [REVIEW: 99]	A		/	84	03-MAR-2016
	-A-59870 NOT 2	Helium Leak Detector [CUST: 84] [REVIEW: 99]	A		/	84	07-MAR-2016
	-A-59882 NOT 1	Geometry Measuring Machine [CUST: 84] [REVIEW: 99 IS]	A		/	84	03-MAR-2016
	B-C-101D NOT 1	Carbon Dioxide (CO2): Technical and USP [CUST: AV SH 68 GS] [REVIEW: AS MS]	A		/	GS3	02-MAR-2016
	A-59963 IIL-DTL-3628/267	Thread, Polyester [CUST: GL NU 11 CT] [REVIEW: MD] Badge, Qualification, Military Free Fall Combat Parachutist [CUST: IH MC 11] [REVIEW: CG1	A		/	CT IH	26-FEB-2016 04-FEB-2016
		[CT]		8455			
	IIL-DTL-15665/20G IIL-DTL-15665/22F	Insignia, Service Cap, Enlisted, Female, U S Army [CUST: IH] [REVIEW: CT] Insignia, Service Cap, Enlisted, Male, U S Army [CUST: IH] [REVIEW: CT]	A			IH IH	02-MAR-2016 02-MAR-2016
	ML-DTL-15665/30F	Insignia, Service Cap, Emissed, Wale, U.S. Army [CUST: IH] [REVIEW: CT]	A			IH	02-MAR-2016 02-MAR-2016
	IIL-PRF-46002D NOT 1	Preservative Oil, Contact and Volatile Corrosion-Inhibited [CUST: AT OS 68] [REVIEW: 11 AR GS MD SM]	l	9150		AT	08-MAR-2016
M M	IIL-PRF-46167D NOT 2	Combustion Engine, Arctic [CUST: AT SH 68] [REVIEW: 20 84 99 AR AS GS MC MI OS SA SM YD]	A	9150		AT	11-MAR-2016
	IIL-DTL-14636/1D	Plaque, Department of the Army [CUST: IH] [REVIEW: CT]	A			IH	29-FEB-2016
	IIL-DTL-14636/2E	Plaque, Department of the Air Force [CUST: IH 11] [REVIEW: CT]	A			IH	29-FEB-2016
	ML-DTL-14636/3E	Plaque, Air Force Recruiting Service [CUST: IH 11] [REVIEW: CT]	A			IH	29-FEB-2016
	IIL-DTL-14636/4C	Plaque, JROTC, U.S. Army [CUST: IH] [REVIEW: CT]	A			IH III	29-FEB-2016
	IIL-DTL-14636/5C IIL-DTL-14636/6C	Plaque, SROTC, US Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Adjutant General's Corps, US Army [CUST: IH] [REVIEW: CT]	A			IH IH	29-FEB-2016 29-FEB-2016
	IIL-DTL-14636/8D	Plaque, National Guard, Bureau, Army and Air Force [CUST: IH] [REVIEW: CT]		9905		IH	29-FEB-2016 29-FEB-2016
	AR-2016	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	- *				

ACTIVE SECTION

ASSIST UPDATE

ACTIVE SECTION	ASSIST OFDATE				
DOCUMENT NUMBER M MIL-DTL-14636/11C M MIL-DTL-14636/12B M MIL-DTL-14636/13B M MIL-DTL-14636/15B M MIL-DTL-14636/16B M MIL-DTL-14636/18B M MIL-DTL-14636/19B M MIL-DTL-14636/20C M MIL-DTL-14636/21B M MIL-DTL-14636/22B M MIL-DTL-14636/23B M MIL-DTL-14636/24B M MIL-DTL-14636/24B M MIL-DTL-14636/25B M MIL-DTL-14636/26B M MIL-DTL-14636/27B M AIR-STD-10072(2) N AIR-STD-10712 N AIR-STD-30131(1) N AIR-STD-50281(1) M MIL-C-24707/1 NOT 1 M DI-MISC-81184A	DOCUMENT TITLE Plaque, Army Communities of Excellence [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Air Defense Artillery, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Army Murse Corps, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Army Nurse Corps, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Avatation, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Chaplain Corps, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Chaplain Corps, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Civil Affairs, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Corps of Engineers, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Dental Corps, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Dental Corps, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Field Artillery, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Service, Office of Engineers, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Service, Office of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army [CUST: IH] [REVIEW: CT] Plaque, Branch of Service, Infantry, U.S. Army	A A C C C C C C	9905 9905 9905 9905 9905 9905 9905 9905	H H H H H H H H H H H H H H H H H H H	DATE 29-FEB-2016

INACTIVE SECTION

ASSIST UPDATE

INACTIVE SECTION	ASSIST UPDATE	
		DISTRIBUTION FSC/AREA MCA PREP ACTY
DOCUMENTANIA (DED	DOCUMENT THE F	A 5955 CC 02-MAR-201
DOCUMENT NUMBER M MIL-PRF-3098/79F NOT 2	DOCUMENT TITLE Crystal Unit, Quartz, CR104/U [CUST: CR EC 99 CC] [REVIEW: 184 19]	A 5955 CC 02-MAR-2010
M MIL-PRF-3098/129D NOT 2	Crystal Unit, Quartz, CR148/U [CUST: CR EC 99 CC] [REVIEW: 184 19]	A 5955 CC 02-MAR-2010
I-MAR-2016	4	

15-MAR-2016

CANCELED SECTION

ASSIST UPDATE

CANCELED SECTION	ASSIST OFDATE					
		DISTRIBUTION	FSC/AREA	Ą,	PREP ACTY	
DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA	PRI	DATE
M MIL-DTL-32296A(1) NOT 1	Cartridge, 40 Millimeter, Infrared Illuminant - M992 Loading, Assembling, and Packing (S/S by MIL-DTL-63092) [CUST: AR OS 99] [REVIEW: 70 AV MC SH]	D	1310		AR	03-MAR-2016
M QPL-28837-12 NOT 2	Mile-DTL-63092) [CUST: AR OS 99] [REVIEW: //O AV MC SH] Mixer Stages, Radio Frequency, General Specification for (No S/S Document)	A	5895		CC	04-FEB-2016
M QPL-642-52 NOT 2	Plugs, Telephone, and Accessory Screws, General Specification for (No S/S Document)	A	5935		CC	04-FEB-2016
M QPL-55074-10 NOT 2	Connectors, Plug and Receptacle, Telephone, Electrical, Subassembly and Accessories and Contact Assembly, Electrical, General Specification for (No S/S Document)	A	5935		CC	04-FEB-2016
	Assembly, Electrical, General Specification for (No S/S Document)					
15 MAD 2016						