

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 May 2011

(For the Period 1 May 2011 to 14 May 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-60896B	Cartridge, 7.62 Millimeter: NATO, Reference [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR NP]	D	1305		AR	13-MAY-2011
M	MIL-DTL-71037A(1)	Fin Assembly, Mortar Cartridge, 120 Millimeter - M31 [CUST: AR]	D	1315		AR	03-MAY-2011
M	MIL-STD-709D(1)	Ammunition Color Coding [CUST: AR OS 02] [REVIEW: 70 99 AS EA MC MI MR NP]	A	1395		AR	03-MAY-2011
M	JSSG-2011 NOT 1	Air Vehicle/Ship Integration [CUST: AS 11]	A	15GP		AS	06-MAY-2011
M	MIL-PRF-45316J	Trailer, Tank: Potable Water, 400-Gallon, 2-Wheel, M149A2 [CUST: AT MC 99] [REVIEW: 84 YD]	A	2330		AT	26-APR-2011
M	MIL-L-18925A(1) NOT 2	Line, Shot, Nylon, for Line Throwing Guns [CUST: OS]	A	4020		OS	19-APR-2011
M	QPL-13531-40	Hose, Rubber and Hose Assembly, Rubber (Hydraulic, Pneumatic, Flexible)	A	4720		CC	02-MAY-2011
M	QPL-32330-2	Hose Assembly, Conductive Polytetrafluoroethylene Tube, Smooth Bore, Flared and Flareless, Tube to Hose, with Swivel Nut, General Specification for	A	4720		CC	02-MAY-2011
N	SAE-AS81306	Wiring Installation Tools for Bands and Tiedown Straps [CUST: CR AS 11] [REVIEW: 99 EC GS OS SH]	A	5120		AS	03-MAY-2011
N	SAE-AS90387	Wiring Installation Hand Tools for Metal and Plastic Straps [CUST: CR AS 11] [REVIEW: 99 EC OS SH]	A	5120		AS	03-MAY-2011
M	MIL-PRF-81F	Capacitors, Variable, Ceramic Dielectric, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	05-MAY-2011
M	MIL-PRF-81/4F	Capacitors, Variable, Ceramic Dielectric, Styles CV31 And CV32 [CUST: CR EC 85 CC] [REVIEW: 19]	A	5910		CC	05-MAY-2011
M	A-A-55504/1C	Fuseholder, Extractor Post, Front Mount, Low Profile, Finger Grip Knob Fuse Carrier for 3AG (.25 Inch (IN) x 1.25 IN (6.35 Millimeters (MM) x 31.75 MM)) or .196 IN x .787 IN (5 MM x 20 MM) Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	09-MAY-2011
M	A-A-55504/2C	Fuseholder, Extractor Post, Front Mount, High Profile, Finger Grip Knob Fuse Carrier for 3AG (.25 Inch (IN) x 1.25 IN (6.35 Millimeters (MM) x 31.75 MM)) or .196 IN x .787 IN (5 MM x 20 MM) Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	09-MAY-2011
M	A-A-55504/3C	Fuseholder, Extractor Post, Front or Rear Mount, Finger Grip Knob Fuse Carrier for 3AG (.25 Inch (IN) x 1.25 IN (6.35 Millimeters (MM) x 31.75 MM)) or .196 IN x .787 IN (5 MM x 20 MM) Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	09-MAY-2011
M	A-A-55504/4C	Fuseholder, Extractor Post, Low Profile, Snap-in, Front Mount, Finger Grip Knob Fuse Carrier for 3AG (.25 Inch (IN) x 1.25 IN (6.35 Millimeters (MM) x 31.75 MM)) or .196 IN x .787 IN (5 MM x 20 MM) Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	09-MAY-2011
M	A-A-55504/5C	Fuseholder, Extractor Post, Front Mount, Low Profile, Screwdriver Knob Fuse Carrier for 3AG (.25 Inch (IN) x 1.25 IN (6.35 Millimeters (MM) x 31.75 MM)) or .196 IN x .787 IN (5 MM x 20 MM) Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	09-MAY-2011
M	A-A-55504/6C	Fuseholder, Extractor Post, High Profile, Front Mount, Screwdriver Slotted Knob Fuse Carrier for 3AG (.25 Inch (IN) x 1.25 IN (6.35 Millimeters (MM) x 31.75 MM)) or .196 IN x .787 IN (5 MM x 20 MM) Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	09-MAY-2011
M	MIL-DTL-55302/56H(1)	Connectors, Printed Circuit Subassembly and Accessories: Receptacle, Pin Contacts, Decade Increments 10 thru 70 Contact Positions and Intermediate Positions of 14, 24, 44, 54 and 26, 36, 56, 66 for Printed Wiring Boards (.100 Spacing) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD]	A	5935		CC	11-MAY-2011
M	MIL-DTL-55302/57H(1)	Connectors, Printed Circuit Subassembly and Accessories: Plug, Pin Contacts, Decade Increments 10 thru 70 Contact Positions and Intermediate Positions of 14, 24, 44, 54 and 26, 36, 56, 66 for Printed Wiring Boards (.100 Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD]	A	5935		CC	11-MAY-2011
M	MIL-DTL-55302/58J(1)	Connectors, Printed Circuit Subassembly and Accessories: Receptacle, Socket Contacts, Decade Increments 10 thru 70 Contact Positions and Intermediate Positions of 14, 24, 44, 54 and 26, 36, 56, 66 for Printed Wiring Boards (.100 Spacing) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS TD]	A	5935		CC	11-MAY-2011
M	MIL-DTL-83723/75E(1)	Connectors, Electrical, (Circular, Environment Resisting), Plug, (Bayonet Coupling, Crimp Socket Contact), (Series III, Classes A, G, K, M, R, T, W and Z) [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MI]	A	5935		CC	20-APR-2011
M	MIL-PRF-83536/9D	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed, all Welded, DC Coils [CUST: EC 85 CC] [REVIEW: 99]	A	5945		CC	10-MAY-2011
M	MIL-PRF-19500/700B	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7494U5, 2N7495U5, and 2N7496U5, JANTXVR, F, G, and H, and JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 71 99 AV MC MI]	A	5961		CC	03-MAY-2011
M	MIL-PRF-19500/744B	Semiconductor Device, Field Effect Transistor, N-Channel, Radiation Hardened (Total Dose and Single Event Effects), Logic-Level Silicon, Types 2N7616UB, 2N7616UBC, 2N7616UBN, 2N7616UBCN, JANTXVR, JANTXVF, JANSR, and JANSF [CUST: CR EC 85 CC NA]	A	5961		CC	09-MAY-2011
M	MIL-PRF-19500/745C	Semiconductor Device, Field Effect Transistor, P-Channel, Radiation Hardened (Total Dose and Single Event Effects), Logic-Level Silicon, Types 2N7626UB, 2N7626UBC, 2N7626UBN, 2N7626UBCN, JANTXVR, JANTXVF, JANSR, and JANSF [CUST: CR EC 85 CC NA]	A	5961		CC	13-MAY-2011
M	MIL-M-38510/555B NOT 1	Microcircuits, Digital, CMOS, Remote Terminal Interface, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	11-MAY-2011
M	MIL-DTL-3933K SUP 1 NOT 1	Attenuators, Fixed, Space Level, Non Space Level General Specification for [CUST: CR AS 85 CC NA] [REVIEW: 71 99 AS MC MI SH]	A	5985		CC	05-MAY-2011
M	MIL-PRF-29595/1(1)	Battery, Storage, Aircraft, Maintenance-Free, 26-Volt, 25-Ampere-Hour [CUST: AS]	A	6140		AS	05-MAY-2011
M	MIL-DTL-17H(1) SUP 1	Cables, Radio Frequency, Flexible and Semirigid, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	04-MAY-2011
M	MIL-DTL-17/130F(2)	Cables, Radio Frequency, Coaxial, 0.141 Inch (3.58 mm) Diameter, Semirigid, 50 Ohms [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A	6145		CC	04-MAY-2011
M	MIL-DTL-17/133E(2)	Cables, Radio Frequency, Coaxial, 0.0865 Inch (2.20 mm) Diameter, Semirigid, 50 OHMS [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS SH]	A	6145		CC	04-MAY-2011
M	MIL-DTL-16878/16D	Wire, Electrical, Crosslinked, Modified Polyethylene (XLPE) Insulated, 125 Degrees C, 3000 Volts [CUST: SH 85 CC] [REVIEW: AS]	A	6145		CC	25-APR-2011
M	A-A-52505A	Retainer, Battery (Metric) [CUST: AT MC 99] [REVIEW: 84 CC CR4 MI]	A	6160	/	AT	09-MAY-2011
M	A-A-52412A	Inclinometer, Ball Style [CUST: AT GS]	A	6695	/	AT	04-MAY-2011
N	MIL-PRF-32380	Bags-Unit Pack Barrier, Chemical, Biological Protective Clothing and Accessories [CUST: GL NU 11 CT] [REVIEW: MC MD QM]	A	8105		CT	03-MAY-2011
N	MIL-DTL-11484/336	Lapel Button, Meritorious Unit Citation, Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	16-MAY-2011
M	MIL-PRF-009000K	Lubricating Oil, Shipboard Internal Combustion Engine, High-Output Diesel [CUST: SH]	A	9150		SH	27-APR-2011

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION			DATE
			FSC/AREA	MCA	PREP ACTY	
M	MIL-PRF-63460E(3)	Lubricant, Cleaner and Preservative for Weapons and Weapons Systems [CUST: AR AS 11 GS] [REVIEW: 06 68 AT MD MI OS]	A	9150	AR	10-MAY-2011
M	A-A-55451A	Rubber, Silicone; Channel, Nonmetallic, Shape 3 [CUST: MR AS 11 IS]	A	9320	/ IS	05-MAY-2011
M	A-A-55759A	Rubber, Silicone; Sheet, Solid, Shape 15 [CUST: MR AS 11 IS]	A	9320	/ IS	05-MAY-2011
M	A-A-55760A	Rubber, Silicone; Strip, Shape 16 [CUST: MR AS 11 IS]	A	9320	/ IS	05-MAY-2011
M	A-A-55762A	Rubber, Silicone; Strip, Shape 18 [CUST: MR AS 11 IS]	A	9320	/ IS	05-MAY-2011
N	DI-MGMT-81834	Contractor's Personnel Roster [AMSC: N9192]	A	MGMT	SH	05-MAY-2011
M	MIL-HDBK-115B	US Army Reverse Engineering Handbook (Guidelines and Procedures) [CUST: AV] [REVIEW: AM AR AT CR MI]	A	MISC	AV	27-APR-2011
M	MIL-PRF-63034B(2) NOT 1	Bulletins, Technical: Warranty, Preparation of [CUST: TM] [REVIEW: AR AT MI TE] [AMSC: A7306]	A	TMSS	TM	13-MAY-2011
M	MIL-DTL-9977L	Manuals, Technical and Checklists: Munitions/Weapons Loading Procedures, Nonnuclear and Nuclear and Packages, Standard Data: Munitions Loading Procedures, Nonnuclear [CUST: 16] [REVIEW: 01 10 11 99]	A	TMSS	16	19-APR-2011

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION		MCA	PREP ACTY	DATE
			FSC/AREA				
M	MIL-C-48477C(1)	Circuit Card Assembly: 11732377 Mirror Drive Electronics [CUST: AR]	C	1220	AR		05-MAY-2011
M	AN6248 REV 3	Pump-Hydraulic Hand, Type 3000 [CUST: AV AS 99 CC] [REVIEW: 11 71 AT CR4 GL MC SA SH]	A	1650	CC		21-APR-2011
M	AN6279 REV 7	Valve-Hydraulic Pressure Relief Two Port [CUST: GL AS 99 CC] [REVIEW: 11 71 AT AV CR4 MC SA SH]	A	1650	CC		21-APR-2011
M	MS35643D	Gasket: Synthetic Rubber, Cap, Fuel Tank [CUST: AT MC 99 CC] [REVIEW: 71 CR4 MI SA SH YD]	A	2910	CC		20-APR-2011
M	MS35645G	Cap, Fuel Tank: Tactical Vehicle, Forging [CUST: AT SH 99 CC] [REVIEW: 71 AR CR4 MC SA YD]	A	2910	CC		09-MAY-2011
M	MS51300F	Cap, Fuel Tank: Combat Vehicles, Spill-Proof [CUST: AT MC 99 CC] [REVIEW: 71 CR4 SA YD]	A	2910	CC		09-MAY-2011
M	MS53075C	Cap, Fuel Tank - Tactical Vehicle, Non-Vented [CUST: AT SH 99 CC] [REVIEW: 71 AR CR4 MC SA YD]	A	2910	CC		09-MAY-2011
M	AN6201 REV B	Pump-Hydraulic Hand [CUST: AV AS 99 CC] [REVIEW: 71 AT SH]	A	4320	CC		21-APR-2011
M	MIL-DTL-19068B NOT 1	Valve, Shuttle, Hydraulic, Aircraft, Type II Systems [CUST: AV AS 99] [REVIEW: 71 AT CC SA]	A	4820	AS		11-MAY-2011
M	MIL-R-5757/1K	Relays Electrical, Hermetically Sealed, 6PDT, Low Level to 2 Amperes [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT AV MI SH]	A	5945	CC		12-MAY-2011
M	MIL-R-5757/7G	Relays, Electromagnetic, Hermetically Sealed, 4PDT, Low Level to 2 Amperes [CUST: CR EC 85 CC] [REVIEW: 99 AT AV CR4 MI SH]	A	5945	CC		12-MAY-2011
M	MIL-DTL-49055/1E	Cables, Electrical, (Flexible, Flat, Unshielded), (Round Conductor), (Wire Size 26, 7/34 or 28, 7/36 Stranding) [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CR4 EC MC MI OS SH]	A	6145	CC		20-APR-2011
M	MIL-DTL-6669D	Indicator, Temperature, Electrical Resistance, Multi-Function, -70 Degrees C to +150 Degrees C [CUST: AS 99 GS] [REVIEW: 71]	A	6685	GS1		10-MAY-2011
M	MIL-PRF-63042D(1) NOT 2	Manuals, Technical: Procedures for Destruction of Equipment to Prevent Enemy Use [CUST: TM] [REVIEW: AR AT AV CR MI]	A	TMSS	TM		13-MAY-2011

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-81306B NOT 1	Tool, Installation for Adjustable Plastic and Metal Tiedown Straps (S/S by SAE-AS81306) [CUST: CR AS 11] [REVIEW: 99 EC GS OS SH]	A	5120	AS	03-MAY-2011
M	MS90387H NOT 1	Tool, Hand, Adjustable for Plastic and Metal Tiedown Straps (S/S by SAE-AS90387) [CUST: CR AS 11] [REVIEW: 99 EC OS SH]	A	5120	AS	03-MAY-2011
M	ASTM-D2950	Methods, Nuclear, Density of Bituminous Concrete in Place by (See Notice for Replacement Information) [CUST: YD IS]	A	5610	IS	05-MAY-2011
M	A-A-59701B NOT 1	Wrist Strap, Electrostatic Discharge, General Requirements for (No S/S Document) [CUST: EC CC]	A	5920	/ CC	03-MAY-2011
M	A-A-59701/1A NOT 1	Wrist Strap, Single Conductor, Metal, Electrostatic Discharge with Optional Coiled Grounding Cord (No S/S Document) [CUST: EC CC]	A	5920	/ CC	03-MAY-2011
M	A-A-59701/2A NOT 1	Wrist Strap, Dual Conductor, Metal, Electrostatic Discharge with Optional Grounding Cord (No S/S Document) [CUST: EC CC]	A	5920	/ CC	03-MAY-2011
M	A-A-59701/3A NOT 1	Wrist Strap, Single Conductor, Adjustable, Thermoplastic, Electrostatic Discharge with Optional Grounding Cord (No S/S Document) [CUST: EC CC]	A	5920	/ CC	03-MAY-2011
M	A-A-59701/4A NOT 1	Wrist Strap, Dual Conductor, Adjustable, Thermoplastic, Electrostatic Discharge (No S/S Document) [CUST: EC CC]	A	5920	/ CC	03-MAY-2011
M	A-A-59701/5A NOT 1	Wrist Strap, Disposable, Electrostatic Discharge (No S/S Document) [CUST: EC CC]	A	5920	/ CC	03-MAY-2011