

# **Department of Defense Standardization Program**



## **ASSIST UPDATE**

**(A bi-monthly summary of changes to the ASSIST document database)**

**15 May 2012**

**(For the Period 1 May 2012 to 14 May 2012)**

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-60315C(1) NOT 1	Charge, Propelling, M67, for 105MM Howitzer Loading, Assembling and Packing [CUST: AR]	A	1315		AR	09-MAY-2012
M	MIL-DTL-48249B	Projectile, 155MM, Illuminating - M485A2 and Infrared Illuminating - M1066 Accessories for, and Assembling and Packing [CUST: AR]	D	1320		AR	11-MAY-2012
M	MIL-DTL-13139F(1)	Charge, Demolition, Shaped, 15 Lb.-M2A4 Parts for [CUST: AR OS 70] [REVIEW: 11 99 AS NP]	A	1375		AR	26-APR-2012
M	MIL-DTL-48637B	Fuze, Point Detonating: Practice, M751 [CUST: AR]	D	1390		AR	09-MAY-2012
M	A-A-51136D NOT 1	Tool Holder, Threading Tool Type, Lathe [CUST: AT SH 99 IS] [REVIEW: 84 GS MC]	A	3460	/	IS	11-MAY-2012
M	A-A-59796 NOT 1	Air Conditioners, Window, Wall Unit [CUST: GL YD 99] [REVIEW: MC]	A	4120	/	IS	11-MAY-2012
M	MIL-PRF-25370F NOT 2	Valve, Pneumatic Inflator, (Life Preserver, MA-1) [CUST: 11] [REVIEW: CC]	A	4220		11	11-MAY-2012
M	MIL-DTL-32371 SUP 1	Fittings, Adapter, Hydraulic and Pneumatic, Spherical to ORFS Connectors, 1500 to 3000 PSI, General Specification for [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH]	A	4730		CC	24-APR-2012
M	MIL-DTL-38726B	Adapter Assembly, Reusable, Flexible Hose, Low Pressure [CUST: AT AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	08-MAY-2012
M	MS16632C	Ring, Retaining, External, Crescent (Reduced Section Type) [CUST: AR OS 99 IS] [REVIEW: AS MI]	A	5325		IS	01-MAY-2012
M	MS16633D	Ring, Retaining, External, "E" (Reduced Section Type) [CUST: AR OS 99 IS] [REVIEW: AV GL MI]	A	5325		IS	01-MAY-2012
M	MS16634C	Ring, Retaining, External, Bowed "E" (Reduced Section Type) [CUST: AR OS 99 IS] [REVIEW: AV MI]	A	5325		IS	01-MAY-2012
M	MIL-PRF-15160/61H	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F61 [CUST: CR SH 85 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD]	A	5920		CC	03-MAY-2012
M	A-A-55471D	Fuse, Plug, (Type TL), Time Delay, Edison Base [CUST: EC CC]	A	5920	/	CC	09-MAY-2012
M	A-A-55472D	Fuse, Plug, (Type S), Time Delay, Type S Base [CUST: EC CC]	A	5920	/	CC	09-MAY-2012
M	A-A-55473D	Fuse, Plug, (Type T), Time Delay Dual Element, Edison Base [CUST: EC CC]	A	5920	/	CC	09-MAY-2012
M	A-A-55474D	Adapter, Fuse, Type S [CUST: EC CC]	A	5920	/	CC	09-MAY-2012
M	A-A-55475D	Fuseholder, Extractor Post [CUST: EC CC]	A	5920	/	CC	09-MAY-2012
M	A-A-55476D	Fuse, Cartridge, Type SFE [CUST: EC CC]	A	5920	/	CC	10-MAY-2012
M	MS21355K	Switch, Toggle, Positive Break, Miniature, Toggle Sealed, Printed Circuit Board Terminals, Double Pole, .250 Mounting Bushing [CUST: AS 85 CC] [REVIEW: 99 EC MI]	A	5930		CC	04-MAY-2012
M	MS21436C	Switch, Toggle, Positive Break, Lever Lock, Miniature, Toggle Sealed, Solder Lug, Single Pole, .469 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 AR EC MI]	A	5930		CC	04-MAY-2012
M	MS21437H(1)	Switch, Toggle, Positive Break, Lever Lock, Miniature, Toggle Sealed, Solder Lug, Double Pole, .469 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 EC MI]	A	5930		CC	04-MAY-2012
M	MS24655S(1)	Switch, Toggle, Positive Break, Miniature Toggled Sealed, Single Pole, Solder Lug or Integrated Wire Terminals: .250 Mounting Bushings [CUST: CR AS 85 CC] [REVIEW: 99 AV EC MI]	A	5930		CC	04-MAY-2012
M	MS24656R(1)	Switch, Toggle, Positive Break, Miniature Toggled Sealed, Double Pole, Solder Lug, or Integrated Wire Terminals: .250 Mounting Bushings [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MI]	A	5930		CC	04-MAY-2012
M	MS27716F(1)	Switch, Toggle, Miniature, Single Pole, Unsealed [CUST: CR EC 85 CC] [REVIEW: 99 AV]	A	5930		CC	04-MAY-2012
M	MS27717G(1)	Switch, Toggle, Miniature, Double Pole, Unsealed [CUST: CR EC 85 CC] [REVIEW: 99 AV]	A	5930		CC	04-MAY-2012
M	MS27718H(1)	Switch, Toggle, Miniature Single Pole, Toggle Seal [CUST: CR EC 85 CC] [REVIEW: 99 AV]	A	5930		CC	04-MAY-2012
M	MS27719H(1)	Switch, Toggle, Miniature Double Pole, Toggle Seal [CUST: CR EC 85 CC] [REVIEW: 99 AV]	A	5930		CC	04-MAY-2012
M	MS27720H	Switch, Toggle, Miniature, Single Pole, Toggle Seal, Lever Lock [CUST: CR AS 85 CC] [REVIEW: 99 AV]	A	5930		CC	04-MAY-2012
M	MS27721H(1)	Switch, Toggle, Miniature, Double Pole Toggle Seal, Lever Lock [CUST: CR AS 85 CC] [REVIEW: 99 AV EC]	A	5930		CC	04-MAY-2012
M	MS90310J(1)	Switch, Toggle, Positive Break, Miniature, Toggle Sealed, Solder Lug, Single Pole, .469 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MI]	A	5930		CC	04-MAY-2012
M	MS90311M(1)	Switch, Toggle, Positive Break, Miniature Toggle Sealed, Solder Lug, Double Pole, .469 Mounting Bushing [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV EC MI]	A	5930		CC	04-MAY-2012
M	MIL-DTL-38999L(2) SUP 1	Connectors, Electrical, Circular, Miniature, High Density, Quick Disconnect (Bayonet, Threaded, and Breech Coupling), Environment Resistant, Removable Crimp and Hermetic Solder Contacts, General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	10-MAY-2012
M	MIL-DTL-55302/31L NOT 1	Connectors, Printed Circuit Subassembly and Accessories: Keying Accessories [CUST: 85 CC] [REVIEW: 19 99]	A	5935		CC	11-MAY-2012
M	MS18173B	Washer, Flat [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	09-MAY-2012
M	MS18194E	Jackscrews, Electrical Connectors Male and Female, Long, Turnable [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS]	A	5935		CC	09-MAY-2012
M	MS18195C	Jackscrews, Electrical Connectors Male and Female, Short Turnable [CUST: CR EC 85 CC] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH]	A	5935		CC	09-MAY-2012
M	MIL-PRF-27/326C	Transformers, Power, 5 VA, 60 Hertz [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	04-MAY-2012
M	MIL-PRF-27/330C	Transformers, Power, 100 VA to 140 VA, 60 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950		CC	04-MAY-2012
M	MIL-PRF-19500/323M(1)	Semiconductor Device, Transistor, PNP, Silicon, Switching, Types 2N3250A, 2N3251A, 2N3250AUB, 2N3251AUB, JAN, JANTX, JANTXV, JANTXVM, JANTXVD, JANTXVP, JANTXVL, JANTXVR, JANTXVF, JANTXVG, JANTXVH, JANS, JANSM, JANSJ, JANSP, JANSL, JANSLR, JANSF, JANSJ, JANSH, JANHC, JANHCM, JANHCD, JANHCP, JANHCL, JANHCR, JANHCF, JANHCG, JANHCH, JANKC, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AV MC MI SM]	A	5961		CC	01-MAY-2012
M	MIL-PRF-19500/343K	Semiconductor Device, Transistor, NPN, Silicon, Low Power, Types 2N2857 and 2N2857UB, JAN, JANTX, JANTXV, and JANS, JANSM, JANSJ, JANSP, JANSL, JANSLR, JANHCF, JANHCG, JANSH, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AS MC MI SM]	A	5961		CC	01-MAY-2012
M	MIL-PRF-19500/398K(1)	Semiconductor Device, Transistor, NPN, Silicon, High-Frequency, Types 2N3866, 2N3866A, 2N3866UB, 2N3866AUB, JAN, JANTX, JANTXV, JANS, JANHC, JANKC, JANSM, JANSJ, JANSP, JANSL, JANSLR, JANSF, JANSJ, JANSH, JANHCM, JANHCD, JANHCP, JANHCL, JANHCR, JANHCF, JANHCG, JANHCH, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM]	A	5961		CC	04-MAY-2012
N	ASTM-F1192	Measurement of Single Event Phenomena (SEP) Induced by Heavy Ion Irradiation of Semiconductor Devices [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM]	A	5962		CC	07-MAY-2012

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-19500/548H	Coupler, OPTO Electronic, Semiconductor Device, Solid State, Types 4N47, 4N48, 4N49, 4N47A, 4N48A, 4N49A, 4N47U, 4N48U, 4N49U, 4N47BU, 4N48BU, and 4N49BU, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI OS SH SM]	A	5980		CC	01-MAY-2012
M	MIL-DTL-85/3D	Waveguides, Rigid, Rectangular, (Millimeter Wavelength) [CUST: CR EC 85 CC] [REVIEW: 19 71 99 AR AS CR4 MC MI OS SH]	A	5985		CC	27-APR-2012
M	MIL-DTL-23971D SUP 1	Power Dividers, Power Combiners, and Power Divider/Combiners, General Specification for [CUST: CR EC 85 CC]	A	5985		CC	07-MAY-2012
M	MIL-DTL-23971/1B	Power Dividers, 4 Port Quadrature, Solder Terminals [CUST: CR EC 85 CC] [REVIEW: AS MC OS]	A	5985		CC	03-MAY-2012
M	MIL-DTL-23971/9B	Power Divider, N-Way, 0 Degrees, SMA Connectors [CUST: CR EC 85 CC] [REVIEW: AS MC OS]	A	5985		CC	03-MAY-2012
M	MIL-DTL-23971/17B	Power Divider/Combiners, N-Way, 0 Degrees, TNC Connectors [CUST: CR EC 85 CC] [REVIEW: AS MC OS]	A	5985		CC	03-MAY-2012
M	MS25041G(1) NOT 2	Light, Indicator, Press to Test, Small [CUST: CR4 AS 99 GS2] [REVIEW: AT IS]	A	6210		GS2	11-MAY-2012
N	ANSLG-C81.61	Lamp, Electrical Bases [CUST: AT AS 99]	A	6240		AS	02-MAY-2012
M	A-A-59161B	Ethylene Glycol Monoethyl Ether Acetate, Technical [CUST: EA AS 68 GS] [REVIEW: AR MD1]	A	6810	/	GS3	08-MAY-2012
M	A-A-59508A	Potassium Dichromate: (Potassium Bichromate) Technical Grade [CUST: GL GS]	A	6810	/	GS3	11-MAY-2012
M	MIL-DTL-87934B	Desiccant, Molecular Sieve (Impregnated) [CUST: SH 68 GS] [REVIEW: 11 AS MC OS]	A	6850		GS3	09-MAY-2012
M	MIL-DTL-17376F NOT 1	Caps and Flanges, Compressed-Gas Cylinder, General Specification for [CUST: CR4 YD 68 GS] [REVIEW: MC MD]	A	8120		GS7	11-MAY-2012
M	MIL-DTL-17376/1A NOT 1	Caps and Flanges, Compressed-Gas Cylinder: Caps [CUST: CR4 YD 68 GS] [REVIEW: MC MD]	A	8120		GS7	11-MAY-2012
M	MIL-DTL-17376/2B	Caps and Flanges Compressed-Gas Cylinder: Flanges, Low Pressure [CUST: CR4 YD 68 GS] [REVIEW: MC MD]	A	8120		GS7	08-MAY-2012
M	MIL-DTL-17376/3B	Caps and Flanges, Compressed-Gas Cylinder: Flanges, High Pressure [CUST: CR4 YD 68 GS] [REVIEW: MC MD]	A	8120		GS7	08-MAY-2012
M	MIL-C-70741(4)	Container, Metal, PA117 [CUST: AR]	A	8140		AR	30-APR-2012
N	MIL-DTL-11484/340	Lapel Button, State and Local Law Enforcement, Congressional Badge of Bravery, U.S. Department of Justice [CUST: IH]	A	8455		IH	09-MAY-2012
N	MIL-DTL-11484/341	Lapel Button, Federal Law Enforcement, Congressional Badge of Bravery, U.S. Department of Justice [CUST: IH]	A	8455		IH	09-MAY-2012
N	MIL-DTL-11589/639	Ribbon, State and Local Law Enforcement, Congressional Badge of Bravery, US Department of Justice [CUST: IH]	A	8455		IH	09-MAY-2012
N	MIL-DTL-11589/646	Ribbon, Meritorious Civilian Service, Defense Technical Information Center (DTIC) [CUST: IH]	A	8455		IH	09-MAY-2012
N	MIL-DTL-32378	Laminate: Unidirectional, Reinforced, Cross-Plied, Aramid Fiber, Plastic Armor Material [CUST: MR AS 11] [REVIEW: 13 AT AV DH IS MI SH]	A	CMPS		MR	27-APR-2012
N	DI-FNCL-81831	Contractor Sustainment Report (DD Form 1921-4) [AMSC: D9180]	A	FNCL		CAPE	10-MAY-2012
N	INCITS-19	Tape for Information Interchange, Eleven-Sixteenths Inch Perforated Paper [CUST: CR OM 02 DC3]	A	IPSC		DC3	02-MAY-2012
N	INCITS-34	Information Interchange, Interchange Rolls of Perforated Tape for [CUST: CR OM 02 DC3] [REVIEW: MC NM SA]	A	IPSC		DC3	02-MAY-2012
M	ITOP-5.2.514 ED.A	GE/US International Test Operations Procedure (ITOP) 05-2-514A Troop Formation and Urban Target Evaluation [CUST: TE]	D	ISDA		TE	22-SEP-2011
M	TOP-1-2-608A	Sound Level Measurements [CUST: TE]	A	ISDA		TE	01-AUG-2011
N	TOP-1-2-602	Laboratory Vibration Test Schedule Development for Multi-Exciter Applications [CUST: TE]	A	ISDA		TE	17-AUG-2011
M	TOP-2-2-808A	Field Shock and Vibration Tests of Vehicles [CUST: TE]	A	ISDA		TE	15-JUN-2011
N	TOP-5-2-543	Enhanced Flight Termination Receiver (EFTR) Range Certification Testing [CUST: TE]	A	ISDA		TE	25-JUL-2011
M	TOP-5-2-582A	Temperature-Altitude Tests for Missile System and TOP 5-2-582 Missile Subsystem Equipment [CUST: TE]	A	ISDA		TE	02-JUN-2011
N	TOP-10-3-001	Performance and Vulnerability Testing of Automatic Fire Extinguishing Systems (AFESs) Used on Combat and Tactical Vehicles [CUST: TE]	D	ISDA		TE	06-FEB-2012
M	MIL-STD-2197A	Brush Electroplating on Marine Machinery [CUST: SH]	A	MFFP		SH	24-APR-2012
N	MHIA-MH16.1	Steel Industrial Storage Racks, Design, Testing and Utilization of [CUST: SM SA 69 DH] [REVIEW: 11 99 AR CC GS3 OS]	A	PACK		SM	03-MAY-2012
M	MIL-STD-882E	System Safety [CUST: AV NM 40] [REVIEW: 05 10 11 13 19 22 70 71 84 99 AR AS AT CE CG CR EC MC MI OH OS SA SH TE YD]	A	SAFT		40	11-MAY-2012
M	MIL-HDBK-338B NOT 2	Electronic Reliability Design Handbook [CUST: SY EC 11 DH] [REVIEW: 08 13 19 33 AS CC CG CH CR HS MA MC PT SA TM]	A	SESS		11	11-MAY-2012
M	MIL-HDBK-344A NOT 2	Environmental Stress Screening (ESS) of Electronic Equipment [CUST: CR EC 11]	A	SESS		11	11-MAY-2012

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS28055B NOT 1	Flanges, Mounting, Attachable, Aircraft Instrument [CUST: MI AS 99 GS1] [REVIEW: 11]	A	1680	GS1		01-MAY-2012
M	MS24672B NOT 1	Screw, Cap, Socket Head, Flat Countersunk, Corrosion Resisting Steel, UNF-3A [CUST: SH] [REVIEW: AS]	A	5305	IS		11-MAY-2012
M	MS9826B NOT 1	Clamp, Loop-Cushioned, Joggled, Corrosion Resistant Steel, .265 Hole [CUST: AV AS 99 IS] [REVIEW: 71 AT MC SA SH]	A	5340	AS		11-MAY-2012
M	MS90577B	Adapter, Connector, Series UHF to Series BNC, Type UG-273/U [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG MC MI OS]	A	5935	CC		08-MAY-2012
M	MS90578C	Adapter Connector, (Twin Binding Post-BNC Male) Type UG-1441/U [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG CR4 MC MI]	A	5935	CC		08-MAY-2012
M	MS90579B	Adapter, Connector, Between Series (Series QL Socket to Series C Socket) Jam Nut Mount, Type UG-1375/U [CUST: CR EC 85 CC] [REVIEW: 19 AS CG MC OS]	A	5935	CC		05-MAY-2012
M	MIL-T-27/74B	Transformer, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5950	CC		04-MAY-2012
M	MIL-T-27/99C	Transformer, Power, Step-Down [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950	CC		04-MAY-2012
M	MIL-T-27/159B	Transformers and Inductors (Audio, Power and High-Power Pulse), Inductor, Power [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS SH]	A	5950	CC		04-MAY-2012
M	MIL-T-27/174D	Transformers and Inductors (Audio, Power and High Power Pulse) Inductor, Power [CUST: CR EC 85 CC] [REVIEW: 19 AR CR4 MC YD]	A	5950	CC		04-MAY-2012
M	MIL-T-27/175C	Transformers and Inductors (Audio, Power and High Power Pulse) Inductors, Audio Frequency, High Q [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950	CC		04-MAY-2012
M	MIL-T-27/176B	Transformer, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950	CC		04-MAY-2012
M	MIL-T-27/202B	Transformers, Power, Step-Down [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950	CC		04-MAY-2012
M	MIL-T-27/207B	Transformers and Inductors (Audio, Power and High-Power Pulse), Inductors, Power [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950	CC		04-MAY-2012
M	MIL-T-27/214B	Transformers and Inductors (Audio, Power and High-Power Pulse), Inductors, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5950	CC		04-MAY-2012
M	MIL-T-27/223C	Transformers, Power, Step-Down [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950	CC		04-MAY-2012
M	MIL-DTL-22438C	Panels, Receptacle, for Electrical and Electronics Test and Maintenance Table, General Specification For [CUST: SH CC]	A	6110	CC		02-MAY-2012
M	MIL-DTL-22438/1C	Panel, Receptacle, Electrical and Electronic (Symbol No. 754.2) [CUST: SH CC]	A	6110	CC		03-MAY-2012
M	MIL-C-52009D	Control-Panel Assembly for Portable Heliport Electric Lighting [CUST: CR4 CC]	A	6110	CC		02-MAY-2012
M	MIL-DTL-6484D NOT 1	Lights, Cockpit Utility, Aircraft General Specification for [CUST: AV AS 99 GS2] [REVIEW: 71 IS]	A	6220	GS2		11-MAY-2012
M	MIL-B-27497C NOT 3	Bearing, Jewel, Sapphire or Ruby, Synthetic [CUST: AR SH 99] [REVIEW: 71 AS CR MC MI]	A	6695	GS1		09-MAY-2012

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	ASME-B15.1	Mechanical Power Transmission Apparatus, Safety Standard for (See Notice of Withdrawal for Replacement Information) [CUST: YD 99] [REVIEW: 71 CE MC]	A	3020		CC	08-MAY-2012
M	ANSI-B11.11	Cutting Machines, Gear, Safety Requirements for the Construction Care and Use (No S/S Document) [CUST: AR SH 99 GS] [REVIEW: 84]	A	3414		GS6	08-MAY-2012
M	AWS-A5.20	Electrode, Carbon Steel, for Flux Cored ARC Welding (No S/S Document) [CUST: MR 11 GS]	A	3439		GS6	08-MAY-2012
M	AWS-A5.21	Composite Surfacing Welding Rods and Electrodes (No S/S Document) [CUST: MR 11 GS]	A	3439		GS6	08-MAY-2012
M	AWS-A5.25	Steel, Low Alloy, Consumables uses for Electroslag Welding of Carbon and High Strength (No S/S Document) [CUST: MR 11 GS]	A	3439		GS6	02-MAY-2012
M	AWS-A5.28	Welding, Gas Shielded Arc, Low-Alloy Steel Electrodes and Rods for (No S/S Document) [CUST: MR AS 11 GS] [REVIEW: YD]	A	3439		GS	04-MAY-2012
M	AWS-A5.30	Insert, Consumable (No S/S Document) [CUST: MR 11 GS]	A	3439		GS6	07-MAY-2012
M	SAE-AMS4246	Aluminum Alloy Welding Wire 7.0SI - 0.52MG (357) (No S/S Document) [CUST: MR AS 11 GS]	A	3439		GS6	08-MAY-2012
M	SAE-AMS5028	Steel Welding Wire 1.05CR - 0.55NI - 1.0MO - 0.07V (0.34 - 0.40C) Vacuum Melted, Environment-Controlled Packaging (No S/S Document) [CUST: MR AS 11 GS]	A	3439		GS6	08-MAY-2012
M	SAE-AMS5679	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 73NI - 15.5CR - 2.2CB - 8.0FE (No S/S Document) [CUST: MR AS 11 GS]	A	3439		GS6	02-MAY-2012
M	SAE-AMS5821	Steel, Corrosion Resistant, Welding Wire 12 CR (SAE 51410 Modified) Ferrite Control Grade (No S/S Document) [CUST: MR AS 11 GS]	A	3439		GS6	02-MAY-2012
M	ANSI-B11.15	Safety Requirements for the Construction, Care and Use of, Tube and Shape Bending Machines (No S/S Document) [CUST: AR SH 99 GS] [REVIEW: 84 MC]	A	3441		GS6	08-MAY-2012
M	ASME-B94.51M	Band Saw Blades (Metal Cutting) (No S/S Document) [CUST: AR SH 99 GS]	A	3455		GS6	08-MAY-2012
M	ASME-B94.54	Saws, Hole, Hole Saw Arbors, and Hole Saw Accessories, Specification for (No S/S Document) [CUST: AR SH 99 GS] [REVIEW: 84 CR4 MI SM]	A	3455		GS6	11-MAY-2012
M	ANSI-B11.1	Machine Tools-Mechanical Power Presses Safety Requirements for Construction, Care, and Use (No S/S Document) [CUST: AR SH 99] [REVIEW: 84 CR4]	A	34GP		GS6	08-MAY-2012
M	NEMA-EW6	Guidelines for Precautionary Label for Arc-Welding and Cutting Products (No S/S Document) [CUST: AR SH 99 GS] [REVIEW: 84]	A	34GP		GS6	08-MAY-2012
M	ANSI-MH27.1	Crane, Underhung and Monorail Systems (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	3950		CC	03-MAY-2012
M	ANSI-MH1	Pallets, Slip Sheets, and Other Bases for Unit Loads (See Notice of Withdrawal for Replacement Information) [CUST: SM SA 11]	A	3990		IS	03-MAY-2012
M	ANSI-Z87.1	Protection, Eye and Face, Practice for Occupational and Educational (See Notice of Withdrawal for Replacement Information) [CUST: EA SH 99] [REVIEW: AR AS YD]	A	4240		CT	03-MAY-2012
M	ASME-PTC25.3	Safety and Relief Valves (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	4820		CC	08-MAY-2012
M	ASME-B107.11M	Pliers, Diagonal Cutting, and Nippers, End Cutting (See Notice of Withdrawal for Replacement Information) [CUST: AR 99] [REVIEW: GS]	A	5110		AR	08-MAY-2012
M	ASME-B107.8M	Wrenches, Adjustable (See Notice of Withdrawal for Replacement Information) [CUST: AR SH 99] [REVIEW: 84 AS CR4 GL GS MC YD]	A	5120		AR	08-MAY-2012
M	ASME-B107.14M	Tools, Hand, Torque (See Notice of Withdrawal for Replacement Information) [CUST: AR SH 99] [REVIEW: 84 AS CR4 GL GS MC YD]	A	5120		AR	08-MAY-2012
M	ASME-B107.15	Screwdrivers, Flat Tip and Phillips (See Notice of Withdrawal for Replacement Information) [CUST: AR AS 99] [REVIEW: GS]	A	5120		AR	08-MAY-2012
M	ASME-B107.19	Pliers, Retaining Ring (See Notice of Withdrawal for Replacement Information) [CUST: AR AS 99] [REVIEW: GS]	A	5120		AR	08-MAY-2012
M	ASME-B107.20M	Pliers (Lineman's, Iron Worker's, Gas, Glass, and Fence) (See Notice of Withdrawal for Replacement Information) [CUST: AR 99] [REVIEW: 84 CR4 GL GS]	A	5120		AR	08-MAY-2012
M	ASME-B107.21	Wrench, Crowfoot Attachments (See Notice of Withdrawal for Replacement Information) [CUST: AR 99] [REVIEW: 84 AS AT AV CR GL GS MC]	A	5120		AR	08-MAY-2012
M	ASME-B107.23M	Pliers, Multiple Position, Adjustable (Metric) (See Notice of Withdrawal for Replacement Information) [CUST: AR SH] [REVIEW: GL GS]	A	5120		AR	08-MAY-2012
M	ASME-B107.16	Shears (Metal Cutting, Bench and Hand) (See Notice of Withdrawal for Replacement Information) [CUST: AR 99] [REVIEW: GS]	A	5130		AR	08-MAY-2012
M	ASME-B18.16.1M	Steel Metric Hex Nuts and Hex Flange Nuts, Prevailing-Torque Mechanical and Performance Requirements for (See Notice of Withdrawal for Replacement Information) [CUST: AR YD 99 IS]	A	5310		IS	08-MAY-2012
M	ASME-B18.16.2M	Steel Metric Hex Nuts and Hex Flange Nuts, Prevailing-Torque Type, Torque-Tension Test Requirements for (See Notice of Withdrawal for Replacement Information) [CUST: AR YD 99 IS]	A	5310		IS	08-MAY-2012
M	ASME-B18.16.3M	Steel Metric Hex Nuts and Hex Flange Nuts, Prevailing-Torque Type, Dimensional Requirements (See Notice of Withdrawal for Replacement Information) [CUST: AR YD 99 IS]	A	5310		IS	08-MAY-2012
M	ASME-B18.22.1	Plain Washers (S/S by ASME-B18.21.1) [CUST: AR SH 99 IS] [REVIEW: AS AV CR EA]	A	5310		IS	08-MAY-2012
M	ASME-B27.8M	Rings, Cross Section Retaining, Tapered and Reduced, General Purpose Metric (No S/S Document) [CUST: AR YD 99 GS4]	A	5365		GS4	08-MAY-2012
M	ANSI-O5.1	Wood Poles, Specifications and Dimensions for (See Notice of Withdrawal for Replacement Information) [CUST: CR4 YD] [REVIEW: 99 CC SH]	A	5510		CR4	03-MAY-2012
M	ASTM-F1192M	Measurement of Single Event Phenomena (SEP) Induced by Heavy ION Irradiation of Semiconductor Devices (Metric) (S/S by ASTM-F1192) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM]	A	5962		CC	01-MAY-2012
M	ANSI-C78.40	Lamps, Mercury - Specifications, American National Standard for (See Notice of Withdrawal for Replacement Information) [CUST: CR4 99] [REVIEW: 71 GS IS SH]	A	6240		CR4	03-MAY-2012
M	ANSI-C78.41	Electric Lamps - Low-Pressure Sodium Lamps, American National Standard for (See Notice of Withdrawal for Replacement Information) [CUST: YD 99] [REVIEW: 71 GS IS SH]	A	6240		YD	03-MAY-2012
M	ANSI-C78.1341	Electric Lamps - 750-Watt, 120-Volt Self-Ballasted Mercury Lamps (See Notice of Withdrawal for Replacement Information) [CUST: CR4 YD 99] [REVIEW: 71 GS IS]	A	6240		YD	03-MAY-2012
M	ANSI-C78.1342	Electric Lamps - 160-Watt 120-Volt B87 Self-Ballasted Mercury Lamps (See Notice of Withdrawal for Replacement Information) [CUST: CR4 YD 99] [REVIEW: 71 GS IS]	A	6240		YD	03-MAY-2012
M	ANSI-C78.1409	Lamps, Electric EIL Protection Lamps (See Notice of Withdrawal for Replacement Information) [CUST: CR4 YD 99] [REVIEW: GS IS SH]	A	6240		CR4	03-MAY-2012
M	ANSI-C81.61	Lamp, Electrical Bases (S/S by ANSLG-C81.61) [CUST: AT AS 99]	A	6240		AS	02-MAY-2012
M	ANSI-C73A	Plugs and Receptacles, Dimensions of Attachment, for Marine Ship-to-Shore use for Small Craft (See Notice of Withdrawal for Replacement Information) [CUST: EA MS 99 MB]	A	6525		MB	03-MAY-2012
M	ASME-Y10.11	Acoustics, Letter Symbols and Abbreviations for Quantities Used in (See Notice of Withdrawal for Replacement Information) [CUST: AR SH 11] [REVIEW: AS AV MI OS YD]	A	DRPR		AR	08-MAY-2012



## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	ASME-B18.2.4.1M	Hex Nuts, Style 1, Metric (See Notice of Withdrawal for Replacement Information) [CUST: YD]	A	FACR	YD		08-MAY-2012
M	ASME-B18.6.4	Thread Forming and Thread Cutting Tapping Screws and Metallic Drive, Screws, Inch Series (S/S by ASME-B18.6.3) [CUST: YD]	A	FACR	YD		08-MAY-2012
M	ASME-B19.3	Safety Standard for Compressors for Process Industries (No S/S Document) [CUST: YD]	A	FACR	YD		08-MAY-2012
M	ASME-B31.2	Fuel Gas Piping (No S/S Document) [CUST: YD]	A	FACR	YD		08-MAY-2012
M	ANSI-X3.19	Tape for Information Interchange, Eleven-Sixteenths Inch Perforated Paper (S/S by INCITS-19) [CUST: CR OM]	A	IPSC	DC3		02-MAY-2012
M	ANSI-X3.34	Information Interchange, Interchange Rolls of Perforated Tape for (S/S by INCITS-34) [CUST: CR OM]	A	IPSC	DC3		02-MAY-2012
M	ANSI-X3.37	Language, Programming, ASPT (See Notice of Withdrawal for Replacement Information) [CUST: CR 02]	A	IPSC	02		03-MAY-2012
M	ANSI-X3.52	Disk Cartridge, Unrecorded Single, (Front Loading 2200 BPI) General, Physical and Magnetic Requirements (See Notice of Withdrawal for Replacement Information) [CUST: CR OM 02]	A	IPSC	02		03-MAY-2012
M	ANSI-X3.53	Language, Programming, PL/I (See Notice of Withdrawal for Replacement Information) [CUST: AM OM 02]	A	IPSC	02		03-MAY-2012
M	ANSI-X3.55	Tape Cartridge, Unrecorded Magnetic, for Information Interchange, 0.250 In. (6.30MM), 1600 BPI (63 BPMM) Phase Encoded (See Notice of Withdrawal for Replacement Information) [CUST: CR OM 02]	A	IPSC	02		03-MAY-2012
M	ANSI-X3.58	Disk Pack, Unrecorded Eleven, General, Physical and Magnetic Requirements (See Notice of Withdrawal for Replacement Information) [CUST: CR OM 02]	A	IPSC	02		03-MAY-2012
M	ANSI-MH16.1	Steel Industrial Storage Racks, Design, Testing and Utilization of (S/S by MHIA-MH16.1) [CUST: SM SA 69 DH] [REVIEW: 11 99 AR CC GS3 OS]	A	PACK	SM		03-MAY-2012