

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 May 2014

(For the Period 1 May 2014 to 14 May 2014)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-9963G(2)	Cartridge, 5 56MM, Ball - M193 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR]	D	1305		AR	23-APR-2014
M	MIL-DTL-32338A(2)	Cartridge, 5 56 Millimeter: Ball, M855A1 [CUST: AR OS 70] [REVIEW: 40 99 AS MC MR SH]	D	1305		AR	23-APR-2014
M	MIL-DTL-60616D(2)	Cartridge, 5 56 MM, Blank - M200 [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR SH]	D	1305		AR	23-APR-2014
M	MIL-DTL-63989D(2)	Cartridge, 5 56 Millimeter, Ball - M855 [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR SH]	D	1305		AR	23-APR-2014
M	MIL-DTL-63990D(2)	Cartridge, 5 56 Millimeter, Tracer - M856 [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR SH]	D	1305		AR	23-APR-2014
M	MIL-DTL-14852D NOT 1	Projectile, 105MM, Illuminating, M314A3 and Projectile, 105MM, Infrared Illuminating, M1064 Metal Parts Assembly [CUST: AR]	A	1315		AR	07-MAY-2014
M	MIL-DTL-20354E NOT 1	Cartridge, 105MM, Illuminating, M314A3 Illuminating and Cartridge, 105MM, M1064 Infrared Illuminating Loading, Assembling and Packing [CUST: AR]	D	1315		AR	07-MAY-2014
M	MIL-P-223B(3) NOT 4	Powder, Black [CUST: AR]	A	1376		AR	17-APR-2014
M	A-A-59554A NOT 1	Corrugated Collapsible Reusable Bulk Packing System [CUST: AV SA 99 IS] [REVIEW: 84]	A	3990	/	IS	07-MAY-2014
M	MIL-DTL-713F NOT 1	Twine, Fibrous: Impregnated, Lacing and Tying [CUST: GL SH 99 IS] [REVIEW: AR CR4 DS MC MD MI OS]	A	4020		IS	07-MAY-2014
M	MIL-PRF-39035E(2)	Resistor, Variable, Nonwirewound (Adjustment Type), Nonestablished Reliability, and Established Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5905		CC	24-APR-2014
M	MIL-PRF-39035/2H(1)	Resistor, Variable, Nonwirewound (Adjustment Type, Lead-Screw Actuated), Nonestablished Reliability, and Established Reliability Style RJR24 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5905		CC	24-APR-2014
M	MIL-PRF-39035/3F(1)	Resistor, Variable, Nonwirewound (Adjustment Type, Lead-Screw Actuated), Nonestablished Reliability and Established Reliability Style RJR26 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS]	A	5905		CC	24-APR-2014
M	MIL-PRF-39035/4G(1)	Resistor, Variable, Nonwirewound (Adjustment Type, Single Turn), Nonestablished Reliability, and Established Reliability Style RJR50 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5905		CC	24-APR-2014
M	QPL-12934-56	Resistor, Variable, Wire Wound, Precision, General Specification for	A	5905		CC	23-APR-2014
M	MIL-PRF-123/1E	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Style CKS05 [CUST: EC 19 CC NA] [REVIEW: 85 99]	A	5910		CC	21-APR-2014
M	MIL-PRF-123/8D	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Leaded, Style CKS16 [CUST: EC 19 CC NA] [REVIEW: 85 99]	A	5910		CC	21-APR-2014
M	MIL-PRF-123/16C	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Leaded, Style CKS22 [CUST: EC 19 CC NA] [REVIEW: 85 99]	A	5910		CC	21-APR-2014
M	MIL-PRF-123/17C	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General Purpose), High Reliability, Leaded, Style CKS23 [CUST: CR EC 19 CC NA] [REVIEW: 85 99]	A	5910		CC	21-APR-2014
M	MIL-PRF-49137E	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Molded, Conformal Coated and Metal Cased with Plastic End-Fill, Nonhermetically Sealed, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH]	A	5910		CR	24-APR-2014
M	MIL-PRF-15733/33D(1) NOT 1	Filters, Radio Frequency Interference, Style FL38 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CG MC OS SH]	A	5915		CC	07-MAY-2014
M	MIL-DTL-27715C	Circuit Breaker, Trip-Free, High Temperature, Aircraft General Specification for [CUST: CR 85 CC] [REVIEW: 99 MI]	A	5925		CC	17-APR-2014
M	MIL-PRF-8805/116 NOT 1	Switches, Sensitive, 4PDT Plunger, 4 Amperes, Hermetically Sealed Contacts, Resilient Sealed Plunger [CUST: CR EC 85 CC]	A	5930		CC	07-MAY-2014
M	MIL-PRF-24236/19L	Switches, Thermostatic, (Bimetallic), (Subminiature), Type I, Hermetically Sealed, Single Pole, Single Throw (SPST), 1 Ampere and Low Level [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV MC MI OS SH]	A	5930		CC	18-APR-2014
M	MIL-DTL-3786/13G(2)	Switch, Rotary, Closed Construction, 500 Ampere, Style SR13 [CUST: CR EC 85 CC]	A	5930		CC	18-APR-2014
M	MIL-DTL-18396E	Switches, Meter and Control, Naval Shipboard [CUST: SH CC]	A	5930		CC	15-APR-2014
M	MIL-DTL-83527/4C(1)	Connector, Receptacle, Electrical, Rectangular, Multiple Insert Type, Rack to Panel, Environment Resisting, 150 Degrees C Continuous Operating Temperature, Shell Size 3 [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	15-APR-2014
M	MIL-DTL-83527/5C(1)	Connector, Plus, Electrical, Rectangular, Multiple Insert Type, Rack to Panel, Environment Resisting, 150 Degrees C Continuous Operating Temperature, Shell Size 4 [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	15-APR-2014
M	MIL-DTL-83527/6C(1)	Connector, Receptacle, Electrical, Rectangular, Multiple Insert Type, Rack to Panel, Environment Resisting, 150 Degrees C Continuous Operating Temperature, Shell Size 4 [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	15-APR-2014
M	MIL-DTL-6852C	Splice, Conductor, Electric, Disconnect General Specification for [CUST: CR AS 85 CC] [REVIEW: 99 CG EC GS MC]	A	5940		CC	08-MAR-2014
M	MIL-PRF-1/1640E	Electron Tube, Magnetron Type 8855 [CUST: CR EC 85 CC] [REVIEW: AS CG MC OS]	A	5960		CC	17-APR-2014
M	MIL-PRF-1/1734C	Electron Tube, Magnetron Type 8943 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC OS SH]	A	5960		CC	17-APR-2014
M	MIL-PRF-1/1753C	Electron Tube, Magnetron Type DOD-031* [CUST: CR EC 85 CC] [REVIEW: AS OS]	A	5960		CC	17-APR-2014
M	MIL-PRF-19500/505E NOT 1	Semiconductor Device, Darlington Transistor, PNP, Silicon, Power, Types 2N6286 and 2N6287, JAN, JANTX, and JANTXV [CUST: 85 CC NA] [REVIEW: 19 99]	A	5961		CC	07-MAY-2014
M	MIL-PRF-19500/612E	Semiconductor Device, Transistor, PNP, Silicon, Power, Type 2N7372, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	24-APR-2014
M	MIL-PRF-19500/614J	Semiconductor Device, Field Effect Radiation Hardened Transistors, N-Channel, Silicon, Types 2N7380 and 2N7381, JANTXV, M, D, R, F, G, and H and JANS, M, D, R, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS MC OS SM]	A	5961		CC	18-APR-2014
M	MIL-PRF-19500/689A	Semiconductor Device, Field Effect Radiation Hardened Transistor, N-Channel Silicon Types 2N7512, 2N7513, and 2N7514 JANTXVD, R and JANS, R [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961		CC	18-APR-2014
M	MIL-PRF-19500/692A NOT 2	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel Silicon, Types 2N7515, 2N7516, and 2N7517, JANTXVD, R and JANS, R [CUST: CR EC 85 CC NA]	A	5961		CC	07-MAY-2014
M	MIL-PRF-19500/732C	Semiconductor Device, Field Effect Radiation Hardened Transistors, P-Channel, Silicon, Types 2N7519U3, 2N7519U3C, 2N7519T3, 2N7520U3, 2N7520U3C, and 2N7520T3, JANTXVR, F and JANSR, F [CUST: CR EC 85 CC NA] [REVIEW: MI]	A	5961		CC	18-APR-2014
M	MIL-PRF-19500/733C	Semiconductor Device, Field Effect Radiation Hardened Transistors, P-Channel, Silicon, Types 2N7523T1, 2N7523U2, 2N7524T1, and 2N7524U2, JANTXVR, F and JANSR, F [CUST: CR EC 85 CC NA] [REVIEW: MI]	A	5961		CC	18-APR-2014

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-19500/735A NOT 1	Semiconductor Device, Diode, Silicon, Schottky, Dual, Center Tap, Type 1N7041CCU1 and Single Diode Type 1N7045T3, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A	5961		CC	07-MAY-2014
M	MIL-PRF-19500/748A	Semiconductor Device, Field Effect Transistor, P-Channel, Silicon, Type 2N7505T3, JANTX, JANTXV and JANS [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961		CC	18-APR-2014
M	MIL-PRF-19500/757B	Semiconductor Device, Field Effect Radiation Hardened Transistors, P-Channel, Silicon, Types 2N7624U3 and 2N7625T3, JANTXVR, JANSR [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961		CC	18-APR-2014
M	MIL-STD-750-2(5)	Mechanical Test Methods for Semiconductor Devices Part 2: Test Methods 2001 through 2999 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV CG MC MI NRO SH SM]	A	5961		CC	02-MAY-2014
N	MIL-DTL-32496	Generator Sets, Skid Mounted, Trailer Mounted Advanced Medium-Sized Mobile Power Sources, Tactical Diesel Fuel Driven, Alternating Current 5 through 60 Kilowatts General Specification for [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/1	Generator Sets, Skid Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Diesel Fuel Driven, Alternating Current 5 Kilowatts, 50/60 Hertz [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/4	Generator Sets, Skid Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Diesel Fuel Driven, Alternating Current 10 Kilowatts, 400 Hertz [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/5	Generator Sets, Skid Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Diesel Fuel Driven, Alternating Current 15 Kilowatts, 50/60 Hertz [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/6	Generator Sets, Skid Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Diesel Fuel Driven, Alternating Current 15 Kilowatts, 400 Hertz [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/7	Generator Sets, Skid Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Diesel Fuel Driven, Alternating Current 30 Kilowatts, 50/60 Hertz [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/8	Generator Sets, Skid Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Diesel Fuel Driven, Alternating Current 30 Kilowatts, 400 Hertz [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/9	Generator Sets, Skid Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Diesel Fuel Driven, Alternating Current 60 Kilowatts, 50/60 Hertz [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/10	Generator Sets, Skid Mounted, Advanced Medium-Sized Mobile Power Sources (AMMPS) Diesel Fuel Driven, Alternating Current 60 Kilowatts, 400 Hertz [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/11	Power Unit (PU), Trailer Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Size 5, 5 KW, Mode I (50/60 Hertz) PU-5 KW, 50/60 Hertz on LTT-Chassis [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/12	Power Unit (PU), Trailer Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Size 10, 10 kW, Mode I (50/60 Hertz) PU-10 kW, 50/60 Hertz on LTT-Chassis [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/13	Power Unit (PU), Trailer Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Size 10, 10 kW, Mode II (400 Hertz) PU-10 kW, 400 Hertz on LTT-Chassis [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/15	Power Unit (PU) Trailer Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Size 15, 15 kW, Mode I (50/60 Hertz) PU-15 kW, 50/60 Hertz on 2 5 M200A1 [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/16	Power Unit (PU) Trailer Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Size 15, 15 kW, Mode II (400 Hertz) PU-15 kW, 400 Hertz on 2 5 M200A1 [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/17	Power Unit (PU) Trailer Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Size 30, 30 kW, Mode I (50/60 Hertz) PU-30 kW, 50/60 Hertz on 2 5 M200A1 [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
M	MIL-DTL-32496/18	Power Unit (PU) Trailer Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Size 30, 30 kW, Mode II (400 Hertz) PU-30 kW, 400 Hertz on 2 5 M200A1 [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/19	Power Unit (PU) Trailer Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Size 60, 60 KW, MODE I (50/60 Hertz) PU-60 KW, 50/60 Hertz on 2 5 M200A1 [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
N	MIL-DTL-32496/20	Power Unit (PU) Trailer Mounted, Tactical Advanced Medium-Sized Mobile Power Sources (AMMPS) Size 60, 60 KW, Mode II (400 Hertz) PU-60 KW, 400 Hertz on 2 5 M200A1 [CUST: CR4] [REVIEW: GS]	A	6115		CR4	08-APR-2014
M	MIL-DTL-17/135E	Cable, Radio Frequency, Triaxial, 500 Inch, 50 OHM, Water Blocked, Non-Water Blocked and Crosslinked, Low Smoke [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	22-APR-2014
N	MIL-DTL-24643/76	Cable, Electrical, -20 Degree C to +105 Degree C, 5000 Volts, 133 Percent Rated, Type LS5KVTEPSG [CUST: MI SH]	A	6145		SH	22-APR-2014
N	A-A-59947	Test Set, Synchro [CUST: 84] [REVIEW: 99]	A	6625	/	84	28-APR-2014
M	MIL-P-156B NOT 3	Potassium Nitrate [CUST: AR] [REVIEW: AS EA]	A	6810		AR	14-APR-2014
M	A-A-59179 NOT 3	Iron Oxide, Black, Technical [CUST: EA OS GS] [REVIEW: AR AS MD1]	A	6810	/	GS3	07-MAY-2014
M	MIL-STD-1322B	Unit Loads of Ammunition and Explosives for Domestic and Overseas Shipment [CUST: OS] [REVIEW: AS GS MC SA]	A	8140		OS	08-APR-2014
M	MIL-STD-1323A	Unit Loads of Ammunition and Explosives for Underway Replenishment [CUST: OS] [REVIEW: GS]	A	8140		OS	08-APR-2014
M	MIL-STD-1325B	Railcar Loading of Hazardous Materials [CUST: OS] [REVIEW: AS GS MC SA]	A	8140		OS	08-APR-2014
M	MIL-STD-1386A	Loading of Hazardous Materials in Milvan Containers [CUST: OS] [REVIEW: AS GS]	A	8140		OS	08-APR-2014
M	A-A-59801 NOT 1	Gloves, Cotton, White: Marine Barracks Washington (MBW) and Marine Bands [CUST: MC]	A	8440	/	MC	07-MAY-2014
M	A-A-59802 NOT 1	Gloves, Leather, White: Marine Barracks Washington (MBW) and Marine Bands [CUST: MC]	A	8440	/	MC	07-MAY-2014
M	MIL-DTL-3476/3D	Brassard, Boarding Officer, U S Coast Guard [CUST: IH NU] [REVIEW: CG1 CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/5D	Brassard, Captain of the Port, U S Coast Guard [CUST: IH NU] [REVIEW: CG1 CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/6C	Brassard, Career Appraisal, U S Navy [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/7E	Brassard, Damage Control, U S Navy [CUST: IH NU] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/8D	Brassard, Fire Truck and Hose Company, U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/14D	Brassard, Military Police, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/17D	Brassard, Movement Control, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/19D	Brassard, Officer of the Day, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/22D	Brassard, Officer of the Guard, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/24D	Brassard, Photographer, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/25C	Brassard, Port Personnel, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/28D	Brassard, Trainees in Leadership Courses, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-3476/29D	Brassard, Trainees or Candidates Acting as Non-Commissioned Officer at Training School or Center, Corporal, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/30D	Brassard, Trainees or Candidates Acting as Non-Commissioned Officer at Training School or Center, Sergeant, U S Army [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3476/37C	Brassard, Amver Boarding Officer, U S Coast Guard [CUST: IH NU] [REVIEW: CG1 CT]	A	8455		IH	28-APR-2014
M	MIL-DTL-3628/54E	Badge, Qualification, Expert Pistol Shot, U S Navy [CUST: IH NU] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	MIL-DTL-3628/76F	Badge, Occupational, Administration, U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	16-APR-2014
M	MIL-DTL-3628/248A	Badge, Occupational, Cyberspace Operator, U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	21-APR-2014
N	MIL-DTL-3628/261	Badge, Identification, Staff, Inspector General, U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	21-APR-2014
N	MIL-DTL-3943/360	Decoration, George Washington Spymaster Medal, Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
N	MIL-DTL-11484/359	Lapel Button, George Washington Spymaster Medal, Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
N	MIL-DTL-11589/653	Ribbon, George Washington Spymaster Medal, Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
N	MIL-DTL-41819/53	Ribbon Attachment, George Washington Spymaster Medal Office of the Director of National Intelligence [CUST: IH] [REVIEW: CT]	A	8455		IH	21-APR-2014
M	A-A-20090F	Cereals, Rolled Oats [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8920	/	SS	01-APR-2014
M	MIL-DTL-16884N	Fuel, Naval Distillate [CUST: CR4 SH 68] [REVIEW: AT CG GS MC PS SA]	A	9140		SH	22-APR-2014
M	MIL-DTL-14636/10C	Plaque, Branch of Service, Inspector General, Army [CUST: IH] [REVIEW: CT]	A	9905		IH	21-APR-2014
M	MIL-STD-810G(1)	Environmental Engineering Considerations and Laboratory Tests [CUST: TE AS 11] [REVIEW: 11 19 85 AI AR AT AV CE CH CR EA EC GL MC MI MT OS SH SM YD]	A	ENVR		TE	15-APR-2014
M	MIL-STD-6020C NOT 1	Data Forwarding Between Tactical Data Links (TDLS) [CUST: CR2 EC 44 NS]	A	INST		DC2	25-APR-2014
M	DI-MGMT-80377 NOT 1	Government Furnished Equipment Detail Transaction Status Data [AMSC: N4141]	A	MGMT		AS	06-MAY-2014
M	DI-MGMT-80772 NOT 1	Battery Selection Program Report [AMSC: N4668]	A	MGMT		AS	06-MAY-2014
M	DI-MGMT-81826B	Aircraft/System Program Protection Implementation Plan, F/A-18 - EA-18 [AMSC: N9463]	A	MGMT		AS	23-APR-2014
N	DI-MGMT-81945	Phase-Out Transition Plan [AMSC: N9430]	A	MGMT		AS	16-SEP-2013
N	DI-MGMT-81946	Web-based Information System Archival Data [AMSC: N9431]	A	MGMT		AS	16-SEP-2013
N	DI-MGMT-81947	Material Utilization and Forecasting Report	A	MGMT		AS	16-SEP-2013
M	DI-MISC-80113A NOT 1	Night Vision Imaging System: (NVIS) Compatible Aircraft Interior Lighting Compliance Data [AMSC: N4526]	A	MISC		AS	06-MAY-2014
M	DI-SESS-80198B	Internal Loads and Static Strength Analysis Report [AMSC: F9462]	A	SESS		11	11-APR-2014

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-F-45598A NOT 1	Feeder Delinking, Aircraft Machine Gun: MAU-56/A [CUST: AR OS 99] [REVIEW: 70 84 MI SH]	A	1005		AR	17-APR-2014
M	MIL-M-71028A NOT 1	Mount, Telescope: 9356166 [CUST: AR]	A	1240		AR	02-APR-2014
M	MIL-G-70617B NOT 1	Gunfire, Simulator: 12725085-1 [CUST: AR]	A	1290		AR	17-APR-2014
M	MIL-C-70725A NOT 1	Cartridge, 5 56MM, M862 Short Range Training Ammunition Performance Specification for [CUST: AR]	A	1305		AR	17-APR-2014
M	MIL-C-70726A NOT 1	Cartridge, Caliber 50, Blank, XM928, Performance Specification for [CUST: AR]	A	1305		AR	17-APR-2014
M	MIL-P-64036(1) NOT 1	Projectile, 60MM, Smoke, Wp, M302 Metal Parts Assembly [CUST: AR]	A	1310		AR	17-APR-2014
M	MIL-F-48076A(1) NOT 2	Fin, Assembly, M158 [CUST: AR]	A	1315		AR	25-APR-2014
M	MIL-P-60620D(1) NOT 1	Projectile Assembly for Cartridge, Smoke, WP, 81MM, M375A1 [CUST: AR]	A	1315		AR	22-APR-2014
M	MIL-B-71132(2) NOT 1	Body Assembly, 81MM, for Cartridge, Practice, M880 [CUST: AR]	A	1315		AR	28-APR-2014
M	MIL-C-71144 NOT 1	Charge, Propelling, M229, for 105MM Howitzer Loading, Assembling and Packing [CUST: AR]	A	1315		AR	25-APR-2014
M	MIL-C-60395C(3) NOT 1	Charge, Propelling, 155MM, M4A2, Loading, Assembling and Packing [CUST: AR]	A	1320		AR	04-APR-2014
M	MIL-C-70462C(8) NOT 1	Charge, Propelling, 155MM, M203A1 Loading, Assembling and Packing [CUST: AR]	A	1320		AR	17-APR-2014
M	MIL-C-71090(3) NOT 1	Canister, Smoke, Assembly for Projectile, Practice, 155MM, M804E1 [CUST: AR]	A	1320		AR	25-APR-2014
M	MIL-C-70991A(1) NOT 1	Cloth, Coated, Kevlar-29, Polyurethane Coated [CUST: AR]	A	1330		AR	22-APR-2014
M	MIL-W-14960B(3) NOT 2	Warhead, Guided Missile HE, XM155E1, and Warhead, Guided Missile, Training, XM237E1, Parts for [CUST: AR]	A	1336		AR	17-APR-2014
M	MIL-W-50991(1) NOT 2	Warhead, 2 75 Inch Rocket, HE, M229 With or Without Fuze, Loading, Assembling and Packing [CUST: AR]	A	1340		AR	22-APR-2014
M	MIL-S-63523A(1) NOT 1	Simulator, Launching, Anti-Tank, Guided Missile and Rocket, M22, Performance Specification [CUST: AR]	A	1370		AR	28-APR-2014
M	MIL-F-70518(3) NOT 1	Flare, Infrared Tracking, Mark 33 Mod 0 (Army) Parts for and Loading, Assembling and Packing [CUST: AR]	A	1370		AR	28-APR-2014
M	MIL-S-70535(1) NOT 1	Simulator, Target Hit, M25 Parts for and Loading, Assembling and Packing [CUST: AR]	A	1370		AR	28-APR-2014
M	MIL-S-70791(2) NOT 1	Simulator, Missile: Sagger XM27, Parts for and Loading, Assembling and Packing [CUST: AR]	A	1370		AR	28-APR-2014
M	MIL-S-71146 NOT 1	Simulator, Launching, Anti-Tank, Guided Missile and Rocket M22 Parts for and Loading, Assembling and Packing [CUST: AR]	A	1370		AR	17-APR-2014
M	MIL-P-46994B(4) NOT 1	Pellets/Granules Boron/Potassium Nitrate [CUST: AR] [REVIEW: EA]	A	1375		AR	17-APR-2014
M	MIL-P-46252C NOT 3	Propellant, M1 for use in 105MM Cartridge, HEP-T, M393A2, WP-T, M416, and TP-T, M467 [CUST: AR]	A	1376		AR	01-MAY-2014
M	MIL-T-50611(1) NOT 2	Trinitroresorcinol (Styphnic Acid) [CUST: AR]	A	1376		AR	17-APR-2014
M	MIL-P-70456C(6) NOT 1	Propellant, Stick, M31A1E1 for use in Charge Propelling M203A1 [CUST: AR] [REVIEW: GS]	A	1376		AR	17-APR-2014
M	MIL-P-70818A NOT 1	Propellant M43 for use in Cartridge 105MM, APFSDS-T, M900 [CUST: AR]	A	1376		AR	25-APR-2014
M	MIL-P-71053 NOT 1	PAX-2A Explosive Composition [CUST: AR]	A	1376		AR	22-APR-2014
M	MIL-F-70713(2) NOT 1	Fuze, MTSQ, M776 Loading, Assembling and Packing [CUST: AR]	A	1390		AR	22-APR-2014
M	MIL-STD-333B(3) NOT 1	Fuze, Projectile and Accessory Contours for Large Caliber Armaments [CUST: AR OS 99] [REVIEW: 70 MC MI MR SH]	A	1390		AR	23-APR-2014
M	MIL-P-157A(4) NOT 2	Paper, Onionskin [CUST: AR]	A	1395		AR	17-APR-2014
M	MIL-P-83927B NOT 4	Power Supplies, Guided Missile Launchers, Single Types PP-2401B/A PP-2401C/A PP-2401D/A, PP-4285/A, PP-4286/A, and Composite Type PP-4506/A and PS-1037 [CUST: 84] [REVIEW: 99]	A	1440		84	07-MAY-2014
M	MS27604A NOT 4	Nozzle - Universal Aerial Refueling Tanker Boom [CUST: 99] [REVIEW: GS]	A	1680		71	01-MAY-2014
M	MIL-P-18682D NOT 2	Pump, Centrifugal, Main Condenser Circulating, Naval Shipboard [CUST: SH]	A	4320		SH	06-MAY-2014
M	AN924 REV 13	Nut, Tube, Bulkhead and Universal Fitting [CUST: AV AS 99 CC] [REVIEW: 71 SA]	A	4730		CC	14-APR-2014
M	MIL-S-71076 NOT 1	Servovalve Assembly, Azimuth: 12561758 [CUST: AR]	A	4820		AR	03-APR-2014
M	MIL-S-4953C NOT 3	Spray Outfit, Corrosion Preventive Compound and Engine Pre-Oiler, Trailer Mounted, Type MA-2 [CUST: 84] [REVIEW: 99]	A	4940		84	17-APR-2014
M	MIL-P-15877D NOT 2	Pipe Support Devices (Hangers and Swaybraces, Shipboard Use) [CUST: SH 99] [REVIEW: IS]	A	5340		SH	07-MAY-2014
M	MS18015C NOT 1	Catch, Clamping and Strike (Concealed Spring Type) [CUST: AR OS IS] [REVIEW: AS CR CR4 MI]	A	5340		IS	07-MAY-2014
M	MS27417A NOT 1	Cap - Propeller Shaft Thread, Shipping [CUST: 99 IS]	A	5340		IS	07-MAY-2014
M	MS27960C NOT 1	Hinge, Butt, Narrow Light, Non-Template [CUST: AR YD 99 IS] [REVIEW: CR4 EA GL MC SH]	A	5340		IS	07-MAY-2014
M	MS27964C NOT 1	Hinge, Strap, Cabinet [CUST: AR YD 99 IS]	A	5340		IS	07-MAY-2014
M	MIL-F-15733/28F(1) NOT 1	Filters, Radio Frequency Interference, Style FL42 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS]	A	5915		CC	07-MAY-2014
M	MIL-F-15733/30F(1) NOT 1	Filters, Radio Frequency Interference, Hermetically Sealed, Styled FL82 [CUST: EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5915		CC	07-MAY-2014
M	MIL-I-27848B NOT 3	Indicator, Horizontal Situation AQU-4/A [CUST: AV AS 71] [REVIEW: 99 GS]	A	6605		71	01-MAY-2014
M	MIL-I-5184B NOT 3	Indicator, Position [CUST: AV AS 71] [REVIEW: 11 GS MI]	A	6610		71	01-MAY-2014
M	MIL-M-5388B(4) NOT 3	Machmeter Pitot Static Operated, Range 0 5 to 1 5, Type A-2B [CUST: AV AS 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-T-5583C(1) NOT 3	Transmitter, Position, 28 Volts DC [CUST: AV AS 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-I-7062C(1) NOT 3	Indicator, Position, Control Surfaces, 28 Volt DC, General Specification for [CUST: AV AS 71] [REVIEW: CR4 GS]	A	6610		71	01-MAY-2014
M	MIL-I-7065A(1) NOT 4	Indicator, Position, Aileron Trim Tab [CUST: AV AS 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-M-7507B(4) NOT 3	Machmeter, Pitot Static, Range 3 to 1 0, Type A-1 [CUST: MI AS 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-I-7721D NOT 3	Indicator, Vertical Speed, 3-Inch [CUST: AV AS 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-I-25120C NOT 3	Indicator, Instrument Landing, Airport Runway [CUST: 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-I-25355B NOT 3	Indicator, Instrument Landing, Airport Runway [CUST: 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-T-25627C(2) NOT 3	Transmitter, Synchro, Angle of Attack or Sideslip [CUST: 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-I-25941D(1) NOT 3	Indicator, Turn and Slip, 2- Inch Size, Integrally Lighted [CUST: AS 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-DTL-25949F NOT 3	Accelerometer, Aircraft Range -5 to 10G Units, Integrally Lighted [CUST: AS 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-T-26609C NOT 3	Transmitter, Position [CUST: 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-A-27195A NOT 3	Accelerometer, Aircraft, Mechanical ABU-6/A [CUST: 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-I-27196C NOT 3	Indicator, Vertical Velocity AAU-9/A, Integrally Lighted [CUST: 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-A-27198B(1) NOT 3	Altimeter, Pressure AAU-7/A [CUST: 71] [REVIEW: GS]	A	6610		71	01-MAY-2014
M	MIL-I-27203B NOT 3	Indicator, Position, Wing Flap [CUST: 71] [REVIEW: 99 GS]	A	6610		71	01-MAY-2014
M	MIL-A-27261A(4) NOT 3	Accelerometer, Aircraft [CUST: 71] [REVIEW: 99 GS]	A	6610		71	01-MAY-2014

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-A-27330B(1) NOT 3	Accelerometer, Electrical, Linear TRU-3/A [CUST: 71] [REVIEW: 99 GS]	A	6610	71		01-MAY-2014
M	MIL-I-27619G(3) NOT 3	Indicators, Attitude Director [CUST: AV 71] [REVIEW: 99 GS]	A	6610	71		01-MAY-2014
M	MIL-I-27673C NOT 3	Indicator, True Airspeed AVU-15/A [CUST: 71] [REVIEW: 99 GS]	A	6610	71		01-MAY-2014
M	MIL-I-83152B(1) NOT 3	Indicator, Indicated-Airspeed AVU-22/A (Indicator-Transducer) [CUST: 71] [REVIEW: 99 GS]	A	6610	71		01-MAY-2014
M	MIL-I-87928B NOT 3	Indicator, Attitude, Type ARU-51/A [CUST: 71] [REVIEW: 99 GS]	A	6610	71		07-MAY-2014
M	MS24550D NOT 4	Transmitter, Position [CUST: 71] [REVIEW: 99 GS]	A	6610	71		01-MAY-2014
M	MS28023A NOT 5	Indicator - Position, Wing Flaps, Percent Marking [CUST: AV AS 71] [REVIEW: 11 99 GS]	A	6610	71		01-MAY-2014
M	AN5786 REV 2 NOT 3	Transmitter - Position, 28 Volts DC [CUST: AV AS 71] [REVIEW: 99 GS]	A	6610	71		01-MAY-2014
M	AN5787 REV 1 NOT 5	Transmitter - Position, Gearless [CUST: AV AS 71] [REVIEW: 99 GS]	A	6610	71		01-MAY-2014
M	MIL-I-83026D NOT 3	Indicators, Rate of Flow, Fuel [CUST: AS 71] [REVIEW: 01 99 GS]	A	6620	71		01-MAY-2014
M	MIL-A-70604(2) NOT 1	Amine Bonding Agent [CUST: AR]	A	6810	AR		23-APR-2014
M	MIL-A-16288/2 NOT 5	Adapter, Compressed Gas Cylinder Valve Connections: U S Regulator to French Oxygen Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS7		07-MAY-2014
M	MIL-C-70630(5) NOT 1	Container, Ammunition, Metal, PA117, for Cartridge 105MM Tank Ammunition [CUST: AR] [REVIEW: GS]	A	8140	AR		28-APR-2014
M	MIL-A-71180 NOT 1	Adapter, Metal Pallet [CUST: AR] [REVIEW: GS]	A	8140	AR		17-APR-2014
M	A-A-50271 NOT 1	Plate, Identification [CUST: AR] [REVIEW: AT CR4 MI]	A	9905	/ AR		28-APR-2014
M	MIL-T-13915E NOT 2	Tubes, Steel, Seamless: for Cannons and Recoilless Rifles [CUST: AR]	A	FORG	AR		17-APR-2014

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-S-48802 NOT 1	Simulator Assembly Warhead Section, M3E3 (No S/S Document) [CUST: AR]	A	1115	AR		15-APR-1987
M	MIL-T-26225B NOT 2	Trailer, Lift, Aircraft - Missile Engine ETU-8/E (S/S by MIL-PRF-32479) [CUST: 84] [REVIEW: 99 GS]	A	1730	84		28-APR-2014
M	MIL-T-26310A(1) NOT 3	Trailer, Lift, Aircraft-Missile Engine ETU-9/E (S/S by MIL-PRF-32479) [CUST: 84] [REVIEW: 11 99 GS]	A	1730	84		28-APR-2014
M	MIL-T-5695D NOT 5	Tubing, Steel, Corrosion-Resistant (304), Cold Drawn (For Replacement Information see Notice 5) [CUST: EA AS 11] [REVIEW: 71 99 SA]	A	4710	11		15-APR-2014
M	MIL-T-8429B NOT 2	Tester, Leakage, Demand Oxygen Regulator, Type MH-2 (No S/S Document) [CUST: AV 11] [REVIEW: GS]	A	4920	11		23-APR-2014
M	MIL-DTL-15291/4B NOT 1	Switches, Rotary, Detent and Spring-Return Action Class 1SRN Front Mounted, Side Connected (No S/S Document) [CUST: SH CC]	A	5930	CC		18-APR-2014
M	MS17182E NOT 2	Terminal, Lug, Crimp Style, Copper, Insulated (Servo Components) Type II, Class 1, for 125 Degrees C Total Conductor Temperature (S/S by SAE-AS25036 or SAE-AS7928/12) [CUST: AR AS 85 CC] [REVIEW: 99 AV CR EC MI SH]	A	5940	CC		14-APR-2014
M	MIL-HDBK-350 NOT 1	A Guide for MIL-STD-1520 Corrective Action and Disposition System for Nonconforming Material (No S/S Document) [CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL SA SH]	A	QCIC	05		24-APR-2014