

# **Department of Defense Standardization Program**



## **ASSIST UPDATE**

**(A bi-monthly summary of changes to the ASSIST document database)**

**15 May 2016**

**(For the Period 1 May 2016 to 14 May 2016)**

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M MIL-W-13855D(5) NOT 4	Weapons: Small Arms and Aircraft Armament Subsystems, General Specification for [CUST: AR OS 99] [REVIEW: 84 AS MC]	A	1005		AR	10-MAY-2016
M MIL-PRF-71185A(1)	Dynamic Reference Unit-Hybrid-Replacement (DRU-H-R) [CUST: AR]	A	1220		AR	22-MAR-2016
M MIL-DTL-1311F(3)	Cartridge, Caliber 45, Ball - M1911 [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH]	D	1305		AR	08-MAR-2016
M MIL-STD-636A(3)	Visual Inspection Standards for Small Arms Ammunition through Caliber 50 [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR SH]	D	1305		AR	26-MAR-2016
M MIL-DTL-14997C NOT 1	Projectile, 105MM, Illuminating, M314A3 and Projectile, 105MM, Infrared Illuminating, M1064 Loading Accessories [CUST: AR]	A	1315		AR	10-MAY-2016
M MIL-DTL-32374 NOT 1	Projectile, 155 Millimeter: HE - M1122 [CUST: AR]	D	1320		AR	10-MAY-2016
M MIL-DTL-63245C(1)	Projectile 155 Millimeter: HE, Metal Parts Assembly, M795 [CUST: AR]	A	1320		AR	20-APR-2016
M MIL-DTL-20517J NOT 1	Simulator, Projectile, Air Burst, M74A1 Parts for and Loading, Assembling and Packing [CUST: AR]	A	1370		AR	10-MAY-2016
M MIL-DTL-50523A NOT 1	Charge, Demolition - M112 Parts for and Loading, Assembling and Packing [CUST: AR OS 11] [REVIEW: 70 AS NP]	A	1375		AR	10-MAY-2016
M MIL-DTL-50864D NOT 1	Fuze, Point Initiating, Base Detonating (PIBD) - M549 Less Spitback Loading, Assembling, and Packing [CUST: AR OS 70] [REVIEW: 11 99 MC MR NP TE]	D	1390		AR	10-MAY-2016
M MIL-STD-331C(1) NOT 1	Fuze and Fuze Components Environmental and Performance Tests for [CUST: AR OS 99] [REVIEW: 70 EA MI MT NP TE]	A	13GP		AR	10-MAY-2016
M MS24356E	Nozzle - Type MA-2, Flight Pressure Refueling [CUST: AS 71] [REVIEW: 99 GS]	A	1680	71		18-APR-2016
M MS24357B	Flange, Drogue Cone - Type MA-2 Reception Coupling, Flight Pressure Refueling, Outline Dimensions for [CUST: AS 71] [REVIEW: 99 GS]	A	1680	71		18-APR-2016
M MS24358B	Fitting, Hose End - Type MA-2, Flight Pressure Refueling, Reception Coupling, Outline Dimensions for [CUST: AS 71] [REVIEW: 99 GS]	A	1680	71		18-APR-2016
M MS24360C	Ring, Lock Flight Pressure Refueling Nozzle [CUST: AS 71] [REVIEW: 99 GS]	A	1680	71		18-APR-2016
M MS24361C	Ring, Split - Type MA-2, Flight Pressure Refueling, Reception Coupling [CUST: AS 71] [REVIEW: 99 GS]	A	1680	71		18-APR-2016
N ASTM-C1443	Glasses, Portlight, Circular, Fully Tempered [CUST: AV SH 99] [REVIEW: AS CC FAS MI]	A	2040		SH	12-APR-2016
M A-A-52608 NOT 2	Box, Stowage, Vehicular Accessories [CUST: AT] [REVIEW: CC MI]	A	2540	/	AT	10-MAY-2016
M MIL-PRF-62439B NOT 1	Fuel Control, Main Electrohydraulic [CUST: AT]	A	2910		AT	10-MAY-2016
M A-A-52424B NOT 1	Caps, Radiator: Pressure Relieving (Metric) [CUST: AT MC 99] [REVIEW: CC CR4]	A	2930	/	AT	10-MAY-2016
M A-A-52218C	Chest, Ice Storage [CUST: GL SA 99 SS] [REVIEW: 71 MC MD1]	A	4110	/	SS	27-APR-2016
M MS20760D(2)	Adapter, Straight, Flange to Tube [CUST: AV AS 99 CC] [REVIEW: 71 MC MI SA]	A	4730		CC	20-APR-2016
M MS20761C	Elbow, Flared Tube, Flanged, Swivel, 45 Degree [CUST: AV AS 99 CC] [REVIEW: 71 AR MC MI SA]	A	4730		CC	20-APR-2016
M MIL-PRF-32381 NOT 1	Acoustic Hailing Device (Light) [CUST: AR]	A	5830		AR	10-MAY-2016
M A-A-55168E	Fuseholder, Block, Class H, 30 Ampere, 250 V AC, One, Two, and Three Pole [CUST: EC CC]	A	5920	/	CC	05-MAY-2016
M MIL-DTL-8834K(1) SUP 1	Switches, Toggle, Positive Break, General Specification for [CUST: CR AS 85 CC] [REVIEW: 99 AR AT EC MC MI]	A	5930		CC	20-APR-2016
M MS27409E(1) NOT 1	Switch, Toggle, Four Pole, Environmentally Sealed, Lever Lock [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI]	A	5930		CC	10-MAY-2016
M MIL-DTL-28754E	Connectors, Electrical, Modular, and Component Parts General Specification for [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI]	A	5935		CC	03-MAY-2016
M MIL-PRF-19500/301M(1)	Transistor, NPN Silicon, Low-Power, through-Hole Mount, Surface Mount, and Unencapsulated Die, Type 2N918, Quality Levels JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SH]	A	5961		CC	29-APR-2016
M MIL-PRF-19500/576E	Semiconductor Device, Diode, Silicon, High Voltage Power Rectifier, Fast Recovery, Types 1N6520 through 1N6527, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC OS SM]	A	5961		CC	29-APR-2016
M MIL-PRF-19500/687D	Transistor, Field Effect, N-Channel, Radiation Hardened, Silicon, Encapsulated (through-Hole Mount Package), Types 2N7509, 2N7510, and 2N7511, JANTXVD, R and JANS, R [CUST: CR EC 85 CC NA] [REVIEW: 99 MI]	A	5961		CC	28-APR-2016
M MIL-M-38510/51F NOT 2	Microcircuits, Digital, CMOS, Flip-Flops and Latchets, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	10-MAY-2016
M MIL-M-38510/174B NOT 2	Microcircuits, Digital, CMOS, Inverter, NAND Buffer Driver, Strobed Hex Inverter/Buffer, Voltage Level Shifter, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	10-MAY-2016
M MIL-M-38510/175C NOT 2	Microcircuits, Digital, CMOS, Positive Logic, Flip-Flops and Monostable Multivibrator, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	10-MAY-2016
M MIL-M-38510/176B NOT 2	Microcircuits, Digital, CMOS, Latches, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	10-MAY-2016
M MIL-STD-883K	Microcircuits [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AR AS CG EA MC MI SH SM]	A	5962		CC	25-APR-2016
M MIL-HDBK-1331A NOT 2	Parameters to be Controlled for the Specification of Microcircuits, Handbook for [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM]	A	5962		CC	10-MAY-2016
M MIL-PRF-19500/521F	Light Emitting Diode, Green through-Hole Mount and Panel Mount Assembly, Clear and Diffused Lens, Types 1N6094, 1N6611, M19500/52101, M19500/52102, M19500/52103 and M19500/52104, Quality Levels JAN and JANTX [CUST: CR 85 CC] [REVIEW: 99 AR MI SM]	A	5980		CC	21-APR-2016
M MIL-PRF-19500/708C	Control-Display, Optoelectronic, Diode, Light Emitting, Solid State, Red, Numeric and Hexadecimal, with on Board Decoder/Driver, Encapsulated (through-Hole Package), Types 4N51, 4N52, 4N53, and 4N54, JAN, JANTX, and JANTXV [CUST: CR 85 CC] [REVIEW: 99 MI]	A	5980		CC	28-APR-2016
M MIL-PRF-32272A	Integrated Power Management Center (IPMC) [CUST: CR4 SH 99] [REVIEW: 19 AS CG GS GS2]	A	6110		SH	04-APR-2016
M MIL-PRF-81757/21(1)	Battery, Rechargeable, Repairable, Nickel Cadmium, Vented, 24-Volt, 13 Ampere-Hour, BB-664/A [CUST: CR]	A	6140		CR	09-MAY-2016
M QPL-AS29606 NOT 1	Wire, Electrical, Stranded, Uninsulated Copper, Copper Alloy, or Aluminum, or Thermocouple Extension, General Specification for	A	6145		AS	03-MAY-2016
M A-A-58088D	Scale, Weighing Systems, Aircraft Platform [CUST: 84] [REVIEW: 99]	A	6670	/	84	05-MAY-2016
M MIL-DTL-18618B	Lead Carbonate, Basic, Dry (For Ordnance Use) [CUST: OS] [REVIEW: GS]	A	6810		OS	26-APR-2016
M A-A-1438C	Disinfectant, General Purpose (Liquid Phenolic Type) [CUST: GL MS GS] [REVIEW: MD1]	A	6840	/	GS3	28-APR-2016
M A-A-59826A	Thread, Nylon [CUST: GL NU 11 CT] [REVIEW: MD]	A	8310	/	CT	05-MAY-2016
M MIL-DTL-32237C	Boot, Combat, Hot Weather Army [CUST: GL CT]	A	8430		CT	05-MAY-2016

## ACTIVE SECTION

## ASSIST UPDATE

DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION FSC/AREA	MCA PREP ACTY	DATE
M MIL-DTL-3628/2K	Badge, Qualification, Distinguished Pistol Shot, Army; Pendant and Suspension Bar [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
M MIL-DTL-3943/344A	Medal, Humanitarian Service, Defense Logistics Agency [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
M MIL-DTL-11484/131E	Lapel Button, Exceptional Civilian Service Medal, Office of the Secretary of Defense [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
M MIL-DTL-11484/276A	Lapel Button, Distinguished Civilian Service, Defense Contract Management Agency [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
M MIL-DTL-15665/32F	Insignia, Collar, Enlisted, the Sergeant Major of the U S Army [CUST: IH] [REVIEW: CT]	A 8455	IH	21-APR-2016
M A-A-20259C	Picante Sauce [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A 8950	/ SS	03-MAY-2016
M MIL-STD-290H(1)	Packaging and Marking of Petroleum and Related Products [CUST: SM SA 68 DH] [REVIEW: 69 AR AS AV CR CR4 GS GS4 MC MI MR PS SH]	A PACK	SM	29-APR-2016
M DI-PACK-80120C NOT 1	Preservation and Packing Data [AMSC: N9205]	A PACK	AS	10-MAY-2016
M DI-PACK-80121C NOT 1	Special Packaging Instructions (SPI) [AMSC: N9206]	A PACK	AS	10-MAY-2016
N DI-TCSP-82040	Research and Development of Medical Products Regulated by the U S Food and Drug Administration [AMSC: A9651]	A TCSP	MD3	03-MAY-2016
M MIL-STD-3048A	Air Force Business Rules for the Implementation of S1000D [CUST: 16] [REVIEW: 11 13 19 71 99]	A TMSS	16	29-APR-2016

## ASSIST UPDATE

## CANCELED SECTION

## ASSIST UPDATE

		DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
DOCUMENT NUMBER	DOCUMENT TITLE					
M MS17793B NOT 1	Schematic Wiring Diagram (External AC Power Connector, Aircraft) (No S/S Document) [CUST: CR4 AS 85] [REVIEW: CC MC]	A	5935		AS	29-APR-2016
M A-A-52530 NOT 2	Gasohol, Automotive, Unleaded (S/S by ASTM-D4814) [CUST: AT YD 68] [REVIEW: MD PS SA SH]	A	9130	/	AT	03-MAY-2016