

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**15 November 2011**

(For the Period 1 November 2011 to 14 November 2011)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-STD-1796A	Avionics Integrity Program (AVIP) [CUST: 11]	A 15GP		11	13-OCT-2011
M	MS20813F	Cap, Pneumatic Valve, High-Pressure [CUST: AV AS 71] [REVIEW: 99 GS]	A 1650		71	04-NOV-2011
M	MIL-PRF-32080A	Truck, Aircraft Fueling-Defueling, 6,000 Gallon, A/S32R-11 [CUST: 84]	A 2320		84	01-NOV-2011
M	MIL-PRF-11021H NOT 1	Switch, Vehicular Lights: 28 Volt DC [CUST: AT YD 99] [REVIEW: CC CR MC TE]	A 2590		AT	01-NOV-2011
M	A-A-55017A	Mandrels, Machine, Expanding [CUST: AR 99 IS]	A 3460	/	IS	07-NOV-2011
M	MS9016 NOT 2	Bushing - Screw, Plain [CUST: AV AS 99 IS] [REVIEW: 71 AT CC MC SA SH]	A 4730		AS	08-NOV-2011
M	MIL-DTL-81940/4B	Valve, Sampling and Bleed, Hydraulic, 3000 PSI Non-Aircraft Applications [CUST: AV SH 11] [REVIEW: 71 AS MC SA]	A 4820		SH	07-OCT-2011
M	MIL-PRF-15160/63F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F63 [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CG CR4 DS MC MI OS YD]	A 5920		CC	02-NOV-2011
M	MIL-PRF-15160/64F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F64 [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CG CR4 MC MI OS YD]	A 5920		CC	02-NOV-2011
M	MIL-PRF-15160/65F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F65 [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CG CR4 MC MI OS]	A 5920		CC	02-NOV-2011
M	MIL-PRF-15160/66F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F66 [CUST: CR SH 85 CC] [REVIEW: 19 99 AS AT CG CR4 MC MI OS]	A 5920		CC	02-NOV-2011
M	MIL-PRF-15160/77C	Fuses, (Indicating), Style F77A [CUST: SH 85 CC]	A 5920		CC	02-NOV-2011
M	MIL-DTL-38999/20G(2)	Connectors, Electrical, Circular, Receptacle, Threaded, Wall Mounting Flange, Removable Crimp Contacts, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A 5935		CC	31-OCT-2011
M	MIL-DTL-38999/24J	Connectors, Electrical, Circular, Receptacle, Threaded, Jam-Nut Mounting, Removable Crimp Contacts, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A 5935		CC	31-OCT-2011
M	MIL-DTL-38999/26G	Connectors, Electrical, Plug, Circular, Threaded, Straight, Removable Crimp Contacts, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A 5935		CC	31-OCT-2011
M	MIL-DTL-38999/33E	Connector, Electrical Circular, Cover, Protective, Receptacle, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 EC MC MI OS]	A 5935		CC	31-OCT-2011
M	MIL-PRF-6106/10F	Relay, Electromagnetic, Normally Open, Continuous Duty, (Including Unsuppressed and Suppressed Coils) 60 AMP, 3PST, Environmentally Sealed [CUST: 85 CC] [REVIEW: 99]	A 5945		CC	07-NOV-2011
M	MIL-PRF-27/56F	Transformers, Power, 25 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A 5950		CC	11-NOV-2011
M	MIL-PRF-19500/228P	Semiconductor Device, Diode, Silicon, Rectifier, Types 1N3611, 1N3612, 1N3613, 1N3614, 1N3957, JAN and JANTX [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV MC MI SM]	A 5961		CC	26-OCT-2011
M	MIL-PRF-19500/406J	Semiconductor Devices, Diode, Silicon, Voltage Regulator Types 1N4460, 1N4460C, 1N4460D through 1N4496, 1N4496C, 1N4496D, and 1N6485, 1N6485C, 1N6485D through 1N6491, 1N6491C, 1N6491D, 1N4460US, 1N4460CUS, 1N4460DUS through 1N4496US, 1N4496CUS, 1N4496DUS, and 1N6485US, 1N6485CUS, 1N6485DUS through 1N6491US, 1N6491CUS, 1N6491DUS, Plus C and D Tolerance Suffix; JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A 5961		CC	03-NOV-2011
M	MIL-PRF-19500/454H	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N5660, 2N5660U3, 2N5661, 2N5661U3, 2N5662, and 2N5663, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI OS SM]	A 5961		CC	20-OCT-2011
M	MIL-PRF-19500/573B	Semiconductor Device, Transistor, PNP, Silicon, Switching Types 2N4209, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A 5961		CC	25-SEP-2011
M	MIL-PRF-19500/725C	Semiconductor Device, Diode, Silicon, Schottky, Schottky Rectifier, Types 1N6930UTK1, 1N6931UTK1, 1N6932UTK1, 1N6930UTK1CS, 1N6931UTK1CS, 1N6932UTK1CS, 1N6930UTK1AS, 1N6931UTK1AS, and 1N6932UTK1AS, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A 5961		CC	14-NOV-2011
M	MIL-PRF-19500/726C	Semiconductor Device, Diode, Silicon, Schottky Rectifier, Types 1N6940UTK3, 1N6941UTK3, 1N6942UTK3, 1N6940UTK3CS, 1N6941UTK3CS, 1N6942UTK3CS, 1N6940UTK3AS, 1N6941UTK3AS, and 1N6942UTK3AS, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]	A 5961		CC	14-NOV-2011
M	MIL-DTL-22641F	Adapter, Coaxial to Waveguide, General Specification For [CUST: CR EC 85 CC] [REVIEW: 99 AR AS GL MC MI OS]	A 5985		CC	09-NOV-2011
M	A-A-59789/7A	Holder, Electrical Card, Wedge Retainers 5 Piece, for Cold Plate Applications, .195 X .250 Inch Body Size, Screw Actuated [CUST: CR EC 85 CC] [REVIEW: 99]	A 5998	/	CC	07-NOV-2011
N	A-A-59789/21	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .260 Inch Body Size, with Two or No Mounting Holes, Screw Activated [CUST: CR EC 85 CC] [REVIEW: 99]	A 5998	/	CC	21-OCT-2011
N	A-A-59789/22	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .260 Inch Body Size, with Two or No Mounting Holes and Visual Lock Indication, Screw Actuated [CUST: CR EC 85 CC] [REVIEW: 99]	A 5998	/	CC	22-OCT-2011
M	MIL-PRF-25435D(1)	Transmitters, Pressure, Aircraft General Specification for [CUST: AV AS 71] [REVIEW: 06 99 GS]	A 6620		71	01-NOV-2011
M	MIL-PRF-38230D(1)	Transmitter, Pressure, Oil, Variable Reluctance [CUST: 71] [REVIEW: 99 GS]	A 6620		71	01-NOV-2011
M	A-A-59476 NOT 2	Ammonium Nitrate, Technical [CUST: OS 68] [REVIEW: SH]	A 6810	/	GS3	01-NOV-2011
M	A-A-50169B	Skin Protective Compounds, Chemical Barrier [CUST: GL AS 68 GS] [REVIEW: MC MD]	A 6850	/	68	26-OCT-2011
M	MIL-DTL-11195H	Enamel, Lusterless, Fast Dry, VOC Compliant, (for use on Ammunition and Other Metals) [CUST: MR SH 99] [REVIEW: 11 84 AS CG MC MD1 MI]	A 8010		MR	10-NOV-2011
M	MIL-DTL-32149A NOT 1	Cloth, Waterproof, Flame Resistant, Moisture Vapor Permeable [CUST: AS CT] [REVIEW: NU]	A 8305		AS	01-NOV-2011
M	MIL-DTL-44117B	Helmet, Combat Vehicle Crewman, Ballistic Shell, DH-132B [CUST: GL NU CT] [REVIEW: AV MC MD]	A 8470		CT	21-OCT-2011
M	MIL-L-46000C(1) NOT 1	Lubricant, Semi-Fluid (Automatic Weapons) [CUST: AR AS 11 GS] [REVIEW: MD OS SA]	A 9150		AR	27-OCT-2011
M	MIL-HDBK-695E	Rubber Products: Recommended Shelf Life [CUST: MR SA 11] [REVIEW: 99 AR AS CC CR CR4 CT GS IS MI OS YD]	A 9320		SA	20-OCT-2011
N	DI-ENVR-81840	Programmatic Environmental Safety and Health Evaluation (PESHE) Plan [AMSC: N9215]	A ENVR		SH	08-NOV-2011
N	DI-MGMT-81842	Vulnerability Scan Compliance (VSC) Report [AMSC: N9219]	A MGMT		SH	08-NOV-2011
N	DI-MGMT-81843	Information Assurance (IA) Test Report [AMSC: N9220]	A MGMT		SH	08-NOV-2011
N	DI-MGMT-81844	Information Assurance (IA) Test Plan [AMSC: N9221]	A MGMT		SH	08-NOV-2011
M	DI-MGMT-81845	Information Assurance (IA) Design Review Information Package (DRIP) [AMSC: N9222]	A MGMT		SH	08-NOV-2011
N	DI-SESS-81839	Professional Engineering (PE) Analysis Report [AMSC: N9214]	A SESS		SH	08-NOV-2011
M	DI-TMSS-81819A	Technical Manual Validation Certificate [AMSC: N9218]	A TMSS		SH	08-NOV-2011

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA	PREP ACTY	DATE
			FSC/AREA			
M	AN363 REV 5	Nut, Self-Locking, 550 Degrees F [CUST: MI OS 99 IS]	A 5310	IS		01-NOV-2011
M	MIL-B-49101A(1) NOT 3	Buffer, Data TD-1065( )/G [CUST: CR]	A 5805	CR		01-NOV-2011
M	MIL-T-49247(2) NOT 2	Transceiver Multiplexers TD-1288 ( )/GRC and TD-1289 ( ) (V)/GRC [CUST: CR]	A 5805	CR		01-NOV-2011
M	MIL-M-49234A NOT 2	Modem, Digital Data, MD-1026( )/G [CUST: CR]	A 5820	CR		01-NOV-2011
M	MIL-R-49236A(1) NOT 2	Restorer, Pulse Form, TD-1218/G (No S/S Document) [CUST: CR]	A 5820	CR		01-NOV-2011
M	MIL-M-49240A(1) NOT 2	Multiplexer, TD-1235(P)/TTC [CUST: CR]	A 5820	CR		01-NOV-2011
M	MIL-M-49241A(1) NOT 2	Multiplexer, TD-1236/G [CUST: CR]	A 5820	CR		01-NOV-2011
M	MIL-C-49244A NOT 2	Control, Orderwire C-10716( )/TRC [CUST: CR]	A 5820	CR		01-NOV-2011
M	MIL-C-49174A NOT 3	Collimator, Visual SU-102/UA [CUST: CR]	A 5855	CR		01-NOV-2011
M	MIL-C-49309 NOT 2	Cooler-Dewar Group, OR-336/A, OR-337/A [CUST: CR]	A 5855	CR		01-NOV-2011
M	MIL-C-49310 NOT 2	Cooler-Dewar Group, OR-338/V, OR-339/V [CUST: CR]	A 5855	CR		01-NOV-2011
M	MIL-D-49457A NOT 2	Detector-Dewar DT-617A/UA [CUST: CR]	A 5855	CR		01-NOV-2011
M	MS3124G	Connectors, Receptacle, Electric, Crimp Type, Rear Mounting, Jam Nut, Bayonet Coupling, Series 1, Classes E, F and P [CUST: CR 85 CC] [REVIEW: AR MI]	A 5935	CC		31-OCT-2011
M	MIL-PRF-6106/12F	Relay, Electromagnetic (Type I), Magnetic Latch, 25 Amperes, 3PNO Main Contacts, with 2 Ampere 1PDT Auxiliary Contacts, Hermetically Sealed [CUST: 85 CC] [REVIEW: 99]	A 5945	CC		01-NOV-2011
M	MIL-PRF-6106/20D	Relays, Electromagnetic, Magnetic Latch, 25 Amperes, SPDT, Hermetically Sealed [CUST: 85 CC] [REVIEW: 99]	A 5945	CC		01-NOV-2011
M	MIL-DTL-19648/1G	Relays, Time Delay, Thermal, Hermetically Sealed Adjustable, 3 to 180 Seconds, Flange Mount, SPST Contacts, 2 Amperes [CUST: CR EC 85 CC] [REVIEW: 19 AT AV CR4 MC MI OS]	A 5945	CC		01-NOV-2011
M	MIL-R-83516/4C	Relays, Reed, Dry, Dual In-Line Package (Dip), General Purpose, Low-Power Coil [CUST: 85 CC] [REVIEW: 99]	A 5945	CC		01-NOV-2011
M	MS27709H	Relays, Electromagnetic, 10 Amperes, 4 PDT, Type I, Hermetically Sealed [CUST: AS 85 CC] [REVIEW: 11]	A 5945	CC		01-NOV-2011
M	MS27715C	Relay, 150 Amp, 3PST, N.O., Type I, Coil and Contacts Individually Sealed [CUST: 85 CC]	A 5945	CC		01-NOV-2011
M	MIL-DTL-18266B NOT 1	Cord Assembly, Electrical: P/O H-87B/U [CUST: AS CC]	A 5995	CC		03-NOV-2011
M	MIL-DTL-13169E	Wire, Electrical (for Instrument Test Leads) [CUST: CR 85 CC] [REVIEW: DS MI]	A 6145	CC		03-NOV-2011
M	MIL-DTL-55040E	Cable, Special Purpose, Electrical (Retractile) [CUST: AR CC] [REVIEW: AT MI]	A 6145	CC		04-NOV-2011

## CANCELED SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	MIL-T-24960A NOT 1	Truck, Lift, Diesel Engine Driven, Pneumatic Rubber Tires with Tophandler for Handling Cargo Containers (No S/S Document) [CUST: CR4 SA 99 IS] [REVIEW: 84 MC MT OS SH SM YD]	A	3930		IS		07-NOV-2011
M	A-A-50082 NOT 3	Platform, Overhead Work, Forklift (No S/S Document) [CUST: GL SA 99 IS] [REVIEW: AV]	A	3990	/	IS		07-NOV-2011
M	MIL-R-24730 NOT 2	Rope, Fibrous Polyester, Eight Strand Plaited (No S/S Document) [CUST: GL SH 99 IS] [REVIEW: 71 AS MC]	A	4020		IS		07-NOV-2011
M	MIL-R-24750 NOT 2	Rope, Fibrous, Single-Braided (No S/S Document) [CUST: GL SH 99 IS] [REVIEW: 71]	A	4020		IS		07-NOV-2011
M	MIL-C-40088A(1) NOT 1	Cord, Acrylic, Lacing (No S/S Document) [CUST: AR IS]	A	4020		IS		07-NOV-2011
M	MIL-C-87129A NOT 2	Cord, Fibrous, Aramid Braided (No S/S Document) [CUST: GL AS 11 IS] [REVIEW: 71 99 MC SH]	A	4020		IS		07-NOV-2011
M	MIL-R-22928B NOT 3	Receivers, Liquid Refrigerant-12 (No S/S Document) [CUST: GL MC IS] [REVIEW: CR4 MD]	A	4130		IS		07-NOV-2011
M	MIL-T-28571G NOT 2	Truck, Firefighting, Structural, 1,000 GPM, 4 BY 2 (No S/S Document) [CUST: YD IS] [REVIEW: MC]	A	4210		IS		07-NOV-2011
M	MIL-T-28690 NOT 2	Truck, Firefighting, Structural, 1,000 GPM, 4 BY 2 with 50 Foot Telescoping Boom Escape Ladder and Water Tower (No S/S Document) [CUST: YD IS]	A	4210		IS		07-NOV-2011
M	MIL-T-28691 NOT 2	Truck, Firefighting, Structural, 1,000 GPM, 4 By 2 With 65 Foot Telescoping Boom Escape Ladder and Water Tower (No S/S Document) [CUST: YD IS]	A	4210		IS		07-NOV-2011
M	ASTM-C87	Aggregate, Fine, Effect of Organic Impurities in, on Strength of Mortar, Standard Test Method for (See Notice of Withdrawal for Replacement Information) [CUST: YD IS] [REVIEW: MC]	A	5610		IS		07-NOV-2011
M	ASTM-C142	Clay Lumps and Friable Particles in Aggregates (See Notice of Withdrawal for Replacement Information) [CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610		IS		07-NOV-2011
M	ASTM-C233	Air-Entraining Admixtures for Concrete (See Notice of Withdrawal for Replacement Information) [CUST: CR4 YD IS] [REVIEW: MC]	A	5610		IS		07-NOV-2011
M	ASTM-C260	Concrete, Air-Entraining Admixtures for (See Notice of Withdrawal for Replacement Information) [CUST: CR4 YD IS] [REVIEW: SH]	A	5610		IS		07-NOV-2011
M	ASTM-C331	Concrete Masonry Units, Lightweight Aggregates for, Standard Specification for (See Notice of Withdrawal for Replacement Information) [CUST: YD 99 IS]	A	5610		IS		07-NOV-2011
M	ASTM-C615	Granite Dimension Stone (See Notice of Withdrawal for Replacement Information) [CUST: YD IS] [REVIEW: MC]	A	5610		IS		07-NOV-2011
M	MIL-C-11015/25C NOT 2	Capacitors, Fixed, Ceramic Dielectric, (General Purpose) Style CK31 and CK32 (No S/S Document) [CUST: EC 85 CC]	A	5910		CC		16-NOV-2011
M	MS26578B(1) NOT 2	Lights, Marker, Airport, Semiflush, Base Mounted, Bidirectional and Unidirectional (No S/S Document) [CUST: AS 99 IS] [REVIEW: 71]	A	6210		IS		07-NOV-2011
M	MS27033B(1) NOT 4	Light, Marker, Airport, Semiflush, Base Mounted, Omnidirectional (No S/S Document) [CUST: AS 99 IS] [REVIEW: 71]	A	6210		IS		07-NOV-2011
M	MIL-DTL-28689C NOT 1	Containers, Shipping and Storage, Steel Wall (With and Without Cabinetry) (No S/S Document) [CUST: GL YD IS] [REVIEW: OS]	A	8145		IS		07-NOV-2011
M	MIL-DTL-3918B NOT 1	Lubricating Oil, Instrument, Jewel Bearing (No S/S Document, see Notice 1 for Additional Information) [CUST: AR AS 11 GS] [REVIEW: 68 AT AV MI OS SA SH]	A	9150		GS3		31-OCT-2011