Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 November 2011

(For the Period 1 November 2011 to 14 November 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.daps.dla.mil for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at https://assist.daps.dla.mil/online/registration/registration.cfm.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: https://assist.daps.dla.mil/online/news/AlertService.htm .

ACTIVE SECTION

ASSIST UPDATE

TICTIVE BECTION	ABBIST CIDITIE					
Z		ž				
lō		2			~	
N ST V ST V V V V V V V V V V V V V V V V		DISTRIBUTION	ξ	MCA	H	
¥		8	Æ		A	
12		Ŧ	FSC/AREA	V	G.	
A DOCUMENTANIAMED	DOCUMENTS THE F	SIS	S	1C	<u>~</u>	DATE
	DOCUMENT TITLE	_		_		
M MIL-STD-1796A	Avionics Integrity Program (AVIP) [CUST: 11]	A	15GP		11	13-OCT-2011
M MS20813F	Cap, Pneumatic Valve, High-Pressure [CUST: AV AS 71] [REVIEW: 99 GS]	A	1650		71	04-NOV-2011
M MIL-PRF-32080A	Truck, Aircraft Fueling-Defueling, 6,000 Gallon, A/S32R-11 [CUST: 84]	A	2320		84	01-NOV-2011
M MIL-PRF-11021H NOT 1	Switch, Vehicular Lights: 28 Volt DC [CUST: AT YD 99] [REVIEW: CC CR MC TE]	Α	2590		AT	01-NOV-2011
M A-A-55017A	Mandrels, Machine, Expanding [CUST: AR 99 IS]	A	3460	/	IS	07-NOV-2011
M MS9016 NOT 2	Bushing - Screw, Plain [CUST: AV AS 99 IS] [REVIEW: 71 AT CC MC SA SH]	A	4730	,	AS	08-NOV-2011
M MIL-DTL-81940/4B	Valve, Sampling and Bleed, Hydraulic, 3000 PSI Non-Aircraft Applications [CUST: AV SH 11] [REVIEW: 71 AS MC SA]	A	4820		SH	07-OCT-2011
N. M. DDE 15160/62E	1	١.	5000		a a	02 11011 2011
M MIL-PRF-15160/63F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F63 [CUST: CR SH 85 CC]	A	5920		CC	02-NOV-2011
	[REVIEW: 19 99 AS AT CG CR4 DS MC MI OS YD]	١.				
M MIL-PRF-15160/64F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F64 [CUST: CR SH 85 CC]	A	5920		CC	02-NOV-2011
	[REVIEW: 19 99 AS AT CG CR4 MC MI OS YD]					
M MIL-PRF-15160/65F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F65 [CUST: CR SH 85 CC]	A	5920		CC	02-NOV-2011
	[REVIEW: 19 99 AS AT CG CR4 MC MI OS]	١.				
M MIL-PRF-15160/66F	Fuses, Instrument, Power, and Telephone (Nonindicating), Style F66 [CUST: CR SH 85 CC]	A	5920		CC	02-NOV-2011
	[REVIEW: 19 99 AS AT CG CR4 MC MI OS]					
M MIL-PRF-15160/77C	Fuses, (Indicating), Style F77A [CUST: SH 85 CC]	A	5920		CC	02-NOV-2011
M MIL-DTL-38999/20G(2)	Connectors, Electrical, Circular, Receptacle, Threaded, Wall Mounting Flange, Removable Crimp	A	5935		CC	31-OCT-2011
	Contacts, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]					
M MIL-DTL-38999/24J	Connectors, Electrical, Circular, Receptacle, Threaded, Jam-Nut Mounting, Removable Crimp	A	5935		CC	31-OCT-2011
	Contacts, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]					
M MIL-DTL-38999/26G	Connectors, Electrical, Plug, Circular, Threaded, Straight, Removable Crimp Contacts, Series III,	Α	5935		CC	31-OCT-2011
	Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]					
M MIL-DTL-38999/33E	Connector, Electrical Circular, Cover, Protective, Receptacle, Series III, Metric [CUST: CR AS 85]	Α	5935		CC	31-OCT-2011
	CC] [REVIEW: 19 99 EC MC MI OS]					
M MIL-PRF-6106/10F	Relay, Electromagnetic, Normally Open, Continuous Duty, (Including Unsuppressed and Suppressed	A	5945		CC	07-NOV-2011
WILLIAM GIGGION	Coils) 60 AMP, 3PST, Environmentally Sealed [CUST: 85 CC] [REVIEW: 99]	1.	5715		CC	071107 2011
M MIL-PRF-27/56F	Transformers, Power, 25 Volt Amperes, 400 HZ [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4	A	5950		CC	11-NOV-2011
W ME IN 27/301	MC MI OS	1.	5750		CC	11 1(0 / 2011
M MIL-PRF-19500/228P	Semiconductor Device, Diode, Silicon, Rectifier, Types 1N3611, 1N3612, 1N3613, 1N3614,	Δ.	5961		CC	26-OCT-2011
W WIE-I KI-19300/2281	1N3957, JAN and JANTX [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV MC MI SM]	ΓΛ.	3901		CC	20-001-2011
M MIL-PRF-19500/406J			5961		CC	03-NOV-2011
WI WIIL-F KI*-19300/4003	Semiconductor Devices, Diode, Silicon, Voltage Regulator Types 1N4460, 1N4460C, 1N4460D through 1N4496, 1N4496C, 1N4496D, and 1N6485, 1N6485C, 1N6485D through 1N6491,	Α.	3901		CC	03-1 10 V -2011
	1N6491C, 1N6491D, 1N4460US, 1N4460CUS, 1N4460DUS through 1N4496US, 1N4496CUS,					
	1N4496DUS, and 1N6485US, 1N6485CUS, 1N6485DUS through 1N6491US, 1N6491CUS,					
	1N6491DUS, Plus C and D Tolerance Suffix; JAN, JANTX, JANTXV, and JANS [CUST: CR EC					
	85 CC NA] [REVIEW: 19 AR AS MC MI SM]					
M MIL-PRF-19500/454H	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N5660, 2N5660U3, 2N5661,	A	5961		CC	20-OCT-2011
W W W W W W W W W W W W W W W W W W W	2N5661U3, 2N5662, and 2N5663, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA]	• •	5,01		00	20 001 2011
	[REVIEW: 19 AR AS MC MI OS SM]					
M MIL-PRF-19500/573B	Semiconductor Device, Transistor, PNP, Silicon, Switching Types 2N4209, JAN, JANTX,	Α	5961		CC	25-SEP-2011
	JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]					
M MIL-PRF-19500/725C	Semiconductor Device, Diode, Silicon, Schottky, Schottky Rectifier, Types 1N6930UTK1,	A	5961		CC	14-NOV-2011
	1N6931UTK1, 1N6932UTK1, 1N6930UTK1CS, 1N6931UTK1CS, 1N6932UTK1CS,					
	1N6930UTK1AS, 1N6931UTK1AS, and 1N6932UTK1AS, JANTX, JANTXV, and JANS [CUST:					
	CR EC 85 CC NA]					
M MIL-PRF-19500/726C	Semiconductor Device, Diode, Silicon, Schottky Rectifier, Types 1N6940UTK3, 1N6941UTK3,	A	5961		CC	14-NOV-2011
	1N6942UTK3, 1N6940UTK3CS, 1N6941UTK3CS, 1N6942UTK3CS, 1N6940UTK3AS,					
	1N6941UTK3AS, and 1N6942UTK3AS, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA]					
M MIL-DTL-22641F	Adapter, Coaxial to Waveguide, General Specification For [CUST: CR EC 85 CC] [REVIEW: 99	Α	5985		CC	09-NOV-2011
	AR AS GL MC MI OS]					
M A-A-59789/7A	Holder, Electrical Card, Wedge Retainers 5 Piece, for Cold Plate Applications, .195 X .250 Inch	Α	5998	/	CC	07-NOV-2011
	Body Size, Screw Actuated [CUST: CR EC 85 CC] [REVIEW: 99]					-
N A-A-59789/21	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, 225 X .260 Inch	A	5998	/	CC	21-OCT-2011
	Body Size, with Two or No Mounting Holes, Screw Activated [CUST: CR EC 85 CC] [REVIEW:					-
	[99]					
N A-A-59789/22	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .260 Inch	Α	5998	/	CC	22-OCT-2011
	Body Size, with Two or No Mounting Holes and Visual Lock Indication, Screw Actuated [CUST:					
	CR EC 85 CC] [REVIEW: 99]					
M MIL-PRF-25435D(1)	Transmitters, Pressure, Aircraft General Specification for [CUST: AV AS 71] [REVIEW: 06 99 GS]	A	6620		71	01-NOV-2011
M MIL-PRF-38230D(1)	Transmitter, Pressure, Oil, Variable Reluctance [CUST: 71] [REVIEW: 99 GS]	Α	6620		71	01-NOV-2011
M A-A-59476 NOT 2	Ammonium Nitrate, Technical [CUST: OS 68] [REVIEW: SH]	A	6810	/	GS3	01-NOV-2011
M A-A-50169B	Skin Protective Compounds, Chemical Barrier [CUST: GL AS 68 GS] [REVIEW: MC MD]	A	6850	/	68	26-OCT-2011
				,		
M MIL-DTL-11195H	Enamel, Lusterless, Fast Dry, VOC Compliant, (for use on Ammunition and Other Metals) [CUST: MR SH 99] [REVIEW: 11 84 AS CG MC MD1 MI]	A	8010		MR	10-NOV-2011
M MII DTI 221404 NOT 1			9205		A C	01 NOV 2011
M MIL-DTL-32149A NOT 1	Cloth, Waterproof, Flame Resistant, Moisture Vapor Permeable [CUST: AS CT] [REVIEW: NU]		8305		AS	01-NOV-2011
M MIL-DTL-44117B	Helmet, Combat Vehicle Crewman, Ballistic Shell, DH-132B [CUST: GL NU CT] [REVIEW: AV	A	8470		CT	21-OCT-2011
	MC MD]					
M MIL-L-46000C(1) NOT 1	Lubricant, Semi-Fluid (Automatic Weapons) [CUST: AR AS 11 GS] [REVIEW: MD OS SA]	A	9150		AR	27-OCT-2011
M MIL-HDBK-695E	Rubber Products: Recommended Shelf Life [CUST: MR SA 11] [REVIEW: 99 AR AS CC CR CR4	A	9320		SA	20-OCT-2011
	CT GS IS MI OS YD]					
N DI-ENVR-81840	Programmatic Environmental Safety and Health Evaluation (PESHE) Plan [AMSC: N9215]	A	ENVR		SH	08-NOV-2011
N DI-MGMT-81842	Vulnerability Scan Compliance (VSC) Report [AMSC: N9219]		MGMT		SH	08-NOV-2011
N DI-MGMT-81843	Information Assurance (IA) Test Report [AMSC: N9220]		MGMT		SH	08-NOV-2011
1						
N DI-MGMT-81844	Information Assurance (IA) Test Plan [AMSC: N9221]		MGMT		SH	08-NOV-2011
M DI-MGMT-81845	Information Assurance (IA) Design Review Information Package (DRIP) [AMSC: N9222]	A	MGMT		SH	08-NOV-2011
N DI-SESS-81839	Professional Engineering (PE) Analysis Report [AMSC: N9214]	A	SESS		SH	08-NOV-2011
M DI-TMSS-81819A	Technical Manual Validation Certificate [AMSC: N9218]	A	TMSS		SH	08-NOV-2011
	1	1				

15-NOV-2011

INACTIVE SECTION

ASSIST UPDATE

INACTIVE SECTION	ASSIST UPDATE				
NOL		DISTRIBUTION		>	
N ACTION TO THE PROPERTY OF TH		IBU	FSC/AREA	ACTY	
AST		ISTE	SC/A	MCA PREP	
DOCUMENT NUMBER M AN363 REV 5	DOCUMENT TITLE Nut, Self-Locking, 550 Degrees F [CUST: MI OS 99 IS]	$\frac{\Box}{A}$	5310	∑ ⊑ IS	DATE 01-NOV-2011
M MIL-B-49101A(1) NOT 3	Buffer, Data TD-1065()/G [CUST: CR]	A	5805	CR	01-NOV-2011
M MIL-T-49247(2) NOT 2	Transceiver Multiplexers TD-1288 ()/GRC and TD-1289 () (V)/GRC [CUST: CR] Modem, Digital Data, MD-1026()(P)/G [CUST: CR]	A	5805 5820	CR CR	01-NOV-2011
M MIL-M-49234A NOT 2 M MIL-R-49236A(1) NOT 2	Restorer, Pulse Form, TD-1218/G (No S/S Document) [CUST: CR]	A	5820	CR CR	01-NOV-2011 01-NOV-2011
M MIL-M-49240A(1) NOT 2	Multiplexer, TD-1235(P)/TTC [CUST: CR]	A	5820	CR	01-NOV-2011
M MIL-M-49241A(1) NOT 2 M MIL-C-49244A NOT 2	Multiplexer, TD-1236/G [CUST: CR] Control, Orderwire C-10716()/TRC [CUST: CR]	A	5820 5820	CR CR	01-NOV-2011 01-NOV-2011
M MIL-C-49174A NOT 3	Collimator, Visual SU-102/UA [CUST: CR]	A	5855	CR	01-NOV-2011
M MIL-C-49309 NOT 2 M MIL-C-49310 NOT 2	Cooler-Dewar Group, OR-336/A, OR-337/A [CUST: CR] Cooler-Dewar Group, OR-338/V, OR-339/V [CUST: CR]	A	5855 5855	CR CR	01-NOV-2011 01-NOV-2011
M MIL-D-49457A NOT 2	Detector-Dewar DT-617A/UA [CUST: CR]	A		CR	01-NOV-2011
M MS3124G	Connectors, Receptacle, Electric, Crimp Type, Rear Mounting, Jam Nut, Bayonet Coupling, Series 1, Classes E, F and P [CUST: CR 85 CC] [REVIEW: AR MI]	A	5935	CC	31-OCT-2011
M MIL-PRF-6106/12F	Relay, Electromagnetic (Type I), Magnetic Latch, 25 Amperes, 3PNO Main Contacts, with 2 Ampere 1PDT Auxiliary Contacts, Hermetically Sealed [CUST: 85 CC] [REVIEW: 99]	A	5945	CC	01-NOV-2011
M MIL-PRF-6106/20D	Relays, Electromagnetic, Magnetic Latch, 25 Amperes, SPDT, Hermetically Sealed [CUST: 85 CC] [REVIEW: 99]		5945	CC	01-NOV-2011
M MIL-DTL-19648/1G	Relays, Time Delay, Thermal, Hermetically Sealed Adjustable, 3 to 180 Seconds, Flange Mount, SPST Contacts, 2 Amperes [CUST: CR EC 85 CC] [REVIEW: 19 AT AV CR4 MC MI OS] Relays, Reed, Dry, Dual In-Line Package (Dip), General Purpose, Low-Power Coil [CUST: 85 CC]		5945	CC	01-NOV-2011
M MIL-R-83516/4C M MS27709H	[REVIEW: 99] Relays, Electromagnetic, 10 Amperes, 4 PDT, Type I, Hermetically Sealed [CUST: AS 85 CC]		5945 5945	CC	01-NOV-2011 01-NOV-2011
M MS27715C	[REVIEW: 11] Relay, 150 Amp, 3PST, N.O., Type I, Coil and Contacts Individually Sealed [CUST: 85 CC]		5945	CC	01-NOV-2011
M MIL-DTL-18266B NOT 1	Cord Assembly, Electrical: P/O H-87B/U [CUST: AS CC]	A	5995	CC	03-NOV-2011
M MIL-DTL-13169E M MIL-DTL-55040E	Wire, Electrical (for Instrument Test Leads) [CUST: CR 85 CC] [REVIEW: DS MI] Cable, Special Purpose, Electrical (Retractile) [CUST: AR CC] [REVIEW: AT MI]	A	6145 6145	CC CC	03-NOV-2011 04-NOV-2011
15 NOV 2011					

15-NOV-2011

CANCELED SECTION

ASSIST UPDATE

CANCELED SECTION	ASSIST UPDATE					
Z D D D D D D D D D D D D D D D D D D D		DISTRIBUTION	FSC/AREA		PREP ACTY	
TSX		STR	C/A	MCA	EP	
	DOCUMENT TITLE			Ž		DATE
M MIL-T-24960A NOT 1 M A-A-50082 NOT 3 M MIL-R-24730 NOT 2	Truck, Lift, Diesel Engine Driven, Pneumatic Rubber Tires with Tophandler for Handling Cargo Containers (No S/S Document) [CUST: CR4 SA 99 IS] [REVIEW: 84 MC MT OS SH SM YD] Platform, Overhead Work, Forklift (No S/S Document) [CUST: GL SA 99 IS] [REVIEW: AV] Rope, Fibrous Polyester, Eight Strand Plaited (No S/S Document) [CUST: GL SH 99 IS] [REVIEW:		3990	/	IS IS IS	07-NOV-2011 07-NOV-2011 07-NOV-2011
M MIL-R-24750 NOT 2 M MIL-C-40088A(1) NOT 1	71 AS MC] Rope, Fibrous, Single-Braided (No S/S Document) [CUST: GL SH 99 IS] [REVIEW: 71] Cord, Acrylic, Lacing (No S/S Document) [CUST: AR IS]	A A	4020		IS IS	07-NOV-2011 07-NOV-2011
M MIL-C-87129A NOT 2 M MIL-R-22928B NOT 3 M MIL-T-28571G NOT 2	Cord, Fibrous, Aramid Braided (No S/S Document) [CUST: GL AS 11 IS] [REVIEW: 71 99 MC SH] Receivers, Liquid Refrigerant-12 (No S/S Document) [CUST: GL MC IS] [REVIEW: CR4 MD] Truck, Firefighting, Structural, 1,000 GPM, 4 BY 2 (No S/S Document) [CUST: YD IS] [REVIEW:	A A A	4130		IS IS IS	07-NOV-2011 07-NOV-2011 07-NOV-2011
M MIL-T-28690 NOT 2	MC Truck, Firefighting, Structural, 1,000 GPM, 4 BY 2 with 50 Foot Telescoping Boom Escape Ladder		4210		IS	07-NOV-2011 07-NOV-2011
M MIL-T-28691 NOT 2	and Water Tower (No S/S Document) [CUST: YD IS] Truck, Firefighting, Structural, 1,000 GPM, 4 By 2 With 65 Foot Telescoping Boom Escape Ladder		4210		IS	07-NOV-2011
M ASTM-C87	and Water Tower (No S/S Document) [CUST: YD IS]		5610		IS	07-NOV-2011
M ASTM-C142	Aggregate, Fine, Effect of Organic Impurities in, on Strength of Mortar, Standard Test Method for (See Notice of Withdrawal for Replacement Information) [CUST: YD IS] [REVIEW: MC] Clay Lumps and Friable Particles in Aggregates (See Notice of Withdrawal for Replacement		5610		IS	07-NOV-2011
M ASTM-C233	Information) [CUST: CR4 YD 99 IS] [ŘEVIEW: 84 MC] Air-Entraining Admixtures for Concrete (See Notice of Withdrawal for Replacement Information)	A	5610		IS	07-NOV-2011
M ASTM-C260	[CUST: CR4 YD IS] [REVIEW: MC] Concrete, Air-Entraining Admixtures for (See Notice of Withdrawal for Replacement Information)	A	5610		IS	07-NOV-2011
M ASTM-C331	[CUST: CR4 YD IS] [REVIEW: SH] Concrete Masonry Units, Lightweight Aggregates for, Standard Specification for (See Notice of	A	5610		IS	07-NOV-2011
M ASTM-C615	Withdrawal for Replacement Information) [CUST: YD 99 IS] Granite Dimension Stone (See Notice of Withdrawal for Replacement Information) [CUST: YD IS]	A	5610		IS	07-NOV-2011
M MIL-C-11015/25C NOT 2	[REVIEW: MC] Capacitors, Fixed, Ceramic Dielectric, (General Purpose) Style CK31 and CK32 (No S/S Document)	A	5910		CC	16-NOV-2011
M MS26578B(1) NOT 2	[CUST: EC 85 CC] Lights, Marker, Airport, Semiflush, Base Mounted, Bidirectional and Unidirectional (No S/S	A	6210		IS	07-NOV-2011
M MS27033B(1) NOT 4	Document) [CUST: AS 99 IS] [REVIEW: 71] Light, Marker, Airport, Semiflush, Base Mounted, Omnidirectional (No S/S Document) [CUST: AS	A	6210		IS	07-NOV-2011
M MIL-DTL-28689C NOT 1	99 IS] [REVIEW: 71] Containers, Shipping and Storage, Steel Wall (With and Without Cabinetry) (No S/S Document)	A	8145		IS	07-NOV-2011
M MIL-DTL-3918B NOT 1	[CUST: GL YD IS] [REVIEW: OS] Lubricating Oil, Instrument, Jewel Bearing (No S/S Document, see Notice 1 for Additional Information) [CUST: AR AS 11 GS] [REVIEW: 68 AT AV MI OS SA SH]	A	9150		GS3	31-OCT-2011
15-NOV-2011	2	_				

15-NOV-2011