

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 November 2015

(For the Period 1 November 2015 to 14 November 2015)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

| DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|------------------------|---|--------------|----------|-----|-----------|-------------|
| M MIL-DTL-32493(1) | Mount, Tripod, Machine Gun: M205 [CUST: AR] | D | 1005 | | AR | 04-NOV-2015 |
| M MIL-DTL-1312F(4) | Cartridge, Caliber .30, Blank - M1909 [CUST: AR OS 99] [REVIEW: 70 AS MC MR SH] | D | 1305 | | AR | 30-OCT-2015 |
| M MIL-DTL-3498C(4) | Cartridge, Dummy (for Small Arms) [CUST: AR OS 99] [REVIEW: 40 70 AS MC MR SH] | D | 1305 | | AR | 30-OCT-2015 |
| M MIL-DTL-63108C | Cartridge, Impulse: M796 [CUST: AR] | D | 1377 | | AR | 30-OCT-2015 |
| M MIL-DTL-32417(1) | Fuze, Point Detonating: Practice - M781 [CUST: AR] | D | 1390 | | AR | 02-NOV-2015 |
| M MIL-DTL-48637B | Fuze, Point Detonating: Practice, M751 [CUST: AR] | D | 1390 | | AR | 02-NOV-2015 |
| M MIL-DTL-71127A(1) | Fuze, Point Detonating: Practice - M775 [CUST: AR] | D | 1390 | | AR | 02-NOV-2015 |
| M MIL-STD-1466 NOT 3 | Safety Criteria and Qualification Requirements for Pyrotechnic Initiated Explosive (PIE) Ammunition [CUST: AR OS 99] [REVIEW: 11 170 69 AS AV MC MI TE] | A | 13GP | | AR | 26-OCT-2015 |
| M A-A-52470A NOT 1 | Filter, Fluid, Pressure and Filter Element, Fluid, Pressure-Automotive Fuel (45 GPH Filtration) [CUST: AT YD 99] [REVIEW: CC MC] | A | 2910 | / | AT | 16-NOV-2015 |
| M MIL-DTL-62337C NOT 1 | Air Cleaner Assembly [CUST: AT] | A | 2940 | | AT | 16-NOV-2015 |
| M MIL-PRF-53012A NOT 2 | Suspension Kit, Collapsible Hoseline [CUST: AT] | A | 4610 | | AT | 10-NOV-2015 |
| M MIL-PRF-53013B NOT 2 | Repair Kit, 6-Inch Hoseline [CUST: AT] [REVIEW: CC] | A | 4610 | | AT | 04-NOV-2015 |
| M MS14305D | Fittings, Pipe, Brass or Bronze, Threaded (Tees, Crosses, 45-Degree Elbows, and Couplings), Class 125 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] | A | 4730 | | CC | 01-NOV-2015 |
| M MS14306D | Fittings, Pipe, Brass or Bronze, Threaded (Reducers, Close and Open Return Bends, and 45-Degree Y-Branched), Class 125 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] | A | 4730 | | CC | 01-NOV-2015 |
| M MS14307D | Elbows, Pipe, Brass or Bronze, Threaded, 45-Degree, Street, Class 125 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] | A | 4730 | | CC | 01-NOV-2015 |
| M MS14308D | Elbows, Pipe, Brass or Bronze, Threaded, 90-Degree, Reducing, Class 125 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] | A | 4730 | | CC | 01-NOV-2015 |
| M MS14309E | Tees, Pipe, Brass or Bronze, Threaded, Reducing, Class 125 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] | A | 4730 | | CC | 01-NOV-2015 |
| M MS14311D | Fittings, Pipe, Brass or Bronze, Threaded (90-Degree Elbows, Tees, Crosses, 45-Degree Elbows, and Couplings), Class 250 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] | A | 4730 | | CC | 01-NOV-2015 |
| M MS14312D | Elbows, Pipe, Brass or Bronze, Threaded, 90-Degree, Reducing, Class 250 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] | A | 4730 | | CC | 01-NOV-2015 |
| M MS14314E | Plugs, Pipe, Brass or Bronze, Threaded (Square Head and Square Socket), Classes 250 and 125 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA SH YD] | A | 4730 | | CC | 01-NOV-2015 |
| M MS14315D | Bushings, Pipe, Brass or Bronze, Threaded (Outside Head, Inside Head, and Face) Class 250 [CUST: AT MC 99 CC] [REVIEW: 71 AR CE EA SA] | A | 4730 | | CC | 01-NOV-2015 |
| M MS51845E | Elbows, Pipe, Brass or Bronze, Threaded, 90-Degree, Straight, Class 125 [CUST: AR MC 99 CC] [REVIEW: 71 CE EA SA SH YD] | A | 4730 | | CC | 01-NOV-2015 |
| M MS51952D | Elbows, Pipe, Brass or Bronze, Threaded, 90-Degree, Street, Class 125 [CUST: AR YD 99 CC] [REVIEW: AV CR4 SA] | A | 4730 | | CC | 01-NOV-2015 |
| M WW-P-460F | Pipe Fittings Brass or Bronze (Threaded), Classes 125 and 250 Pound [CUST: CR4 YD 99 CC] [REVIEW: 71 AR CE CG EA MC SA] | A | 4730 | / | CC | 01-NOV-2015 |
| M MIL-PRF-39002/1G(1) | Resistor, Variable, Wirewound, Semi-Precision, Style RK09 [CUST: CR CC] [REVIEW: AR] | A | 5905 | | CC | 27-OCT-2015 |
| M MIL-DTL-28754/47C | Connectors, Electrical Modular, Type IV, Connector, 100 Pin, Right Angle Contact Tails on 100 Centers [CUST: CR AS 85 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 04-NOV-2015 |
| M MIL-DTL-28754/49A | Connectors, Electrical, Modular, Housing [CUST: CR AS 85 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 04-NOV-2015 |
| M MIL-DTL-28754/50B | Connectors, Electrical, Modular, Insert, Top [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI YD] | A | 5935 | | CC | 04-NOV-2015 |
| M MIL-DTL-28754/51B | Connectors, Electrical, Modular, Insert, Bottom [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI] | A | 5935 | | CC | 04-NOV-2015 |
| M MIL-DTL-28754/54C | Connectors, Electrical, Modular, Extractor, Module, Single and Double Span, Styles I and II [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI] | A | 5935 | | CC | 04-NOV-2015 |
| M MIL-DTL-28754/55A | Connectors, Electrical, Modular, Connector Assembly, Type V, Cable Connector, 100 Pin, Contacts on 100 Centers [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI] | A | 5935 | | CC | 04-NOV-2015 |
| M MIL-DTL-28754/68A | Connectors, Electrical, Modular, Connector Frame, Type IV, Double Span, T-Dip [CUST: CR AS 85 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 04-NOV-2015 |
| M MIL-DTL-28754/70A | Connectors, Electrical, Modular, Connector Frame, Type IV, Single Span, Center [CUST: CR AS 85 CC] [REVIEW: 99 MI] | A | 5935 | | CC | 04-NOV-2015 |
| M MIL-DTL-28754/73B | Connectors, Electrical, Modular, Connector Assembly, Type IV, 100 Contact, Double Span, Dip [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI] | A | 5935 | | CC | 04-NOV-2015 |
| M MIL-DTL-28754/74B | Connectors, Electrical, Modular, Connector Assembly, Type IV, 100 Contact, Double Span, Center [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI] | A | 5935 | | CC | 04-NOV-2015 |
| M MIL-DTL-28754/75B | Connectors, Electrical, Modular, Connector Assembly, Type IV, 100 Contact, Double Span, Offset [CUST: CR AS 85 CC] [REVIEW: 99 AR MC MI] | A | 5935 | | CC | 04-NOV-2015 |
| M MS3115G(1) NOT 1 | Connectors, Receptacle, Electrical, Dummy Stowage, Bayonet Coupling, for MIL-DTL-26482 Connectors, Series 1 and 2 [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MI SH] | A | 5935 | | CC | 27-OCT-2015 |
| M MS3470E(2) NOT 1 | Connectors, Receptacle, Electrical, Series 2, Crimp Type, Narrow Flange Mount, Bayonet Coupling, Classes A, D, L, T, W and K [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC SH] | A | 5935 | | CC | 27-OCT-2015 |
| M MS3471E(2) NOT 1 | Connectors, Receptacle, Electrical, Series 2, Crimp Type, Cable Connecting, Bayonet Coupling, Classes A, D, L, T, W and K [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC SH] | A | 5935 | | CC | 27-OCT-2015 |
| M MS3472E(2) NOT 1 | Connectors, Receptacle, Electrical, Series 2, Crimp Type, Wide Flange Mounting, Bayonet Coupling, Classes A, D, L, T, W and K [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC SH] | A | 5935 | | CC | 27-OCT-2015 |
| M MS3474J(2) NOT 1 | Connectors, Receptacle, Electrical, Series 2, Crimp Type, Rear Mounting Jam Nut, Bayonet Coupling, Classes A, D, L, T, W and K [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC NA SH] | A | 5935 | | CC | 27-OCT-2015 |
| M MS3475G(1) | Connectors, Plug, Electrical, RFI Shielded, Series 2, Crimp Type, Bayonet Coupling, Classes A, D, L, T, W and K [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC SH] | A | 5935 | | CC | 27-OCT-2015 |
| M MS3476G(1) | Connectors, Plug, Electrical, Series 2, Crimp Type, Bayonet Coupling, Classes A, D, L, T, W and K [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC SH] | A | 5935 | | CC | 27-OCT-2015 |
| M A-A-55469/5A | Connectors, Electrical, Plugs, TIP, Single, Miniature Test Point Plug 080 [CUST: 85 CC] [REVIEW: 99] | A | 5935 | / | CC | 25-OCT-2015 |
| M A-A-59126/29C | Terminals, Stud, Single Turret (Noninsulated, Swage Mounted) Style SE29 [CUST: CR AS 85] [REVIEW: 99 GS] | A | 5940 | / | CR | 25-OCT-2015 |
| M A-A-59126/30C | Terminals, Stud, Double Turret (Noninsulated, Swage Mounted) Style SE30 [CUST: CR AS 85] [REVIEW: 99 GS] | A | 5940 | / | CR | 25-OCT-2015 |
| M MIL-PRF-2747C(1) | Transformers, Power, 25 Volt Amperes, 400 HZ Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS] | A | 5950 | | CC | 06-NOV-2015 |

ACTIVE SECTION

ASSIST UPDATE

| DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION FSC/AREA | MCA PREP ACTY | DATE |
|----------------------------|---|--------------------------|------------------|-------------|
| M MIL-PRF-19500/177H NOT 1 | Semiconductor Device, Transistor, PNP, Silicon Low-Power Types 2N1131, 2N1131L, 2N1132, 2N1132L, JAN, JANTX and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MI SM] | A 5961 | CC | 02-NOV-2015 |
| M MIL-PRF-19500/225K NOT 1 | Semiconductor Device, Transistor, NPN, Silicon, Types 2N1711, 2N1711S, 2N1890, and 2N1890S, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AV MC MI SM] | A 5961 | CC | 02-NOV-2015 |
| M MIL-PRF-19500/533M | Diode, Silicon, Voltage Regulator, Types 1N6309 through 1N6355 Plus C and D Tolerance Suffix, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS] | A 5961 | CC | 30-OCT-2015 |
| M MIL-PRF-19500/583C | Transistor, NPN, Silicon Amplifier, Types 2N5681 and 2N5682, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] | A 5961 | CC | 27-OCT-2015 |
| M MIL-PRF-19500/594B NOT 1 | Semiconductor Device, Diode, Silicon, Power Rectifier, Ultra Fast Recovery, Low Leakage, Types 1N6664 through 1N6666, and 1N6664R through 1N6666R JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM] | A 5961 | CC | 02-NOV-2015 |
| M MIL-PRF-19500/684E NOT 1 | Semiconductor Device, Transistor, Field Effect, Silicon, N-Channel, Radiation Hardened (Total Dose and Single Event Effects), Types 2N7472U2, 2N7473U2, and 2N7474U2, JANTXVR and JANSR [CUST: CR EC 85 CC NA] [REVIEW: 99] | A 5961 | CC | 02-NOV-2015 |
| M MIL-PRF-19500/728C NOT 1 | Semiconductor Device, Transistor, NPN, Silicon, Switching, Types 2N3724, 2N3724L, 2N3724UB, 2N3725, 2N3725L, 2N3725UB, JAN, JANTX, JANTXV, JANS, JANSM, JANSJ, JANSP, JANSL, JANSR, JANSF, JANHC, and JANKC [CUST: CR EC 85 CC NA] | A 5961 | CC | 02-NOV-2015 |
| M MIL-PRF-19500/733E | Transistor, Field Effect Radiation Hardened * P-Channel, Silicon, Device, Types 2N7523, and 2N7524, JANTXVR, F and JANSR, F [CUST: CR EC 85 CC NA] [REVIEW: MI] | A 5961 | CC | 04-NOV-2015 |
| M MIL-PRF-19500/762A | Semiconductor Device, Diode, Silicon, Dual Schottky, Common Cathode, Type 1N7062CCT1, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 99] | A 5961 | CC | 28-OCT-2015 |
| M ASTM-D374 | Insulation, Solid Electrical, Thickness of (No S/S Document) [CUST: MR YD 85] [REVIEW: GS IS SH] | A 5970 | YD | 10-NOV-2015 |
| M A-A-55485/2E | Mounting Pads, Electrical-Electronic Component, 200 or 230 Diameter Pin Center [CUST: CR EC 85 CC] [REVIEW: 99] | A 5999 | / CC | 28-OCT-2015 |
| M MIL-PRF-85045/32(1) | Cable, Fiber Optic, Single (One) Fiber, Cable Configuration Type 2 (OFCC), Cable Class SM and MM, Low Smoke Zero Halogen with Extended Performance Characteristics (Metric) [CUST: CR AS 85 CC NA] [REVIEW: 02 19 99 AR AV EC MI SH YD] | A 6015 | CC | 05-NOV-2015 |
| M MIL-DTL-13455E NOT 2 | Filter, Light (for Blackout Secure) [CUST: AT] [REVIEW: CR4 EA GS IS MI] | A 6220 | AT | 02-NOV-2015 |
| M MS25219H NOT 1 | Light - Navigational and Warning, Aircraft [CUST: AV AS 99 GS] [REVIEW: 71] | A 6220 | GS2 | 10-NOV-2015 |
| M MIL-DTL-15098/7C NOT 1 | Lamp, Glow, Indicator, Type B5A [CUST: CR SH 99 GS] [REVIEW: 71 AR AS CG CR4 IS MC MI OS] | A 6240 | GS2 | 04-NOV-2015 |
| M MIL-DTL-15098/9C NOT 1 | Lamp, Glow, Indicator, Type R9A [CUST: CR SH 99 GS] [REVIEW: 71 AR AS CG CR4 IS MC MI] | A 6240 | GS2 | 04-NOV-2015 |
| M MIL-PRF-12048E NOT 2 | Petroleum Testing Kit, Ground Fuels [CUST: AT] [REVIEW: DM EA] | A 6630 | AT | 04-NOV-2015 |
| M A-A-267C NOT 1 | Deodorant, General Purpose (Aerosol Air Freshener) [CUST: GS] | A 6840 | / GS3 | 10-NOV-2015 |
| M A-A-59291A NOT 1 | Ink, Marking (for Parachutes and Other Textile Items) [CUST: GL AS 99] [REVIEW: CR4 MI SA] | A 7510 | / AS | 04-NOV-2015 |
| M MIL-DTL-64159B NOT 1 | Camouflage Coating, Water Dispersible Aliphatic Polyurethane, Chemical Agent Resistant [CUST: MR SH 20] [REVIEW: 84 99 AS CG MD1 MI] | A 8010 | MR | 16-NOV-2015 |
| M A-A-272B NOT 2 | Caulking Compounds [CUST: MR SH 99] | A 8030 | * MR | 16-NOV-2015 |
| M MIL-DTL-3060G(2) | Boxes, Small Arms Ammunition - M19A1 and M2A1 and M2A2 [CUST: AR] | A 8140 | AR | 30-OCT-2015 |
| M MIL-DTL-3943/250C | Medal, Kuwait Liberation, Government of Kuwait [CUST: IH NU 11] [REVIEW: CG1 CT MC] | A 8455 | IH | 03-NOV-2015 |
| M MIL-DTL-11484/141E | Lapel Button, Joint Service Achievement Medal, Department of Defense [CUST: IH MC 11] [REVIEW: CG1 CT] | A 8455 | IH | 03-NOV-2015 |
| M MIL-DTL-11484/152C | Lapel Button, Prisoner of War (POW) Medal [CUST: IH NU 11] [REVIEW: CG1 CT MC SA] | A 8455 | IH | 03-NOV-2015 |
| M MIL-DTL-11484/165C | Lapel Button, Exceptional Engineering Achievement Medal, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 03-NOV-2015 |
| M MIL-DTL-11484/169D | Lapel Button, Distinguished Service Award, U S Coast Guard Auxiliary [CUST: IH CG1] [REVIEW: CT] | A 8455 | IH | 26-OCT-2015 |
| M MIL-DTL-40082D | Hubs and Dies for Heraldic Items [CUST: IH NU 11] [REVIEW: CG1 MC] | A 8455 | IH | 26-OCT-2015 |
| M A-A-20035E | Hominy Grits, Enriched and Grits, Whole Corn [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8920 | / SS | 23-OCT-2015 |
| M A-A-59137A NOT 1 | Lubricating Oil, Breech Block (for Naval Ordnance) [CUST: AT OS GS] [REVIEW: SA] | A 9150 | / GS3 | 10-NOV-2015 |
| M AGEOP-16 ED A | AERONAUTICAL INFORMATION ON AERONAUTICAL CHARTS | A GINT | MP | 08-OCT-2015 |
| M AGEOP-18 ED A | MAXIMUM SIZES FOR MAPS, AERONAUTICAL CHARTS AND OTHER GEOSPATIAL PRODUCTS (EXCLUDING NAUTICAL CHARTS) | A GINT | MP | 08-OCT-2015 |
| M STANAG-2251 ED 7 | SCOPE AND PRESENTATION OF MILITARY GEOGRAPHIC INFORMATION AND DOCUMENTATION (MGID) - AGEOP-17 EDITION A | A GINT | MP | 08-OCT-2015 |
| M STANAG-3412 ED 7 | AERONAUTICAL INFORMATION ON AERONAUTICAL CHARTS - AGEOP-16 EDITION A | A GINT | MP | 08-OCT-2015 |
| M STANAG-3666 ED 4 | MAXIMUM SIZES FOR MAPS, AERONAUTICAL CHARTS AND OTHER GEOSPATIAL PRODUCTS (EXCLUDING NAUTICAL CHARTS) - AGEOP-18 EDITION A | A GINT | MP | 08-OCT-2015 |
| M STANAG-7170 ED 3 | ADDITIONAL MILITARY LAYERS (AML) - DIGITAL GEOSPATIAL DATA PRODUCTS - AGEOP-19 EDITION A | A GINT | MP | 25-SEP-2015 |
| M AEP-55-1 ED C(1) | PROCEDURES FOR EVALUATING THE PROTECTION LEVEL OF ARMoured VEHICLES - KINETIC ENERGY AND ARTILLERY THREAT | A ISDA | AI3 | 21-OCT-2015 |
| M AEP-55-2 ED C(1) | PROCEDURES FOR EVALUATING THE PROTECTION LEVEL OF ARMoured VEHICLES - MINE THREAT | A ISDA | AI3 | 21-OCT-2015 |
| M AMEDP-1 11 ED A(1) | REQUIREMENTS OF INDIVIDUAL OPERATIONAL RATIOnS FOR MILITARY USE | A ISDA | AI | 04-NOV-2013 |
| M AMEDP-1 12 ED A(1) | MEDICAL AND DENTAL SUPPLY PROCEDURES | A ISDA | AI | 21-JAN-2014 |
| M AMEDP-8 2 ED B(1) | BASIC MILITARY HOSPITAL (CLINICAL) RECORDS | A ISDA | AI | 18-DEC-2013 |
| M STANREC-4744 ED 2 | RISK ASSESSMENT OF NON-LETHAL KINETIC ENERGY PROJECTILES - AEP-94 EDITION A & AEP-98 EDITION A | A ISDA | AI3 | 24-APR-2015 |
| M STANAG-2128 ED 6 | MEDICAL AND DENTAL SUPPLY PROCEDURES - AMEDP-1 12 EDITION A | A ISDA | AI | 21-JAN-2014 |
| M STANAG-2348 ED 5 | BASIC MILITARY HOSPITAL (CLINICAL) RECORDS - AMEDP-8 2 EDITION B | A ISDA | AI | 18-DEC-2013 |
| M STANAG-2937 ED 4 | REQUIREMENTS OF INDIVIDUAL OPERATIONAL RATIOnS FOR MILITARY USE - AMEDP-1 11 EDITION A | A ISDA | AI | 04-NOV-2013 |
| M STANAG-4569 ED 3 | PROTECTION LEVELS FOR OCCUPANTS OF ARMoured VEHICLES | A ISDA | AI3 | 21-OCT-2015 |
| M STANAG-2471 ED 4 | CHEMICAL, BIOLOGICAL, RADIOLOGICAL AND NUCLEAR (CBRN) HAZARD MANAGEMENT FOR AIRLIFT OPERATIONS - ATP-88 EDITION A | A ISDD | SO1 | 02-DEC-2014 |

ACTIVE SECTION

ASSIST UPDATE

| DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|------------------------|---|--------------|----------|-----|-----------|-------------|
| M AEC-2 ED D(1) | NATO NAVAL RADIO AND RADAR RADIATION HAZARD MANUAL | A | ISDN | NI | | 20-AUG-2015 |
| N DI-MGMT-82001 | DOD Risk Management Framework (RMF) Package Deliverables [AMSC: N9595] | A | MGMT | AS | | 27-OCT-2015 |
| N DI-MGMT-82002 | NAVAIR Cybersecurity Implementation Plan [AMSC: N9596] | A | MGMT | AS | | 27-OCT-2015 |
| M MIL-DTL-18307H NOT 2 | Nomenclature and Identification for Aeronautical Systems Including Joint Electronics Type Designated Systems and Associated Support Systems [CUST: AS] [REVIEW: 99] | A | SESS | AS | | 04-NOV-2015 |

INACTIVE SECTION

ASSIST UPDATE

| DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION FSC/AREA | MCA PREP ACTY | DATE |
|----------------------------|---|--------------------------|------------------|-------------|
| M MIL-R-13577C(1) NOT 5 | Rod, Cleaning, for Small Arms [CUST: AR OS 84] [REVIEW: MC] | A 1005 | AR | 24-SEP-2015 |
| M MIL-B-20100C(2) NOT 2 | Brushes, Cleaning, for Bore, Chamber and Firing Pin Hole of Small Arms [CUST: AR OS 84] [REVIEW: MC] | A 1005 | AR | 24-SEP-2015 |
| M MS53053A NOT 3 | Bracket Assembly, Tool Kit, Pioneer, General Utility [CUST: AT] [REVIEW: CC CR4 MI] | A 2540 | AT | 02-NOV-2015 |
| M MS51354C NOT 2 | Winch, Drum, Vehicle Mounting: Basic, Mechanically Driven, 45,000 Pounds Capacity [CUST: AT] [REVIEW: CR4] | A 2590 | AT | 02-NOV-2015 |
| M MS51334B NOT 2 | Cable Assembly, Special Purpose Electrical-Generator to Regulator, 25 and 40 AMP System [CUST: AT] [REVIEW: CC] | A 2920 | AT | 03-NOV-2015 |
| M MIL-DTL-83723/27C | Connectors, Electrical, Backshell, with Heat-Shrinkable Strain-Relief Boot (Straight and Right Angle), Threaded Coupling [CUST: CR AS 85 CC] [REVIEW: 99 MI] | A 5935 | CC | 27-OCT-2015 |
| M MIL-S-12109/2 NOT 3 | Solenoid, Electrical, Class 2 (Machine Gun) Cal 30, 24 Volt DC, 4 5 AMP Max [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | 03-NOV-2015 |
| M MIL-S-12109/6 NOT 3 | Solenoid, Electrical Class 1 (Cannon), 90 MM, 24 Volt DC, 28 AMP Max [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | 03-NOV-2015 |
| M MIL-S-12109/7 NOT 3 | Solenoid, Electrical Class 1 (Cannon), 90 MM, 24 Volt DC, 28 AMP Max [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | 03-NOV-2015 |
| M MIL-S-12109/9 NOT 3 | Solenoid, Electrical Class 1 (Cannon) 90 MM, 24 Volt DC, 28 AMP Max [CUST: AT OS 85] [REVIEW: 99 AR MC] | A 5945 | AT | 03-NOV-2015 |
| M MIL-S-12109/16 NOT 3 | Solenoid, Electrical Class 2 (Machine Gun) Cal 30, 12 Volt DC, 8 AMP Max [CUST: AT OS 85] [REVIEW: 99 AR AV CC MC] | A 5945 | AT | 04-NOV-2015 |
| M MIL-S-12109/17 NOT 3 | Solenoid, Electrical Class 1 (Cannon) 90 MM, 24 Volt DC, 28 AMP Max [CUST: AT OS 85] [REVIEW: 99 AR AV CC MC] | A 5945 | AT | 03-NOV-2015 |
| M MIL-S-12109/18 NOT 3 | Solenoid, Electrical Class 1 (Cannon) 76 MM, 24 VOLT DC, 28 AMP Max [CUST: AT OS 85] [REVIEW: 99 AR AV CC MC] | A 5945 | AT | 03-NOV-2015 |
| M MIL-S-12109/19 NOT 3 | Solenoid, Electrical Class 1 (Cannon) 90 MM, 24 Volt DC, 28 AMP Max [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | 03-NOV-2015 |
| M MIL-PRF-19500/99F(1) | Transistor, NPN, Silicon, Switching, Medium-Power, through-Hole Mount, Types 2N696 and 2N697, Quality Level JAN [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI SH] | A 5961 | CC | 29-OCT-2015 |
| M MIL-PRF-19500/268D | Transistor, NPN, Silicon, High-Speed Switching through-Hole Mount, Type 2N2481, Quality Levels JAN and JANTX [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV CG MC MI NA OS SH SM] | A 5961 | CC | 28-OCT-2015 |
| M MIL-PRF-19500/359K NOT 1 | Semiconductor Device, Diode, Silicon, Fast Recovery, Power Rectifier, 1N4942, 1N4944, 1N4946, 1N4947, and 1N4948, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 19 70 71 99 AR AS MC MI SM] | A 5961 | CC | 02-NOV-2015 |
| M MS51330A NOT 2 | Stop Light-Tail-light, Blackout Vehicle-24 Volt [CUST: AT YD 99] [REVIEW: GS IS MI] | A 6220 | AT | 03-NOV-2015 |

CANCELED SECTION

ASSIST UPDATE

| DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION FSC/AREA | MCA PREP ACTY | DATE |
|----------------------|--|--------------------------|------------------|-------------|
| M A-A-52443A NOT 1 | Lubricant, Mold, Tire, Silicone Base Emulsion (Metric) (No S/S Document) [CUST: AT] | A 2640 | / AT | 02-NOV-2015 |
| M A-A-52625 NOT 3 | Lubricant, Tire and Rim, Demounting (No S/S Document) [CUST: AT YD 99] [REVIEW: 84 AS AV MC] | A 2640 | / AT | 29-OCT-2015 |
| M MIL-T-26561C NOT 3 | Tester, Type MA-2 Reception Coupling Break-Away Force, Portable (No S/S Document) [CUST: 184] [REVIEW: 99] | A 4920 | 184 | 30-OCT-2015 |
| M MIL-R-82184A NOT 3 | Regulator Assembly, Skid Mounted: 6-Inch (No S/S Document) [CUST: MC] | A 4930 | MC | 20-OCT-2015 |
| M ASTM-D3539 | Liquids, Rates of Volatile Evaporation by Shell, Thin-Film Evaporometer (No S/S Document) [CUST: MR SH 99] [REVIEW: 84 AS] | A 8010 | MR | 12-NOV-2015 |
| M ASTM-A308/A308M | Steel Sheet, teme (Lead-tin Alloy) Coated by the Hot-Dip Process (No S/S Document) [CUST: MR] [REVIEW: IS YD] | A 9515 | MR | 10-NOV-2015 |