# **Department of Defense Standardization Program**



# **ASSIST UPDATE**

(A bi-monthly summary of changes to the ASSIST Document database)

15 October 2014

(For the Period 1 October 2014 to 14 October 2014)

### ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document.

"N" indicates that a "new" document has been entered into the ASSIST database.

"M" indicates that a document already in ASSIST has been "modified" in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <u>https://assist.dla.mil/</u> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <a href="https://assist.dla.mil/online/registration/registration.cfm">https://assist.dla.mil/online/registration.cfm</a>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <u>https://assist.dla.mil/online/news/AlertService.htm</u>.

#### Downloaded from http://www.everyspec.com

# ACTIVE SECTION

ACTIVE SECTION	ASSIST UPDATE					
N		NO				
DIL		UTI	Y.		ACTY	
AC		RIB	ARE		AC	
T ACTION CTION CONTRACTION CONTRACTOR		DISTRIBUTION	FSC/AREA	MCA	PREP	
DOCUMENT NUMBER	DOCUMENT TITLE Cartridge, 7 62 Millimeter: Ball - M80A1 [CUST: AR OS 99] [REVIEW: 69 AS AV MC MI MR			Σ	五 AR	DATE 29-SEP-2014
N MIL-DIL-32487	SH]		1505		AK	29-3EF-2014
N MIL-DTL-32486	Projectile, 155MM: Infrared Illuminating – M1123 and Illuminating – M1124 [CUST: AR]		1320		AR	01-OCT-2014
M MIL-PRF-85899A NOT 1	Fuel Gelling Mixture [CUST: AS]	A	1325 15GP		AS	07-OCT-2014
M MIL-HDBK-2069 NOT 1 M MIL-HDBK-2089 NOT 1	Aircraft Survivability [CUST: AV AS 11] Aircraft Survivability Terms [CUST: AV AS 11]	A			AS AS	07-OCT-2014 07-OCT-2014
M MIL-PRF-8932B SUP 1 NOT 1	Switches, Pressure, Bulkhead Mounted, Aircraft, General Specification for [CUST: AV AS 99]		1650		AS	09-OCT-2014
M MIL-PRF-8932/1A NOT 1	[REVIEW: 71 CC GS MC MI] Switches, Pressure, Bulkhead Mounted, Aircraft, Absolute, Class 1 [CUST: AV AS 99] [REVIEW:	A	1650		AS	07-OCT-2014
M MIL-PRF-8932/2A NOT 1	71 CC GS MC MI] Switches, Pressure, Bulkhead Mounted, Aircraft, Differential, Class 2 [CUST: AV AS 99]	A	1650		AS	09-OCT-2014
M MIL-PRF-8932/3A NOT 1	[REVIEW: 71 CC GS MC MI] Switches, Pressure, Bulkhead Mounted, Aircraft, Gauge, Class 3 [CUST: AV AS 99] [REVIEW: 71 CC CS MC MU	A	1650		AS	09-OCT-2014
M MIL-PRF-8932/4A NOT 1	CC GS MC MI] Switches, Pressure, Bulkhead Mounted, Aircraft, Approximate Gauge, Class 4 [CUST: AV AS 99] [REVIEW: 71 CC GS MC MI]	A	1650		AS	09-OCT-2014
M MIL-F-8815/6B NOT 2	Filter Elements, Noncleanable, Fluid Pressure, Hydraulic Line, 3000 PSI, 5 Micron Absolute, -65 Degree to +275 Degree Fahrenheit [CUST: AV AS 11 GSI [REVIEW: 71 99 CC MI SH]	A	1650		AS	07-OCT-2014
M MIL-DTL-6000D(2) NOT 1	Hose, Rubber, Aircraft, Fuel, Oil, Coolant, Water, and Alcohol [CUST: AT AS 99 CC] [REVIEW: 71 CG CR4 MC MI SA]	A	4720		CC	01-OCT-2014
M MIL-DTL-20176H	Hose and Hose Assembly, Rubber, Smooth Bore, Light-Weight Sewage Discharge and Oily Waste Discharge [CUST: CR4 YD 99 CC] [REVIEW: 71 SH]	А	4720		CC	01-OCT-2014
M MIL-DTL-25579H	Hose Assembly, Polytetrafluoroethylene, High Temperature, Medium Pressure, General Specification for [CUST: AV AS 99 CC] [REVIEW: 71 AR AT EA MC MI SA SH]	A	4720		CC	03-OCT-2014
M MIL-DTL-26633F	Hose Assembly, Nonconductive, Polytetrafluoroethylene, Oxygen [CUST: AV AS 99 CC] [REVIEW: 71 CG MC SA SH]	A	4720		CC	03-OCT-2014
M MS20762C	Elbow, Flared Tube, Flanged, Swivel, 90 Degrees [CUST: AV AS 99 CC] [REVIEW: 71 AR MC [MI SA]	А	4730		CC	10-OCT-2014
M MIL-HDBK-1655 NOT 1	Classification of Defects of Flareless and Beam Seal Fittings [CUST: AV AS 99] [REVIEW: 71 CC MC]	A	4730		AS	07-OCT-2014
M A-A-59440D	Cock-Valves and Valves, General Requirements for [CUST: AR SH 99 CC] [REVIEW: 71 AS AT AV CR4 GL MC MI SA]	А	4820	/	CC	10-OCT-2014
M MIL-PRF-22885H(1) SUP 1	Switches, Push Button, Illuminated, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	24-SEP-2014
M MIL-PRF-24236/1P(2)	Switches, Thermostatic, (Bimetallic), Subminiature, Type I, Hermetically Sealed, Single Pole, Single Throw (SPST), 5 Amperes, and Low Level [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS]	A	5930		CC	24-SEP-2014
M MIL-DTL-641F SUP 1	Jacks, Telephone, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CR4 MC MI OS SH]	A	5935		CC	10-OCT-2014
M MIL-DTL-642E SUP 1	Plugs, Telephone, and Accessory Screws General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CR4 MC MI OS SH]		5935		CC	10-OCT-2014
M MIL-PRF-83536E SUP 1	Relays, Electromagnetic, Established Reliability, General Requirements for [CUST: CR EC 85 CC] [REVIEW: 99 AS MDA NA]	A			CC	24-SEP-2014
M MIL-PRF-83726F SUP 1	Relays, Hybrid and Solid State, Time Delay, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99 AS]		5945		CC	29-SEP-2014
M MIL-PRF-3098/92G	Crystal Unit, Quartz, CR116/U [CUST: CR EC 85 CC] [REVIEW: 99]		5955		CR	17-SEP-2014
M MIL-PRF-1/37F M MIL-PRF-1/1634F	Electron Tube, Power Type 8166 [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CG MC MI OS SH] Electron Tube, Power Types 8321, 8321A, and 8322 [CUST: CR EC 85 CC] [REVIEW: 99 AS AV				CC CC	23-SEP-2014 23-SEP-2014
WI WILL-I KI-1/1034F	CE CG CR4 MC MI OS SM]		5900		cc	25-511-2014
M MIL-PRF-1/1648D	Electron Tube, Power Type 8660 [CUST: EC 85 CC] [REVIEW: AS CG MC OS]	A			CC	23-SEP-2014
M MIL-PRF-1/1670E M MIL-PRF-1/1725C	Electron Tube, Power Type 8590 [CUST: 85 CC] [REVIEW: 99] Electron Tube, Power Type 8169 [CUST: CR 85 CC] [REVIEW: 99 AR AV MI]	A A			CC CC	23-SEP-2014 23-SEP-2014
M MIL-PRF-1/1767E	Electron Tube, Power Type 8281 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV CG MC MI OS]	A			CC	23-SEP-2014
M MIL-PRF-19500/554E NOT 1	Semiconductor Device, Diode, Silicon, Schottky Barrier, Fast Recovery, Type 1N6392, JAN,	A	5961		CC	07-OCT-2014
M MIL-PRF-19500/754 NOT 1	JANTX, JANTXV, and JANHC [CUST: 11 CC] [REVIEW: 19 99] Semiconductor Device, Diode, Silicon, Schottky, Dual, Common Cathode, Type 1N7064CCU3 and IN7064CCU3C LAN LANTYV, and LANE (CUST, CO ECC 85 CC MA)	А	5961		CC	07-OCT-2014
M MIL-DTL-83526D	1N7064CCU3C, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] Connectors, Fiber Optic, Circular, Environmental Resistant, Hermaphroditic, General Specification for [CUST: CR AS 85 CC] [REVIEW: 19 99 MI NA SH]	Α	6060		CC	23-SEP-2014
M MIL-DTL-83526/20C	Connector, Fiber Optic Plug, Circular Hermaphroditic, In-Line Mount, 2 and 4 Positions, Expanded Beam [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 NA]	A	6060		CC	23-SEP-2014
M MIL-DTL-83526/21C	Connector, Fiber Optic, Circular Hermaphrotitic, Bulkhead, Low Profile without Strain Relief, Jam- Nut Mount, 2 and 4 Positions, Expanded Beam [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 NA]	А	6060		CC	23-SEP-2014
M MIL-DTL-17/212A	Cables, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/212-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	05-OCT-2014
M MIL-DTL-17/214A	Cables, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/214-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	05-OCT-2014
M MIL-DTL-17/215A	Cables, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/215-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	А	6145		CC	05-OCT-2014
M MIL-DTL-17/216A	Cables, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/216-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	05-OCT-2014
M MIL-DTL-17/217A	Cables, Radio Frequency, Flexible Coaxial, 50 OHMS, M17/217-00001 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	A	6145		CC	05-OCT-2014
M MIL-DTL-17/218A	Cables, Radio Frequency, Flexible Coaxial, 125 OHMS, M17/218-00001, Unarmored, M17/218-00002, Armored [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH]	А	6145		CC	05-OCT-2014
M A-A-59176B M MIL-DTL-3628/168A	Marker Light, Personal Distress [CUST: CR4 AS 99 GS] [REVIEW: SH YD] Badge, Qualification, Aviation, Enlisted Aircrew Member, U S Air Force [CUST: IH 11] [REVIEW: CT]	A A		/	GS2 IH	30-SEP-2014 29-SEP-2014
M MIL-DTL-3628/169A	Badge, Qualification, Aviation, Enlisted Aircrew Member, Senior, U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	29-SEP-2014

## ACTIVE SECTION

#### Downloaded from http://www.everyspec.com

ACTIVE SECTION	ASSIST UPDATE				
z		N			
Z ULJU LSE T DOCUMENT NUMBER		DISTRIBUTION		¥	
CI		BU	FSC/AREA	MCA PREP ACTY	
LA		E	AR	, A	
LSV		ST	C'	MCA PREP	
DOCUMENT NUMBER	DOCUMENT TITLE	Ξ	FS	PF M	DATE
M MIL-DTL-3628/170A	Badge, Qualification, Aviation, Enlisted Aircrew Member, Chief, U S Air Force [CUST: IH 11]	Α	8455	IH	29-SEP-2014
	[REVIEW: CT]				
M MIL-DTL-3628/171A	Badge, Qualification, Aviation, Navigator or Aircraft Observer, U S Air Force [CUST: IH 11] [REVIEW: CT]	A	8455	IH	29-SEP-2014
M MIL DDE 20590C NOT 1			0465	4.0	07 007 2014
M MIL-PRF-29580C NOT 1	Spectacles, Aviator's, Multiple Wavelength Laser Protective, EDU-5/P (With Case) [CUST: GL AS] Set of Group Identification Plate [CUST: AS]	A	8465 9905	AS	07-OCT-2014
M MIL-DTL-15024/1B NOT 1		A		AS	07-OCT-2014
M MIL-DTL-15024/2A NOT 1	Unit or Plug-in Assembly Identification Plate [CUST: AS 99] [REVIEW: 84]	A		AS	07-OCT-2014
M MIL-DTL-15024/3A NOT 1	Identification Cable Band [CUST: AS 99]	A	9905 ISDD	AS	07-OCT-2014
N AJP-3 10 1 ED B(1)	ALLIED JOINT DOCTRINE FOR PSYCHOLOGICAL OPERATIONS	C	ISDD	SO1	09-FEB-2014
N AFLP-3713 ED A(1)	DETERMINATION OF PARTICULATE MATTER IN AEROSPACE HYDRAULIC FLUIDS USING A PARTICLE ANALYSER	A	ISDF	06	09-MAY-2014
N AFSP-2 ED A(1)	AIRCRAFT MARSHALLING SIGNALS	Δ	ISDF	06	09-APR-2014
N AAMEDP-19ED A	INITIAL INVESTIGATION AND IMMEDIATE MANAGEMENT OF LASER EYE DAMAGE IN			06	09-AUG-2014
N AAMEDI-19ED A	AIRCREW	п	1501	00	09-A00-2014
N STANAG-3117 ED 9	AIRCRAFT MARSHALLING SIGNALS - AFSP-2 EDITION A	A	ISDF	06	04-SEP-2014
N STANAG-3713 ED 6	DETERMINATION OF PARTICULATE MATTER IN AEROSPACE HYDRAULIC FLUIDS		ISDF	06	05-SEP-2014
	USING A PARTICLE SIZE ANALYSER	· ·			
N STANAG-7165 ED 2	INITIAL INVESTIGATION AND IMMEDIATE MANAGEMENT OF LASER EYE DAMAGE IN	A	ISDF	06	09-AUG-2014
	AIRCREW - AAMEDP1 9 EDITION A				
N AEP-80 ED A	UNMANNED SYSTEMS AIRWORTHINESS REQUIREMENTS - ROTARY WING		ISDN	NI	09-APR-2014
N STANAG-4703 ED 1	LIGHT UAV SYSTEMS AIRWORTHINESS REQUIREMENTS	А		NI	04-SEP-2014
M MIL-DTL-32495(I1)	Aluminum-Based Powders for Cold Spray Deposition [CUST: MR]	А	MFFP	MR	26-SEP-2014
N DI-MFFP-81972	United States Air Force (USAF) Corrosion Prevention and Control Plan Documentation [AMSC:	А	MFFP	11	26-SEP-2014
	F9501]				
M DI-CMAN-81516 NOT 1	As Built Configuration List (ABCL) [AMSC: N7192]		SESS	AS	07-OCT-2014
M MIL-STD-963C	Data Item Descriptions (DIDs) [CUST: MI SH 10 DH SO] [REVIEW: 01 11 16 AM AR AS AT AV CR DC6 DI DS EA EC GL GS IS MC NM NS OM OS SA SM TM YD] [AMSC: D9502]	Α	STDZ	SO	24-SEP-2014

#### Downloaded from http://www.everyspec.com

# INACTIVE SECTION

INACTIVE SECTION	ASSIST UPDATE			
st Action		TRIBUTION '/AREA	A IP ACTY	
	DOCUMENT TITLE	SC	AC. RE	
	DOCUMENT TITLE			
DOCUMENT NUMBER     M   AN839 REV 9     M   AN840 REV 11     M   AN842 REV 13(1)     M   MIL-V-24517(2) NOT 1     M   MIL-R-83407D     M   MIL-PRF-1/22J(1) NOT 2     M   MIL-PRF-1/26E NOT 2     M   MIL-DTL-4339E NOT 1	DOCUMENT TITLE   Fibrew, Totagith, Pipe to Hose, ICUST: AV AS 99 CC] (REVIEW: 71 SA1,   Adapter, Straight, Pipe to Hose, 90 Degrees (CUST: AV AS 99 CC] (REVIEW: 71,   Yalve, Skem (Mercury Wetted) General Specification for [CUST: S5 CC] (REVIEW: 99]   Electron Tube, Gas Switching, Quiet Design (SUST: SH1)   Relays, Reed (Mercury Wetted) General Specification for [CUST: S5 CC] (REVIEW: 99]   Electron Tube, Gas Switching Type 1B63A, 10337, C612 and S64 [CUST: CR EC S5 CC]   RUTUB'99 AR AS CG MC 05 SH1   Electron Tube, Gas Switching Type 1B63A, 10(ST): CR EC S5 CC] (REVIEW: 99 AS CG MC)   Corrosion Preventive, Soluble Oil for Water Injection Systems (NATO Code Number C-630)   UST: SH 68 GS] [REVIEW: 11 N]	NOLLINII ISICI A 4730 A 4730 A 4730 A 5945 A 5960 A 6850	MCA CC CC CC CC CC CC CC CC CC CC CC CC C	DATE 01-OCT-2014 03-OCT-2014 22-JUL-2014 23-SEP-2014 23-SEP-2014 07-OCT-2014

# CANCELED SECTION

	TAOTEO A T	DOCUMENT NUMBER M ASTM-D2751		"RIBUTION	/AREA		PREP ACTY	
ID // CC	10	A DOCUMENT NUMBER	DOCIMENT TITLE	LSIC	FSC,	MCA	PRE	DATE
ID // CC	ī	ASTM-D2751	Acrylonitrile-Butadiene-Styrene (ABS) Sewer Pipe and Fittings (No S/S Document) [CUST: CR4	A	4710	-	CC	10-OCT-2014
			YD 99 CC] Pin Cotter (Split)(S/S by ASME-B18.8.1) ICUST: AR OS 99 ISI (REVIEW: 71 FA MI)			1		
			Acrylonitrile-Butadiene-Styrene (ABS) Sewer Pipe and Fittings (No S/S Document) [CUST: CR4 YD 99 CC]				CC	DATE 10-OCT-2014 01-OCT-2014