

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 September 2014

(For the Period 1 September 2014 to 14 September 2014)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <https://assist.dla.mil/> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <https://assist.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <https://assist.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | | | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|-----------------------|---|--------------|----------|-----|-----------|-------------|
| | DOCUMENT NUMBER | DOCUMENT TITLE | | | | | |
| M | MIL-DTL-48683E(1) | Cartridge, 40 Millimeter, Projectile Assembly, TP - M918 Loading, Assembling, and Packing [CUST: AR OS 70] [REVIEW: 99 FAS MC MR] | D | 1310 | | AR | 26-AUG-2014 |
| M | MIL-DTL-48684E(1) | Cartridge, 40 Millimeter, M918 TP Loading, Assembling, and Packing [CUST: AR OS 70] [REVIEW: 99 FAS MC MR] | D | 1310 | | AR | 26-AUG-2014 |
| M | MIL-DTL-60944E(1) | Cartridge, 40 Millimeter, Practice - M385A1 Loading, Assembling, and Packing [CUST: AR OS 70] [REVIEW: 99 FAS MC MR] | D | 1310 | | AR | 26-AUG-2014 |
| M | MIL-DTL-23938B NOT 1 | Ferric Oxide [CUST: AS] | A | 1336 | | AS | 10-SEP-2014 |
| M | MIL-W-6729C NOT 1 | Watertightness of Aircraft, General Specification for [CUST: AV AS 99] | A | 15GP | | AS | 09-SEP-2014 |
| M | MIL-HDBK-244A NOT 1 | Guide to Aircraft/Stores Compatibility [CUST: AV AS] | A | 15GP | | AS | 10-SEP-2014 |
| M | MIL-HDBK-268(1) NOT 2 | Survivability Enhancement, Aircraft Conventional Weapon Threats, Design and Evaluation guidelines [CUST: AS] | A | 15GP | | AS | 10-SEP-2014 |
| M | MIL-HDBK-273(1) NOT 2 | Survivability enhancement, Aircraft, Nuclear Weapon Threat, design and Evaluation Guidelines [CUST: AS] | A | 15GP | | AS | 10-SEP-2014 |
| M | MIL-E-7016F(1) NOT 2 | Electric Load and Power Source Capacity, Aircraft, Analysis of [CUST: AV AS 11] [REVIEW: GS] | A | 1680 | | AS | 12-SEP-2014 |
| M | MIL-B-81366 NOT 1 | Boundary Layer Control System, Pressure [CUST: AS] | A | 16GP | | AS | 12-SEP-2014 |
| M | MIL-S-19557/9 NOT 1 | Starter, Aircraft Engine, Air Turbine, Model A-29 [CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 10-SEP-2014 |
| M | MIL-S-19557/10A NOT 1 | Starter, Aircraft Engine, Air Turbine, Model A-30 [CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 10-SEP-2014 |
| M | MIL-V-81995/4A NOT 2 | Valve, Starter Control, Aircraft Engine, for TF34 Engine [CUST: AS] [REVIEW: GS] | A | 2995 | | AS | 10-SEP-2014 |
| M | MIL-V-81995/7A NOT 1 | Valve, Starter Control, Aircraft Engine, for T700 Engine [CUST: AV AS 99] [REVIEW: 71 GS] | A | 2995 | | AS | 10-SEP-2014 |
| M | MIL-DTL-17901C NOT 1 | Bearing Components, Bonded Synthetic Rubber, Water Lubricated [CUST: SH 99] [REVIEW: 11] | A | 3130 | | SH | 04-SEP-2014 |
| M | A-A-59315 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings, General Requirements for [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/1 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Nickel Aluminum, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/2 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Aluminum-Bronze, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/3 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Aluminum-Bronze, Type I, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/4 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Aluminum-Silicon Alloy, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/5 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Aluminum (CP), Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/6 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Cobalt Base, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/7 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Nickel Chromium Alloy, Type I, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/8 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Nickel Chromium Alloy, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/9 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Pure Molybdenum, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/10 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Nickel-Aluminum, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/11 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Pure Nickel, Type I, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/12 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Nickel Base Alloy, Type I, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/13 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Nickel Base Alloy, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/14 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Type 316 Stainless Steel, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/15 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Nickel-Chromium-Boron, Type I, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/16 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Molybdenum, Type I, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/17 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Cobalt-Chromium-Tungsten, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/18 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Cobalt-Chromium-Nickel-Tungsten, Type I, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/19 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Copper-Nickel, type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/20 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Nickel Chromium Alloy, Type I, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/21 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Nickel-Chromium-Aluminum, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/22 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Silicon-Aluminum Plus Polymer, Type I, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/23 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Nickel-Chrome-Aluminum-Iron-Molybdenum, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/24 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Tungsten Carbide-Cobalt, Type I, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/25 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Molybdenum-Aluminum-Nickel Alloy, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/26 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Copper-Aluminum Composite, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/27 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Molybdenum-Nickel-Aluminum, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/28 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Carbon Steel-Molybdenum-Aluminum, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |
| M | A-A-59315/29 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Iron-Molybdenum-Aluminum, Type I, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 10-SEP-2014 |

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | | | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|----------------------------|---|--------------|----------|-----|-----------|-------------|
| | DOCUMENT NUMBER | DOCUMENT TITLE | | | | | |
| M | A-A-59315/30 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Tungsten Carbide-Cobalt, Type II, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/31 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Tungsten Carbide-Cobalt, Type II, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/32 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Chromium Carbide, Type II, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/33 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Chromium Carbide, Type II, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/34 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Aluminum Oxide, Type II, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/35 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Alumina Titania, Type II, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/36 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Chromium Oxide, Type II, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/37 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Magnesium Zirconate, Type II, Class 1 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/38 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Zirconium Oxide, Type II, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/39 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Chromium Carbide Nickel Chromium Alloy (Fine) Type III [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/40 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Tungsten Carbide-Cobalt, Type II, Class 2 [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/41 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Tungsten Carbide Plus Nickel Aluminum Composite, Self Fluxing Alloy, Type III [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/42 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Chromium Carbide Plus Nickel Chromium Alloy, Coarse, Type III [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/43 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Magnesium Zirconate Plus Nickel Aluminum Composite, Type III [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/44 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Magnesium Zirconate Plus Nickel Chromium Alloy, Type III [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59315/45 NOT 1 | Powder Materials for Flame and Plasma Sprayed Coatings Composite Blend, Type II [CUST: MR AS 11 GS] [REVIEW: 71 99 SH] | A | 3439 | / | AS | 12-SEP-2014 |
| M | A-A-59811 NOT 1 | Ropes: High Modulus Polyethylene (HMPE) Fiber [CUST: GL SH 99] [REVIEW: 03 AS CG IS] | A | 4020 | / | SH | 12-SEP-2014 |
| M | MIL-PRF-32306 NOT 1 | Hose Assembly, Preformed Flexible, Vibration and Motion Isolation [CUST: SH 99] [REVIEW: 03 11 71 AS CC FAS NP] | A | 4720 | | SH | 12-SEP-2014 |
| M | MIL-DTL-25427B SUP 1 NOT 1 | Coupling Assembly, Hydraulic, Self-Sealing, Quick Disconnect, General Specification for [CUST: AV AS 99] [REVIEW: 11 71 AT CC MI SA] | A | 4730 | | AS | 09-SEP-2014 |
| M | MIL-DTL-25427/1 NOT 1 | Coupling Assembly, Aircraft Hydraulic, Self-Sealing, Quick Disconnect, Ground Support [CUST: AV AS 99] [REVIEW: 11 71 AT CC MI SA] | A | 4730 | | AS | 09-SEP-2014 |
| M | MIL-DTL-25427/2 NOT 1 | Coupling Half, Aircraft Mounting, Hydraulic, Self-Sealing, Quick Disconnect [CUST: AV AS 99] [REVIEW: 11 71 AT CC MI SA] | A | 4730 | | AS | 09-SEP-2014 |
| M | MIL-DTL-25427/3 NOT 1 | Coupling Half, Hose Attachment, Hydraulic, Self-Sealing, Ground Support, Quick Disconnect, Type I and Type II [CUST: AV AS 99] [REVIEW: 11 AT CC MI SA] | A | 4730 | | AS | 09-SEP-2014 |
| M | MIL-DTL-25427/4 NOT 1 | Coupling Cap, Aircraft Hydraulic, Self-Sealing, Ground Support, Quick Disconnect [CUST: AV AS 99] [REVIEW: 11 71 AT CC MI SA] | A | 4730 | | AS | 09-SEP-2014 |
| M | MIL-DTL-25427/5 NOT 1 | Coupling Plug, Hose Attachment, Hydraulic, Self-Sealing, Ground Support, Quick Disconnect [CUST: AV AS 99] [REVIEW: 11 AT CC MI SA] | A | 4730 | | AS | 09-SEP-2014 |
| M | MIL-DTL-25427/6 NOT 1 | Coupling Nut, Aircraft Hydraulic, Self-Sealing, Ground Support, Quick Disconnect, Type I and Type II [CUST: AV AS 99] [REVIEW: 11 AT CC MI SA] | A | 4730 | | AS | 09-SEP-2014 |
| M | MIL-DTL-25427/7 NOT 1 | Coupling Flange, Aircraft Mounting, Hydraulic, Self-Sealing [CUST: AV AS 99] [REVIEW: 11 AT CC MI SA] | A | 4730 | | AS | 09-SEP-2014 |
| N | MIL-DTL-32480 | Adapter, Hydraulic and Pneumatic, Flareless Tube Fitting to ORFS Connectors, 1500 to 3000 PSI and -65 Degrees F to 250 Degrees F, General Specification for [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH] | A | 4730 | | CC | 29-AUG-2014 |
| N | MIL-DTL-32480/1 | Fitting, Adapter, Straight, Hydraulic and Pneumatic, Flareless Male to ORFS Male [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH] | A | 4730 | | CC | 29-AUG-2014 |
| N | MIL-DTL-32480/2 | Fitting, Adapter, 45 Degrees Elbow, Hydraulic and Pneumatic, Flareless Male to ORFS Male [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH] | A | 4730 | | CC | 29-AUG-2014 |
| N | MIL-DTL-32480/3 | Fitting, Adapter, 90 Degrees Elbow, Hydraulic and Pneumatic, Flareless Male to ORFS Male [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH] | A | 4730 | | CC | 29-AUG-2014 |
| N | MIL-DTL-32480/4 | Fitting, Adapter, Straight, Hydraulic and Pneumatic, Flareless Male to ORFS Bulkhead [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH] | A | 4730 | | CC | 12-SEP-2014 |
| N | MIL-DTL-32480/6 | Fitting, Adapter, 90 Degrees Elbow, Hydraulic and Pneumatic, Flareless, Male to ORFS Bulkhead [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH] | A | 4730 | | CC | 12-SEP-2014 |
| N | MIL-DTL-32480/7 | Fitting, Adapter, Straight, Hydraulic and Pneumatic, Flareless, Male to ORFS, Female Swivel [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH] | A | 4730 | | CC | 12-SEP-2014 |
| N | MIL-DTL-32480/8 | Fitting, Adapter, 45 Degrees Elbow, Hydraulic and Pneumatic, Flareless, Male to ORFS, Female Swivel [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH] | A | 4730 | | CC | 12-SEP-2014 |
| N | MIL-DTL-32480/9 | Fitting, Adapter, 90 Degrees Elbow, Hydraulic and Pneumatic, Flareless, Male to ORFS, Female Swivel [CUST: AT AS 99 CC] [REVIEW: 71 AR CG MC SA SH] | A | 4730 | | CC | 12-SEP-2014 |
| M | MIL-DTL-15021B | Hook, Snap Bolt, Swivel-Eye, and Rings [CUST: AR SH IS] [REVIEW: GL MC SA] | A | 5340 | | IS | 03-SEP-2014 |
| M | MS9104 NOT 1 | Bracket, Angle, 0 DEG 190 X 375 Bolt [CUST: AR AS 99] [REVIEW: 71 IS] | A | 5340 | | AS | 10-SEP-2014 |
| M | MS9176 NOT 2 | Plug, Expansion - Tapered, AMS 5040 [CUST: AS] [REVIEW: IS] | A | 5340 | | AS | 09-SEP-2014 |
| M | MIL-DTL-17191E | Mounts, Resilient, Portsmouth Bonded Spool Type [CUST: SH] | A | 5342 | | SH | 08-AUG-2014 |
| M | MIL-PRF-914/3B(2) NOT 1 | Resistor Network, Fixed, Film, Surface Mount, 16-Pin, Leadless Chip Carrier, Nonestablished Reliability and Established Reliability, Style RNS030 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS] | A | 5905 | | CR | 09-SEP-2014 |
| M | MIL-PRF-23648F(4) SUP 1A | Resistor, Thermal (Thermistor) Insulated, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MDA NA OS] | A | 5905 | | CC | 05-SEP-2014 |
| M | MIL-PRF-23648/9C(3) | Resistor, Thermal (Thermistor), Insulated Positive Temperature Coefficient Style RTH22 [CUST: CR EC 85 CC NA] [REVIEW: 19 AS AT AV CG MC OS] | A | 5905 | | CC | 05-SEP-2014 |

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|-------------------------|---|--------------|----------|-----|-----------|-------------|
| M | MIL-PRF-23648/19C(3) | Resistor, Thermal (Thermistor), Hermetically Sealed, Positive Temperature Coefficient, Style RTH42 [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS AT AV CG MC OS] | A | 5905 | | CC | 05-SEP-2014 |
| M | MIL-PRF-14409J SUP 1 | Capacitors, Variable (Piston Type, Tubular Trimmer), General Specification for [CUST: CR EC 85 CC] [REVIEW: MC] | A | 5910 | | CC | 29-AUG-2014 |
| M | MIL-PRF-55365/4J | Capacitors, Chip, Fixed, Tantalum, Polarized Established Reliability, Non-Established Reliability, and High Reliability Styles CWR06 and CWR09 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH] | A | 5910 | | CR | 05-SEP-2014 |
| M | MIL-PRF-55365/8J | Capacitors, Chip, Fixed, Tantalum, Polarized Established Reliability, Non-Established Reliability and High Reliability, Style CWR11 (Metric) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH] | A | 5910 | | CR | 05-SEP-2014 |
| M | MIL-PRF-55365/11D | Capacitors, Chip, Fixed, Tantalum, Polarized Established Reliability, Non-Established Reliability and High Reliability, Styles CWR19 and CWR29 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH] | A | 5910 | | CR | 05-SEP-2014 |
| M | MIL-PRF-23419H(1) SUP 1 | Fuse: Cartridge, Instrument Type, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR CR4 MDA MI NS OS SH] | A | 5920 | | CC | 28-AUG-2014 |
| M | MIL-DTL-17361/1B NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Types AQB-A50, AQB-A51, NQB-A50, and NQB-A51 [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/4B NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Types AQB-A101, AQB-A102, AQB-A103, AQB-A103 RMS, NQB-A101, NQB-A102, NQB-A103, and NQB-A103 RMS [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/6B NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Types AQB-A250, AQB-A252, AQB-A253, NQB-A250, NQB-A252, and NQB-A253 [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/7B NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Types AQB-LF250, AQB-LF252, and AQB-L253 [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/8B NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Types AQB-A400, AQB-A402, NQB-A400, and NQB-A402 [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/9B NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Types AQB-L400 QF, QM [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/10B NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Type AQB-LL400 QS [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/11B NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Types AQB-LF400 and AQB-LF402 [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/12B NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Types AQB-A800, AQB-A802, NQB-A800, NQB-A802, and NQB-A803 [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/13B NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Types AQB-A1600, AQB-A1604, NQB-A1600, and NQB-A1604 [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/14A NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Types AQB-A1601 and NQB-A1601 [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/15C NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Types AQB-A1602 and NQB-A1602 [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17361/16A NOT 1 | Circuit Breakers, Air, Electric, Insulated Housing (Shipboard Use) Type AQB-LF226 (for Replacement Only of A225 and LF225) [CUST: SH] | A | 5925 | | SH | 09-SEP-2014 |
| M | MIL-DTL-17587/1 NOT 1 | Circuit Breakers, ACB, Low Voltage, Electric Power, Air, Removable Construction ACB-900RC, ACB-902R, and ACB-904LRC [CUST: SH] | A | 5925 | | SH | 04-SEP-2014 |
| M | MIL-DTL-17587/2 NOT 1 | Circuit Breakers, ACB, Low Voltage, Electric Power, Air, Removable Construction ACB-1600HR, ACB-1600HRC, ACB-1600R, and ACB-1606HRC [CUST: SH] | A | 5925 | | SH | 04-SEP-2014 |
| M | MIL-DTL-17587/3 NOT 1 | Circuit Breakers, ACB, Low Voltage, Electric Power, Air, Removable Construction ACB-2000HR, ACB-2000LRC, ACB-2000RC, ACB-2002HRC, ACB-2004HRC, ACB-2010HRC, ACB-2012, and ACB-2020 [CUST: SH] | A | 5925 | | SH | 04-SEP-2014 |
| M | MIL-DTL-17587/4 NOT 1 | Circuit Breakers, ACB, Low Voltage, Electric Power, Air, Removable Construction ACB-5KV-2000RC [CUST: SH] | A | 5925 | | SH | 04-SEP-2014 |
| M | MIL-DTL-17587/5 NOT 1 | Circuit Breakers, ACB, Low Voltage, Electric Power, Air, Removable Construction ACB-3200HR [CUST: SH] | A | 5925 | | SH | 04-SEP-2014 |
| M | MIL-DTL-17587/6 NOT 1 | Circuit Breakers, ACB, Low Voltage, Electric Power, Air, Removable Construction ACB-4000HR and ACB-4010HR [CUST: SH] | A | 5925 | | SH | 04-SEP-2014 |
| M | MIL-DTL-17587/7 NOT 1 | Circuit Breakers, ACB, Low Voltage, Electric Power, Air, Removable Construction ACB-6400HR [CUST: SH] | A | 5925 | | SH | 04-SEP-2014 |
| M | MIL-DTL-17587/8 NOT 1 | Circuit Breakers, ACB, Low Voltage, Electric Power, Air, Removable Construction ACB-901R, ACB-2601R, ACB-2603R, ACB-2801R, ACB-4001R, and ACB-5003R [CUST: SH] | A | 5925 | | SH | 04-SEP-2014 |
| M | MIL-PRF-28750F SUP 1 | Relays, Solid State, General Specification for [CUST: CR EC 85 CC] [REVIEW: MI NA OS] | A | 5945 | | CC | 03-SEP-2014 |
| M | MIL-PRF-28776F SUP 1 | Relays, Hybrid, Established Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 AS CR4 MC MI OS] | A | 5945 | | CC | 20-AUG-2014 |
| M | MIL-PRF-39016G SUP 1 | Relays, Electromagnetic, Established Reliability, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 AS MC MDA MI OS] | A | 5945 | | CC | 25-AUG-2014 |
| M | MIL-PRF-19500/162E | Semiconductor Devices, Diode, Silicon, Power Rectifier, Types 1N1614, 1N1615, 1N1616, 1N4458, 1N4459, 1N1614R, 1N1615R, 1N1616R, 1N4458R, 1N4459R, JAN and JANTX [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS MC MI SH] | A | 5961 | | CC | 02-SEP-2014 |
| M | MIL-PRF-19500/240T | Semiconductor Device, Diode, Silicon, Rectifier, Types 1N645-1, 1N647-1, 1N649-1, 1N645UR-1, 1N647UR-1, 1N649UR-1, JAN, JANTX, and JANTXV 1/ [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV MC MI] | A | 5961 | | CC | 10-SEP-2014 |
| M | MIL-PRF-19500/241P | Semiconductor Device, Diode, Silicon, Low Leakage, Controlled Forward Voltage, Types 1N3595-1, 1N3595UB, 1N3595UBCA, 1N3595UBD, 1N3595UBCC, 1N3595UB2, 1N3595UB2R, 1N3595US, 1N3595UR-1, 1N3595A-1, 1N3595AUS, and 1N3595AUR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM] | A | 5961 | | CC | 30-AUG-2014 |
| M | MIL-PRF-19500/435M | Semiconductor Device, Diode, Silicon, Low-Noise Voltage Regulator, Types 1N4099-1 through 1N4135-1, 1N4614-1 through 1N4627-1, 1N4099UR-1 through 1N4135UR-1, 1N4614UR-1 through 1N4627UR-1, (UB, UB2, UB2R, UBCA, UBD, and UBCC), C and D Tolerance Suffix Devices, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 70 99 AR AS AV MC MI SM] | A | 5961 | | CC | 05-SEP-2014 |

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | | | DATE |
|-------------|------------------------|---|--------------|------|-----------|-------------|
| | | | FSC/AREA | MCA | PREP ACTY | |
| M | MIL-PRF-19500/544H | Semiconductor Device, Transistor, NPN, Silicon, Power, Types 2N5152, 2N5154, 2N5152L, 2N5154L, 2N5152U3, 2N5154U3, JAN, JANTX, JANTXV, JANTXVF, JANTXVR, JANS, JANSM, JANSJ, JANSP, JANSL, JANSR, JANSF, JANSJ, JANSJ, JANSH, JANHCB, JANHCD, JANHCE, JANKCB, JANKCBF, JANKCD, JANKCE, JANKCDM, JANKCCD, JANKCCDL, JANKCCDL, JANKCCDR, JANKCCDF, JANKCCDG, and JANKCCDH [CUST: EC 85 CC NA] [REVIEW: 19 71 99 MC] | A | 5961 | CC | 26-AUG-2014 |
| M | MIL-PRF-19500/545K | Semiconductor Device, Transistor, PNP, Silicon, Power, Types 2N5151, 2N5153, 2N5151L, 2N5153L, 2N5151U3, and 2N5153U3, JAN, JANTX, JANTXV, JANTXVF, JANTXVR, JANS, JANHC, and JANSC, JANSJ, JANSJ, JANSD, JANSP, JANSL, JANSR, JANSF, JANSJ, JANSH, JANHCB, JANHCC, JANHCD, JANKCB, JANKCC, JANKCD, JANKCCM, JANKCCD, JANKCCP, JANKCCCL, JANKCCCR, JANKCCCF, JANKCCCG, and JANKCCCH [CUST: CR EC 85 CC NA] [REVIEW: MI] | A | 5961 | CC | 29-AUG-2014 |
| M | MIL-PRF-19500/703D | Semiconductor Device, Field Effect Radiation Hardened Transistor, N-Channel, Silicon, Types 2N7479U3, 2N7480U3, and 2N7481U3, JANTXVR, F, G, and H and JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 99 AV MI] | A | 5961 | CC | 01-SEP-2014 |
| M | MIL-PRF-19500/704F | Semiconductor Device, Field Effect Radiation Hardened Transistor, N-Channel, Silicon, Types 2N7485U3, 2N7486U3, 2N7487U3, and 2N7555U3 JANTXVR and JANSR [CUST: CR EC 85 CC NA] [REVIEW: 99] | A | 5961 | CC | 12-SEP-2014 |
| M | MIL-PRF-19500/751A | Semiconductor Device, Field Effect Transistor, P-Channel, Silicon, Type 2N7508U3, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] | A | 5961 | CC | 12-SEP-2014 |
| M | MIL-STD-750-1(4) | Environmental Test Methods for Semiconductor Devices Part 1: Test Methods 1000 through 1999 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI NRO SH SM] | A | 5961 | CC | 22-AUG-2014 |
| M | MIL-STD-750-4(1) | Diode Electrical Test Methods for Semiconductor Devices Part 4: Test Methods 4000 through 4999 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS CG MC MI NRO SH SM] | A | 5961 | CC | 15-AUG-2014 |
| M | MIL-PRF-85045/23 NOT 1 | Cable, Fiber Optic, Eighteen Fibers, Enhanced Performance, Cable Configuration Type 2 (OFCC), for Submarine Outboard Use Only (Not for Inboard Use), Cable Class SM and MM, (Metric) [CUST: SH] [REVIEW: CC] | A | 6015 | SH | 03-SEP-2014 |
| M | MIL-STD-1678-4B | Fiber Optic Cabling Systems Requirements and Measurements (Part 4: Test Sample Configuration and Fabrication Requirements)(Part 4 of 6 Parts) [CUST: CR SH 85 CC] [REVIEW: 99] | A | 60GP | CC | 31-JUL-2014 |
| M | MIL-STD-1678-6(1) | Fiber Optic Cabling Systems Requirements and Measurements (Part 6: Parts and Support Equipment Commonality and Standardization Requirements, Cable Harness Configurations) (Part 6 of 6 Parts) [CUST: CR AS 85 CC] [REVIEW: 99] | A | 60GP | CC | 27-AUG-2014 |
| M | MIL-DTL-17/182C | Cables, Radio Frequency, Flexible, Twin, 95 OHMS, M17/182-00001 Unarmored, M17/182-00002 Armored [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 MC MI OS SH] | A | 6145 | CC | 25-JUL-2014 |
| M | MIL-L-3661/11B NOT 5 | Lampholders, Indicator Lights, Indicator-Light Housings and Indicator-Light Lenses, (Flat, Rotatable) Dusttight, Lens, Style LC11 [CUST: CR EC 99 GS2] [REVIEW: 71 AS CR4 IS MC] | A | 6210 | GS2 | 04-SEP-2014 |
| M | MIL-L-3661/15C NOT 5 | Lenses, Indicator-Light, Dripproof, Style LC15 [CUST: CR AS 99 GS2] [REVIEW: IS] | A | 6210 | GS2 | 04-SEP-2014 |
| M | MIL-L-3661/16B NOT 5 | Lenses, Indicator-Light, Dripproof, Style LC16 [CUST: CR AS 99 GS2] [REVIEW: IS] | A | 6210 | GS2 | 09-SEP-2014 |
| M | MIL-PRF-83287G(3) | Indicators, Fault Locating, General Specification for [CUST: AV AS 11 CC] [REVIEW: 99 MI] | A | 6625 | CC | 22-AUG-2014 |
| M | MIL-PRF-83287/2E(2) | Indicators, Fault Locating, Flag Indicating, Electrical Reset [CUST: AV AS 11 CC] [REVIEW: 84 MI] | A | 6625 | CC | 22-AUG-2014 |
| M | MIL-PRF-83287/4C(2) | Indicators, Fault Locating, Dual Drum Indicating, Mechanical Reset [CUST: AS 11 CC] | A | 6625 | CC | 22-AUG-2014 |
| M | MIL-D-85494 NOT 1 | Diocetyl Adipate [CUST: AS] [REVIEW: GS] | A | 6810 | AS | 12-SEP-2014 |
| M | MIL-C-85496 NOT 1 | Carbon Black [CUST: AS] [REVIEW: GS MR] | A | 6810 | AS | 12-SEP-2014 |
| M | MIL-P-85499 NOT 1 | Primer Material [CUST: AS] [REVIEW: GS] | A | 6810 | AS | 09-SEP-2014 |
| M | MIL-HDBK-220B NOT 1 | Glossary of Training Device Terms [CUST: CR AS 11] [REVIEW: 99 AR MB MC SH] | A | 69GP | AS | 12-SEP-2014 |
| M | A-A-59299 NOT 1 | Impregnated Wadding, Metal Polish [CUST: GL AS] [REVIEW: MD] | A | 7920 | / AS | 09-SEP-2014 |
| M | A-A-59323A NOT 1 | Cloths, Cleaning, Low-Lint [CUST: GL AS] [REVIEW: MC] | A | 7920 | / AS | 09-SEP-2014 |
| M | MIL-DTL-3628/37G | Badge, Qualification, Lauchheimer Trophy, Marine Corps [CUST: IH MC] [REVIEW: CT] | A | 8455 | IH | 09-SEP-2014 |
| M | MIL-DTL-3628/38G | Badge, Qualification, Marine Corps Rifle Championship (McDougal Trophy) [CUST: IH MC] [REVIEW: CT] | A | 8455 | IH | 09-SEP-2014 |
| M | MIL-DTL-3628/40G | Badge, Qualification, Marine Corps Rifle Competition [CUST: IH MC] [REVIEW: CT] | A | 8455 | IH | 09-SEP-2014 |
| M | MIL-DTL-3628/44G | Badge, Qualification, Annual Rifle Squad Combat Practice Competition, U S Marine Corps [CUST: IH MC] [REVIEW: CT] | A | 8455 | IH | 09-SEP-2014 |
| M | MIL-DTL-3628/139C | Badge, Identification, Office of the Secretary of Defense [CUST: IH NU 11] [REVIEW: CG1 CT MC] | A | 8455 | IH | 25-AUG-2014 |
| M | MIL-DTL-3628/140A | Badge, Identification and Insignia, Service Cap, Civilian Police and Civilian Guard, Department of Defense [CUST: IH NU 11] [REVIEW: CG1 CT] | A | 8455 | IH | 25-AUG-2014 |
| M | MIL-DTL-3628/160B | Badge, Qualification, Aviation, Flight Surgeon, U S Army [CUST: IH] [REVIEW: CT] | A | 8455 | IH | 08-SEP-2014 |
| M | MIL-DTL-3628/161A | Badge, Qualification, Aviation, Flight Surgeon, Senior, U S Army [CUST: IH] [REVIEW: CT] | A | 8455 | IH | 08-SEP-2014 |
| M | MIL-DTL-3628/162A | Badge, Qualification, Aviation, Flight Surgeon, Master, U S Army [CUST: IH] [REVIEW: CT] | A | 8455 | IH | 08-SEP-2014 |
| M | MIL-DTL-3628/163C | Badge, Qualification, Aviation, U S Army [CUST: IH] [REVIEW: CT] | A | 8455 | IH | 08-SEP-2014 |
| M | MIL-DTL-3628/165C | Badge, Qualification, Aviation, Master, U S Army [CUST: IH] [REVIEW: CT] | A | 8455 | IH | 08-SEP-2014 |
| M | MIL-DTL-3628/166A | Badge, Qualification, Aviation, Astronaut Device for Aviator, Flight Surgeon and Aircraft Crewman, U S Army [CUST: IH] [REVIEW: CT] | A | 8455 | IH | 08-SEP-2014 |
| M | MIL-DTL-11589/145F | Ribbon, Coast Guard Unit Commendation [CUST: IH CG1] [REVIEW: CT] | A | 8455 | IH | 08-SEP-2014 |
| M | A-A-20100D | Shortening Compounds [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8945 | / SS | 03-SEP-2014 |
| M | A-A-20183D | Tea Mixes, Instant [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A | 8955 | / SS | 13-AUG-2014 |
| N | STANAG-5601 ED 6 | STANDARDS FOR INTERFACE OF DATA LINKS 1, 11 AND 11B THROUGH A BUFFER | A | ISDD | SO1 | 14-MAR-2014 |
| N | AFSP-1 4 ED A(1) | WILDLIFE STRIKE PREVENTION | A | ISDF | 06 | 26-MAR-2013 |
| N | STANAG-3879 ED 8 | WILDLIFE STRIKE PREVENTION - AFSP-1 4 EDITION A | A | ISDF | 06 | 26-MAR-2013 |
| N | AMP-7 ED D | HELICOPTER NAVAL MINE COUNTERMEASURES MANUAL | A | ISDN | NI | 25-JUN-2014 |
| N | ANEP-77 ED F(1) | NAVAL SHIP CODE | A | ISDN | NI | 08-JUL-2014 |
| N | STANAG-1137 ED 5 | HELICOPTER NAVAL MINE COUNTERMEASURES MANUAL - AMP-7 EDITION D | A | ISDN | NI | 25-JUN-2014 |
| N | DI-MGMT-81971 | Virtual-Shelf Commonality Report [AMSC: N9498] | A | MGMT | SH | 26-AUG-2014 |
| N | DI-MISC-81966 | Gas Turbine Engine Steady State and Transient Performance Presentations for Computer Programs [AMSC: F9484] | A | MISC | 11 | 02-JUL-2014 |
| M | MIL-HDBK-259 NOT 1 | Life Cycle Cost in Navy Acquisitions [CUST: AS] [REVIEW: EC OS SA SH] | A | MISC | AS | 12-SEP-2014 |
| M | MIL-HDBK-260 NOT 1 | Reference Data for Logistics Metrics [CUST: TM AS 11] | A | PSSS | AS | 10-SEP-2014 |
| M | MIL-HDBK-2097A NOT 1 | Acquisition of Support Equipment and Associated Integrated Logistics Support [CUST: TM AS 10] | A | PSSS | AS | 10-SEP-2014 |

ACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | | | DISTRIBUTION | FSC/AREA | MCA PREP ACTY | DATE |
|-------------|----------------------|--|--------------|----------|------------------|-------------|
| | DOCUMENT NUMBER | DOCUMENT TITLE | | | | |
| M | DI-GDRQ-81112A NOT 1 | Detail or Intermediate Actual Weight and Balance Report - Mass Properties Data for Missiles [AMSC: N5089] | A | SESS | AS | 10-SEP-2014 |
| M | DI-GDRQ-81233A NOT 1 | Weight and Balance Status Report - Mass Properties Data for Missiles [AMSC: N6673] | A | SESS | AS | 10-SEP-2014 |
| M | DI-GDRQ-81235A NOT 1 | Calculated Weight and Balance Report - Mass Properties Data for Missiles [AMSC: N6675] | A | SESS | AS | 10-SEP-2014 |
| M | DI-ILSS-81495 NOT 1 | Failure Mode Effects, and Criticality Analysis Report [AMSC: N7165] | A | SESS | AS | 10-SEP-2014 |
| M | DI-RELI-81496 NOT 1 | Reliability Block Diagrams and Maintenance Models Report [AMSC: N7166] | A | SESS | AS | 10-SEP-2014 |
| M | DI-RELI-81497 NOT 1 | Reliability Prediction and Documentation of Supporting Data [AMSC: N7167] | A | SESS | AS | 10-SEP-2014 |
| M | DI-RELI-81498 NOT 1 | Structural Design Criteria Report Helicopters [AMSC: N7168] | A | SESS | AS | 10-SEP-2014 |
| M | DI-RELI-81500 NOT 1 | Survivability Cost Effectiveness Tradeoff Studies Report [AMSC: N7170] | A | SESS | AS | 10-SEP-2014 |
| M | DI-SESS-81525C | Test Package [AMSC: N9494] | A | SESS | AS | 15-JUL-2014 |
| M | DI-SESS-81526C | Instructional Media Package [AMSC: N9495] | A | SESS | AS | 15-JUL-2014 |
| M | MIL-HDBK-2155 NOT 1 | Failure Reporting, Analysis and Corrective Action Taken [CUST: AS] | A | SESS | AS | 10-SEP-2014 |
| M | MIL-PRF-63029J | Manuals, Technical: Requirements for Operator's Manuals and Checklists for Manned and Unmanned Aircraft Systems [CUST: AV] [REVIEW: CR TM] | A | TMSS | AV | 07-AUG-2014 |
| M | MIL-DTL-15014 NOT 1 | Manuals, Technical: Separate illustrated Parts Breakdown Technical Content Requirements (Work Package Concept) [CUST: AS] | A | TMSS | AS | 10-SEP-2014 |
| M | MIL-DTL-38384E | Manuals, Technical - Aircraft Nonnuclear/Nuclear Weapon Delivery Procedures [CUST: 16] [REVIEW: 01 10 11 71 99] [AMSC: F9479] | A | TMSS | 16 | 10-SEP-2014 |
| M | MIL-DTL-81218C NOT 1 | Manuals, technical: Aircraft Engine Intermediate and Depot Maintenance, Preparation of (Work Package Concept) [CUST: AS] | A | TMSS | AS | 10-SEP-2014 |
| M | MIL-DTL-81919C NOT 1 | Manuals, Technical, Equipment Operation and/or Maintenance Instructions, Technical Content Requirements (Work Package Concept) [CUST: AS] | A | TMSS | AS | 10-SEP-2014 |
| M | MIL-DTL-81928C NOT 1 | Manuals, Technical: Aircraft Maintenance Instructions, Technical Content Requirements (Work Package Concept) [CUST: AS] | A | TMSS | AS | 10-SEP-2014 |
| M | MIL-DTL-81929C NOT 1 | Manuals, Technical: Illustrated Parts Breakdown Figures Technical Content Requirements (Work Package Concept) [CUST: AS] | A | TMSS | AS | 10-SEP-2014 |

INACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | DOCUMENT NUMBER | DOCUMENT TITLE | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|--------------------------|--|--------------|----------|-----|-----------|-------------|
| M | MIL-DTL-50863F(2) | Cartridge, 40 Millimeter, HEDP - M430A1 Loading, Assembling, and Packing [CUST: AR OS 70] [REVIEW: 99 AV MC SH] | D | 1310 | | AR | 26-AUG-2014 |
| M | MS29559C NOT 3 | Fitting, (O) Ring, Circular, Thru Bolt Type, Single Groove, Tank [CUST: AS 84] [REVIEW: 71 99 GS] | A | 1560 | | 84 | 03-SEP-2014 |
| M | MS29560C NOT 3 | Fitting, (O) Ring, Circular, Threaded Insert Type, Single Groove, Tank [CUST: AS 84] [REVIEW: 71 99 GS] | A | 1560 | | 84 | 03-SEP-2014 |
| M | MS29562B NOT 3 | Fitting, Attachment, Molded, Tank, Thru Hole, Flush, (O) Ring, Rectangular, 10 X 16 [CUST: AS 84] [REVIEW: 71 99 GS] | A | 1560 | | 84 | 03-SEP-2014 |
| M | MS29564B NOT 3 | Fitting, Attachment, Molded Tank, Thru Hole, Flush (O) Ring, Rectangular, 12 X 18 [CUST: AS 84] [REVIEW: 71 99 GS] | A | 1560 | | 84 | 03-SEP-2014 |
| M | MIL-DTL-5886H NOT 1 | Cylinder, Aircraft Oxygen, Low Pressure, Nonshatterable [CUST: AV AS 71] [REVIEW: 11 GS] | A | 1660 | | 71 | 04-SEP-2014 |
| M | MIL-DTL-7560D(1) NOT 3 | Valve Assembly, Oxygen Cylinder, Bailout [CUST: AV AS 71] [REVIEW: 11 GS] | A | 1660 | | 71 | 04-SEP-2014 |
| M | MIL-DTL-7560/1A NOT 2 | Valve Assembly, Oxygen Cylinder, Bailout [CUST: AV AS 71 GS] | A | 1660 | | 71 | 04-SEP-2014 |
| M | MIL-DTL-25666/1 NOT 3 | Converter, Liquid Oxygen GCU-2A/A [CUST: 71] [REVIEW: 11 GS] | A | 1660 | | 71 | 04-SEP-2014 |
| M | MIL-DTL-25666/4 NOT 3 | Converter, Liquid Oxygen, GCU-12A/A [CUST: 71] [REVIEW: 11 GS] | A | 1660 | | 71 | 04-SEP-2014 |
| M | MIL-DTL-25666/5(1) NOT 3 | Converter, Liquid Oxygen Type GCU-17/A [CUST: 99] [REVIEW: 11 GS] | A | 1660 | | 71 | 04-SEP-2014 |
| M | MIL-DTL-25666/6(1) NOT 3 | Converter, Liquid Oxygen GCU-20/A [CUST: 71] [REVIEW: GS] | A | 1660 | | 71 | 04-SEP-2014 |
| M | MIL-DTL-25666/7(1) NOT 3 | Converter, Liquid Oxygen Type ME-3 [CUST: 71] [REVIEW: 11 GS] | A | 1660 | | 71 | 04-SEP-2014 |
| M | MS22069F NOT 3 | Cylinder Assembly, Emergency Oxygen [CUST: AV AS 71] [REVIEW: 99 GS] | A | 1660 | | 71 | 12-SEP-2014 |
| M | MIL-D-5813B NOT 3 | Dome, Navigator S Observing, Non-Pressurized Aircraft, Type A-3A [CUST: 71] [REVIEW: GS] | A | 1680 | | 71 | 03-SEP-2014 |
| M | MIL-P-6525C NOT 3 | Pump, Fuel Transfer, Aerial Refueling, General Specification for [CUST: AV AS 71] [REVIEW: 11 GS] | A | 1680 | | 71 | 03-SEP-2014 |
| M | MIL-S-7470A NOT 4 | Shaft, Power Transmission, Aircraft Accessory, General Specification For [CUST: 71] [REVIEW: GS] | A | 1680 | | 71 | 03-SEP-2014 |
| M | MIL-R-9126A NOT 4 | Reel, Fueling Hose, Aerial, Refueling, General Specification for [CUST: 71] [REVIEW: GS] | A | 1680 | | 71 | 03-SEP-2014 |
| M | MIL-R-27521A(1) NOT 4 | Receptacle, Flying Boom, Aerial Refueling General Specification For [CUST: 71] [REVIEW: 99 GS] | A | 1680 | | 71 | 03-SEP-2014 |
| M | MIL-C-38747A NOT 2 | Covering, Floor, Military Aircraft, General Specification for [CUST: AR AS 84] [REVIEW: 99 GS] | A | 1680 | | 84 | 03-SEP-2014 |
| M | MS24354A NOT 3 | Drogue Cone, Nozzle and Reception Coupling - Type MA-2 Flight-Pressure-Refueling System, Assembly of [CUST: AS 71] [REVIEW: 99 GS] | A | 1680 | | 71 | 12-SEP-2014 |
| M | MS24357A NOT 4 | Flange, Drogue Cone - Type MA-2 Reception Coupling, Flight Pressure Refueling, Outline Dimensions for [CUST: AS 71] [REVIEW: 99 GS] | A | 1680 | | 71 | 12-SEP-2014 |
| M | MS24358A NOT 4 | Fitting, Hose End - Type MA-2, Flight Pressure Refueling, Reception Coupling, Outline Dimensions for [CUST: AS 71] [REVIEW: 99 GS] | A | 1680 | | 71 | 12-SEP-2014 |
| M | MS24359A NOT 3 | Nose, Probe Mast - Type MA-2, Flight Pressure Refueling Nozzle, Outline Dimensions for (ASG) [CUST: AS 71] [REVIEW: 99 GS] | A | 1680 | | 71 | 12-SEP-2014 |
| M | MS24360B NOT 3 | Ring, Lock Flight Pressure Refueling Nozzle [CUST: 71] [REVIEW: 99 GS] | A | 1680 | | 71 | 12-SEP-2014 |
| M | MS24362A NOT 4 | Sleeve - Type MA-2, Flight Pressure Refueling, Reception Coupling [CUST: AS 71] [REVIEW: 99 GS] | A | 1680 | | 71 | 12-SEP-2014 |
| M | MS33669B NOT 4 | Coupling, Replenishment, 1-1/2 Inch, for Methanol-Water, (Details of Servicing Nozzle) [CUST: AS 71] [REVIEW: 99 GS] | A | 1680 | | 71 | 12-SEP-2014 |
| M | MIL-P-27431B NOT 3 | Purging Kit, Converter System, Liquid Oxygen KMU-78/E [CUST: 71] [REVIEW: 11 84 99 GS] | A | 1730 | | 71 | 04-SEP-2014 |
| M | MIL-T-38676(1) NOT 3 | Trailer, Munition's Handling MHU-110/M [CUST: 84] [REVIEW: 99] | A | 1740 | | 84 | 03-SEP-2014 |
| M | MIL-C-26339C NOT 3 | Carrier, Passenger, Cargo, Utility, Full Tracked, Over-the-Snow Type [CUST: AT YD 84] [REVIEW: 99] | A | 2320 | | 84 | 03-SEP-2014 |
| M | MIL-C-46722A NOT 2 | Chassis, Trailer, 1 to 5 Ton, 4 Wheel General Purpose [CUST: 84] [REVIEW: 99] | A | 2330 | | 84 | 03-SEP-2014 |
| M | MIL-S-8710B NOT 4 | Strainer, Airframe Fuel System, General Specification for [CUST: AV AS 71] [REVIEW: 99 GS] | A | 2915 | | 71 | 12-SEP-2014 |
| M | MIL-S-25980A NOT 4 | Switch, Float, Aircraft Fuel Level, General Specification For [CUST: 71] [REVIEW: 99 GS] | A | 2915 | | 71 | 04-SEP-2014 |
| M | MIL-V-38398A(1) NOT 3 | Valve, Starter Control, Pneumatic, Aircraft Engine General Specification for [CUST: 71] [REVIEW: 99 GS] | A | 2995 | | 71 | 12-SEP-2014 |
| M | MIL-T-38457B NOT 2 | Trailer, Palletized Cargo A/M32H-6, 10,000-Pound [CUST: 99] [REVIEW: 11 IS] | A | 3920 | | 84 | 03-SEP-2014 |
| M | MIL-W-26217B(1) NOT 5 | Winch, Drum, Power Operated AF/E24H-1, Cargo Loading, 4,000 Pound Capacity, Variable Speed, 28V DC Portable [CUST: 84] [REVIEW: 99 CC] | A | 3950 | | 84 | 03-SEP-2014 |
| M | MIL-C-83811 NOT 2 | Crane, Floor, Portable, Trestle Type 8,000 Pound Capacity [CUST: 84] [REVIEW: 99] | A | 3950 | | 84 | 04-SEP-2014 |
| M | MIL-F-27656C(1) NOT 2 | Filter Unit, Fluid, Pressure, MXU-408/M, Absolute, 5 Micron, Hydraulic [CUST: 84] [REVIEW: 99 AV CC] | A | 4330 | | 84 | 03-SEP-2014 |
| M | MIL-F-27707H(2) NOT 2 | Filter Element, Fluid, Pressure FFU-5/E [CUST: 84] [REVIEW: 99 CC] | A | 4330 | | 84 | 03-SEP-2014 |
| M | MIL-F-38007D(2) NOT 2 | Filter Element, Fluid, Pressure MXU-233/E [CUST: 84] [REVIEW: 99 CC] | A | 4330 | | 84 | 03-SEP-2014 |
| M | MIL-C-83959 NOT 3 | Cylinder, Air Purifier [CUST: CR4 SH 84] [REVIEW: 99 CC] | A | 4330 | | 84 | 03-SEP-2014 |
| M | MIL-C-4976C NOT 2 | Cabinet, Drying Parachute, Type TYPE MA-1 [CUST: 84] [REVIEW: 99] | A | 4440 | | 84 | 04-SEP-2014 |
| M | MIL-D-9394B NOT 2 | Dehydrator, Desiccant, HD-186/ASQ [CUST: 84] [REVIEW: 99 CC] | A | 4440 | | 84 | 03-SEP-2014 |
| M | MIL-C-83960A NOT 2 | Cylinder, Dehydrator [CUST: 84] [REVIEW: 99] | A | 4440 | | 84 | 03-SEP-2014 |
| M | MIL-C-83996A NOT 2 | Cartridge, Desiccant [CUST: 84] [REVIEW: 99] | A | 4440 | | 84 | 03-SEP-2014 |
| M | MIL-J-26870C NOT 5 | Joint, Swivel, Aircraft Fuel [CUST: AV AS 71] [REVIEW: 99 CC CR4] | A | 4730 | | 71 | 04-SEP-2014 |
| M | MS29515B NOT 4 | Adapter, Pressure Fuel Servicing, Types A-1 and A-6 [CUST: 71] [REVIEW: 99] | A | 4730 | | 71 | 12-SEP-2014 |
| M | MIL-V-5519D(2) NOT 3 | Valves, Regulating Fluid Pressure [CUST: 71] [REVIEW: 99 CC] | A | 4820 | | 71 | 12-SEP-2014 |
| M | MIL-V-8057F(3) NOT 4 | Valve, Oxygen, Pressure Buildup and Vent [CUST: 71] [REVIEW: 11 99 CC] | A | 4820 | | 71 | 12-SEP-2014 |
| M | MIL-V-25023B(2) NOT 3 | Valve, Fuel Drain, Self-Locking [CUST: AV AS 71] [REVIEW: 99 MI] | A | 4820 | | 71 | 12-SEP-2014 |
| M | MIL-V-25513F NOT 4 | Valve, Check, for 300 PSI Liquid Oxygen Converter Systems Type MH-1 [CUST: 71] [REVIEW: 11 99 CC] | A | 4820 | | 71 | 12-SEP-2014 |
| M | MS21211B NOT 5 | Valve, Check, Aircraft Low Pressure Oxygen Systems [CUST: AV AS 71] [REVIEW: 99] | A | 4820 | | 71 | 12-SEP-2014 |
| M | MS29528A NOT 4 | Valve-Fuel Drain, Self-Locking Poppet [CUST: AV AS 71] [REVIEW: 99 CC MC MI] | A | 4820 | | 71 | 12-SEP-2014 |
| M | MS29530D NOT 3 | Valve-Fuel Drain, Self-Locking, Line Mounted [CUST: AV AS 71] [REVIEW: 99 CC MC] | A | 4820 | | 71 | 12-SEP-2014 |
| M | AN6287 REV 5 NOT 4 | Valve - Air High Pressure 3/4 Hex [CUST: AV 71] [REVIEW: 99] | A | 4820 | | 71 | 12-SEP-2014 |
| M | MIL-T-26398D(1) NOT 2 | Test Stand, Aircraft Hydraulic System, Trailer-Mounted, A/M27T-2, Electric-Motor-Driven, Triple System [CUST: 84] [REVIEW: 11 99 GS] | A | 4920 | | 84 | 03-SEP-2014 |
| M | MIL-T-87976 NOT 2 | Test Stand, Hydraulic System Components [CUST: AV AS 84] [REVIEW: 99 GS] | A | 4920 | | 84 | 03-SEP-2014 |

INACTIVE SECTION

ASSIST UPDATE

| LAST ACTION | | | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|-----------------------|---|--------------|----------|-----|-----------|-------------|
| | DOCUMENT NUMBER | DOCUMENT TITLE | | | | | |
| M | MIL-C-83260A NOT 2 | Coupler, Hydrant Valve GRU-16/E [CUST: 84] [REVIEW: 99] | A | 4930 | 84 | | 03-SEP-2014 |
| M | MIL-T-83928A NOT 4 | Test Set, Guided Missile Launchers, SM-419/A [CUST: 84] [REVIEW: 99 GS] | A | 4935 | 84 | | 03-SEP-2014 |
| M | MIL-T-83944 NOT 4 | Test Set, Guided Missile A/E 24T-82 [CUST: 84] [REVIEW: 99 GS] | A | 4935 | 84 | | 04-SEP-2014 |
| M | MIL-R-5049D NOT 3 | Ring Wiper, Piston Rod [CUST: AV AS 71] [REVIEW: IS MI] | A | 5330 | 71 | | 04-SEP-2014 |
| M | MIL-PRF-1/4K | Electron Tube, Receiving Type 5654W 1/ [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG CR4 MC MI OS] | A | 5960 | CC | | 22-AUG-2014 |
| M | MIL-PRF-1/292F | Electron Tube, Receiving Type 5829WA [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC MI OS] | A | 5960 | CC | | 22-AUG-2014 |
| M | MIL-PRF-1/985D | Electron Tube, Receiving Type 5U4GB [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG CR4 MC MI OS SH] | A | 5960 | CC | | 22-AUG-2014 |
| M | MIL-PRF-1/1516C | Electron Tube, Receiving Type 5963 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC MI OS SH] | A | 5960 | CC | | 22-AUG-2014 |
| M | MIL-PRF-1/1617D | Electron Tube, Receiving Type 5847A [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC MI OS SH] | A | 5960 | CC | | 22-AUG-2014 |
| M | MIL-W-3970/22B | Waveguide Assemblies, Rigid, Cast, 90-Degree E-Plane Bend, Full Corral [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC MI OS] | A | 5985 | CC | | 20-AUG-2014 |
| M | MIL-W-3970/23B | Waveguide Assemblies, Rigid, Cast, 90-Degree E-Plane Bend, Miter and Radius-Back Miter, Full Corral [CUST: CR EC 85 CC] [REVIEW: 19 AS CG MC MI OS] | A | 5985 | CC | | 20-AUG-2014 |
| M | MIL-DTL-26517B NOT 1 | Power Supply, Transformer-Rectifier, Aircraft, General Specification for [CUST: AV SH 84] [REVIEW: 99 GS] | A | 6130 | 84 | | 03-SEP-2014 |
| M | MIL-I-27273A(3) NOT 2 | Inverter, Power, Static, General Specification for [CUST: AV 84] [REVIEW: 99 CR GS] | A | 6130 | 84 | | 03-SEP-2014 |
| M | MIL-P-38026A(4) NOT 3 | Power Supply ECU-23/A [CUST: 84] [REVIEW: 99 GS] | A | 6130 | 84 | | 03-SEP-2014 |
| M | MIL-P-6063B NOT 2 | Packaging of Batteries, Storage, Charged and Dry Uncharged and Moist, General Specification for [CUST: GL AS 84] [REVIEW: 99] | A | 6140 | 84 | | 03-SEP-2014 |
| M | AN3156 REV 5 NOT 5 | Clamp - Battery Hold-Down [CUST: AV AS 85] [REVIEW: 99 CR] | A | 6140 | 84 | | 03-SEP-2014 |
| M | MIL-S-21041C NOT 4 | Slotted Metal Framing, Angles and Panels [CUST: GL YD 84] [REVIEW: 99] | A | 7125 | 84 | | 03-SEP-2014 |
| M | MIL-T-4053B NOT 3 | Tape, Pressure-Sensitive, Adhesive (Corrosion-Resistant) [CUST: AS 84] [REVIEW: 99 AT CR4 MI MR] | A | 8030 | 84 | | 03-SEP-2014 |
| M | MIL-S-8784B NOT 2 | Sealing Compound, Low Adhesion, for Removable Panels and Fuel Tank Inspection Plates [CUST: MR AS 84] [REVIEW: 99 MC OS] | A | 8030 | 84 | | 03-SEP-2014 |
| M | MS27833 NOT 3 | Pad - Tank Strap [CUST: AS 84] [REVIEW: 99 IS] | A | 9390 | 84 | | 03-SEP-2014 |
| M | MS27253B NOT 2 | Plate, Identification [CUST: GL AS 84] [REVIEW: 99 AV] | A | 9905 | 84 | | 03-SEP-2014 |
| M | MIL-HDBK-1037/4 NOT 1 | Brigs and Detention Facilities [CUST: YD] | A | FACR | YD | | 04-SEP-2014 |

CANCELED SECTION

ASSIST UPDATE

| LAST ACTION | | | DISTRIBUTION | FSC/AREA | MCA | PREP ACTY | DATE |
|-------------|--------------------------|--|--------------|----------|-----|-----------|-------------|
| | DOCUMENT NUMBER | DOCUMENT TITLE | | | | | |
| M | A-A-59572 NOT 2 | Gage, Comparator, Electric (No S/S Document) [CUST: 99] | A | 5220 | / | 84 | 03-SEP-2014 |
| M | A-A-52302 NOT 3 | Gasket, Split Integral, for Inland Petroleum Distribution System (IPDS) Snap-Joint Coupling (No S/S Document) [CUST: AT] [REVIEW: IS] | A | 5330 | / | AT | 04-SEP-2014 |
| M | MIL-PRF-1/21D NOT 1 | Electron Tube, Gas Switching Type 1B23 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CG MC MI OS] | A | 5960 | | CC | 04-SEP-2014 |
| M | MIL-PRF-1/208G NOT 3 | Electron Tube, Gas Switching Type 1B27 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CG MC MI SH] | A | 5960 | | CC | 04-SEP-2014 |
| M | MIL-PRF-1/211G NOT 2 | Electron Tube, Power Type 3C24 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CG MC MI OS SH] | A | 5960 | | CC | 04-SEP-2014 |
| M | MIL-PRF-1/466C NOT 1 | Electron Tube, Receiving Type 5842 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CG CR4 MC MI OS] | A | 5960 | | CC | 04-SEP-2014 |
| M | MIL-PRF-1/849G NOT 3 | Electron Tube, Magnetron Type 6543 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CG MC MI OS] | A | 5960 | | CC | 04-SEP-2014 |
| M | MIL-PRF-1/1677B NOT 1 | Electron Tube, Klystron Type 8759 (No S/S Document) [CUST: CR CC] [REVIEW: AV MI] | A | 5960 | | CC | 04-SEP-2014 |
| M | MIL-PRF-1/1701C NOT 3 | Electron Tube, Gas Switching Type DOD-004 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CG MC MI OS] | A | 5960 | | CC | 04-SEP-2014 |
| M | MIL-PRF-1/1712D NOT 2 | Electron Tube, Traveling Wave Type DOD-039 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: AS AV CG MC MI OS] | A | 5960 | | CC | 04-SEP-2014 |
| M | MIL-PRF-1/1718A(1) NOT 2 | Electron Tube, Gas Switching Type 8922 (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CG MC MI OS] | A | 5960 | | CC | 04-SEP-2014 |
| M | MIL-I-6447C(3) NOT 3 | Indicator, True Airspeed, Type M-1A (No S/S Document) [CUST: AS 71] [REVIEW: 99 GS] | A | 6610 | | 71 | 03-SEP-2014 |
| M | MIL-I-58067A(2) NOT 3 | Indicator, Vertical Velocity, Rapid Response Acceleration Sensitive, General Specification for (No S/S Document) [CUST: 71] [REVIEW: 99] | A | 6610 | | 71 | 29-AUG-2014 |
| M | MS27041D NOT 4 | Bearing, Jewel - Bar Hole (No S/S Document) [CUST: 71] [REVIEW: 99 GS] | A | 6695 | | 71 | 08-SEP-2014 |
| M | MS27042C NOT 4 | Bearing, Jewel - Olive Hole, Double Cup (No S/S Document) [CUST: 71] [REVIEW: 99 GS] | A | 6695 | | 71 | 08-SEP-2014 |
| M | MIL-HDBK-276/1 NOT 1 | Life Cycle Cost Model for Defense Materiel Systems Data Collection Workbook (No S/S Document) [CUST: MC] | A | MISC | | MC | 11-AUG-2014 |
| M | MIL-HDBK-276/2 NOT 1 | Life Cycle Cost Model for Defense Materiel Systems Operating Instructions (No S/S Document) [CUST: MC] | A | MISC | | MC | 11-AUG-2014 |
| M | SD-14 NOT 3 | Listing of Toxic Chemicals, Hazardous Substances, and Ozone-Depleting Chemicals (See Notice 3 for Replacement Information) [CUST: AM NM 01 DH] | A | STDZ | | SO | 04-SEP-2014 |