

# **Department of Defense Index of Specifications and Standards**



## **DODISS NOTICE**

**15 February 2007**

For Period 1 February 2007 to 14 February 2007

Vol. 3 / No. 7

## DODISS NOTICE

If you rely on the DODISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DODISS then we encourage you to register for your ASSIST Online account (there is no charge for this).

Once you have your account you can take advantage of the ASSIST Alert Service. Simply establish your ASSIST Alert Portal profile, for more information visit our ASSIST web site at:

<http://assist.daps.dla.mil>

Documents listed in this notice have either an indicator of “N” (new), or “M” (modified).

“N” - indicates that this is a new document that has been entered into our database.

“M” - indicates that a modification has taken place to our database. This could be a revision to a document or an amendment / change / notice to an existing document.

## ACTIVE SECTION

## DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-W-63150(3) NOT 2	Weapons and Support Materiel Standard Quality Assurance Provisions for [CUST: AR]	A	10GP		AR	08-FEB-2007
M	MIL-DTL-27422D	Tank, Fuel, Crash-Resistant, Ballistic-Tolerant, Aircraft [CUST: AV AS]	A	1560		AV	30-JAN-2007
N	MIL-PRF-32222	Heater, Vehicular Compartment Multifuel Burning 24 Volt, DC 15,000 - 30,000 BTU/HR [CUST: AT]	A	2540		AT	21-NOV-2006
M	MIL-PRF-62550E	Heater Assembly, Combustion Vehicular Compartment, 8.8/17.6KW (30,000/60,000 BTU/HR), General Specification for [CUST: AT]	A	2540		AT	21-NOV-2006
M	MIL-DTL-26666G	Hose Assembly, Pneumatic, High Pressure [CUST: AR AS 99 CC] [REVIEW: 11 70 71 AT CG MC MI SA SH]	A	4720		CC	10-DEC-2006
M	MS75009J(2)	Bracket Assembly, Resistor (Power Type) [CUST: CR EC 11 CC] [REVIEW: AR AS MC OS]	A	5905		CC	08-FEB-2007
M	A-A-59725A	Protector, Automotive Cable, High Current, General Requirements for [CUST: EC CC]	A	5920	/	CC	02-FEB-2007
M	QPL-23419-47	Fuse, Cartridge, Instrument Type, General Specification for	A	5920		CC	12-FEB-2007
M	MIL-PRF-24236/11J	Switches, Thermostatic, (Bimetallic), Type I, Hermetically Sealed, Single Pole, Single Throw (SPST), 1 Ampere [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV MC MI OS]	A	5930		CC	02-FEB-2007
M	MIL-PRF-24236/19K	Switches, Thermostatic, (Bimetallic), (Subminiature), Type I, Hermetically Sealed, Single Pole, Single Throw (SPST), 1 Ampere and Low Level [CUST: CR EC 11 CC] [REVIEW: 99 AR AS AT AV MC MI OS SH]	A	5930		CC	02-FEB-2007
M	MS24655P	Switch, Toggle, Positive Break, Miniature Toggled Sealed, Single Pole, Solder Lug or Integrated Wire Terminals: .250 Mounting Bushings [CUST: CR AS 11 CC] [REVIEW: 99 AV EC MI]	A	5930		CC	07-FEB-2007
M	MS24656P	Switch, Toggle, Positive Break, Miniature Toggled Sealed, Double Pole, Solder Lug, or Integrated Wire Terminals: .250 Mounting Bushings [CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MI]	A	5930		CC	07-FEB-2007
M	QPL-26482-99	Connectors, Electrical, (Circular, Miniature, Quick Disconnect, Environment Resisting), Receptacles and Plugs, General Specification for	A	5935		CC	01-FEB-2007
M	QPL-24552-10	Terminals and Seals, Plugs and Switch, Casualty Power Systems, Receptacle Type, General Specification for	A	5940		SH	05-FEB-2007
M	A-A-55809B	Insulation Tape, Electrical, 600V, Polyvinyl Chloride, Pressure-Sensitive Adhesive [CUST: AR SH 99 GS2] [REVIEW: 84]	A	5970	/	GS2	01-FEB-2007
N	MIL-PRF-8565/17	Battery, Storage, Aircraft, Maintenance-Free, 24-Volt, 1/3-Ampere-Hour [CUST: AS]	A	6140		AS	09-FEB-2007
M	A-A-59601C	Dry Cleaning and Degreasing Solvent, PD680 [CUST: AS 68 GS3]	A	6850	/	GS3	02-FEB-2007
M	A-A-59793A	Pans, Stainless Steel, with No-Stick Coated Finish [CUST: GL4 SA 99] [REVIEW: 84 MC MD1 QM1 SS]	A	7310	/	GL4	06-FEB-2007
M	MIL-DTL-32149A	Cloth, Waterproof, Flame Resistant, Moisture Vapor Permeable [CUST: AS CT] [REVIEW: NU]	A	8305		AS	30-JAN-2007
M	MIL-DTL-11484/44G	Lapel Button, Gold Star [CUST: IH NU 11] [REVIEW: 99 CG CT MC]	A	8455		IH	06-FEB-2007
M	MIL-PRF-27201D	Propellant, Hydrogen [CUST: MI AS 68 PS] [REVIEW: 19]	A	9135		68	07-FEB-2007
M	MIL-PRF-27415B	Propellant Pressurizing Agent, Argon [CUST: MI AS 68 PS] [REVIEW: 19]	A	9135		68	08-FEB-2007
N	SAE-AS5685	Steel, Corrosion Resistant, Safety Wire, 18Cr-11.5Ni (UNS S30500) Solution Heat Treated, Cold Finished [CUST: 11] [REVIEW: 84 99]	A	9505		11	02-FEB-2007
M	DI-MGMT-81717B	Communications Security (COMSEC) Anonymity Plan [AMSC: G7701]	A	MGMT		NS	05-FEB-2007
M	MIL-DTL-87268C	Interactive Electronic Technical Manuals - General Content, Style, Format, and User-Interaction Requirements [CUST: AS 16] [REVIEW: 11 13 19 70 71 84 99 EC MC SA SH TD YD] [AMSC: F7703]	A	TMSS		16	22-JAN-2007
M	MIL-DTL-87269C	Data Base, Revisable - Interactive Electronic Technical Manuals, for the Support of [CUST: AS 16] [REVIEW: 11 13 19 70 71 84 99 EC MC SA SH TD YD] [AMSC: F7704]	A	TMSS		16	22-JAN-2007

## INACTIVE SECTION

## DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-S-80029D NOT 3	Sander, Disk and Belt [CUST: CR4 SH 99 IS] [REVIEW: 84 CE MC]	A	3220	IS		09-FEB-2007
M	MS24203B NOT 3	Coupling, Grease Gun; Shafer Type Nozzle [CUST: AT YD 99] [REVIEW: CS SH]	A	4930	AT		07-FEB-2007
M	AN100044 REV 4	Cover - Type XVI, XVII - C, D, E, and F Engine Accessory Drive [CUST: AS 99 IS] [REVIEW: SA]	A	5340	IS		09-FEB-2007
M	MIL-PRF-15160/22C(1)	Fuses: Instrument, Power, and Telephone (Nonindicating), Style F22 [CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS]	A	5920	CC		09-FEB-2007

## CANCELED SECTION

## DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-A-22681C(1) SUP 1A NOT 1	Arrester, Flash, Main Storage Battery, (Submarine Use), General Specification for (No S/S Document) [CUST: SH] [REVIEW: GS]	A	6140		SH	25-JAN-2007
M	MS17334P NOT 2	Battery, Storage, Aircraft, 24-Volt, Heavy Duty, 1/3 Ampere-Hour (S/S by MIL-PRF-8565/17) [CUST: AS] [REVIEW: GS]	A	6140		AS	09-FEB-2007
M	QPL-22681-17 NOT 1	Arrester, Flash, Main Storage Battery, (Submarine Use), General Specification for (No S/S Document)	A	6140		SH	25-JAN-2007
M	A-A-55520 NOT 2	Cleaning Kit, Automatic Data Processing Equipment, Disk Drive (No S/S Document) [CUST: IS]	A	7035	/	IS	09-FEB-2007
M	A-A-55520/1 NOT 2	Cleaning Kit, Automatic Data Processing Equipment, Disk Drive, 90 Millimeters (MM) (3.5 Inches) (No S/S Document) [CUST: IS]	A	7035	/	IS	09-FEB-2007
M	A-A-55520/2 NOT 2	Cleaning Kit, Automatic Data Processing Equipment, Disk Drive, 130 Millimeters (MM) (5.25 Inches) (No S/S Document) [CUST: IS]	A	7035	/	IS	09-FEB-2007
M	A-A-55520/3 NOT 2	Cleaning Kit, Automatic Data Processing Equipment, Disk Drive, 203.20 Millimeters (MM) (8 Inches) (No S/S Document) [CUST: IS]	A	7035	/	IS	09-FEB-2007
M	A-A-55560 NOT 2	Disk, Flexible, Two-Sided, Extra High-Density, 5.3 Tracks per Millimeter (TPMM) (135 Tracks per Inch (TPI), 90 Millimeters (MM) (3.5 Inches) (No S/S Document) [CUST: IS]	A	7045	/	IS	02-FEB-2007
M	SAE-AMS5685	Steel, Corrosion Resistant, Safety Wire, 18Cr - 11.5Ni (SAE 30305) Solution Heat Treated, Cold Finished (S/S by SAE-AS5685) [CUST: 11]	A	9505		11	02-FEB-2007