

METRIC


DOD-T-63549/1
7 September 1982

MILITARY SPECIFICATION SHEET

THUMBSCREW, WING HEAD, METRIC

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the thumbscrews described herein shall consist of this specification and the latest issue of DOD-T-63549.



NOTES:

1. All dimensions are in millimeters.


FIGURE 1. Design and dimensions.

DOD-T-63549/1

REQUIREMENTS:

1. Design and dimensions shall be in accordance with figure 1 and table I.
2. Material. Carbon steel, or brass (see applicable part number).
3. Part number. Consists of the letter "D" followed by the basic specification sheet number, a dash number taken from table II and suffix letter A, B, or C.

Example: D63549/1-001A



DOD-T-63549/1

TABLE I. Dimensions (mm).

A THD DIA AND PITCH	M2X0.4	M2.5X0.45	M3X0.5	M4X0.7	M5X0.8	M6X1	M8X1.25	M10X1.5	M12X1.75	M16X2	M20X2.5	M24X3
B	5 ±0.375	6 ±0.375	6 ±0.375	8 ±0.45	10 ±0.45	12 ±0.55	16 ±0.55	20 ±0.65	23 ±0.65	28 ±0.65	36 ±0.80	45 ±0.80
C	4 ±0.30	5 ±0.375	5 ±0.375	6 ±0.375	8 ±0.45	10 ±0.45	12 ±0.55	16 ±0.65	19 ±0.65	22 ±0.65	28 ±0.65	36 ±0.80
D	12 ±0.55	16 ±0.55	16 ±0.55	20 ±0.65	25 ±0.65	32 ±0.80	40 ±0.80	50 ±0.80	64 ±0.95	72 ±0.95	90 ±1.10	112 ±1.10
E	1 ±0.30	1.2 ±0.30	1.2 ±0.30	1.6 ±0.30	2 ±0.30	2.5 ±0.30	3 ±0.30	4 ±0.375	5 ±0.375	6 ±0.375	7 ±0.45	9 ±0.45
F	1.2 ±0.30	1.6 ±0.30	1.6 ±0.30	2 ±0.30	2.5 ±0.30	3 ±0.30	4 ±0.375	5 ±0.375	6 ±0.375	7 ±0.45	9 ±0.45	11 ±0.55
G	6 ±0.45	8 ±0.45	8 ±0.45	10 ±0.45	12 ±0.55	16 ±0.55	20 ±0.65	25 ±0.65	32 ±0.80	36 ±0.80	45 ±0.80	56 ±0.95
H	3 ±0.30	4 ±0.375	4 ±0.375	5 ±0.375	6 ±0.375	8 ±0.45	10 ±0.45	12 ±0.55	14 ±0.55	16 ±0.55	20 ±0.65	24 ±0.65
K	2 ±0.30	2.5 ±0.30	2.5 ±0.30	3 ±0.30	4 ±0.375	5 ±0.375	6 ±0.375	8 ±0.45	10 ±0.45	11 ±0.55	14 ±0.55	18 ±0.55
M	BREAK SHARP CORNER							1 ±0.30	1 ±0.30	1.2 ±0.30	1.6 ±0.30	2.5 ±0.30
N	0.5 MAX	0.5 MAX	0.5 MAX	0.5 MAX	0.5 MAX	1 ±0.30	1 ±0.30	1.2 ±0.30	1.2 ±0.30	1.6 ±0.30	2 ±0.30	3 ±0.30
P	1.2 ±0.30	1.6 ±0.30	1.6 ±0.30	2 ±0.30	2.5 ±0.30	3 ±0.30	4 ±0.375	5 ±0.375	6 ±0.375	7 ±0.45	9 ±0.45	11 ±0.55
R	0.1 MIN	0.1 MIN	0.1 MIN	0.2 MIN	0.2 MIN	0.3 MIN	0.4 MIN	0.4 MIN	0.6 MIN	0.6 MIN	0.8 MIN	0.8 MIN
S	1.2 MAX	1.35 MAX	1.5 MAX	2.1 MAX	2.4 MAX	3 MAX	4 MAX	4.5 MAX	5.3 MAX	6 MAX	7.5 MAX	9 MAX
T	0.6 MAX	0.7 MAX	0.8 MAX	1 MAX	1.2 MAX	1.5 MAX	1.8 MAX	2.2 MAX	2.5 MAX	3 MAX	3.5 MAX	4.5 MAX

TABLE II. Thread length and dash numbers.

L THREAD LENGTH	M2X0.4	M2.5X0.45	M3X0.5	M4X0.7	M5X0.8	M6X1	M8X1.25	M10X1.5	M12X1.75	M16X2	M20X2.5	M24X3
DASH NUMBERS												
3 ±0.30	001											
4 ±0.375	002	007	012									
6 ±0.375	003	008	013									
8 ±0.45	004	009	014	017	022	024						
10 ±0.45	005	010	015	018	023	030	037					
12 ±0.55	006	011	016	019	024	031	038					
16 ±0.55				020	025	032	039	046	053			
20 ±0.65				021	026	033	040	047	054	060		
25 ±0.65					027	034	041	048	055	061	066	
30 ±0.65					028	035	042	049	056	062	067	072
40 ±0.80						036	043	050	057	063	068	073
50 ±0.80							044	051	058	064	069	074
60 ±0.95								045	052	059	065	075
80 ±0.95											071	076

DOD-T-63549/1

Custodians:

Army - AR
Air Force - 99

Review activities:

Army - AV, EA
Air Force - 11
DLA - IS
NSA - NS

User activities:

Army - ME, AT
Navy - MC, SH

Agent:

DLA - IS

Preparing activity:

Army - AR

(Project 5305-1498)

★U.S. GOVERNMENT PRINTING OFFICE:1982-505-022/4596

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL		OMB Approval No 22-R255
<p>INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.</p>		
DOCUMENT IDENTIFIER AND TITLE DOD-T-63549/1 THUMBSCREW, WING HEAD, METRIC		
NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER	
	MATERIAL PROCURED UNDER A <input type="checkbox"/> DIRECT GOVERNMENT CONTRACT <input type="checkbox"/> SUBCONTRACT	
<p>1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? A. GIVE PARAGRAPH NUMBER AND WORDING</p> <p>B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES</p>		
2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID		
<p>3. IS THE DOCUMENT RESTRICTIVE? <input type="checkbox"/> YES <input type="checkbox"/> NO (If "Yes", in what way?)</p>		
4. REMARKS		
SUBMITTED BY (Printed or typed name and address - Optional)		TELEPHONE NO
		DATE


DD FORM 1426
1 JAN 72

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

S/N 0102-014-1802

FOLD

DEPARTMENT OF THE ARMY



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

BUSINESS REPLY CARD
FIRST CLASS PERMIT NO 12062 WASHINGTON D C
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
U.S. Army Armament Research and Development
Center
Attn: DRDAR-TST-S
Dover, NJ 07801

FOLD

METRIC

NOTICE
OF VALIDATION

DOD-T-63549/1
NOTICE 2
24 JUNE 1994

MILITARY SPECIFICATION
THUMBSCREW, WING HEAD, METRIC

DOD-T-63549/1 dated 05-MAY-88 has been reviewed and determined to be valid for use in acquisition.

Custodians:
Air Force - 99
Army - AR

Preparing activity:
DLA- IS

AMSC N/A

FSC 5305

DISTRIBUTION STATEMENT A
unlimited.

Approved for public release; distribution is