Fed. Std. No. 265 June 28, 1968 DDD-G-95, Issue in effect

## FEDERAL STANDARD

## CARPETS AND RUGS

Authority. This standard is issued pursuant to the Federal Property and Administrative Services Act of 1949, as amended, and its application to the purchase of commodities referred to herein is mandatory on all Federal agencies.

- S1. Purpose and scope. This standard establishes four types, thirteen classes and seven sub-classes of carpets and rugs in plain colors and various color combinations. They are recommended for use by all Federal agencies to achieve the highest practical degree of standard-ization.
- S2. Application. Purchases under Federal Specification DDD-C-95, Carpets and Rugs, Wool, Nylon, Acrylic, Modacrylic covered by Part I, FSC Group 72, Federal Supply Schedule, Section A, of the issue in effect on date of invitation for bids, shall be limited to items which have characteristics conforming to the standard items listed herein. Existing Government stocks of items with other characteristics shall continue to be utilized until exhausted.
- S3. Standard characteristics and item identifications. Standard items shall conform to the following types, classes and sub-classes as applicable as referenced in Federal Specification DDD-0-95.
  - FSN 7220-044-5032 CARPET, VELVET; acrylic/modacrylic, single level loop pile-woven thru back; 42 oz. pile weight per sq yd, 108 in. wide, color A/A, type II, class 3.
  - FSN 7220-014-5033 CARPET, VELVET; acrylic/modacrylic, single level loop pile-woven thru back, 42 oz. pile weight per sq yd, 144 in. wide, color A/A, type II, class 3.
  - FSN 7220-082-3088 CARPET, VELVET; wool, single level loop pile-woven thru back, 12 oz. pile weight per sq yd, 1144 in. wide, color A/A, type II, class 3.
  - FSN 7220-082-3089 CARPET, VELVET; wool, single level loop pile-woven thru back, 42 oz. pile weight per sq yd, 108 in. wide, color A/A, w/attached rubber cushioning, type II, class 3.
  - FSN 7220-082-3090 CARPET, VELVET; wool, single level loop pile-woven thru back, 42 oz. pile weight per sq yd, 144 in. wide, color A/A, w/attached rubber cushioning, type II, class 3.
  - FSN 7220-823-7482 CARPET, LOOP; tufted type, wool, single level loop pile; 33 oz. pile weight per sq yd, llll in. wide, color A/A, type IV, class 4, Subclass A.
  - FSN 7220-823-7483 CARPET, LOOP; tufted type, wool, single level loop pile, 33 oz. pile weight per sq yd, 180 in wide, color A/A, type IV, class 4, Subclass A.
  - FSN 7220-823-7484 CARPET, LOOP; woven type, wool, single level loop pile-twist, 33 oz. pile weight per sq yd, 144 in. wide, color A/A, type VI, class 2.
  - FSN 7220-823-7485 CARPET, LOOP; woven type, wool, single level loop pile-twist, 33 oz. pile weight per sq yd, 180 in. wide, color A/A, type VI, class 2.
  - FSN 7220-823-7486 CARPET, LOOP; woven type, wool/nylon, single level loop pile-twist, 33 oz. pile weight per sq yd, llll in. wide, color A/A, type VI, class 2.
  - FSN 7220-823-7487 CARPET, LOOP; woven type, wool/nylon, single level loop pile-twist, 33 oz. pile weight per sq yd, 180 in. wide, color A/A, type VI, class 2.

## Fed. Std. No. 265

- FSN 7220-823-7497 CARPET, VELVET; wool, multilevel loop-woven thru back, 44 oz. pile weight per sq yd, 144 in. wide, color A/A, type II, class 6.
- FSN 7220-823-7498 CARPET, VELVET; nylon, profile wire loop-woven thru back-filament nylon, 22 oz. pile weight per sq yd, 144 in. wide, color A/A, type II, class 7.
- FSN 7220-823-7503 CARPET, VELVET; wool, single level loop pile, woven thru back, 42 oz. pile weight per sq yd, 108 in. wide, color A/A, type II, class 3.
- FSN 7220-823-7510 CARPET, VELVET; wool, single level cut pile, twist, 34 oz. pile weight per sq yd, 108 in. wide, color A/A, type II, class 2.
- FSN 7220-823-7511 CARPET, VELVET; wool, single level cut pile, twist, 34 oz. pile weight per sq yd, 144 in. wide, color A/A, type II, class 2.
- FSN 7220-823-7512 CARPET, VELVET; wool, single level cut pile, twist, 34 oz. pile weight per sq yd, 180 in. wide, color A/A, type II, class 2.
- FSN 7220-823-7625 CARFET, VELVET; nylon, profile wire loop-woven thru back-filament nylon, 22 oz. pile weight per sq yd, 180 in. wide, color A/A, type II, class 7.
- FSN 7220-823-7628 CARPET, WILTON; wool pile, llu in. wide, color A/A, type III, class 3.
- FSN 7220-823-7629 CARPET, WILTON; wool pile, 180 in. wide, color A/A, type III, class 3.
- FSN 7220-823-7630 CARPET, LOOP; woven type, wool, single level cut pile, 52 oz. pile weight per sq yd, 144 in. wide, color A/A, type II, class 1, Subclass B.
- FSN 7220-823-7631 CARPET, LOOP; woven type, wool, single level cut pile, 52 oz. pile weight per sq yd, 180 in. wide, color A/A, type II, class 1, Subclass B.
- FSN 7220-880-1705 CARPET, VELVET; nylon, profile wire loop-woven thru back-filament nylon, 22 cz. pile weight per sq yd, llil in. wide, color A/A, type II, class 7.
- FSN 7220-880-1706 CARPET, VELVET; nylon, profile wire loop-woven thru back-filament nylon, 22 oz. pile weight per sq yd, 180 in. wide, color A/A, type II, class 7, w/attached rubber cushioning.
- FSN 7220-880-1707 CARPET, VELVET; wool, multilevel loop-woven thru back, 44 oz. pile weight per sq yd, 144 in. wide, color A/A, w/attached rubber cushioning, type II, class 6.
- FSN 7220-880-1708 CARPET, VELVET; acrylic/modacrylic, single level loop pile-woven thru back, 42 oz. pile weight per sq yd, 108 in. wide, color A/A, w/attached rubber cushioning, type II, class 3.
- FSN 7220-880-1709 CARPET, VELVET; acrylic/modacrylic, single level loop pile-woven thru back, 42 oz. pile weight per sq yd, 144 in. wide, color A/A, w/attached rubber cushioning, type II, class 3.
- FSN 7220-935-6755 CARPET, TUFTED; acrylic or acrylic and modacrylic, multilevel loop pile, 28 oz. pile weight per sq yd, llll in. wide, color A/A, type IV, class 2.
- FSN 7220-935-6756 CARPET, TUFTED; acrylic or acrylic and modacrylic, multilevel loop pile, 28 oz. pile weight per sq yd, 180 in. wide, color A/A, type IV, class 2.
- FSN 7220-935-6757 CARPET, VELVET; nylon pile, single level loop pile woven thru back, 29 oz. pile weight per sq yd, llll in. wide, color A/A, type II, class 5.

- FSN 7220-946-4813 CARPET, LOOP; woven type, wool/nylon, single level loop pile, 25 oz. pile weight per sq yd, 54 inches wide, color A/A, w/attached rubber cushioning, type VI, class 1.
- FSN 7220-946-4824 CARPET, TUFTED; acrylic, single level cut pile, 35 oz. pile weight per sq yd. llll in. wide, color A/A, type IV, class 3, Subclass B.
- FSN 7220-946-4825 CARPET, TUFTED; acrylic, single level cut pile, 35 oz. pile weight per sq yd. 180 in. wide, color A/A, type IV, class 3. Subclass B.
- FSN 7220-946-4826 CARPET, TUFTED; wool, cut and uncut pile, 26 oz. pile weight per sq yd, 144 in. wide, color A/A, type IV, class 5, Subclass A.
- FSN 7220-946-4827 CARPET, TUFTED; wool, cut and uncut pile, 26 oz. pile weight per sq yd, 180 in. wide, color A/A, type IV, class 5, Subclass A.
- FSN 7220-946-4828 CARPET, TUFTED; acrylic/modacrylic, cut and uncut pile, 36 oz. pile weight per sq yd, llul in. wide, color A/A, type IV, class 5, Subclass B.
- FSN 7220-946-4829 CARPET, TUFTED; acrylic/modacrylic, cut and uncut pile, 36 oz. pile weight per sq yd, 180 in. wide, color A/A, type IV, class 5, Subclass B.
- FSN 7220-959-4735 CARPET, TUFTED; nylon, single level cut pile, 27 oz. pile weight per sq yd, 144 in. wide, color A/A, type IV, class 3, Subclass A.
- FSN 7220-959-4736 CARPET, TUFTED; nylon, single level cut pile, 27 oz. pile weight per square yard, 180 in. wide, color A/A, type IV, class 3, Subclass A.
- FSN 7220-990-1483 CARPET, TUFTED; wool, single level loop pile, 42 oz. pile weight per sq yd, 144 in. wide, color A/A, type IV, class 4, Subclass B.
- FSN 7220-990-1489 CARPET, TUFTED; wool, single level loop pile, 42 oz. pile weight per sq yd, 180 in...wide, color A/A, type IV, class 4, Subclass B.
- FSN 7220-990-1490 CARPET, VELVET; nylon, single level loop pile-woven thru backfilament nylon, 29 oz. pile weight per sq yd, llll in. wide, color A/A, type II, class 5.
- Sh. Changes. When a Federal agency considers that this standard does not provide for its essential needs, written request for changing or adding to the standard, supported by adequate justification, shall be sent to the Administration. This justification shall explain wherein the standard does not provide for essential needs. The request shall be sent in duplicate to the General Services Administration, Federal Supply Service, Standardization Division, Washington, D.C. 20405. The Administration will determine the appropriate action to be taken and will notify the agency.
- S5. Conflict with referenced specifications. Where the requirements stated in this standard conflict with any requirement in a referenced specification, the requirements of the standard shall apply. Nature of conflict between the standard and the referenced specification shall be submitted in duplicate to the General Services Administration, Federal Supply Service, Standardization Division, Washington, D. C. 20405.

. \_\_\_\_\_

€.

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. Single copies of this standard are available without charge at the GSA Business Service Centers in Boston, New York, Atlanta, Chicago, Kansas City, Mo., Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, Washington. Additional copies may be purchased for 5 cents each from the General Services Administration, Specifications Activity, Printed Materials Supply Division. Building 197, Naval Weapons Plant, Washington, D. C. 20h07.