

NOT MEASUREMENT SENSITIVE

SS-S-1401C
AMENDMENT-1
May 14, 1993

FEDERAL SPECIFICATION

SEALANT, JOINT, NON-JET-FUEL-RESISTANT, HOT-APPLIED,
FOR PORTLAND CEMENT CONCRETE AND ASPHALT CONCRETE PAVEMENTS

This amendment, which forms a part of SS-S-1401C, dated August 15, 1984, is approved by the General Services Administration for use by all federal agencies.

Page 2 - Paragraph 2.2

DELETE: C33 - Concrete Aggregates

C150 - Portland Cement

C192 - Making and Curing Concrete Test Specimens in the Laboratory,
Methods ofADD: C1985- Preparing Concrete Blocks for Testing Sealants, for Joints and
Cracks, Standard Practice forPage 7 - Paragraph 4.4.6.2DELETE: Concrete block preparation. Prepared blocks are available (see 6.6.3).ADD: Concrete block preparation. Prepare concrete blocks in accordance with
ASTM D1985. Prepared blocks are available (see 6.6.3).

DELETE: Paragraph 4.4.6.2.1 and Table I.

Page 8

DELETE: Paragraph 4.4.6.2.2

Page 9 - Paragraph 4.4.6.5, last sentenceDELETE: Three cycles of immersion, conditioning, extension, and recovery shall
constitute one complete test for water-immersed bond (see 4.4.6.6).ADD: Two additional cycles of extension and recovery shall constitute one
complete test for water-immersed bond (see 4.4.6.6).

MILITARY INTERESTS:

Custodians

Army - CE

Navy - YD

Air Force - 99

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA - FSS 9FTE-10

COM - NIST

PREPARING ACTIVITY:

Navy - YD

(Project 8030-0670)

Review Activities

Army - MD, MR

Navy - MS

User Activity

Navy - MC

FSC 8030

DISTRIBUTION STATEMENT A. Approved for public release; distribution is
unlimited.