

AMENDMENT  
TO  
FEDERAL SPECIFICATION  
FOLDER, FILE

This amendment which forms a part of UU-F-1206B, dated May 11, 1990, is approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

Page 2.

Delete Page 2 in its entirety and substitute with the following:

"Colors:      1 - Kraft, Brown  
                 2 - Kraft, Red  
                 3 - Kraft, Brown or Manila (Supplier's option)  
                 4 - Manila  
                 5 - Green Pressboard  
                 6 - Red Pressboard  
                 7 - As Specified

Fastener Positions:    A - Not Applicable  
                             B - Position 1 Top Right Leaf  
                             C - Position 2 Bottom Right Leaf  
                             D - Position 3 Top Left Leaf  
                             E - Position 4 Bottom Left leaf  
                             F - Position 5 At Fold Right Leaf  
                             G - Position 6 At Fold Left Leaf  
                             H - Position 7 Left Edge Left Leaf  
                             I - Position 8 Right Edge Right Leaf  
                             J - As specified

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, N.Y. 10278.

Distribution Statement A:  
Approved for public release  
Distribution is unlimited

UU-F-1206B

Amendment 1

Capacity: 0 - Not Applicable  
1 - One Fastener 1 inch Capacity  
2 - One Fastener 2 inch Capacity  
3 - Two Fasteners Both 1 inch Capacity  
4 - Two Fasteners Both 2 inch Capacity  
5 - Two Fasteners one 1 inch & one 2 inch Capacity  
6 - As specified

Tabs: A - Straight Cut, Self Tab  
B - Double Top, Straight Cut, Self Tab  
C - 1/3 Cut, Self Tab  
D - Double Top, 1/3 Cut, Self Tab  
E - 1/3 Cut, Angular Plastic, Tab  
F - 1/3 Cut, Straight Plastic, Tab  
G - 1/3 Cut, Angular Metal, Tab  
H - 1/3 Cut, Rectangular Metal, Tab  
I - 1/5 Cut, Self Tab  
J - Double Top, 1/5 Cut, Self Tab  
K - 1/5 Cut, Angular Plastic, Tab  
L - 1/5 Cut, Straight Plastic, Tab  
M - 1/5 Cut, Angular Metal, Tab  
N - 1/5 Cut, Rectangular Metal, Tab  
O - 3/5 Cut, Self Tab  
P - 1/2 Cut, Self Tab  
Q - Double Top, 1/2 Cut, Self Tab  
R - As Specified

Expansions: 0 - As Specified  
1 - 3/4 Inch  
2 - 1 Inch Gusset  
3 - 2 Inch Gusset

## 2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of the specification to the extent specified herein."

Page 4.

After par. 2.2, add the following: "2.3 Executive Order 12873 Copies of Executive Order 12873, dated October 20, 1993 may be obtained from:

The White House Publications Office  
New Executive Office Building  
White House  
Att: Publications  
Washington, DC. 20500  
(202) 395-7332"

Page 12.

After par. 3.7, add the following new paragraphs:

"3.8 Certification. The contractor shall certify that the minimum content standard shall be no less than 20% postconsumer materials in accordance with Executive Order 12873, section 504 (a), dated October 20, 1993 (See definitions of postconsumer materials and recovered materials in sections 203 and 205). As an alternative to meeting the standards of section 504(a) for all printing and writing papers, the minimum content standard shall be no less than 50% recovered materials that are a waste material byproduct of a finished product other than a paper or textile product which would otherwise be disposed of in a landfill, as determined by the State in which the facility is located, in accordance with Executive Order 12873, section 504 (c), dated October 20, 1993. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.8.1 Labeling of recycled content. The recycled content shall be marked on the product or unit pack.

3.9 Bleaching. To obtain an acceptable brightness, in accordance with the performance standards of this document, a chemical bleaching process may be used. When specified in the ordering data (See Ordering Data), the bleaching process shall not include the use of chlorine, chlorine dioxide, or other chlorine compounds. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract."

Page 21

After par. 6.2 h, add: "i Whether bleaching without the use of chlorine, chlorine dioxide, or chlorine compounds is required."

Page 23.

Delete page 23 in its entirety and substitute the following page 23:

UU-F-1206B  
Amendment-1

\*UUF1206 - 1 A 3 C 3 D 1 B 1 <--- Example of reference part number:

- Expansions:
  - 0 - As Specified
  - 1 - 3/4 Inch
  - 2 - 1 Inch Gusset
  - 3 - 2 Inch Gusset
- Tabs:
  - A - Straight Cut, Self Tab
  - B - Double Top, Straight Cut, Self Tab
  - C - 1/3 Cut, Self Tab
  - D - Double Top, 1/3 Cut, Self Tab
  - E - 1/3 Cut, Angular Plastic, Tab
  - F - 1/3 Cut, Straight Plastic, Tab
  - G - 1/3 Cut, Angular Metal, Tab
  - H - 1/3 Cut, Rectangular Metal, Tab
  - I - 1/5 Cut, Self Tab
  - J - Double Top, 1/5 Cut, Self Tab
  - K - 1/5 Cut, Angular Plastic, Tab
  - L - 1/5 Cut, Straight Plastic, Tab
  - M - 1/5 Cut, Angular Metal, Tab
  - N - 1/5 Cut, Rectangular Metal, Tab
  - O - 3/5 Cut, Self Tab
  - P - 1/2 Cut, Self Tab
  - Q - Double Top, 1/2 Cut, Self Tab
  - R - As Specified
- Capacity:
  - 0 - Not Applicable
  - 1 - One Fastener 1 inch Capacity
  - 2 - One Fastener 2 inch Capacity
  - 3 - Two Fasteners Both 1 inch Capacity
  - 4 - Two Fasteners Both 2 inch Capacity
  - 5 - Two Fasteners one 1 inch & one 2 inch Capacity
  - 6 - As specified
- Fastener Positions:
  - A - Not Applicable
  - B - Position 1 Top Right Leaf
  - C - Position 2 Bottom Right Leaf
  - D - Position 3 Top Left Leaf
  - E - Position 4 Bottom Left leaf
  - F - Position 5 At Fold Right Leaf
  - G - Position 6 At Fold Left Leaf
  - H - Position 7 Left Edge Left Leaf
  - I - Position 8 Right Edge Right Leaf
  - J - As specified
- Colors:
  - 1 - Kraft, Brown
  - 2 - Kraft, Red
  - 3 - Kraft, Brown or Manila (Supplier's option)
  - 4 - Manila
  - 5 - Green Pressboard
  - 6 - Red Pressboard
  - 7 - As Specified
- Grade:
  - A - Extra Heavy Duty
  - B - Heavy Duty
  - C - Standard Duty
  - D - Light Duty
- Style:
  - 1 - Letter Size Drawer File
  - 2 - Legal Size Drawer File
  - 3 - Letter Size Shelf File
  - 4 - Legal Size Shelf File
  - 5 - Custom Size
- Class:
  - A - Class 1-With Fasteners
  - B - Class 2-Without Fasteners
- Type:
  - 1 - Type I-General Purpose
  - 2 - Type II-Special Purpose"