

UU-F-1762
Amendment-4
~~April 8, 1994~~
SUPERSEDING
Interim Amendment-3
April 20, 1989

AMENDMENT
TO
FEDERAL SPECIFICATION
FOLDERS, FILE, FOLLOW-UP AND INNER

This amendment which forms a part of UU-F-1762, dated August 16, 1972, is approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

Page 3

After par. 2.2, add the following: "2.3 Executive Order 12873 Copies of Executive Order 12873, dated October 20, 1993 may be obtained from:

The White House Publications Office
New Executive Office Building
White House
Att: Publications
Washington, DC. 20500
(202) 395-7332"

Page 4

Paragraph 3.4.1, delete in its entirety and add the following paragraphs:

"3.4.1 Width. Width of the leaves shall be 11-3/4 inches or 14-7/8 inches as specified (6.2). A tolerance of plus or minus 1/16 inch shall be permitted.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, N.Y. 10278.

Distribution Statement A:
Approved for public release
Distribution is unlimited

FSC 7530

UU-F-1762
Amendment-4

3.4.1.1 Height (type I). The height of the back leaf, exclusive of the tab, shall be 9-3/16 inches, and including the tab, shall not be more than 9-15/16 inches nor less than 9-7/8 inches.

3.4.1.2 Height (type II, class 3). The height of the back leaf shall not be more than 10 inches and the height of the front leaf shall not be more than 9-1/4 inches. A tolerance of minus 1/32 inch shall be permitted.

3.4.1.3 Height (type II, class 4). The height of the back leaf shall be 9-1/2 inches, including tab, and the height of the front leaf shall be 7 inches. A tolerance of plus or minus 1/16 inch shall be permitted."

After paragraph 3.4.2, add new paragraph 3.4.3:

"3.4.3 Tab (type II, class 4). The length of the tab shall be 9 inches, minus 0 or plus 1/4 inch. The height of the tab shall be 5/8 inches plus or minus 1/16 inch. The tab shall extend from the right side of the folder."

Paragraph 3.5, delete and substitute:

"3.5 Sheet plastic (type II). The sheet plastic used in fabrication of the follow-up file folder tip and indicator shall be cellulose acetate or a vinyl polymer of not less than 0.007 inch thickness. The cellulose acetate or vinyl polymer shall be free from warpage, cracks or scratches."

Paragraph 3.5.1., delete and substitute:

3.5.1 Color and transparency. The color of the indicator (see 3.7.3.3) shall be dark green. The tip (see 3.7.3.2) shall be colorless and transparent."

Paragraph 3.7.2, line 3,, delete "one and " before "1-1/4".

Page 5

Paragraph 3.7.3.1, 4th sentence, delete:

"The 12 months and 31 days of the month shall be equally spaced, 3/16 inch." and substitute:

"Each month and number shall be enclosed in a box which is 3/8 inch high and 3/16 inch wide."

Paragraph 3.7.3.1, 8th line, between "inch" and "from" insert "for class 3 and 3-1/8 inches plus or minus 1/16 inch for class 4".

Paragraph 3.7.3.1, at the end of the paragraph , add the following sentence:

"For class 3 the monthly register shall precede the daily register, and for class 4 the daily register shall precede the monthly register."

UU-F-1762
Amendment-4

Paragraph 3.7.3.2, at the end of the paragraph add a new sentence, "The sheet plastic tip shall cover the entire tab "

Paragraph 3.7.5.1, line 1, delete "0.0012" and substitute "0.012".

Page 6

After paragraph 3.10, add the the following paragraphs:

"3.11 **Certification.** The contractor shall certify that the minimum content standard shall be no less than 20% postconsumer materials in accordance with Executive Order 12873, section 504 (a), dated October 20, 1993 (See definitions of postconsumer materials and recovered materials in sections 203 and 205). As an alternative to meeting the standards of section 504(a) for all printing and writing papers, the minimum content standard shall be no less than 50% recovered materials that are a waste material byproduct of a finished product other than a paper or textile product which would otherwise be disposed of in a landfill, as determined by the State in which the facility is located, in accordance with Executive Order 12873, section 504 (c), dated October 20, 1993. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.11.1 **Labeling of recycled content.** The recycled content shall be marked on the product or unit pack.

3.12 **Bleaching.** To obtain an acceptable brightness, in accordance with the performance standards of this document, a chemical bleaching process may be used. When specified in the ordering data (See Ordering Data), the bleaching process shall not include the use of chlorine, chlorine dioxide, or other chlorine compounds. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract."

Page 11

Paragraph 4.4.3, line 3. After "aqueous solution of "add "either".

Paragraph 4.4.3, line 3. After "C.I. 18050," delete "C.I."

Paragraph 4.4.3, line 4. After "Red 1," add "or".

Paragraph 4.4.3, line 4. After "C.I. 42085," delete "or C.I."

Page 12

After 6.2 (f) add, "(g) Whether bleaching without the use of chlorine, chlorine dioxide, or chlorine compounds is required."

3.