

WW-P-541/8B  
AMENDMENT-1  
16 April 1990

FEDERAL SPECIFICATION SHEET

PLUMBING FIXTURES (ACCESSORIES, LAND USE)  
(DETAIL SPECIFICATION)

This amendment, which forms a part of WW-P-541/8B, dated August 1, 1980, is approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal Agencies.

Page 8

Paragraph 3.6.2

CHANGE: First sentence to read: "Cabinets shall be constructed with cold-rolled carbon steel sheet of not less than 0.030 inch thick, formed from a single sheet of steel or shall have mechanically formed, spot welded, or any other suitable joints."

Page 17

Paragraph 6.3

REPLACE: WW-D-1909 with A-A-2380

MILITARY INTERESTS:

Custodians

Army - ME  
Navy - YD  
Air Force - 99

Review Activity

DLA - CS

User Activities

Army - CE  
Navy - MC, MS

CIVIL AGENCY COORDINATING ACTIVITIES:

DOE  
GSA - FSS  
HUD - HCC

PREPARING ACTIVITY:

Navy - YD

Project 4510-0251

FSC 4510

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

## STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

## INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

<b>1. RECOMMEND A CHANGE:</b>		1. DOCUMENT NUMBER WW-P-541/8B	2. DOCUMENT DATE (YYMMDD) 16 April 1990.
3. DOCUMENT TITLE PLUMBING FIXTURES (ACCESSORIES, LAND USE)		(DETAIL SPECIFICATION)	
4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)			
5. REASON FOR RECOMMENDATION			
6. SUBMITTER			
a. NAME (Last, First, Middle Initial)		b. ORGANIZATION	
c. ADDRESS (Include Zip Code)		d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)
8. PREPARING ACTIVITY			
a. NAME C. R. LEDERER, Director Equipment Criteria Development Division		b. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (805) 982-5801 551-5801	
c. ADDRESS (Include Zip Code) Commanding Officer (156) Naval Construction Battalion Center Port Hueneme, CA 93043-5000		IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	