MIL-HDBK-150B

28 February 1979

SUPERSEDING

MIL-HDBK-150A

19 January 1968

MILITARY HANDBOOK
CLOTHING COMPONENTS

FOR

MILITARY UNIFORMS



FSC 8315

MIL-HDBK-150E 28 February 1979

DEPARTMENT OF DEFENSE WASHINGTON, DC 20360

MIL-HDBK-150B Clothing Components for Military Uniforms

- 1. This standardization handbook was developed by the Department of Defense in accordance with established procedures.
- 2. This publication was approved 28 February 1979 for printing and inclusion in the Military Standardization Handbook series.
- 3. This handbook provides information and guidance to Department of Defense personnel preparing specifications. Items considered superior to those listed herein may be specified in procurement documents, however, immediate action should be initiated to notify the preparing activity of any change in requirements so that they may be included in this handbook.
- 4. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: US Army Natick Research and Development Command, Natick, MA 01760, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FORWARD

- 1. The components described herein are based on agreements made by representatives of the military services of the Department of Defense.
- 2. This document is intended to standardize components (both functional and traditional) for use in uniform items by the military services of the Department of Defense.

CONTENTS

Paragraph		Page
1.	SCOPE	1
2.	REFERENCED DOCUMENTS	1
3.	DEFINITIONS	2
4.	GENERAL STATEMENTS	3
5.	DETAIL REQUIREMENTS	3
5.1	Ornamentation	3
5.2	Drawcords	3
5.3	Hanger loops	3
5.4	Tab, Collar or Tie	3
5.5	Suspender loops	3
5.6	Buckles	3
5.7	Buttons	3
5.7.1	Buttons, plastic	4
5.7.2	Buttons, metal	4
5.8	Fasteners	4
5.8.1	Fasteners, hook and eye (trouser)	4
5.8.2	Fasteners, collar closure hook and eye	4
5.8.3	Fasteners, slide	4
5.8.4	Fasteners, snap (clinch-on type)	4
5.8.5	Fasteners, snap (sew-on type)	4
5 8 6	Rectaner tanes	4

CONTENTS (cont'd)

Paragraph	rage	
5.9	Tape	4
5.10	Thread	5
5.11	Labels	5
5.12	Interlining	5
5.13	Lining	6
5.14	Pocketing	6
5.15	Pads, shoulder and sleeve head	6

Downloaded from http://www.everyspec.com

1. SCOPE

1.1 This handbook lists components used for dress and semidress military uniforms.

2. REFERENCED DOCUMENTS

2.1 <u>Issues of documents</u>. The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this handbook to the extent specified herein.

SPECIFICATIONS

FEDERAL

V-B-871	- Button, Sewing Hole, and Button, Staple, (Plastic)
V-F-106	
V-L-61	- Laces, Nylon
V-T-276	- Thread, Cotton
V-T-280	- Thread, Gimp, Cotton, Buttonhole
V-T-285	- Thread, Polyester
V-T-295	- Thread, Nylon
V-T-301	- Thread, Silk
CCC-C-426	- Cloth, Drill, Cotton
CCC-C-432	- Cloth, Sheeting, Cotton, (Unbleached, Bleached and Dyed)
CCC-C-438	
CCC-C-440	- Cloth, Cheesecloth, Cotton, Bleached and Unbleached
CCC-C-441	- Cloth, Corduroy, Cotton
CCC-C-458	- Cloth, Flannel, Cotton
DDD-B-1199	- Binding Textile, Cotton, Bias-Cut
DDD-L-20	- Label: For Clothing, Equipage, and Tentage (General Use)
DDD-T-86	 Tape, Textile; Cotton, General Purpose (Unbleached, Bleached, or Dyed)

MILITARY

MIL-C-297	- Clot	h, Interlining, Cotton Warp, and Spun Hair-Wool or
	Ray	on Filling
MIL-C-326		h, Silesia, Cotton
MIL-C-368	- Clot	h, Satin, Rayon and Cloth, Twill, Rayon
MIL-B-371	- Brai	d, Textile, Tubular
MIL-C-508	- Clot	h, Oxford, Nylon, 3 Ounce
MIL-B-593	- Brai	d, Textile (Flat)
MIL-B-1667	- Brai	d, Textile, Cord-Edge

```
- Buckle, Slide, Plastic
   MIL-B-1860
                - Button, Insignia, Metal, Uniform and Cap
   MIL-B-3461
                - Tape, Textile; Webbing, Textile; Rayon
   MIL-T-5237
   MIL-C-10296 - Cloth, Sateen, Cotton
   MIL-F-10884
                - Fasteners, Snap
   MIL-C-11065 - Cloth, Flannel, Wool and Nylon, 16-Ounce
                   Braid, Textile and Lace, Vellum, Woven, Textile
   MIL-B-13466 -
                    (For Blue Dress Uniform)
   MIL-L-15040 - Labels, Garment (Woven, Rayon)
                   Cloth, Flannel, Wool, Undercollar Cloth
   MIL-C-15062 -
   MIL-P-15064 -
                   Pads, Shoulder and Sleeve-head
   MIL-C-15065 -
                   Coat Fronts
   MIL-C-16375 - Cloth, Wigan, Cotton
                   Button, Insignia (Anchor, Plastic, Black)
   MIL-B-17143 -
   MIL-L-17507 - Lace, Ornamental
                   Lace, Gold; Ornamental
   MIL-L-20271 -
                   Buttons, Insignia, Plastic
   MIL-B-20289
   MIL-F-21840 - Fastener Tapes, Hook and Pile, Synthetic
    MIL-C-29137 - Cloth, Felt-Fabric Composite, Undercollar
                   Braid, Textile, Cord-Edge, Polyester
   MIL-B-40092 -
   MIL-C-43525 - Cloth, Satin, Acetate or Rayon Face and Rayon or
                    Cotton Back
                   Thread, Polyester, Cotton-Covered
   MIL-T-43548 -
   MIL-C-43594 -
                   Cloth, Interlining, Polyester
   MIL-T-43624 -
                   Thread, Polyester, Spun
   MIL-C-43626 -
                   Cloth, Interlining, Acetate and Cotton
    MIL-C-43675 -
                   Cloth, Interlining, Cotton Warp and Rayon Filling
                   Cloth, Twill Polyester; Polyester and Cotton:
   MIL-C-43718 -
                    Polyester and Rayon
                   Cloth, Interlining, Non-Woven
   MIL-C-43836 -
   MIL-C-43843 - Cloth, Plain Weave, Polyester/Cotton, Precured,
                    Durable Press
   MIL-C-43920 -
                   Cloth, Interlining, Cotton or Synthetic, and Nylon
               - Ornamentation for Uniform, Woman's, Evening Dress;
   MIL-0-82112
                    Officer's
                   Ornamentation for Jacket, Man's, Evening Dress, Officers
    MIL-0-82194 -
MILITARY HANDBOOK
```

MIL-HDBK-156 - Glossary of Military Clothing Fabrication Terms

STANDARDS

FEDERAL

FED-STD-751 - Stitches, Seams, and Stitchings

DEFINITIONS

(Terminology is defined in MIL-HDBK-156)

4. GENERAL STATEMENTS

- 4.1 This handbook may be used by the military services in preparing military specifications and is intended to standardize clothing components for use in the development of items of military uniforms.
- 4.2 Unless otherwise specified, all stitches, seams and stitchings shall be in accordance with FED-STD-751.

5. DETAIL REQUIREMENTS

5.1 Ornamentation. Ornamentation for military uniforms should conform to the following specifications (as applicable):

MIL-B-593 - Braid, Textile (Flat) MIL-B-1667 - Braid, Textile, Cord-Edge

MIL-B-13466 - Braid, Textile and Lace, Vellum, Woven Textile (For Blue Dress Uniform)

MIL-L-17507 - Lace, Ornamental

MIL-L-20271 - Lace, Gold; Ornamental

MIL-B-40092 - Braid, Textile, Cord-Edge, Polyester MIL-0-82112 - Ornamentation: for Uniform, Woman's,

Evening Dress; Officer's

MIL-0-82194 - Ornamentation: For Jacket, Man's, Evening Dress, Officers'

5.2 Drawcords. Tubular braid for drawcords should conform to:

MIL-B-371 - Braid, Textile, Tubular

5.3 Hanger loops. Flat braid for hanger loops should conform to:

MIL-B-371 - Braid, Textile, Tubular

When applicable, hanger loops may be fabricated from the uniform lining material or basic material.

- 5.4 <u>Tab, collar or tie</u>. Collar tabs or tie tabs for women's shirts may be fabricated from polyester/cotton, durable press cloth conforming to MIL-C-43843.
- 5.5 <u>Suspender loops</u>. Nylon laces for suspender loops or similar constructions should conform to:

V-L-61 - Laces, Nylon

5.6 Buckles. Plastic slide buckles for overcoat and raincoat belts should conform to:

MIL-B-1860 - Buckle, Slide, Plastic

5.7 Buttons.

5.7.1 Buttons, plastic. Plastic buttons for military uniforms should conform to the following specifications (as applicable):

V-B-871 - Button, Sewing Hole, and Button, Staple, (Plastic)

MIL-B-17143 - Button, Insignia (Anchor, Plastic, Black)

MIL-B-20289 - Buttons, Insignia, Plastic

5.7.2 <u>Buttons</u>, metal. Metal insignia buttons for military uniforms should conform to:

MIL-B-3461 - Button, Insignia, Metal, Uniform and Cap

5.8 Fasteners.

- 5.8.1 Fasteners, hook and eye (trouser). Nickle plated hook and eye fasteners for closing trouser waistbands should be North and Judd (Hook Flex H-49, K-50, H-89 and E-90); Universal Button Co. (Talon #3, #7, and #8 hook with #8 eye or #85 eye); Axim Co. Junior Series, type JB; Stimpson (P-536, D-4086, D-4457, D-4288; RAU (OA50, OX1256, O804415), Patwin Inc. (Slim-Slak with MB eye, and Slik Slak); or equal.
- 5.8.2 Fasteners, collar closure hook and eye. Hooks and eyes for collar closures should be brass commercial type or as specified.
- 5.8.3 <u>Fasteners</u>, slide. Slide fasteners for military uniforms should conform to:
 - V-F-106 Fasteners, Slide, Interlocking
- 5.8.4 <u>Fasteners, snap (clinch-on type)</u>. Clinch-on type snap fasteners for military uniforms should conform to:

MIL-F-10884 - Fasteners, Snap

- 5.8.5 <u>Fasteners</u>, <u>snap</u> (<u>sew-on type</u>). Sew-on type snap fasteners should be brass, rolled edge, round or square type.
- 5.8.6 <u>Fastener tapes</u>. Hook and pile fastener tapes for military uniforms should conform to:

MIL-F-21840 - Fastener Tapes, Hook and Pile, Synthetic

5.9 Tape. Tapes for binding seams or edges, reinforcements, bridles, stays, hem finishing, and other uses should conform to the following specifications (as applicable):

DDD-B-1199 - Binding Textile, Cotton, Bias Cut

DDD-T-86 - Tape, Textile; Cotton, General Purpose (Unbleached, Bleached, or Dyed)
MIL-T-5237 - Tape, Textile; Webbing, Textile; Rayon

Tape may also be fabricated from cloth such as the cotton silesia specified in MIL-C-326.

5.10 Thread. Thread used in the manufacture of military uniforms should conform to the following specifications (as applicable):

V-T-276 - Thread, Cotton
V-T-280 - Thread, Gimp, Cotton, Buttonhole
V-T-285 - Thread, Polyester
V-T-295 - Thread, Nylon
V-T-301 - Thread, Silk
MIL-T-43548 - Thread, Polyester, Cotton-Covered
MIL-T-43624 - Thread, Polyester, Spun

5.11 Labels. Labels should conform to the following specifications (as applicable).

DDD-L-20 - Label: For Clothing, Equipage, and Tentage (General Use)
MIL-L-15040 - Labels, Garment (Woven, Rayon)

ind b 15040 Labold, called (not on, impos)

5.12 <u>Interlining</u>. Interlinings for military uniforms should conform to the following specifications (as applicable):

CCC-C-438 - Cloth, Buckram, Cotton

CCC-C-440 - Cloth, Cheesecloth, Cotton, Bleached and Unbleached

MIL-C-297 - Cloth, Interlining, Cotton Warp, and Spun Hair-Wool or Rayon Filling

MIL-C-326 - Cloth, Silesia, Cotton

MIL-C-15065 - Coat Fronts

)

MIL-C-16375 - Cloth, Wigan, Cotton

MIL-C-43594 - Cloth, Interlining, Polyester

MIL-C-43626 - Cloth, Interlining, Acetate and Cotton

MIL-C-43675 - Cloth, Interlining, Cotton Warp and Rayon Filling

MIL-C-43718 - Cloth, Twill, Polyester; Polyester and Cotton:

Polyester and Rayon

MIL-C-43836 - Cloth, Interlining, Non-Woven

MIL-C-43920 - Cloth, Interlining, Cotton or Synthetic,

and Nylon

In addition to the above, interlinings may consist of uniform basic material, uniform lining, or other material when specified.

5.13 Lining. Linings for military uniforms should conform to the following specifications (as applicable):

```
MIL-C-326 - Cloth, Silesia, Cotton

MIL-C-368 - Cloth, Satin, Rayon and Cloth, Twill, Rayon

MIL-C-508 - Cloth, Oxford, Nylon, 3 Ounce

MIL-C-15062 - Cloth, Flannel, Wool, Undercollar Cloth

MIL-C-29137 - Cloth, Felt-Fabric Composite, Undercollar

MIL-C-43525 - Cloth, Satin, Acetate or Rayon Face
and Rayon or Cotton Back

MIL-C-43718 - Cloth, Twill, Polyester; Polyester and Cotton;

Polyester and Rayon.
```

When specified, certain lining parts may be fabricated from the basic uniform material or other material.

5.14 <u>Pocketing</u>. Pocketing for military uniforms should conform to the following specifications (as applicable):

```
- Cloth, Drill, Cotton
CCC-C-426
            - Cloth, Sheeting, Cotton, (Unbleached, Bleached, and
CCC-C-432
                Dyed)
CCC-C-441
            - Cloth, Corduroy, Cotton
             - Cloth, Flannel, Cotton
CCC-C-458
MIL-C-326
             - Cloth, Silesia, Cotton
MIL-C-10296 - Cloth, Sateen, Cotton
MIL-C-11065 - Cloth, Flannel, Wool and Nylon, 16-Ounce, Shrink
                Resistant
MIL-C-43718 - Cloth, Twill, Polyester; Polyester and Cotton:
                Polyester and Rayon
```

In addition to the above, pockets may be fabricated from the basic uniform material or other material when specified.

5.15 Pads, shoulder and sleeve head. Unless otherwise specified, shoulder pads and sleeve-head pads should conform to:

MIL-P-15064 - Pads, Shoulder and Sleeve-Head

Custodians:

Preparing activity:

Army - GL

Army - GL Navy - NU Air Force - 99

Project No. 8315-0263

Review activity:

Air Force - 45

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL					
INSTRUCTIONS: This form is provided to solicit beneficial comments which enhance its use. DoD contractors, government activities, manufacturers, vendo the document are invited to submit comments to the government. Fold on line and send to preparing activity. Attach any pertinent data which may be of use there are additional papers, attach to form and place both in an envelope addre response will be provided to the submitter, when name and address is provided, the 1426 was received and when any appropriate action on it will be completed NOTE: This form shall not be used to submit requests for waivers, deviations or requirements on current contracts. Comments submitted on this form do not to waive any portion of the referenced document(s) or to amend contractual re-	rs, or other prospective users of a son reverse side, staple in corner, in improving this document. If a sed to preparing activity. A within 30 days indicating that it is clarification of specification constitute or imply authorization				
DOCUMENT IDENTIFIER (Number) AND TITLE					
MIL-HDBK-150B Clothing Components For Military U	Uniforms				
NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER					
VENDOR USER MANUFACTURER					
1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED II	NTERPRETATION IN PROCUREMENT				
USE? IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUO					
A. GIVE PARAGRAPH NUMBER AND WORDING	oo, veense en en beest.				
A. GIVE PARAGRAPH NUMBER AND WORDING					
B. RECOMMENDED WORDING CHANGE					
C. REASON FOR RECOMMENDED CHANGE(S)					
	ł				
2. REMARKS					
	TEL ERHONE NO				
SUBMITTED BY (Printed or 1) ped name and address — Optional)	TELEPHONE NO.				
	DATE				
	i i				

DD FORM 1426

,

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

FOLD

DEPARTMENT OF THE ARMY S ARMY NATICK RESEARCH and DEVELOPMENT COMMAND NATICK, MASSACHUSETTS 01740

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
DRDNA-ES

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD-314



Commander

US Army Natick Research and Development Command

ATTN: DRDNA-ES Natick, MA 01760

NATICK OF 1 AUG 78

FOLD