MIL-HDBK-150C 8 March 1995 SUPERSEDING MIL-HDBK-150B 28 February 1979

MILITARY HANDBOOK

FOR

MILITARY UNIFORMS



AMSC N/A

DISTRIBUTION STATEMENT A.

FSC 8315

Approved for public release; distribution is unlimited.

DEPARTMENT OF DEFENSE WASHINGTON, DC 20360

MIL-HDBK-150C Clothing Components for Military Uniforms

- 1. This standardization handbook was developed by the Department of Defense in accordance with established procedures.
- 2. This publication was approved 8 March 1995 for printing and inclusion in the Military Standardization Handbook series.
- 3. This handbook provides information and guidance to Department of Defense personnel preparing specifications. Items considered superior to those listed herein may be specified in acquisition documents, however, immediate action should be initiated to notify the preparing activity of any change in requirements so that they may be included in this handbook.
- 4. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, ATTN: DPSC-FQSC, 2800 South 20th Street, Philadelphia, PA 19145-5099, by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

MIL-HOOK-150C

FOREWORD

- 1. The components described herein are based on agreements made by representatives of the military services of the Department of Defense.
 - 2. This document is intended to standardize components (both functional and traditional) for use in uniform items by the military services of the Department of Defense.

CONTENTS

Paragraph	the control of the co	Page
1.	SCOPE	1
2.	REFERENCED DOCUMENTS	1 .
3.	DEFINITIONS	2
4.	GENERAL STATEMENTS	. 3
5.	DETAIL REQUIREMENTS	3
5.1	Ornamentation	3 .
5.2	Drawcords	3
5.3	Hanger loops	3
5.4	Necktab	3
5.5	Suspender loops	3
5.6	Buckles	3
5.7	Buttons	3
5.7.1	Buttons, plastic	4
5.7.2	Buttons, metal	4
5.8	Fasteners	4
5.8.1	Fasteners, hook and eye (trouser)	4
5.8.2	Fasteners, collar closure hook and eye	4
5.8.3	Fasteners, slide	5
5.8.4	Fasteners, snap (clinch-on type)	5
5.8.5	Fasteners, snap (sew-on type)	5
5.8.6	Fasteners, tapes	5

CONTENTS (contd.)

1.45

<u>Paragraph</u>		Page
5.9		5
5.10	Thread	· 5
5.11	Labels	5
5.12	Interlining *	6
5.13	Lining :	6
5.14	Pocketing	6
5.15	Pads, shoulder and sleeve head	7

1. SCOPE

1.1 This handbook lists components for dress and semi-dress military uniforms.

2. REFERENCED DOCUMENTS

2.1 <u>Issues of documents</u>. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto, cited in the solicitation.

SPECIFICATIONS

FEDERAL

A-A-50067	-	Cloth, Flannel, Wool
A-A-50128	<u>-</u> ·	Cloth, Interlining, Non-Woven
A-A-50135		Cloth, Interlining, Polyester
A-A-50186	-	Cloth, Buckram, Woven and Nonwoven
A-A-50196	_	Thread, Silk
A-A-50198	• -	Thread, Gimp, Cotton, Buttonhole
A-A-50199	-	Thread, Polyester Core, Cotton-or
		Polyester-Covered
A-A-52067	-	Binding Textile, Cotton, Bias-Cut
A-A-52074	- . '	Cloth, Satin, Lining Material
A-A-52094	-	Thread, Cotton
A-A-55126	_	Fastener Tapes, Hook and Loop,
		Synthetic
V-B-871		Button, Sewing Hole, and Button,
		Staple, (Plastic)
V-F-106	-	Fasteners, Slide, Interlocking
V-L-61	-	Laces, Nylon
	-	Thread, Polyester
V-T-295	-	Thread, Nylon
CCC-C-426		Cloth, Drill, Cotton
CCC-C-432	• •	Cloth, Sheeting, Cotton,
·	•	(Unbleached, Bleached, and Dyed)
CCC-C-440 ·	• •	Cloth, Cheesecloth, Cotton,
	•	Bleached and Unbleached
CCC-C-441) 🗕 🚎 🖯	Cloth, Corduroy, Cotton
CCC-C-458		Cloth, Flannel, Cotton
DDD-L-20	-	Label: For Clothing, Equipage, and
	•	Tentage (General Use)
DDD-T-86		Tape, Textile; Cotton, General
		Purpose (Unbleached, Bleached, or
		Dyed)

MILITARY

MILI	TARY		14A.1 - 24
	MIL-C-297	_ &	Clath Intonlining Cotton on
	M111-C-237	*	Cloth, Interlining, Cotton or
			Synthetic Warp, and Spun Hair-Wool
	MIL-C-368	٠,	or Rayon Filling
4.4	MTT-C-300	_	Cloth, Satin, Rayon and Cloth,
	NTT 5 771	•	Twill Rayon
	MIL-B-371	-	Braid, Textile, Tubular
	MIL-C-508	ţ-	Cloth, Oxford, Nylon, 3 Ounce
	MIL-B-593	-	Braid, Textile (Flat)
	MIL-B-1667	-	Braid, Textile, Cord-Edge
	MIL-B-1860		Buckle, Slide, Plastic
	MIL-B-3461	- ∳	Button, Insignia, Metal, Uniform and Cap
	MIL-T-5237	→	Tape, Textile; Webbing, Textile;
•	;		Rayon
	MIL-C-10296	_	Cloth, Sateen, Cotton
	MIL-F-10884	- +	
	MIL-C-11065	_	Cloth, Flannel, Wool and Nylon,
			16-Ounce, Shrink-Resistant
	MIL-B-13466	_	Braid, Textile and Lace, Vellum,
	20.00		Woven, Textile (For Blue Dress
			Uniform)
4	MIL-L-15040	-	Labels, Garment (Woven, Rayon)
	MIL-P-15064	_	Pads, Shoulder and Sleeve-head
	MIL-C-15065	_	Coat Fronts
	MIL-C-16375	_	Cloth, Wigan, Cotton
	MIL-B-17143	_	
			Button, Insignia (Anchor, Plastic, Black)
	MIL-L-17507	-	Lace, Ornamental
	MIL-L-20271	-	Lace, Gold; Ornamental
	MIL-B-20289	-	Buttons, Insignia, Plastic
	MIL-C-29137	- %	Cloth, Felt-Fabric, Composite, Undercollar
	MIL-B-40092	_	Braid, Textile, Cord-Edge,
	·		Polyester
	MIL-T-43624	-	Thread, Polyester, Spun
	MIL-C-43626		Cloth, Interlining, Acetate and
	,		Cotton
	MIL-C-43675	_	Cloth, Interlining, Cotton Warp
			and Rayon Filling
•	MIL-C-43718		Cloth, Polyester; Polyester and
	÷.		Cotton; Polyester and Rayon, for
			Pockets
	MIL-C-43843	- `	Cloth, Plain Weave, Polyester/
	1		Cotton, Precured, Durable Press
	MIL-C-43920	-	Cloth, Interlining, Cotton or
		·	Synthetic, and Nylon
	MIL-C-44296	-	Cloth, Fusibles
	MIL-0-82112	~	Ornamentation for Uniform, Woman's,
			Evening Dress; Officer's
	٠ .		

MIL-O-82194 - Ornamentation for Jacket, Man's, Evening Dress, Officer's

MILITARY HANDBOOK

MIL-HDBK-156 - Glossary of Military Clothing Fabrication Terms

STANDARDS

FEDERAL

FED-STD-751 - Stitches, Seams, and Stitching -

3. DEFINITIONS

(Terminology is defined in MIL-HDBK-156)

4. GENERAL STATEMENTS

- 4.1 This handbook may be used by the military services in preparing military specifications. It is intended to standardize clothing components for use in the development of items of military uniforms.
- 4.2 Unless otherwise specified, all stitches, seams, and stitching shall be in accordance with FED-STD-751.

5. DETAIL REQUIREMENTS

5.1 Ornamentation. Ornamentation for military uniforms should conform to the following specifications (as applicable):

MIL-B-593	. ,	Braid, Textile (Flat)
MIL-B-1667	-	Braid, Textile, Cord-Edge
MIL-B-13466	-	Braid, Textile and Lace, Vellum, Woven, Textile (For Blue Dress
t 5.		Uniform)
MIL-L-17507	-	Lace, Ornamental
MIL-L-20271	-	Lace, Gold; Ornamental
MIL-B-40092	-	Braid, Textile, Cord-Edge, Polyester
MIL-0-82112	-	Ornamentation for Uniform, Woman's, Evening Dress, Officer's
MIL-O-82194	- ,	Ornamentation for Jacket, Man's, Evening Dress, Officer's

5.2 <u>Drawcords</u>. Tubular braid for drawcords shall conform to:

MIL-B-371 - Braid, Textile, Tubular

5.3 <u>Hanger loops</u>. Flat braid for hanger loops shall conform to:

MIL-B-371 - Braid, Textile, Tubular

When applicable, hanger loops may be fabricated from the uniform lining material or basic material.

- 5.4 <u>Necktab</u>. Necktabs for women's shirts may be fabricated from polyester/cotton, durable press cloth conforming to MIL-C-43843.
- 5.5 <u>Suspender loops</u>. Nylon laces for suspender loops or similar constructions shall conform to:

V-L-61 - Laces, Nylon

5.6 <u>Buckles</u>. Plastic slide buckles for overcoat and raincoat belts shall conform to:

MIL-B-1860 - . Buckle, Slide, Plastic

5.7 Buttons

5.7.1 <u>Buttons</u>, <u>plastic</u>. Plastic buttons for military uniforms shall conform to the following specifications (as applicable):

V-B-871 - Button, Sewing, Hole and Button, Staple (Plastic)

MIL-B-17143 - Button, Insignia (Anchor, Plastic,

Black)

MIL-B-20289 - Buttons, Insignia, Plastic

5.7.2 <u>Buttons, metal</u>. Metal insignia buttons for military uniforms shall conform to:

MIL-B-3461 - Button, Insignia, Metal, Uniform and Cap

5.8 <u>Fasteners</u>

- 5.8.1 Fasteners, hook and eye (trouser). Nickel-plated hook and eye fasteners for closing trouser waistbands shall be North and Judd (Hook Flex H-49, K-50, H-89 and E-90); Universal Button Co. (Talon #3, #7, and #8 hook with #8 eye or #85 eye); Akim Co. Junior Series, type JB; Stimpson (P-536, D-4086, D-4457, D-4288; RAU (0A50, OX1256, 080415), Patwin, Inc. (Slim-Slak with MB eye, and Silk Slak); or equal.
- 5.8.2 <u>Fasteners, collar closure hook and eye</u>. Hooks and eyes for collar closures shall be commercial-type brass, or as specified.

5.8.3 <u>Fasteners</u>, <u>slide</u>. Slide fasteners for military uniforms shall conform to:

V-F-106 - Fasteners, Slide, Interlocking

5.8.4 Fasteners, snap (clinch-on type). Clinch-on type snap fasteners for military uniforms shall conform to:

MIL-F-10884 :- Fasteners, Snap

- 5.8.5 <u>Fastener</u>, <u>snap</u> (<u>sew-on type</u>). Sew-on type snap fasteners shall be brass, rolled edge, round or square type.
- 5.8.6 <u>Fastener tapes</u>. Hook and loop fastener tapes for military uniforms shall conform to:

A-A-55126 - Fastener Tapes, Hook and Loop, Synthetic

5.9 <u>Tape</u>. Tapes for binding seams or edges, reinforcements, bridles, stays, hem finishing, and other uses shall conform to the following specifications (as applicable):

A-A-52067 - Binding, Textile, Cotton, Bias
Cut

DDD-T-86 - Tape, Textile; Cotton, General
Purpose (Unbleached, Bleached,
or Dyed)

MIL-T-5237 - Tape, Textile; Webbing, Textile;
Rayon

5.10 <u>Thread</u>. Thread used in the manufacture of military uniforms should conform to the following specifications (as applicable):

A-A-50196 - Thread, Silk
A-A-50198 - Thread, Gimp, Cotton, Buttonhole
A-A-50199 - Thread, Polyester Core, Cotton-or
Polyester-Covered
A-A-52094 - Thread, Cotton
V-T-285 - Thread, Polyester
V-T-295 - Thread, Nylon
MIL-T-43624 - Thread, Polyester, Spun

5.11 <u>Labels</u>. Labels shall conform to the following specifications (as applicable):

DDD-L-20 - Label; For Clothing, Equipage, and
Tentage (General Use)
MIL-L-15040 - Labels, Garment (Woven, Rayon)

5.12 <u>Interlining</u>. Interlinings for military uniforms shall conform to the following specifications (as applicable):

```
A-A-50128 - Cloth, Interlining, Non-Woven
              - <u>-</u> . . . . . .
                    Cloth, Interlining, Polyester
A-A-50135
               - Cloth, Buckram, Woven and Nonwoven
A-A-51086
               - Cloth, Cheesecloth, Cotton,
CCC-C-440
                    Bleached and Unbleached
MIL-C-297
                    Cloth, Interlining, Cotton or
                     Synthetic Warp, and Spun
                    Hair-Wool or Rayon Filling
MIL-C-15065
                    Coat Fronts
                    Cloth, Wigan, Cotton
MIL-C-16375
                    Cloth, Interlining, Acetate and
MIL-C-43626
                     Cotton
MIL-C-43675
                    Cloth, Interlining, Cotton Warp
                     and Rayon Filling
                    Cloth, Polyester; Polyester and
MIL-C-43718
                 Cotton; Polyester and Rayon, For
                     Pockets
                    Cloth, Interlining, Cotton or
MIL-C-43920
                     Synthetic, and Nylon
```

In addition to the specifications above, interlining may consist of uniform basic material, uniform lining, or other material, when specified.

5.13 <u>Lining</u>. Linings for military uniforms shall conform to the following specifications (as applicable):

A-A-50067	 Cloth, Flannel, Wool
A-A-52074	- Cloth, Satin, Lining Material
MIL-C-368	- Cloth, Satin, Rayon and Cloth,
	Twill; Rayon
MIL-C-508	- Cloth, Oxford, Nylon, 3 Ounce
MIL-C-29137	- Cloth, Felt-Pabric Composite,
MIL-C-43718	- Cloth, Polyester; Polyester and Cotton; Polyester and Rayon, For Pockets

When specified, certain lining parts may be fabricated from the basic uniform material or other material.

5.14 <u>Pocketing</u>. Pocketing for military uniforms shall conform to the following specifications (as applicable):

CCC-C-426	- Cloth, Drill, Cotton	
CCC-C-432	 Cloth, Sheeting, Cotton, 	
;	(Unbleached, Bleached, and Dy	red)

CCC-C-441 - Cloth, Corduroy, Cotton
CCC-C-458 - Cloth, Flannel, Cotton
MIL-C-10296 - Cloth, Sateen, Cotton
MIL-C-11065 - Cloth, Flannel, Wool and Nylon,
16-Ounce, Shrink-Resistant
Cloth, Polyester; Polyester and
Cotton; Polyester and Rayon, For
Pockets

In addition to the above, pockets may be fabricated from the basic uniform material or other material, when specified.

5.15 <u>Pads, shoulder and sleeve head.</u> Unless otherwise specified, shoulder pads and sleeve-head pads should conform to:

MIL-P-15064 - Pads, Shoulder and Sleeve-Head

Custodians:

Preparing Activity:

Army - GL Navy - NU

Air Force - 45

DLA - CT

Project No. 8315-0383

Review Activities:

Air Force - 32

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

- 1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
- 2. The submitter of this form must complete blocks 4, 5, 6, and 7.
- 3. The preparing activity must provide a reply within 30 days from receipt of the form.

requirements on current contracts: Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.				
TRECOMMEND & CHANGE: NIL-HOBK-1500	2. DOCUMENT DATE (YYMMDD)			
3. DOCUMENT TITLE				
Military Handbook for Military Uniforms				
4. NATURE OF CHANGE (identify paragraph number and include proposed rewrite,	If possible. Attach extra sheets as needed.)			
	·			

5. REASON FOR RECOMMENDATION

c. ADDRESS (Include Zip Code) 2800 South 20th Street Philadelphia, Pennsylvania 19145-5099	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Obfense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	
a. NAME Defense Personnel Support Center DPSC-PQSD (12-3-C)	b. TELEPHONE (Include Area Code) (1) Commercial 215-737-8103	(2) AUTOVON 444-8103
8. PREPARING ACTIVITY		
	7 TEEPHONE (INCOME Area Civic) TE COMPANY III TO CO	DAYE SHIMITTED (CALADODE
	HAR CHICAGON AND CONTROL OF THE PROPERTY OF TH	No. 4