

NON-MEASUREMENT SENSITIVE

MIL-HDBK-290(SH)

NOTICE 1

6 April 1988

## MILITARY HANDBOOK

## STANDARD ELECTRICAL SYMBOL LIST

TO ALL HOLDERS OF MIL-HDBK-290(SH):

1. THE FOLLOWING PAGES OF MIL-HDBK-290(SH) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED:

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
13	6 April 1988	13	22 August 1986
14	22 August 1986	REPRINTED WITHOUT CHANGE	
21	22 August 1986	REPRINTED WITHOUT CHANGE	
22	6 April 1988	22	22 August 1986
31	6 April 1988	31	22 August 1986
32	6 April 1988	32	22 August 1986
33	6 April 1988	33	22 August 1986
34	6 April 1988	34	22 August 1986
35	6 April 1988	35	22 August 1986
36	6 April 1988	36	22 August 1986
39	6 April 1988	39	22 August 1986
43	6 April 1988	43	22 August 1986
44	6 April 1988	44	22 August 1986
45	6 April 1988	45	22 August 1986
46	6 April 1988	46	22 August 1986
47	6 April 1988	47	22 August 1986
48	22 August 1986	REPRINTED WITHOUT CHANGE	
91	22 August 1986	REPRINTED WITHOUT CHANGE	
92	6 April 1988	92	22 August 1986
97	6 April 1988	97	22 August 1986
98	22 August 1986	REPRINTED WITHOUT CHANGE	
105	22 August 1986	REPRINTED WITHOUT CHANGE	
106	6 April 1988	106	22 August 1986
113	22 August 1986	REPRINTED WITHOUT CHANGE	
114	6 April 1988	114	22 August 1986
115	6 April 1988	115	22 August 1986
116	6 April 1988	116	22 August 1986
117	6 April 1988	117	22 August 1986
118	22 August 1986	REPRINTED WITHOUT CHANGE	
119	22 August 1986	REPRINTED WITHOUT CHANGE	
120	6 April 1988	120	22 August 1986
120a	6 April 1988	120	22 August 1986

AMSC N/A

AREA DRPR

DISTRIBUTION STATEMENT A

Approved for public release; distribution unlimited

MIL-HDBK-290(SH)

NOTICE 1

6 April 1988

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
123	6 April 1988	123	22 August 1986
123a	6 April 1988	123	22 August 1986
124	22 August 1986	REPRINTED WITHOUT CHANGE	
127	6 April 1988	127	22 August 1986
128	22 August 1986	REPRINTED WITHOUT CHANGE	
133	6 April 1988	133	22 August 1986
134	6 April 1988	134	22 August 1986
135	22 August 1986	REPRINTED WITHOUT CHANGE	
136	6 April 1988	136	22 August 1986

2. RETAIN THIS NOTICE AND INSERT BEFORE TABLE OF CONTENTS.

3. Holders of MIL-HDBK-290(SH) will verify that page changes and additions indicated above have been entered. This notice page will be retained as a check sheet. This issuance, together with appended pages, is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Preparing activity:  
Navy - SH  
(Project DRPR-N288)

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
211.1	Canceled-obsolete			
212.1	Canceled-obsolete			
213.1	Canceled-obsolete			
214	Canceled-obsolete			
215	Polarity signal light, 150W, red, green	MS17315	9G6210-00-399-6337	19.5
216.1	Polarity signal light, 21 cp red, 21 cp green, small boats	MS17995	9G6220-00-028-3964	3.8
217.1	Canceled-obsolete			
218.1	Canceled-obsolete			
219	Side light, contour, port, red small boats	MS17999	9G6220-00-548-0215	3.5
220	Side light, contour, stbd, green, small boats	MS17999	9G6220-00-548-0216	4.1
221	Light, navigation, traffic control (aircraft carriers), 90W, six lamps, red and green	MIL-L-24560/21		30.0
222	Light, navigation, traffic light, 90W, six lamps, red, yellow and green	MIL-L-24560/22		30.0
223,224	Not yet used			
225	Superseded by 225.1			*
225.1	Station keeping light, stbd	MS17781		
226	Superseded by 226.1			*
226.1	Station keeping light, port	MS17781	9G6220-00-609-3343	
227	Superseded by 227.1			*
227.1	Station keeping light, full aft	MS17781		
228	Canceled-obsolete			
229	Superseded by 229.1			
229.1	Berth light, 8W, fluorescent, for rail mtg with receptacle	MIL-F-16377/17	9G6230-00-578-7547	4.1*
231	Superseded by 231.1			
231.1	Berth light, 8W, fluorescent, for spring berths with receptacle	MIL-F-16377/17	9G6230-00-808-4466	4.1*
232	Superseded by 232.1			
232.1	Berth light, 8W, fluorescent, for pan type berths, bhd or bar mtg with receptacle	MIL-F-16377/17	9G6230-01-146-3701	4.1*

Supersedes page 13 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
233	Superseded by 233.1			
233.1	Light, navigation, ident (sub), yellow, 500W	MIL-L-24560/12	0029-LL-HD2-F131	4.5
234	Canceled-Use 232			
235-238	Canceled-obsolete			
<u>LIGHTS AND LIGHTING FIXTURES (continued with 266.2)</u>				
<u>LIGHTS, VISUAL LANDING AIDS</u>				
239.1	Superseded by 239.2			
239.2	Deck edge light, with blue globe, wrttt	NAEC(SI)#408833-1 NAEC(SI)#608303-1 NAEC(SI)#518340-1	9G6210-00-803-5911 5R6220-00-215-6358 5RM6210-01-042-8652	7.5
240	Superseded by 221			
241	Superseded by 222			
242	Canceled-obsolete			
243	Canceled-obsolete			
243.1	Drop line light	NAEC(SI)#616263-1	5R6210-00-223-8434	2.5
243.2	Light bar assy, vertical drop line, air capable ships	NAEC(SI)#617682-1	5RM6210-00-107-8813	
243.3	Light bar assy, extended line-up, air capable ships	NAEC(SI)#617577-1	5RM6210-00-099-7120	
244,245	Canceled-obsolete			
246	Light fixture, extended line-up, air capable ships	NAEC(SI)#515364-1	5RM6210-00-086-6153	
247.1	Canceled-obsolete			
247.2	Canceled-obsolete			
247.3	Canceled			
248	Floodlight, 115V, 1000W, incandescent, white, ovhd, medium spread lens (62° horiz, 43° vert)	NAEC(SI)#612963-1	5R6220-00-988-1519	38.0
248.1	Floodlight, 115V, 1000W, incandescent, white ovhd, w/smooth beam lens (25° horiz, 22° vert)	NAEC(SI)#612963-2	5R6220-00-988-1520	40.0
248.2	Canceled			

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
334	Superseded by 334.1			
334.1	Canceled-Use 333.1 with one red filter on center lamp (See MIL-F-16377)	MIL-F-16377/34	9G6210-00-635-8814	4.25
334.2	Canceled-Use 333.2 with one red filter on center lamp (see MIL-F-16377)	MIL-F-16377/7		5.6
335	Incandescent, 15W, gyro compass, pp, sub			6.75
336	Fluorescent, 16W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/7		
336.1	Fluorescent, 16W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy			12.1
337	Mirror light set, 15W, for toilet cases (2 lights)	MIL-F-16377/18	9G6210-00-023-1653	
338	Superseded by 338.1			
338.1	Fluorescent, ovhd, 15W, white diffusing, wrttt, std mtg	MIL-F-16377/5	9G6210-00-725-3556	6.75
338.2	Fluorescent, ovhd, 15W, white diffusing, wrttt, flushmounted	MIL-F-16377/5		8.2
339.1	Fluorescent, 15W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/5		6.75
339.2	Fluorescent, 15W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/5		8.2
340	Mirror light fluorescent, 15W, recessed, with gnd receptacle	MIL-F-16377/18	9G6210-00-990-5556	6.6
341	Superseded by 341.1			
341.1	Daylight, 60W, blue & white (CIC lighting), std mtg, dp 15°	MIL-F-16377/12	9G6210-00-455-0068	18.1
341.2	Daylight, 60W, blue & white (CIC lighting), flushmounted, dp 15°	MIL-F-16377/12	9G6210-00-548-0222	20.3
342	Superseded by 342.2			
342.1	Superseded by 342.3			
342.2	Fluorescent, 60W, ovhd, wrttt, std mtg with clear and white prismatic window assy	MIL-F-16377/12	9N5930-00-719-9659	14.5
342.3	Fluorescent, 60W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/12	9Z0145-00-558-6165	16.75
343	Canceled-obsolete			

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
343.1	Fluorescent, 45W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/66		12.0
343.2	Fluorescent, 45W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/66		13.6
344	Superseded by 344.2			
344.1	Superseded by 344.3			
344.2	Fluorescent, 40W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/11	9G6210-01-149-41687	11.25*
344.3	Fluorescent, 40W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/11	9G6210-01-088-6185	13.1
345	Canceled-obsolete			
345.1	Canceled-obsolete			
345.2	Fluorescent, 30W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/65		8.7
345.3	Fluorescent, 30W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/65		10.1
346	Superseded by 346.2			
346.1	Superseded by 346.3			
346.2	Fluorescent, 24W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/9	9G6210-01-088-6124	7.4
346.3	Fluorescent, 24W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/9	9G6210-01-186-9957	8.7
347	Superseded by 347.2			
347.1	Superseded by 347.3			
347.2	Fluorescent, 20W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/8	9G6210-01-088-6945	8.1
347.3	Fluorescent, 20W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/8	9G6210-01-088-6186	9.75
348	Fluorescent, ovhd, 60W, clear prismatic window, flushmounted	MIL-F-16377/57	9G6210-00-115-9186	18.0
349	Fluorescent, ovhd, 80W, clear prismatic window, flushmounted	MIL-F-16377/57	9G6210-00-115-9152	24.0
350	Fluorescent, ovhd, 120W, clear prismatic window, flushmounted	MIL-F-16377/57	9G6210-00-115-9150	27.0

MIL-HDBK-290(SH)  
6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>WT</u>
537	Hull fitting, for 16 - 3 pin hermetically sealed conn	815-1197302		*
538	Hull fitting, for AN/BQQ-1 sonar	815-1197218		*
539	Hull fitting, for RG-57 A/U cable (used in ulcer circuits)	815-1197307		*
<u>HULL FITTINGS (continued with symbol 1900)</u>				
<u>FEEDER DISTRIBUTION BOXES</u>				
540	125/250V dc, 0-30A fuses, 3 ph 75-200 MCM, 2 wire branch, nwt	MIL-F-24646/3 -001	9N5920-00-178-1609	22.0
541	4 ckt, 125/250V dc, 0-30A fuses, 3 wire bus 200 MCM, nwt	MIL-F-24646/3 -002	9N5920-00-153-5788	25.4
542	125/250V dc, 0-30A fuses, 3 wire bus 200 MCM, 2 wire branch	MIL-F-24646/3 -003	9N5920-00-153-5789	33
543	2 ckt, 450V, 0-30A fuses, 3 ph bus, nwt	MIL-F-24646/4 -001	9N5920-00-178-1624	22
544	450V, 0-30A fuses, 3 ph bus, 3 ph branches	MIL-F-24646/4 -002	1H5920-00-178-1625	23
545	6 ckt, 450V, 0-30A fuses, 3 ph bus, nwt	MIL-F-24646/4 -003	9N5920-00-178-1626	29
546	2 ckt, 450V, 31-60A fuses, 3 ph bus, 200 MCM, nwt	MIL-F-24646/4 -004	9N5920-00-178-1613	27
547	450V, 31-60A fuses, 3 ph bus, 200 MCM, 43 ph branches nwt	MIL-F-24646/4 -005	9N5920-00-178-1614	41
548-554	Not yet used			
555.1	2 ckt, sbm, 250V, 0-30A fuses	MIL-F-24646/9 -001	9N5920-00-296-4736	*
556.1	4 ckt, sbm, 250V, 0-30A fuses	MIL-F-24646/9 -002	9N5920-00-284-8327	*
557.1	6 ckt, sbm, 250V, 0-30A fuses	MIL-F-24646/9 -003	9N5920-00-296-3357	24
558.1	8 ckt, sbm, 250V, 0-30A fuses, single pole	MIL-F-24646/9 -004	9N5920-00-892-9315	35.0
559.1	12 ckt, sbm, 250V, 0-30A fuses, single pole	MIL-F-24646/9 -005	9N5920-00-024-0126	*
560.1	2 ckt, sbm, 250V, 0-30A fuses, 3 ph	MIL-F-24646/10 -001	9N5920-00-296-3869	*
561.1	Sbm, 250V, 0-30A fuses, 43 ph branches	MIL-F-24646/10 -002	9Z5920-00-028-3963	*
562.1	6 ckt, sbm, 250V, 0-30A fuses, 3 ph bus, 75 MCM, 63 ph branches	MIL-F-24646/10 -003		48.0

Supersedes page 31 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
563.1	2 ckt, sbm, 250V, 0-30A fuses, 3 ph bus, <u>75-200 MCM, 3 ph branch, 40 MCM</u>	MIL-F-24646/10 -004	9N5920-00-296-4775	*
564-567	Canceled-obsolete			
568.1	4 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, <u>75 MCM, sgl ph branch, 40 MCM</u>	MIL-F-24646/13 -001	9N5920-00-296-3870	*
569.1	3 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, <u>75 MCM, 3 ph branch, 40 MCM</u>	MIL-F-24646/13 -002	9N5920-00-355-4733	45.0
570.1	4 ckt, sbm, <u>500V, 0-30A fuses, 3 ph bus,</u> <u>75 MCM, 3 ph branch, 23 MCM</u>	MIL-F-24646/13 -003	9N5920-00-355-4735	62.0
571.1	3 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, <u>75 MCM, 3 ph branch, 23 MCM</u>	MIL-F-24646/13 -004	9N5920-00-355-4736	81.0
<u>FEEDER DISTRIBUTION BOXES (continued with symbol 578.1)</u>				
<u>TERMINAL BOXES (continued from symbol 530)</u>				
572.1	Terminal box, conn, sbm 15 ft, 500V, 2 ckt, 3 ph bus, 75 MCM, branch 40 MCM	MIL-T-24558/26	1H5940-00-215-5965	29.9
573.1	Terminal box, conn, sbm 15 ft, 500V, 4 ckt, 3 ph bus, 75 MCM, branch 40 MCM	MIL-T-24558/27	9G5940-00-284-9141	31.0
574.1	Terminal box, conn, sbm 15 ft, 500V, 6 ckt, 3 ph bus, 75 MCM, branch 40 MCM	MIL-T-24558/28		36.8
575.1	Terminal box, conn, sbm 15 ft, 500V, 2 ckt, 3 ph bus, 200 MCM, branch 75 MCM	MIL-T-24558/29	9G5940-00-215-5966	31.0
576.1	Terminal box, conn, sbm 15 ft, 500V, 4 ckt, 3 ph bus, 150 MCM to 400 MCM	MIL-T-24558/30	9G5940-00-215-5970	81.4
577.1	Terminal box, conn, 4 ckt, sbm 15 ft, 500V, 3 ph bus, 150 MCM to 250 MCM	MIL-T-24558/30	1H5940-00-215-5970	81.4
<u>FEEDER DISTRIBUTION BOXES (continued from symbol 571.1)</u>				
578.1	Term box, sbm, fdr distr, aircraft btry charging 600A, 28.5V dc	815-74473	1H5940-00-179-2013	*
579	Panel, elec, sbm 15 ft, 125V ac, AQB-A50	MIL-P-23928/9	9N5925-00-571-0415	18.1
580-599	Not yet used			

Supersedes page 32 of 22 August 1986



MIL-HDBK-290(SH)  
6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>DISTRIBUTION BOXES</u>				
600	4 ckt, te, dp, w/o sw, midget fuses, 125V, nwt, sgl fdr bus, 75 MCM, branch, 14 MCM	MIL-F-24646/1 -001	9N5920-01-103-0577	20
601	8 ckt, te, dp, w/o sw, midget fuses, 125V, nwt, sgl fdr bus, 75 MCM, branch, 14 MCM	MIL-F-24646/1 -002	9N5920-00-178-1606	22
602	4 ckt, te, dp, with sw, midget fuses, 125V, nwt, sgl fdr bus, 14 MCM, branch, 4 MCM	MIL-F-24646/6 -001	1H6110-00-152-0266	19
603	8 ckt, dp, with sw, 125V, sgl fdr nwt	MIL-F-24646/6 -002	9G6110-00-152-0268	22-26
604	4 ckt, dp, with sw, midget fuses, 125V, sgl fdr nwt	MIL-F-24646/6 -003	9G6110-00-152-0246	19
605	8 ckt, dp, with sw, 125V, dbl fdr nwt	MIL-F-24646/6 -004	1H6110-00-152-0267	22-26
606	12 ckt, dp, with sw, 125V, dbl fdr nwt	MIL-F-24646/6 -005	9G6110-00-152-0269	29
607	Canceled-obsolete			
608	Superseded by 603			
609	4 ckt, w/o sw, midget fuses, 125/250V cc, 3 wire bus, 2 wire branch, nwt	MIL-F-24646/2 -001	9N5920-00-178-1615	19.0
610	8 ckt, w/o sw, midget fuses, 125/250V cc, 3 wire bus, 2 wire branch, nwt	MIL-F-24646/2 -002	9N5920-00-178-1616	19
611	12 ckt, w/o sw, midget fuses, 125/250V dc, 3 wire bus, 2 wire branch, nwt	MIL-F-24646/2 -003	9N5920-00-178-1617	29
612.1	Fuse box (distr), 4 ckt, te, w/o sw, midget fuses, 125V, 3 ph, sgl fdr bus, 60 MCM, sgl ph branch, 14 MCM, nmag	MIL-F-24646/1 -003	9N5920-00-642-9908	10.0
613	8 ckt, te, w/o sw, midget fuses, 125V, 3 ph bus, 75 MCM, sgl ph branch, 14 MCM	MIL-F-24646/1 -004		25
613.1	8 ckt, te, w/o sw, midget fuses, 125V, 3 ph bus, 75 MCM, sgl ph branch, 14 MCM, nmag	MIL-F-24646/1 -005	9N5920-00-845-1475	25
614	12 ckt, with sw, 225V, 3 ph sgl fdr	MIL-F-24646/1 -006	1H5920-00-178-1619	18
615	4 ckt, with sw, 125V, 3 ph sgl fdr, nwt	MIL-F-24646/6 -006	9G6110-00-778-8964	15
616	8 ckt, with sw, 3 ph, nwt	MIL-F-24646/6 -007	9G6110-00-152-0286	28
617	Panel, power distr, 12 ckt, te, with sw, 125V, 3 ph sgl fdr	MIL-F-24646/6 -008	9G6110-00-152-0285	30
618	12 ckt, dp, with sw, 125V, sgl fdr, nwt			
619	Canceled-obsolete			
620	For maintenance only-see 5.3	5461-L	Not stocked	29

Supersedes page 33 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
621	Cabinet type, 1000V dc, sub, 4 ckt, 2 wire, dp, 0-30A fuses	S6202-73973	9N5920-00-295-8792	23.2
622	For maintenance only--see 5.3			
623	For maintenance only--see 5.3			
624	Panel, distr, 1000V, dp, 4 ckt, 31-100A fused branch	S6202-74479		*
625	Panel, 1000V, dp, type 63A, two 101-200A, fused branches	815-74480		48
626	Fdr distr box, 500V dc, w/o sw, dbl fdr, 4-30A, 2-60A, fused branches, nwt	MIL-F-24646/5 -001		25.0
627	Fdr distr box, 500V dc, w/o sw, dbl fdr, 4-60A, fused branches, nwt	MIL-F-24646/5 -002		22.0
628-634	Not yet used			
635.1	4 ckt, sbm, w/o sw, 125V, sgl fdr	MIL-F-24646/7	9N5920-00-280-4012	24
636-641	Canceled-obsolete	-001		
642	Superseded by 602			
643	Superseded by 603			
644	4 ckt, sbm, dp, with sw, midget fuses, 125V, interlocking cover	MIL-F-24646/12 -001		*
645	4 ckt, sbm, dp, with sw, midget fuses, 125V, sgl fdr	MIL-F-24646/11 -001		*
645.1	4 ckt, sbm, dp, with sw, midget fuses, 125V, sgl fdr	MIL-F-24646/11 -002		*
646.1	4 ckt, sbm, w/o sw, 125V, 3 ph, sgl fdr	MIL-F-24646/8 -001	9N5920-00-296-7015	*
647.1	8 ckt, sbm, w/o sw, 125V, 3 ph, sgl fdr	MIL-F-24646/8 -002	9N5920-00-355-4734	33
648	4 ckt, with sw, midget fuses, 125V, 3 ph, sgl fdr, interlocking fuse cover, sbm	MIL-F-24646/12 -002		*
649.1	4 ckt, sbm, 125V, 3 ph, sgl fdr	MIL-F-24646/11 -003	9G6110-00-174-1653	*
650.1	8 ckt, sbm, with sw, 125V, 3 ph, sgl fdr	MIL-F-24646/11 -004	7H6110-00-174-1657	34
651	6 ckt, with sw, 450V, sgl fdr, 3 ph, dp branch, interlock fuse cover	S6202-74203	7H6110-00-068-4518	31
652	Not yet used			
653	12 ckt, dp, w/o sw, 125V	MIL-F-24646/7 -003		25.0
654	5 ckt, nwt, dp, w/o sw, 125V	MIL-F-24646/7 -002		15.0
655-669	Not yet used			

Supersedes page 34 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>FUSE BOXES (BRANCH JUNCTION)</u>				
670	Superseded by 674.1-For maintenance only -see reference number.			
671.1	Midget fuses, sbm, 2 ckt, cylindrical	MIL-F-24646/18 -001	9N5920-00-355-4729	4
672	Canceled-obsolete			
673	Two 0-30A, 1000V, fuses, sbm (fdr jct box)	S6202-74475		6
674	For maintenance only-see 5.3			
674.1	For maintenance only-see 5.3			
674.2	For maintenance only-see 5.3			
675	Not yet used			
676	For maintenance only-see 5.3			
677	Jct box, 4 receptacle, sbm 4000 ft	815-1197383		*
678,679	Not yet used			
<u>FUSE BOXES (FEEDER JUNCTION)</u>				
680	0-30A fuses, 250V, 3 ph bus, 75-200 MCM, sgl ph branch, te	MIL-F-24646/14 -001	9N5920-00-178-1688	19.0
681.1	Nwt, 31-60A fuses, 250V, 3 ph bus, 4-75 MCM, 3 ph branch	MIL-F-24646/14 -002	9N5920-00-024-0127	10
682-684	Not yet used			
685.1	1 ckt, sbm, dp, twin cond fdr, 0-30A fuses, 250V, bus, 75 MCM, branch, 40 MCM	MIL-F-24646/15 -001	9N5920-00-284-7122	10.0
686.1	1 ckt, sbm, dp, twin cond fdr, 31-60A fuses, 250V, bus, 75 MCM, branch, 40 MCM	MIL-F-24646/15 -002		*
687.1	1 ckt, sbm, sgl cond fdr, 0-30A fuses, 250V, dp bus, 250 MCM, branch, 14 MCM	MIL-F-24646/16 -001		*
688.1	1 ckt, sbm, sgl cond fdr, 31-60A fuses, 250V, dp bus, 250 MCM, branch, 40 MCM	MIL-F-24646/16 -002	9N5920-00-296-6118	*
689.1	1 ckt, sbm, sgl cond fdr, 60-100A fuses, 250V, dp bus, 400 MCM, branch, 75 MCM	MIL-F-24646/16 -003		36.0
690.1	1 ckt, sbm, sgl cond fdr, 100-200A fuses, 250V, dp bus, 400 MCM, branch, 150 MCM	MIL-F-24646/16 -004	IH5920-00-178-1677	*
691.1	1 ckt, sbm, 0-30A fuses, 250V, 3 ph bus, 75 MCM, 3 ph branch, 40 MCM	MIL-F-24646/15 -003	9N5920-00-296-6119	*

Supersedes page 35 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
692.1	1 ckt, sbm, 31-60A fuses, 250V, 3 ph bus, 200 MCM, 3 ph branch, 40 MCM	MIL-F-24646/15 -004	9N5920-00-296-6120	*
693.1	1 ckt, sbm, 0-30A fuses, 500V, 3 ph bus, 75 MCM, 3 ph branch, 14 MCM	MIL-F-24646/17	9N5920-00-355-4732	29.0
694,695	Canceled-obsolete			
696	Not yet used			
697	For maintenance only-see 5.3			
698,699	Not yet used		9N5920-00-285-0466	
<u>CONNECTORS, PLUGS AND RECEPTACLES</u>				
700	Canceled-obsolete			
701	Superseded by 701.1			
701.1	Superseded by 720.1			
702	For maintenance only-see 5.3			
703	For maintenance only-see 5.3			
704,705	Canceled-obsolete			
706	Superseded by 706.1			
706.1	Receptacle, plug, conn, 10A, 125V, 3 ph, gnd wrtrt	MIL-R-2726/68	9N5935-00-195-8920 9N5935-00-234-4872	1.3

Supersedes page 36 of 22 August 1986

MIL-HDBK-290(SH)  
6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
727.1	Receptacle, plug, 10A, 125V, sgl pole, male (black)	MIL-P-2726/30	9N5935-00-197-4948	0.3
727.2	Receptacle, plug, 10A, 125V, sgl pole, male (red)			
728	Superseded by 728.1			
728.1	Receptacle, plug, 4 pin, 60A, 208/117V, 400 Hz, 3 ph, sbm, 15 ft (aircraft servicing)	MIL-R-2726/26	1H5935-00-195-8916	6.0
729	Superseded by 729.1			
729.1	Receptacle, plug, 10A, 125V, dp, male	MIL-P-2726/31	1H5935-00-375-5640	0.3
730	Not yet used			
730.1	Receptacle, te, 15A, 125V, 60 Hz, bladed type, gnd	MIL-R-2726/66	9G5975-00-284-5827 9G5975-00-188-1164 5975-00-782-6938	1.0 1.0 *
730.4	Receptacle, channel, 10A, 25V, bladed type, gnd	MIL-R-2726/40		
731.1	Battery charging outlet box, sbm 15 ft, sgl ckt, 40A, nmag	S6202-74428	1H5935-00-336-5866	2.0
732	Battery charging outlet box, nwt, 3 ckt, 40A	S6202-73030	1H5935-00-241-2347	9.5
733.1	Battery charging outlet box, sbm, 2 ckt, 40A	S6202-74313	1H5935-00-033-6508	4.3
734	Canceled-obsolete			
735.1	Superseded by 735.3			
735.2	Receptacle, sgl, wrttt, 15A, 500V, to ground, sgl ph, ungd, nmag	S6202-74026	1H5935-00-518-9131	*
735.3	Receptacle, enclosed, 15A, 125V, 2 pole, gnd, wrttt	MIL-R-2726/47	9N5935-00-280-2390	2.4
736	Canceled-obsolete			
737	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (3 cond)	MIL-C-24231/12 -001	1H5935-00-494-5854	16.1
737.1	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (7 cond)	MIL-C-24231/13 -001	9N5935-00-752-3102	*
737.2	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (14 cond)	MIL-C-24231/14 -001	9N5935-00-752-3103	*

Supersedes page 39 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
778	Canceled-obsolete			
779	Receptacle, outlet, tpl, portable, 15A, 125V ac, dp, gnd, 25 ft extension	MIL-R-2726/69	1H6150-00-449-1189	*
<u>CONNECTORS, PLUGS AND RECEPTACLES (continued with symbol number 1091)</u>				
<u>SWITCHES</u>				
780.1	Superseded by 780.5			
780.2	Switch, toggle DPST, 10A ac, 125V, wtrtt, nmag	S6202-74427	9N5930-00-522-1425	1
780.3	Canceled-obsolete			
780.4	Switch, toggle, DPDT, 10A ac, 125V, wtrtt, nmag	S6202-74427	9N5930-00-522-5646	1
780.5	Switch, toggle, DPST, 15A, 125V, te	803-5184170	9N5930-00-643-9424	1.4
780.6	Switch, toggle, DPST, 10A ac, 125V, nmag, te	S6202-74427		1
781,782	Canceled-obsolete			
783	Not yet used			
784	Switch, push button, sbm 2000 ft	S6202-73896		*
785	Switch, push, sbm, norm, open, 2 garg	815-1197027	9N5930-00-690-3960	2.5
786,787	Not yet used			
788	Switch, push, 15A ac, 1A dc, 120V, te, norm open or norm closed	815-1853053	9N5930-00-687-1095	*
789	Switch, push, 15A ac, 1A dc, 120V, wtrtt, norm open or norm closed	815-1853053	9N5930-00-687-1096	*
790.1	Switch, door operated, interlocking, 125V, 10A dc, 25A ac, sbm, 3 ckt	S6202-74303	9N5930-00-309-0816	*
791.1	Switch, door operated, interlocking, 6 ckt, 120V, 10A dc, 25A ac, sbm	S6202-74304	9N5930-00-258-5657	*
792	Switch, door operated, 1 ckt, normally open or normally closed, 5A, 125V, sbm	S6202-74052	9N5930-00-259-8890	3
793-798	Not yet used			
799	Switch, foot operated, 10A, 125V ac	S6202-73782	9N5930-00-033-5564	1
800	Canceled-obsolete			
801.1	Switch, rotary, snap action, sbm 15 ft, 10A, 125V ac, DPST, flushmounted	MIL-S-15743/1	9N5930-00-296-4527	1.9

Supersedes page 43 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
802,803	Canceled-obsolete			
804.1	Switch, rotary, snap-on-off, 10A, 125V, 3PST, sbm, type ISR3A4-2	MIL-S-15743/3	9N5930-00-296-5290	2.2
805.1	Switch, rotary, snap-on-off, 10A, 125V, 4PST, sbm, type ISR4A4-2	MIL-S-15743/4	9N5930-00-259-7368	2.5
806-808	Canceled-obsolete			
809	Superseded by 2638.1			
810	Superseded by 2638.1			
811,812	Canceled-obsolete			
813	Not yet used			
814	Switch, rotary, snap, flushmounted, 10A, 120V ac, splashproof, on-off-on-off, type 2, ISR2A4-4	MIL-S-15743/7	9N5930-00-049-9765	2.5
815	Switch, rotary, 60A, 115V ac, motor starting for sbm pumps	S6202-73692	2H6110-00-578-6789	29.0
816	Switch, rotary, 30A, 230V dc, motor starting for sbm pumps	S6202-73692	2H6110-00-803-4472	29.0
817	Superseded by 817.1			
817.1	Switch, motor starting, rotary, wrttt, 30A, 500V ac, snap action	MIL-S-15743/15	1H6110-00-889-0611	*
818-824	Not yet used			
825-826	Canceled-obsolete			
827.1	Switch, rotary, snap, transfer, 10A, 125V, 2 ckt, special series parallel, sbm, type ISPSS4-2	MIL-S-15743/5	1H5930-00-259-7372	3.0
828	Canceled-obsolete			
829.1	Switch, rotary, snap, transfer, 10A, 125V DPDT, small boats, sbm, type ISR2C4A-2	MIL-S-15743/3	9N5930-00-258-5501	2.2
830-836	Canceled-obsolete			
837	Not yet used			
838.1	Switch, rotary, snap, DPDT, sbm, 30A, 450V ac/250V dc, type 3SR2C4A-2	MIL-S-15743/8	9N5930-00-258-5462	2.0
839.1	Switch, rotary, snap, 4PDT, 30A, 450V ac/250V dc, type 3SR4C4-2	MIL-S-15743/9	1H5930-00-296-4309	

Supersedes page 44 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
840.1	Switch, rotary, snap, DPDT, (3-Way), 30A, 450V ac/250V dc, type 3SR2C4-2	MIL-S-15743/8	9N5930-00-258-5461	2.0
841-843	Canceled-obsolete			
844	Superseded by 849			
845	Superseded by 853			
846	Superseded by 854			
847	Canceled-obsolete			
848.1	Switch, rotary, snap, TPDT, 30A, 450V ac/250V dc, type 3SR3B4-2	MIL-S-15743/9	1H5930-00-296-4310	2.0
849	Switch, rotary, snap, transfer, 30A, 125V ac, 3PDT w/indicator light, wrttt	MIL-S-15743/13	9N5930-00-296-9389	*
850.1	Switch, rotary, snap, transfer, 10A, 125V, 3PDT, sbm, type 1SR3B4-2	MIL-S-15743/5	9N5930-00-296-5287	2.9
851	Switch, rotary, snap, TPST, 30A, 450V ac/250V dc, type 3SR3A4-2	MIL-S-15743/8	9N5930-00-296-7318	2.0
852	Switch, rotary, snap, 4PDT, 1-OFF-2-OFF, sbm, 30A, 450V ac/250V dc, type 3SR4B4-2	MIL-S-15743/10	1H5930-00-296-4311	2.0
853	Switch, rotary, snap, TPDT transfer, 60A, 500V ac, 3PDT w/indicator light, wrttt	MIL-S-15743/14	1H5930-00-259-7362	32.0
854	Switch, rotary, snap transfer, 60A 125V ac, 3PDT w/indicator light, wrttt	MIL-S-15743/14	1H5930-00-259-7361	32.0
855	Superseded by 2571 and 2511			
856	Superseded by 2512			
857	Switch, rotary, snap, 10A, 120V ac, 3PDT, sbm, type 1SR3C4-2	MIL-S-15743/4	1H5930-00-296-9828	2.9
858	Switch, rotary, snap, 10A, 120V ac, DPJT, splashproof, flushmounted, small boats, type 1SR2F4-2a	MIL-S-15743/2	1H5930-00-259-7152	*
859	Switch, pushbutton, 2 gang, spraytight, flushmounted, small boats	S6202-74294	1H5930-00-216-7404	*
860	Switch, pushbutton, SPST, splashproof, for horns, momentary normally open	S6202-73888	9N5930-00-296-9298	1.3
861	Switch box, explosionproof (ep) for ep ventilating fan	815-1197047	1H5930-00-306-0182	*

Supersedes page 45 of 22 August 1986



MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
862	Switch, rotary, snap, 10A, 125V, 3P3T, sbm, type 1SR3F4-2	MIL-S-15743/6		*
863	Switch, rotary, snap, 10A, 125V, 4PDT, sbm, type 1SR4B4-2	MIL-S-15743/5	9N5930-00-688-4045	*
864	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 3-5	MIL-S-15743/21		*
865	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 5-5	MIL-S-15743/21		*
866	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 10-5	MIL-S-15743/21		*
867	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL3-5	MIL-S-15743/21		*
868	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL5-5	MIL-S-15743/21		*
869	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL10-5	MIL-S-15743/21		*
870	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL3-5	MIL-S-15743/21	1H5930-00-948-6677	*
871	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL5-5	MIL-S-15743/21		*
872	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL10-5	MIL-S-15743/21		*
873-874	Not yet used			
875-878	Canceled-obsolete			
879.1	Switch, rotary, snap, 10A, 125V, DP3T, ignition and blower, small boats	MIL-S-15743/3	9N5930-00-258-5502	2.6
880,881	Canceled-obsolete			
882-888	For maintenance only-see 5.3			
889	For maintenance only-see 5.3			
890-892	For maintenance only-see 5.3			
893-899	Not yet used			
<u>SWITCHES (continued with symbol number 2170)</u>				
893	Disconnect switch, NQB-A101, 500V ac, te	MIL-P-23928/3		
894	Disconnect switch, NQB-A250, 500V ac, te	MIL-P-23928/6		
895	Disconnect switch, AQB-A101 or NQB-A101, te	MIL-P-23928/3	1H5925-00-173-9912	

Supersedes page 46 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>SWITCHES (continued with symbol number 2170)</u>				
896	Disconnect panel, AQB-A101/100 with 500V ac shunt trip, te	MIL-P-23928/3	7310-00-832-5769	
<u>SWITCHES AND RECEPTACLES</u>				
900	Superseded by 900.1			
900.1	Receptacle w/sw, interlocking, 15A, 125V, gnd, wtrtt	MIL-R-2726/48	9N5999-00-935-2312	3.3
901, 902	Canceled-obsolete			
903.1	Superseded by 916			
904	Canceled-obsolete			
905.1	Canceled-obsolete			
906.1	Superseded by 917			
907	Canceled-obsolete			
908.1	Superseded by 915-For maintenance only-see 5.3			
909-911	Canceled-obsolete		IH5999-00-025-6388	
912	Superseded by 900			
913	Use 776.1-For maintenance only-see 5.3			
914	For maintenance only-see 5.3			
915	Superseded by 915.1			
915.1	Receptacle w/sw, 30A, 3 ph, interlocking, gnd, wtrtt	MIL-R-2726/19	IH5999-00-879-1519	6.4
916	Superseded by 916.1			
916.1	Receptacle w/sw, 30A, 450V, 1 ph, interlocking, gnd, wtrtt	MIL-R-2726/20	IH5999-00-879-1520	8.0
917	Superseded by 917.1			
917.1	Receptacle w/sw, 30A, 250V dc, interlocking gnd, wtrtt	MIL-R-2726/21	IH5999-00-879-1521	6.1
918	Superseded by 918.1			
918.1	Receptacle, bladed, 15A w/3A, sw, DPST, 125V, gnd, te	MIL-R-2726/43	IH5999-01-023-9366	0.5
919	Receptacle and sw, 15A, 125V, bladed type, gnd, wtrtt	MIL-R-2726/39	9N5999-01-070-8414	*
920-929	Not yet used			

Supersedes page 47 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>MISCELLANEOUS APPLIANCES</u>				
930	Superseded by 930.1			
930.1	Superseded by 930.2-For maintenance only- see 5.3			
930.2	Canceled-obsolete			
931	Superseded by 931.1			
931.1	Superseded by 931.2-For maintenance only- see 5.3			
931.2	Canceled-obsolete			
932	Pulsator for sub ident light	MIL-C-24174/4		
933	Not yet used			
934-939	Canceled-obsolete			
940	Superseded by 940.1-For maintenance only- see 5.3			
940.1	Supply pnl navigation light, nwt, 120V ac, 3 ph bus, 8 ckt	MIL-P-24175/2	1H6110-00-152-0304	34.0
941	Canceled-obsolete			
942	Superseded by 942.1			
942.1	Supply pnl navigation light, nwt, 120V dc, dp, bus, 10 ckt	MIL-P-24175/4	2H6110-00-025-9003	35.0
943	Superseded by 2550			
944	Superseded by 944.1			
944.1	Superseded by 944.2			
944.2	Supply and control pnl, dp, nmag, 3 ph bus, 6 ckt (for R, S & A light system)	MIL-P-24175/1	9G6110-00-635-4002	14.0
945	Superseded by 945.1			
945.1	Supply and control pnl, nwt, navigation light 120V dc, 8 ckt	MIL-P-24175/3	9G6110-00-096-2722	31.3
946-948	Canceled-obsolete			
949.1	Superseded by 1001			
950,951	Canceled-obsolete			
951.1	Dimmer, sbm (for flight control ready light) 150W	S6504-74246	1H5950-00-033-5669	7.0
952	Canceled-obsolete			
953	For maintenance only-see 5.3		1H5905-00-192-3948	

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2512.4	Same as 2512.3 except te	MIL-P--23928/4		#
2512.5	Same as 2512.3 except wrttt	MIL-P--23928/4		#
2512.6	Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P--23928/4		#
2512.7	Same as 2512.6 except te	MIL-P--23928/4		#
2512.8	Same as 2512.6 except wrttt	MIL-P--23928/4		#
2512.9	Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), dp, ten 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P--23928/4		#
2512.10	Same as 2512.9 except te	MIL-P--23928/4		#
2512.11	Same as 2512.9 except wrttt	MIL-P--23928/4		#
2512.12	Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), 100A, 500V ac/250V dc	MIL-P--23928/4		#
2512.13	Same as 2512.12 except te	MIL-P--23928/4		#
2512.14	Same as 2512.12 except wrttt	MIL-P--23928/4		#
2513	Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, four 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P--23928/4		#
2513.1	Same as 2513 except te	MIL-P--23928/4		#
2513.2	Same as 2513 except wrttt	MIL-P--23928/4		#
2513.3	Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, six 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P--23928/4		#
2513.4	Same as 2513.3 except te	MIL-P--23928/4		#
2513.5	Same as 2513.3 except wrttt	MIL-P--23928/4		#
2513.6	Pwr distribution panel with two-way 250A manual bus trans (NEQ-A250 cb), dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P--23928/4		#

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Qty</u>
2513.7	Same as 2513.6 except te	MIL-P-23928/4		#
2513.8	Same as 2513.6 except wrttt	MIL-P-23928/4		#
2513.9	Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, ten 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2513.10	Same as 2513.9 except te	MIL-P-23928/4		#
2513.11	Same as 2513.9 except wrttt	MIL-P-23928/4		#
2513.12	Pwr distribution panel with two-way 250A manual bus trans (NQB-A101 cb), 100A, 500V ac/250V dc, twelve 3 ph br	MIL-P-23928/4		#
2513.13	Same as 2513.12 except te	MIL-P-23928/4		#
2513.14	Same as 2513.12 except wrttt	MIL-P-23928/4		#
2514-2520	Canceled-obsolete			
2521	Pwr distribution panel, dp, two 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2521.1	Same as 2521 except te	MIL-P-23928/4		#
2521.2	Same as 2521 except wrttt	MIL-P-23928/4		#
2522	Superseded by 2522.2			
2522.1	Superseded by 2522.2			
2522.2	Pwr distribution panel, dp, four 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4	6110-00-990-6165	*
2522.3	Same as 2522.2 except te	MIL-P-23928/4		#
2522.4	Same as 2522.2 except wrttt	MIL-P-23928/4		#
2523	Superseded by 2523.2			
2523.1	Superseded by 2523.2			
2523.2	Pwr distribution panel, dp, six 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2523.3	Same as 2523.2 except te	MIL-P-23928/4		#
2523.4	Same as 2523.2 except wrttt	MIL-P-23928/4		#
2524-2530	Canceled-obsolete			
2531	Superseded by 2531.2			
2531.1	Superseded by 2531.2			
2531.2	Pwr distribution panel, dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#

Supersedes page 92 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2638.1	Switch, lever operated, 10A, 125V ac, six pole, type S2JRM3A-2, 2 position, with locking plate, sbm	MIL-S-15743/17*	9N5930-00-259-8883	4
2639.1	Switch, lever operated, 10A, 125V ac, six pole, type S2JR3-2, 2 position, positive detent, sbm	MIL-S-15743/18*	9N5930-00-259-8881	4
2640.1	Switch, lever operated, 10A, 125V ac, six pole, type S2JR3A-2, 3 position, base mtd, sbm	MIL-S-15743/19*	9N5930-00-259-8884	4
2641.1	Switch, lever operated, 10A, 125V ac, six pole, type S2JRM3A-2, 3 position, base mtd, sbm	MIL-S-15743/20*	9N5930-00-259-8885	4
2642	Switch, multipole rotary, 10A, type JR-EP304R 125V ac, 5A, 125V dc, panel mtd	S6202-73193	1H5930-00-259-8888	9
2643	Switch, multipole rotary, 10A, type JRM-300 125V ac, 5A, 125V dc, panel mtd	S6202-73193	1H5930-00-259-8889	8
2644,2645	Canceled-obsolete			
2646.2	Rotary sw (collision alarm), sbm 4000, base mtd	815-1853062		*
2646.3	Rotary sw (diving alarm), sbm 4000, base mtd	815-1853062		*
2647	Contact maker, 4 way, wrttt for AA cease fire or depth charge fire, type S218A	S6501-73466	9N5930-00-240-8098	12
2647.1	Canceled-obsolete			
2648	Contact maker, 6 way wrttt for AA cease fire or depth charge fire, type S-169A	S6501-73467	9N5930-00-259-8883	*
2648.1	Canceled-obsolete			
2649	Switch, portable, momentary contact, 10A, 115V, type S166A	S6504-73353	9N5930-00-216-7402	*
2651	Switch, sensitive, sbm, type S171A	S6501-73689	9N5930-00-259-8899	3
2652	Superseded by 2652.1			
2652.1	Magnetic sw, sbm 4000 ft (sw unit)	815-1853067	1H5930-00-448-0001	*
2652.2	Magnetic sw, sbm 4000 ft (LMC-7MC)	815-1853067	1H5930-00-732-4705	*
2653-2669	Canceled-obsolete			
2670	Alarm swbd, 10 lines, type IC/S	S6504-74285	1H6320-00-261-9128	68.0
2670.1	Alarm swbd, 20 lines, type IC/S	S6504-74285	1H6320-00-261-9136	103.0
2670.2	Alarm swbd, 30 lines, type IC/S	S6504-74285	1H6320-00-261-9135	140.1
2670.3	Alarm swbd, 40 lines, type IC/S	S6504-74285	1H6320-00-261-9133	170.0
2671	Alarm swbd, 50 lines, type IC/S	S6504-74286	9G6320-00-261-9132	225.0

Supersedes page 97 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2671.1	Alarm swbd, 60 lines, type IC/S	S6504-74286	1H6320-00-261-9131	265.0
2672	Alarm swbd, 80 lines, type IC/S	S6504-74287	H6320-00-261-9130	300.0
2672.1	Alarm swbd, 100 lines, type IC/S	S6504-74287	H6320-00-261-9129	350.0
2672.2	Alarm swbd, 120 lines, type IC/S	S6504-74287	H6320-00-261-9134	400.0
2673	Jackbox, microphone, wrttt, for <u>plug</u> type H-29B, type IC/MJB-2	S6502-74345	1N5935-00-257-9966	3
2674	Jack, sound pwr tel, pnl mtd, type H-34A	S6505-74274		1
2675	Holder, sound pwr tel handset, <u>nmag</u> , type Z-33A	S6501-74464	9N5965-00-642-9879	5
2676	Holder, sound pwr tel handset, <u>steel</u> , type Z-33B	S6501-74464	9N5965-00-642-9880	5
2677-2681	Canceled-obsolete			
2682.1	Superseded by 2682.2			
2682.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S1JR5-3	S6202-74290	1H5930-00-581-3415	*
2683.1	Superseded by 2683.2			
2683.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S2JR5-3	S6202-74290	1H5930-00-581-6032	*
2684.1	Superseded by 2684.2			
2684.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S3JR5-3	S6202-74290	1H5930-00-581-3413	*
2685.1	Superseded by 2685.2			
2685.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S4JR5-3	S6202-74290	1H5930-00-581-6029	*
2686.1	Superseded by 2686.2			
2686.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S1JR10-3	S6202-74290	1H5930-00-581-3416	*
2687.1	Superseded by 2687.2			
2687.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S2JR10-3	S6202-74290	1H5930-00-581-6037	*
2688.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S3JR10-3	S6202-74290	1H5930-00-581-6030	*
2689.1	Superseded by 2689.2			
2689.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S4JR10-3	S6202-74290	1H5930-00-581-3420	*

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2929	Superseded by 2929.1			
2929.1	Tel headset stowage box, 6 compartments	815-1853040	9N5965-00-223-6354	*
2930,2931	Not yet used			
2932	Canceled-obsolete			
2933.1	20 fuse box, 0-20A, 120V, spraytight	S6202-74298	9N5920-00-033-6598	*
2934	Superseded by 2934.1			
2934.1	Alarm pnl, 4 ckt, 115V ac	S6504-73807	9G6350-00-360-0988	*
2934.2	Canceled-obsolete			
2935	Superseded by 2934.2			
2935.1	Alarm pnl, 2 ckt, 115V ac	S6504-73806	9G6350-00-360-0987	*
2935.2	Canceled-obsolete			
2936	Superseded by 2935.1			
2937	Superseded by 2935.2			
2938	Cabinet for sound pwr tel handset, spt	S6501-73819	1N5965-00-263-1226	10.0
2939	Horn, resonated, high intensity, 12V dc, type IC/H3 D2, wtrtt	803-1853029	9G6350-00-981-1337	12
2940	Horn, resonated, high intensity, 24V dc, type IC/H3 D3, wtrtt	803-1853029	9G6350-00-224-4945	12
2941	Horn, resonated, high intensity, 115V dc, type IC/H3 D4, wtrtt	803-1853029	9G6350-00-915-6415	12
2942	Horn, resonated, high intensity, 115V ac, type IC/H3 S4, wtrtt	803-1853029	9G6350-00-051-8411	12
2943	Alarm, signal, bus failure (electronic) monitoring, 115V dc or 115V 60-400 Hz, type IC-E1D1	804-1853042	9G6350-00-924-0551	*
2944	Horn, vibratory, wtrtt, 115V dc, type IC/H1 D4	803-74354	9G6350-00-299-6223	10.0
2945	Portable ship control unit, sub bridge, type IC/29A40	815-1853085	2H6605-00-191-3402	*
2945.1	Portable, ship control unit, sub bridge type	815-1853085		
2945.2	Plug assy, straight	815-1853085-77	1H6150-00-590-0863	
2945.3	Plug assy, 90°	815-1853085-78	1H6150-00-590-0863	
2945.4	Plug assy, extension, dockside use	815-1853085-79	1H6150-00-590-3453	
2945.5	Plug assy, test cable	815-1853085-80	1H6150-00-590-3454	

REPRINTED WITHOUT CHANGE



MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg &amp; Spec</u>	<u>National Stock No.</u>	<u>Qty</u>
2946	Not yet used			
2947	Canceled-obsolete			
2948-2976	Not yet used			
2977	Water sw magazine sprinkler alarm, pp	803-74081	9N5930-00-033-6729	4
2978	Superseded by 2978.1			
2978.1	Panel, communication for fleet anchorage	815-1197077	1N5805-00-647-2244	23
2979	Not yet used			
2980	Swbd, sound pwr tel, type IC/A1	S6501-74012	2N5805-00-988-5413	25.0
2981	Sound pwr tel pnl, type IC/A5	S6501-74239		20.0
2982	Not yet used			
2983	Loudspeaker, pp, type LS-450( )/B	815-1853087		
2984	Loudspeaker, pp, type IC/SHA-IR	S6502-73987	9N5965-00-393-0347	*
2985	Loudspeaker, 1W, w/internal volume control, type LS-305( )/SIC	MIL-L-24223	9N5965-00-636-2462	10
2985.1	Loudspeaker, 1W, w/external volume control, type LS-306( )/SIC	MIL-L-24223	9N5965-00-284-6579	10
2986	Loudspeaker, high pwr, w/o volume control, type IC/SBA-4	S6502-74073	9N5965-00-296-1808	30.0
2987	Loudspeaker, high pwr, with volume control, type IC/SBG-4	S6502-74073	5805-00-636-2181	30.0
2988	Call signal station, type IC/D	S6501-73801	1N5805-00-548-8019	9
2989	Superseded by 2989.1			
2989.1	Jack, sbm 4000 ft, for announcing eqpt	815-1853064	1H5935-00-989-6918	*
2990	Superseded by 2652.2			
2991	Canceled-obsolete			
2992	Microphone station, type IC/MSB-2	S6502-74284	1N5830-00-548-8004	15.0
2993	Superseded by 3000, 30001			
2994	For maintenance only-see 5.3			
2994.1	For maintenance only-see 5.3		1N5965-00-905-6894	
2994.2	For maintenance only-see 5.3		9N5965-00-913-9545	
2994.3	For maintenance only-see 5.3		2N5965-00-913-9528	
2994.4	For maintenance only-see 5.3		1N5965-00-905-6895	
2995	Indicator, temp, for use with resistant temp detectors	815-1197033	2N5965-00-913-9548	*
			2H6685-00-753-2261	

Supersedes page 106 of 22 August 1986

MIL-HDBK-290(SH)  
22 August 1986

Symbol No.	Item	Dwg. No./Spec. No.
2556.2	Kit, navigation lights	S6405-74251
2777	Switch, liquid level, type IC/R1-U	MIL-S-16032
2777.1	Switch, liquid level, type IC/R1-V	MIL-S-16032
2777.2	Switch, liquid level, type IC/RH1-U	MIL-S-16032
2777.3	Switch, liquid level, type IC/RH1-V	MIL-S-16032
2777.4	Switch, liquid level, type IC/RH2-U	MIL-S-16032
2777.5	Switch, liquid level, type IC/RH2-V	MIL-S-16032
2777.6	Switch, liquid level, type IC/RL1-U	MIL-S-16032
2811	Cont pnl-air defense officers grouping, wrtrt	S6504-73282
2840	Switchboard, test for interior communications	S6508-73677
2994	Microphone, mag IC/MPM-3	S6502-74164
2994.1	Microphone, mag IC/MPM-4	S6502-74164
2994.2	Microphone, mag IC/MPM-5	S6502-74164
2994.3	Microphone, mag IC/MPM-6	S6502-74164
2994.4	Microphone, mag IC/MPM-2	S6502-74164

REPRINTED WITHOUT CHANGE

## MIL-HDBK-290(SH)

6 April 1988

## 5.4 Cross-reference of drawing/specification numbers to symbol numbers.

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
4313-L	670	S6405-73191	953-959
		S6202-73193	2642,2643
4859-L	702,703	S6504-73282	2811
4861-L	707-710	S6202-73319	2773
		S6202-73351	888-892
		S6504-73353	2649
		S6503-73416	2747,2747.1
4899-L	2441	S6202-73448	752
4920-L	1503.1	S6202-73449	882-887
5026-L	1504	S6501-73466	2647
5080-L	940	S6501-73467	2648
5170-L	966,967	S6202-73475	2749
		S6508-73677	2840
		S6501-73689	2651
5217-L	1505	S6202-73692	815,816
		S6202-73747	913,914
		803-73754	2619.1
		803-73755	2620.1
		803-73756	2621.1
5374-L	2484	S6202-73763	2748
5410-L	494	S6202-73782	799
5427-L	746.1	S6501-73801	2988
5448-L	2454	S6504-73806	2935.1
5453-L	1039	S6504-73807	2934.1
		S6501-73819	2938
		S6202-73825	697
		S6202-73867	2812
5537-L	722	S6202-73888	860
5544-L	765	S6202-73896	784
5568-L	2698-2711	803-73898	2433
S6202-73030	732	803-73904	2622
S6201-73032	2450	803-73905	2623
S6202-73125	2561,2561.1	S6202-73919	2815.1-2815.4
S6201-73132	2479	S6202-73920	2816.1-2816.4
S6201-73133	2480	S6202-73921	2818.1-2818.4
S6201-73134	2482	S6202-73922	2819.1-2819.4

Supersedes page 114 of 22 August 1986

## MIL-HDBK-290(SH)

6 April 1988

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
S6201-73135	2481	S6202-73964	987
		S6202-73965	721
		S6202-73966	726
		S6202-73973	621
		S6202-73974	622
S6202-73975	623		
S6202-73976	620	S6202-74203	651
S6502-73987	2984	S6202-74207	801.1,804.1
S6202-74012	2980		805.1,814
S6202-74026	735.2		827.1,829.1
			850.1,857
			858,
S6202-74052	792		
803-74055	2637.1,2638.1	S6501-74210	2841-2843
	2639.1,2640.1	S6505-74211	2922
	2641.1		
S6501-74062	2873.1	S6202-74214	908.1
S6504-74063	3809.1	815-74233	674-674.2
		S6501-74239	2981
S6502-74073	2986,2987	S6504-74244	2507
803-74081	2977	S6504-74246	951.1
S6501-74093	2860.1		
S6501-74094	2861.1	S6505-74249	2793
S6502-74117	723-725	S6405-74250	2555.2
		S6405-74251	2556.2
S6502-74164	2994-2994.4	S6202-74253	2403
		S6202-74254	509
		S6202-74255	773
		S6202-74256	774
		S6202-74257	510
		S8101-74260	472,472.1
		S8101-74261	473,473.1
S6202-74173	562.1	S8101-74262	474
		S6402-74270	989,989.1
		S6505-74274	2674
		S6202-74276	838.1,839.1
			840.1,848.1
			851,852
			2752.1,2753
		S6504-74284	2992
		S6504-74285	2670-2670.3
		S6504-74286	2671,2671.1
		S6504-74287	2672-2672.2
		803-74290	2179-2197
			2682.2,2683.2
			2684.2,2685.2

Supersedes page 115 of 22 August 1986

## MIL-HDBK-290(SH)

6 April 1988

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
			2686.2,2687.2
			2688.2,2689.2
			2690.2,2691.2
			2692.2,2693.2
			2694.2,2695.2
			2696.2,2697.2
		S6202-74294	859
S6501-74295	2788,2788.1	815-1197046	1136,1136.1
S6504-74296	986	815-1197047	861
S6202-74298	2933.1	815-1197050	964.1,969.1
S6202-74303	790.1	815-1197052	676
S6202-74304	791.1	815-1197055	490
803-74308	2628-2628.2	815-1197056	762,762.1
803-74309	2627-2627.3	815-1197060	2414-2414.2
S6202-74313	733.1		2415,2415.2
S6202-74319	930.1,931.1		2415.3
S6202-74322	2763	815-1197064	1004
		815-1197067	2455
S6202-74340	2404	815-1197071	492.3,492.4
803-74342	2622.1-2622.3		
S6502-74345	2673	815-1197074	761.1
803-74354	2944	815-1197077	2978.1
S6202-74361	988.1,988.2, 988.4-988.7	815-1197083	817.1
		815-1197096	2449.1-2449.4
		815-1197098	2448.1-2448.3
S6202-74362	764.1,764.2		
S6202-74367	777	S6202-1197101	2446.1-2446.4
S6202-74369	511.1		2447.1-2447.6
S6201-74397	2456	803-1197104	3003
S6202-74408	771,771.1		
		803-1197118	2805.1,2806.1
815-74416	492.1,492.2		2807.1
815-74417	493.1,493.2	815-1197119	1000
S6401-74420	993		
S6202-74427	780.2,780.4 780.6	815-1197120	1001
		815-1197132	298
		815-1197149	1045
S6202-74428	731.1	815-1197150	1106
		815-1197151	1107
S6201-74439	2452.1	815-1197152	1108
		815-1197153	1109
		815-1197170	1170,1171
S6501-74464	2675,2676		1171.1,1172
			1173,1174

Supersedes page 116 of 22 August 1986

MIL-HDBK-290(SH)  
6 April 1988

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
803-74465	2626		1174.1,1175
815-74473	578.1		1176,1176.1
S6202-74475	673		
S6202-74477	2470-2470.2	815-1197172	1227-1227.2
S6202-74479	624		1228,1228.1
			1229,1229.1
			1230,1230.1
815-74480	625		
S6504-74488	3004,3005		
815-1197005	965	815-1197174	1231-1231.2
815-1197022	2789		1232,1232.1
			1233,1233.1
		815-1197176	1178
815-1197027	785	815-1197180	515
815-1197031	2790	815-1197182	518
815-1197032	3006-3011		
815-1197033	2995		
815-1197038	2464		
		815-1197353	1254
815-1197183	519		1255-1255.2
815-1197185	531		
815-1197193	532	815-1197354	1250,1250.1
815-1197194	533		1251-1251.2
815-1197195	534	815-1197361	1900
		815-1197362	1902
815-1197196	535	815-1197363	1903
815-1197212	3012		
815-1197214	1149,1149.1	815-1197364	1906
	1150,1150.1	815-1197366	1908
	1151-1151.4	815-1197367	1904
815-1197217	493.3,493.4	815-1197369	1905
815-1197218	538	815-1197371	1256
		815-1197372	1247
815-1197219	491	815-1197375	1901
815-1197222	1005	815-1197376	1244.1
815-1197224	849	815-1197377	1245-1245.2
815-1197225	853,854	815-1197378	1243.1
815-1197227	205		
		815-1197382	1907
815-1197231	467	815-1197383	677
803-1197239	1506.1	815-1197385	1246,1246.1
815-1197240	1220-1220.19	815-1197413	1278
815-1197242	1235	815-1197414	1279
815-1197244	287,288		
		803-1853029	2939-2942
803-1197255	713.11	815-1853031	2912
815-1197301	536	803-1853036	2457
815-1197302	537	815-1853038	2920
815-1197304	1119-1119.5		
815-1197307	539		

Supersedes page 117 of 22 August 1986

MIL-HDBK-290(SH)  
22 August 1986

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
815-1197312	1210-1210.3	815-1853040	2924.1, 2925.1
815-1197325	1195-1195.2, 1196-1196.2		2926.1, 2927.1
815-1197328	1223	815-1853041	2928.1, 2929.1
815-1197332	1224	804-1853042	2921
815-1197335	1225	815-1853053	2943
		815-1853061	788, 789
815-1197336	1226	815-1853062	2854.4
815-1197338	1208	815-1853064	2646.2, 2646.3
815-1197341	1207	815-1853066	2989.1
815-1197342	1197-1206	815-1853067	3000, 3001
815-1197348	1240-1240.3, 1241, 1241.1, 1242, 1242.1, 1243	815-1853076	2652.1, 2652.2
		815-1853077	2742
815-1197349	1248, 1249-1249.2	815-1853078	2743
		815-1853083	2744
815-1197351	1322-1325	815-1853085	2785, 2786
815-1197352	1252, 1252.1, 1253-1253.2	815-1853087	2945-2945.5
			2983
		<u>NAEC(SI) DWG. NO.</u>	
815-1853089	2791	508447-10	260.3
		508447-11	260.4
803-2482977	2913	514610-1	260.3
S6504-3313883	259.1	518170-1	2578
S6504-3313884	259.4	518170-2	2579
		518340-1	239.2
803-5001027	1040, 1040.1	608303-1	239.2
		609024-1	256.1
		609024-2	257.1
815-5184170	2418, 2418.1	609331-1	247.3
	780.5		
		611403-1	253.1
		611403-2	253.2
		611508-2	
		619184-2	253.4
		611774-1	265
		612886-1	248.3
		612963-1	248
		612963-2	248.1
		616263-1	243.1
		616702-1	2574
		616702-10	2580
		616850-1	249
		617577-1	243.3
<u>MIL-STD DWG. NO.</u>			
17220	2465		
17287	285		
17315	215		
17318	195.1		
17781	225.1, 226.1, 227.1		
17784	407.1		
17831	1484		
17832	1485		
17850	960		

REPRINTED WITHOUT CHANGE





MIL-HDBK-290(SH)  
6 April 1988

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>	<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
MIL-R-2726/1	715.1	MIL-R-2726/43	918.1
MIL-R-2726/2	716.1	MIL-R-2726/44	765.3
MIL-R-2726/3	717.1	MIL-R-2726/45	772.1
MIL-R-2726/4	718.1	MIL-R-2726/46	721.1
MIL-R-2726/5	1140.1	MIL-R-2726/47	735.3
MIL-R-2726/6	1143.1	MIL-R-2726/48	900.1
MIL-R-2726/7	756.1,756.2	MIL-R-2726/49	765.6-765.8
MIL-R-2726/8	757.1,757.2	MIL-R-2726/50	720.3
MIL-R-2726/9	758.1,758.2	MIL-R-2726/51	2440.2
MIL-R-2726/10	759.1	MIL-R-2726/52	1257
MIL-R-2726/11	1141.1,1141.2	MIL-R-2726/53	1258
MIL-R-2726/12	1144.1,1144.2	MIL-R-2726/54	1259
MIL-R-2726/13	1142.1	MIL-R-2726/55	1260
MIL-R-2726/14	1145.1-1145.3	MIL-R-2726/56	1261
MIL-R-2726/15	1146.1-1146.3	MIL-R-2726/57	1262
MIL-R-2726/16	1147.1-1147.3	MIL-R-2726/58	1263
MIL-R-2726/17	1148.1-1148.3	MIL-R-2726/59	1264
MIL-R-2726/18	1105.1	MIL-R-2726/60	1265
MIL-R-2726/19	915.1	MIL-R-2726/61	1266
MIL-R-2726/20	916.1	MIL-R-2726/62	1267
MIL-R-2726/21	917.1	MIL-R-2726/63	1268
MIL-R-2726/22	770.2	MIL-R-2726/64	1269
MIL-R-2726/23	726.1	MIL-R-2726/65	1272
MIL-R-2726/24	707.1	MIL-R-2726/66	730.1
MIL-R-2726/25	722.1	MIL-R-2726/67	741.2
MIL-R-2726/26	728.1	MIL-R-2726/68	706.1
MIL-R-2726/27	776.1	MIL-R-2726/69	779
MIL-R-2726/73	1215	MIL-R-2726/70	1100
DOD-B-15072/9	1492	MIL-R-2726/71	1101
DOD-B-15072/10	1496	MIL-R-2726/72	2439
DOD-B-15072/3	1490	MIL-F-16377/25	48.2,68.2
DOD-B-15072/11	1491	MIL-F-16377/26	112,113,113.1
DOD-B-15072/12	1493	MIL-F-16377/27	92.2,92.3, 93.2,93.3
DOD-B-15072/13	1494	MIL-F-16377/28	23.1
DOD-B-15072/14	1495,1497	MIL-F-16377/29	159.1
		MIL-F-16377/30	137
		MIL-F-16377/31	147.2
		MIL-F-16377/32	134.1
		MIL-F-16377/33	136.1,156
		MIL-F-16377/34	335

Supersedes page 120 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
MIL-S-15743/1	801.1
MIL-S-15743/2	858
MIL-S-15743/3	804.1,829.1,879.1
MIL-S-15743/4	805.1,857
MIL-S-15743/5	827,850.1,863
MIL-S-15743/6	862
MIL-S-15743/7	814
MIL-S-15743/8	838.1,851
MIL-S-15743/9	839,848.1
MIL-S-15743/10	852
MIL-S-15743/13	849
MIL-S-15743/14	853,854
MIL-S-15743/15	817
MIL-S-15743/21	864-872
MIL-S-16032	2777-2777.6

Supersedes page 120 of 22 August 1986

## MIL-HDBK-290(SH)

6 April 1988

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>	<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
MIL-S-24235/6	2425-2425.2	MIL-T-24558/9	525
MIL-S-24235/9	1520-1542, 1570-1592	MIL-T-24558/10	438
MIL-S-24235/10	1600-1622	MIL-T-24558/11	523.1
MIL-S-24235/11	996,1853	MIL-T-24558/12	450
MIL-S-24235/12	1658-1679	MIL-T-24558/13	524.1
MIL-S-24235/16	512,512.1, 513,513.1	MIL-T-24558/14	451
MIL-S-24235/17	1701-1723, 1731-1753, 1761-1783, 1791-1813	MIL-T-24558/15	452
MIL-S-24282	106.1,106.2	MIL-T-24558/16	453
MIL-L-24352	292	MIL-T-24558/17	454
MIL-C-24360	2420	MIL-T-24558/18	400.1-400.4
MIL-C-24368/1	1160	MIL-T-24558/19	444
MIL-C-24368/2	1161	MIL-T-24558/20	529
MIL-C-24368/4	1162-1162.3	MIL-T-24558/21	476.1
MIL-T-24381/1	1025	MIL-T-24558/22	415-415.4
MIL-T-24381/2	1032-1034	MIL-T-24558/23	403.1
MIL-T-24381/3	1035	MIL-T-24558/24	416
MIL-T-24381/4	1024	MIL-T-24558/25	418.1-418.3
MIL-T-24381/5	1041	MIL-T-24558/26	572.1
MIL-T-24381/7	1038	MIL-T-24558/27	573.1
MIL-T-24381/8	1044	MIL-T-24558/28	574.1
MIL-T-24381/9	1037	MIL-T-24558/29	575.1
MIL-P-24395/1	1005.1,1005.2	MIL-T-24558/30	576.1,577.1
MIL-P-24395/2	1005.3,1005.4	MIL-L-24560/1	160.1
MIL-C-24404/1	477.1,477.2	MIL-L-24560/2	114.1,115.1, 116.1,117.1, 118.1
MIL-C-24404/2	478.2-478.4	MIL-L-24560/3	164.3
MIL-C-24404/3	479.1,479.2	MIL-L-24560/4	190.1
MIL-C-24404/4	480.3-480.7	MIL-L-24560/5	191.2
MIL-L-24532	289	MIL-L-24560/6	192.1
MIL-T-24552/1	1046	MIL-L-24560/7	193.1,194
MIL-T-24552/2	1047	MIL-L-24560/8	196.3,196.4, 197.2
MIL-T-24552/3	1048	MIL-L-24560/9	182.2,183.2
MIL-T-24552/4	1049	MIL-L-24560/10	172.2
MIL-T-24558/1	520.1	MIL-L-24560/11	200.2
MIL-T-24558/2	435.1	MIL-L-24560/12	233.1
MIL-T-24558/3	528	MIL-L-24560/13	174.4,174.5, 188.3,189.3
MIL-T-24558/4	432.1	MIL-L-24560/21	221
MIL-T-24558/5	434	MIL-L-24560/22	222
MIL-T-24558/6	433.1	MIL-L-24560/23	161.4
MIL-T-24558/7	522.1	MIL-L-24560/24	206.2
MIL-T-24558/8	446	MIL-F-24646/1-001	600
		MIL-F-24646/1-002	601
		MIL-F-24646/1-003	612.1
		MIL-F-24646/1-004	613

MIL-HDBK-290(SH)  
6 April 1988

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>	<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
MIL-F-24646/1-005	613.1	MIL-F-24646/11-003	649.1
MIL-F-24646/1-006	614	MIL-F-24646/11-004	650.1
MIL-F-24646/2-001	609	MIL-F-24646/12-001	644
MIL-F-24646/2-002	610	MIL-F-24646/12-002	648
MIL-F-24646/2-003	611	MIL-F-24646/13-001	568.1
MIL-F-24646/3-001	540	MIL-F-24646/13-002	569.1
MIL-F-24646/3-002	541	MIL-F-24646/13-003	570.1
MIL-F-24646/3-003	542	MIL-F-24646/13-004	571.1
MIL-F-24646/4-001	543	MIL-F-24646/14-001	680
MIL-F-24646/4-002	544	MIL-F-24646/14-002	681.1
MIL-F-24646/4-003	545	MIL-F-24646/15-001	685.1
MIL-F-24646/4-004	546	MIL-F-24646/15-002	686.1
MIL-F-24646/4-005	547	MIL-F-24646/15-003	691.1
MIL-F-24646/5-001	626	MIL-F-24646/15-004	692.1
MIL-F-24646/5-002	627	MIL-F-24646/16-001	687.1
MIL-F-24646/6-001	602	MIL-F-24646/16-002	688.1
MIL-F-24646/6-002	603	MIL-F-24646/16-003	689.1
MIL-F-24646/6-003	604	MIL-F-24646/16-004	690.1
MIL-F-24646/6-004	605	MIL-F-24646/17-001	693.1
MIL-F-24646/6-005	606	MIL-F-24646/18-001	671.1
MIL-F-24646/6-006	615		
MIL-F-24646/6-007	616		
MIL-F-24646/6-008	617		
MIL-F-24646/7-001	635.1		
MIL-F-24646/7-002	654		
MIL-F-24646/7-003	653		
MIL-F-24646/8-001	646.1		
MIL-F-24646/8-002	647.1		
MIL-F-24646/9-001	555.1		
MIL-F-24646/9-002	556.1		
MIL-F-24646/9-003	557.1		
MIL-F-24646/9-004	558.1		
MIL-F-24646/9-005	559.1		
MIL-F-24646/10-001	560.1		
MIL-F-24646/10-002	561.1		
MIL-F-24646/10-003	562.1		
MIL-F-24646/10-004	563.1		
MIL-F-24646/11-001	645		
MIL-F-24646/11-002	645.1		

Supersedes page 123 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

5.5 Cross-reference of National Stock Numbers (NSN) to symbol numbers. (Note: The National Stock Numbers are not listed by Federal Supply Classification (FSC), but rather are listed numerically by the 3-digit number that identifies the fiche number within a given FSC. To find a given stock number, enter the table using the 3-digit number and there you will find all the FSC's that have similar numbers. For example, to find the symbol number for NSN 1H5935-070-9495, first locate 070; there are five listed, one of which is 1H5935-070-9495 for symbol 1171.1.)

<u>STOCK NO.</u>	<u>SYM. NO.</u>
5RM1710-LL-BB0-8915	263.5
5R 5950-00-116-3307	2586.3
5RM5950-01-044-9698	2579
5RM5950-01-047-3780	2580
5RM5950-01-049-2335	2578
5RM5950-01-057-5612	2582
5RM5950-01-057-5613	2585
5RD5950-01-063-9186	2581
5R 5950-01-177-9816	2586.1
5R 6110-01-031-6533	254.2
5R 6120-01-082-2891	2586.5
5R 6120-01-090-9803	2586.4
5RD6210-00-149-0743	253.4
5RM6210-01-010-2770	235
5RD6210-01-164-4081	260.3
5RD6210-01-176-9080	260.4
5RM6210-01-177-9589	404.5
5R 6220-00-862-3221	405
5R 6220-00-988-1520	248.1
5R 6220-00-988-1521	248.3
5RD6220-01-102-1954	358
5RD6220-01-176-6408	404
5RD6240-01-099-8559	355
5RD6240-01-099-8560	356
5RD6240-01-099-8561	357
5R 6350-01-044-6887	254.3

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)  
6 April 1988

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9N5920-00-033-6598	2933.1	2H6150-00-086-9067	1151.2
9N5920-00-033-6603	620	2H6150-00-086-9068	1151.3
2H5950-00-033-6725	986	9G6150-00-087-0815	765.6
9N5930-00-033-6729	2977	9G6230-01-087-6125	163
5RM6210-01-042-8652	239.2	9G6210-01-088-6944	344.2
		2H5930-00-089-0592	2788.1
9G6210-01-044-5273	351.1	1H5930-00-089-0593	2747.1
9G6210-01-045-7724	352.1	9N5920-00-090-0870	2873.1
9N5935-01-046-2614	1142.1	9N5935-00-091-9436	755.3
5RM5950-01-049-2332	2583	9G6230-00-095-3674	291
9N5930-00-049-9765	814	9G6110-00-096-2722	945.1
9G5930-00-096-2726	2620.1	1H5975-00-153-6778	1039
5RM6210-00-099-7120	243.3	1H5940-00-153-6779	1044
5R6110-00-101-9821	254.1	9G6240-00-155-7774	309.4
5935-01-103-4760	1272	9G6210-00-159-2237	134.1
5R6210-00-106-9543	254	9G6230-00-160-0610	307
5RM6210-00-107-8813	243.2	5R5950-00-165-3654	2574
9G6210-00-115-9137	352	5R5950-00-165-3665	2586.2
9G6210-00-115-9150	350	5R5950-00-165-3666	2586
9G6210-00-115-9152	349	9N5935-00-170-3061	715.1
9G6210-00-115-9171	351	1H5925-00-173-9912	889
9G6210-00-115-9186	348	1H6110-00-174-1653	649.1
9G6210-00-115-9187	353	2H6110-00-174-1657	650.1
5R6120-00-116-5026	2575	H6230-00-174-5143	298
1H6220-00-118-2386	989.1	9G5940-00-178-0392	1032
1H5935-00-122-8553	1148.2	9G5940-00-178-0394	1033
6350-00-131-6579	2628	9G5940-00-178-0397	1034
9N5935-00-134-0312	1143.1	1H5975-00-178-0751	1600
5935-00-134-0406	1213.3, 1213.5	1H5975-00-178-0752	1601
9N5935-00-135-5256	1148.1	1H5975-00-178-0753	1602
9G6240-00-145-1148	263.2, 3033	1H5975-00-178-0754	1603
5935-01-145-3182	1101	1H5975-00-178-0755	1604
9G6230-01-146-3701	232.1	1H5975-00-178-0756	1605
5R6210-00-149-0743	253.3	1H5975-00-178-0757	1606
1H6210-00-151-9844	23.1	1H5975-00-178-0758	1607
1H6110-00-152-0246	604	1H5975-00-178-0759	1608
2H6110-00-152-0266	602		
1H6110-00-152-0267	605	1H5975-00-178-0760	1609
9G6110-00-152-0268	603	1H5975-00-178-0761	1610
1H6110-00-152-0269	606	1H5975-00-178-0763	1612
1H6110-00-152-0270	2481	1H5975-00-178-0764	1613
2H6110-00-152-0271	2479	1H5975-00-178-0765	1614

Supersedes page 127 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
2H6110-00-152-0277	969.1	1H5975-00-178-0766	1615
2H6110-00-152-0278	2480	1H5975-00-178-0767	1616
1H6110-00-152-0279	2482	1H5975-00-178-0768	1617
2H6110-00-152-0280	964.1	1H5975-00-178-0769	1618
1H6110-00-152-0285	617	1H5975-00-178-0770	1619
1H6110-00-152-0286	616	1H5975-00-178-0771	1620
1H6110-00-152-0304	940.1	1H5975-00-178-0772	1621
9G6210-00-152-2844	137	1H5975-00-178-1229	1667
9G6230-00-152-2870	148.2	1H5975-00-178-1231	1669
9N5920-00-153-5788	541	1H5975-00-178-1233	1671
9N5920-00-153-5789	542	1H5975-00-178-1238	1676
9N5920-00-153-6186	2441	1H5975-00-178-1241	1679
9G5975-00-153-6397	406.3	1H5975-00-178-1461	1575
1H5940-00-153-6756	1037	1H5975-00-178-1499	1520
9G5975-00-153-6775	406.3	1H5975-00-178-1500	1521
1H5975-00-178-1501	1522	9N5920-00-178-1688	680
1H5975-00-178-1503	1524	1H5940-00-179-2013	578.1
1H5975-00-178-1504	1525	2H6625-00-183-8346	2454
1H5975-00-178-1506	1527	2H6625-00-183-8347	2450
1H5975-00-178-1507	1528	9L6530-00-185-0034	107.1
1H5975-00-178-1508	1529	9G5975-00-188-1164	730.1
1H5975-00-178-1509	1530	9N5935-00-188-5837	775.1
1H5975-00-178-1510	1531	2H6605-00-191-3402	2945
1H5975-00-178-1511	1532	1H5905-00-192-3943	955
1H5975-00-178-1513	1534	1H5905-00-192-3946	958
1H5975-00-178-1514	1570	1H5905-00-192-3948	953
1H5975-00-178-1515	1571	1H5905-00-193-3949	959
1H5975-00-178-1516	1572	9G6240-00-193-0941	309.1
1H5975-00-178-1517	1573	9G5975-00-194-8877	406.1
1H5975-00-178-1518	1574	9G6140-00-195-5339	1494
1H5975-00-178-1520	1576	9G6140-00-195-5341	1493
1H5975-00-178-1521	1577	1H5935-00-195-8916	728.1
1H5975-00-178-1522	1578	9N5935-00-195-8920	706.1
1H5975-00-178-1523	1579	1H5935-00-196-2292	1214.4
1H5975-00-178-1524	1580	1H5935-00-196-2293	1214.5
1H5975-00-178-1525	1581	9N5935-00-197-4948	727.1
1H5975-00-178-1526	1582	1H5940-00-204-6069	493.1
1H5975-00-178-1527	1583	1H5975-00-215-5890	1038
1H5975-00-178-1528	1584	1H5940-00-215-5959	435.1
1H5975-00-178-1529	1585	1H5940-00-215-5960	403.1
		9G5940-00-215-5962	432.1

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)  
6 April 1988

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G6250-00-569-9501	514	1H5930-00-610-5413	2196
9N5925-00-571-0415	579	1H5930-00-610-5414	2197
1H5935-00-578-2759	746.2	9G5940-00-617-7982	490
9N5935-00-578-2760	776.1	1H5977-00-626-2420	3007
9N5930-00-578-3951	2180	2H6150-00-630-4635	3009
9N5930-00-578-3952	2690.2	9Q5180-00-630-8553	771.1
9N5930-00-578-3953	2694.2	9G6210-00-633-6886	69
1H5930-00-578-3954	2182	9G6110-00-635-4002	944.2
9N5930-00-578-3971	2188	2H6625-00-635-4745	2452.1
9N5930-00-578-4903	2194	9G6210-00-635-8814	335
9N5930-00-578-4908	2692.2	9G6210-00-635-8817	112,113
2H6110-00-578-6789	815	9G6210-00-635-8819	112
9G6230-00-578-7401	2438	9G6210-00-635-8820	113
9G6230-00-578-7547	229.1	5805-00-636-2181	2987
9G6210-00-578-7703	79.1	9N5965-00-642-9879	2675
1H5930-00-581-3413	2684.2		
1H5930-00-581-3414	2181	9N5965-00-642-9880	2676
1H5930-00-581-3415	2682.2	9N5920-00-642-9907	673
1H5930-00-581-3416	2686.2	9N5920-00-642-9908	612.1
1H5930-00-581-3417	2185	9G6220-00-643-0856	192.1
2H5930-00-581-3418	2183	9G6220-00-643-0857	190.1
1H5930-00-581-3419	2186	9G6230-00-643-3661	105
1H5930-00-581-3420	2689.2	9N5930-00-643-9424	780.5
1H5930-00-581-3421	2184	1N5805-00-647-2244	2978.1
1H5930-00-581-3422	2696.2	2H6150-00-651-8743	1151.4
1H5930-00-581-3423	2191	1H5995-00-657-6313	713.11
1H5930-00-581-3424	2697.2	9G6230-00-658-3045	285
9N5930-00-581-3425	2192	1H6150-00-659-0677	3006
1H5930-00-581-4611	2193	H4820-00-659-6673	513.1
1H5930-00-581-6028	2187	1H5940-00-665-0884	451
1H5930-00-581-6029	2685.2	1H5940-00-665-0885	453
1H5930-00-581-6030	2688.2	9G6220-00-678-9075	174.4
1H5930-00-581-6031	2190	9G6150-00-679-0711	2440.2
1H5930-00-581-6032	2683.2	9G6150-00-681-8379	713(50)
1H5930-00-581-6033	2691.2	9G6150-00-681-8380	713(100)
1H5930-00-581-6034	2693.2	9Z5530-00-682-4439	2447.1
1H5930-00-581-6035	2179	9Z5330-00-682-4441	2447.4
1H5930-00-581-6036	2189	9Z5330-00-682-4442	2447.5
1H5930-00-581-6037	2687.2	1H6110-00-683-0989	1000
1H6150-00-590-0863	2945.2, 2945.3	9G6350-00-683-1199	3003
1H6150-00-590-3453	2945.4	9N5930-00-687-1095	788

Supersedes page 133 of 22 August 1986



## MIL-HDBK-290(SH)

6 April 1988

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9N5930-00-687-1096	789	9G6230-00-783-6252	102.2
9N5930-00-688-4045	863	9G6230-00-783-6253	108
9N5930-00-690-3960	785	9G6230-00-783-6519	100.2, 101.2,
9G6140-00-692-4670	1485		102.2, 108
9G6230-00-701-2947	286	9G6210-00-790-4846	136.1
		9G6210-00-790-4847	156
9G6210-00-702-5773	92.2, 92.3		
9G6210-00-702-9347	259.1	9G6680-00-800-5243	2777
1H6210-00-702-9756	259.4	1H6150-00-802-8362	1484
1H5935-00-705-1665	713.2	2H6110-00-803-4472	816
1H5935-00-705-1666	713	9G6210-00-803-5911	239.1
		9G6230-00-808-4466	231.1
		1H5975-00-823-0944	2406
1H5935-00-705-9321	737.4		
1H5935-00-705-9326	737.5	9G6150-00-823-2392	2415.2
1H5935-00-705-9327	737.3	9G6220-00-839-0298	197.2
1H5935-00-706-9360	713.1	1H5935-00-840-6715	761.1
9N5930-00-719-9659	342.2	9G6230-00-843-5991	2432.1
		9N5920-00-845-1475	613.1
9G6220-00-722-4496	174.5, 196.3,		
	206.2	1H5935-00-851-6741	757.1
9G6220-00-723-5326	164.3	1H5935-00-851-6742	756.1
9G6150-00-725-1366	2416	1H5935-00-851-6743	758.1
9G6210-00-725-3556	338.1	1H5935-00-852-4199	716.1
9G6110-00-727-1002	1001	9G6210-00-856-7069	176
9G6220-00-731-9196	197.2	9G6210-00-856-7070	176
9G6220-00-731-9197	114.1, 115.1,	9G6210-00-856-7071	176
	116.1, 117.1,	9G6210-00-856-7072	176
	118.1, 172.2,	9G6210-00-856-7073	176
	182.2, 183.2,	5R6350-00-862-3208	252
	197.2, 206.2		
1H5930-00-732-4705	2652.2	5R6220-00-862-3219	257.1-257.3
5R6220-00-737-0869	258	5R6220-00-862-3221	256.1-256.3
1H6110-00-747-9269	2473.1	9G6210-00-866-1338	2816.3
		9G6210-00-866-1339	2816.4
9G6150-00-752-2542	988.4	1H5940-00-869-7082	400.3
1H5935-00-752-2835	774		
9N5935-00-752-3102	737.1	1H5940-00-869-7092	400.4
9N5935-00-752-3103	737.2	5R6210-00-869-7141	265
2H6625-00-752-7898	2840	1H5920-00-870-6996	2465
		9N5935-00-875-3213	1221
		9N5935-00-875-3230	1222
2H6685-00-753-2261	2995		
1H5940-00-761-1669	492.3	5R6210-00-878-1127	260.1
9G6210-00-768-7190	154	5R6210-00-878-1128	262.1
9G6210-00-768-7191	153	5R6210-00-878-1131	263-263.4
9G6230-00-776-5920	100.2		

Supersedes page 134 of 22 August 1986

MIL-HDBK-290(SH)  
22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G6110-00-778-8964	615	5R6210-00-878-1132	253.1
9G6210-00-780-8502	89		
9G6230-00-782-0643	289	1H5999-00-879-1519	915.1
9N5935-00-782-6938	730.1	1H5999-00-879-1520	916.1
9G6230-00-783-6251	101.2	1H5999-00-879-1521	917.1
		1H5975-00-881-6262	2407
		1H5975-00-881-6263	2407
1H5975-00-881-6264	2408	9G6240-00-917-0774	303.2, 309.5
1H5975-00-881-6265	2408	9G6350-00-924-0551	2943
1H5975-00-881-6266	2409	1H5935-00-925-2303	517.3
1H5975-00-881-6267	2409	1H5850-00-930-1559	106.2
1H5975-00-881-6268	2410	9N5935-00-935-2235	717.1
		1H5935-00-935-2298	517.12
1H5975-00-881-6269	2410	1H5935-00-935-2299	516
1H5975-00-881-6270	2411	1H5925-00-935-2300	517.4
1H5975-00-881-6271	2411	1H5935-00-935-2301	517.6
1H5975-00-881-6272	2412	1H5935-00-935-2302	517.7
1H5975-00-881-6273	2412		
1H5975-00-881-6274	2413	1H5935-00-935-2304	517.9
1H5975-00-881-6275	2413	1H5935-00-935-2305	517.2
1H5975-00-881-7963	2406	1H5935-00-935-2306	517.8
1H5975-00-881-8251	2405	1H5925-00-935-2307	517
1H5975-00-881-8252	2405	1H5935-00-935-2308	517.5
H4820-00-883-5588	512.1	1H5935-00-935-2309	517.1
9G6230-00-883-6209	266.2	9N5999-00-935-2312	900.1
1H5935-00-886-1650	1145.1	1H6130-00-937-2314	1506.1
1H6110-00-889-0611	817.1	9N5930-00-945-7221	2695.2
2H5995-00-889-0632	1119.4	5R5950-00-946-8243	2573
1H6110-00-889-0990	754.2		
9G6230-00-889-1559	303.1-303.5		
9G6680-00-892-1638	2777.6	9N5930-00-948-6677	870
9G6210-00-892-1715	80.1	1H6110-00-950-3058	2550.1
9G6230-00-892-5244	297	9N5930-00-956-0655	2753
9G6210-00-892-5374	2818.3	1H5977-00-956-7882	3008
1H5935-00-892-8970	1146.1	2H6150-00-958-6472	1149
1H5935-00-892-8971	1147.1	1H6150-00-962-5602	2743
1H5935-00-892-9114	1141.1	1H5930-00-963-1243	2742
9N5920-00-892-9315	558.1	9G6230-00-968-7831	100.2
1H5930-00-893-1370	2747	1H5935-00-972-0491	1136
9G6210-00-895-3902	247.3	9G6350-00-981-1337	2939
		5R6220-00-988-1519	248
1H6150-00-902-9830	2415.3	2N5805-00-988-5413	2980
2H6230-00-904-1530	299	1H5935-00-989-6918	2989.1

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)  
6 April 1988

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G6150-00-904-3324	988.7	9G6210-00-990-5556	340
9G6150-00-904-3325	988.6	9G6220-00-990-6016	200.2
9G6150-00-905-3323	988.5	6110-00-990-6165	2522.22
1N5965-00-905-6894	2994		
1N5965-00-905-6895	2994.3		
2N5965-00-913-9528	2994.2		
9N5965-00-913-9545	2994.1		
2N5965-00-913-9548	2994.4		
9G6210-00-914-4152	93.2,93.3		
9G6350-00-915-6415	2941		

5.3 Subject term (key word) listing

Electrical equipment  
Electronic equipment  
Ship alteration  
Symbol numbers

Preparing activity:  
Navy - SH  
(Project DRPR-N288)

Supersedes page 136 of 22 August 1986