

NON-MEASUREMENT SENSITIVE

MIL-HDBK-290(SH)

NOTICE 1

6 April 1988

## MILITARY HANDBOOK

## STANDARD ELECTRICAL SYMBOL LIST

TO ALL HOLDERS OF MIL-HDBK-290(SH):

1. THE FOLLOWING PAGES OF MIL-HDBK-290(SH) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED:

| NEW PAGE | DATE           | SUPERSEDED PAGE          | DATE           |
|----------|----------------|--------------------------|----------------|
| 13       | 6 April 1988   | 13                       | 22 August 1986 |
| 14       | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 21       | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 22       | 6 April 1988   | 22                       | 22 August 1986 |
| 31       | 6 April 1988   | 31                       | 22 August 1986 |
| 32       | 6 April 1988   | 32                       | 22 August 1986 |
| 33       | 6 April 1988   | 33                       | 22 August 1986 |
| 34       | 6 April 1988   | 34                       | 22 August 1986 |
| 35       | 6 April 1988   | 35                       | 22 August 1986 |
| 36       | 6 April 1988   | 36                       | 22 August 1986 |
| 39       | 6 April 1988   | 39                       | 22 August 1986 |
| 43       | 6 April 1988   | 43                       | 22 August 1986 |
| 44       | 6 April 1988   | 44                       | 22 August 1986 |
| 45       | 6 April 1988   | 45                       | 22 August 1986 |
| 46       | 6 April 1988   | 46                       | 22 August 1986 |
| 47       | 6 April 1988   | 47                       | 22 August 1986 |
| 48       | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 91       | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 92       | 6 April 1988   | 92                       | 22 August 1986 |
| 97       | 6 April 1988   | 97                       | 22 August 1986 |
| 98       | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 105      | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 106      | 6 April 1988   | 106                      | 22 August 1986 |
| 113      | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 114      | 6 April 1988   | 114                      | 22 August 1986 |
| 115      | 6 April 1988   | 115                      | 22 August 1986 |
| 116      | 6 April 1988   | 116                      | 22 August 1986 |
| 117      | 6 April 1988   | 117                      | 22 August 1986 |
| 118      | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 119      | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 120      | 6 April 1988   | 120                      | 22 August 1986 |
| 120a     | 6 April 1988   | 120                      | 22 August 1986 |

AMSC N/A

AREA DRPR

DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited

MIL-HDBK-290(SH)

NOTICE 1

6 April 1988

| NEW PAGE | DATE           | SUPERSEDED PAGE          | DATE           |
|----------|----------------|--------------------------|----------------|
| 123      | 6 April 1988   | 123                      | 22 August 1986 |
| 123a     | 6 April 1988   | 123                      | 22 August 1986 |
| 124      | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 127      | 6 April 1988   | 127                      | 22 August 1986 |
| 128      | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 133      | 6 April 1988   | 133                      | 22 August 1986 |
| 134      | 6 April 1988   | 134                      | 22 August 1986 |
| 135      | 22 August 1986 | REPRINTED WITHOUT CHANGE |                |
| 136      | 6 April 1988   | 136                      | 22 August 1986 |

2. RETAIN THIS NOTICE AND INSERT BEFORE TABLE OF CONTENTS.

3. Holders of MIL-HDBK-290(SH) will verify that page changes and additions indicated above have been entered. This notice page will be retained as a check sheet. This issuance, together with appended pages, is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Preparing activity:

Navy - SH

(Project DRPR-N288)

MIL-HDBK-290(SH)

6 April 1988

| <u>Sym. No.</u> | <u>Item</u>   | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u>   |
|-----------------|---|---------------------------|---------------------------|-------------|
| 211.1           | Canceled-obsolete   |                           |                           |             |
| 212.1           | Canceled-obsolete   |                           |                           |             |
| 213.1           | Canceled-obsolete   |                           |                           |             |
| 214             | Canceled-obsolete   |                           |                           |             |
| 215             | Polarity signal light, 150W, red, green   | MS17315                   | 9G6210-00-399-6337        | 19.5        |
| 216.1           | Polarity signal light, 21 cp red, 21 cp green, small boats                            | MS17995                   | 9G6220-00-028-3964        | 3.8         |
| 217.1           | Canceled-obsolete   |                           |                           |             |
| 218.1           | Canceled-obsolete   |                           |                           |             |
| 219             | Side light, contour, port, red small boats  | MS17999                   | 9G6220-00-548-0215        | 3.5         |
| 220             | Side light, contour, stbd, green, small boats   |                           |                           |             |
| 221             | Light, navigation, traffic control (aircraft carriers), 90W, six lamps, red and green | MS17999<br>MIL-L-24560/21 | 9G6220-00-548-0216        | 4.1<br>30.0 |
| 222             | Light, navigation, traffic light, 90W, six lamps, red, yellow and green               | MIL-L-24560/22            |                           | 30.0        |
| 223,224         | Not yet used  |                           |                           |             |
| 225             | Superseded by 225.1   |                           |                           | *           |
| 225.1           | Station keeping light, stbd   | MS17781                   |                           |             |
| 226             | Superseded by 226.1   |                           |                           |             |
| 226.1           | Station keeping light, port   | MS17781                   | 9G6220-00-609-3343        | *           |
| 227             | Superseded by 227.1   |                           |                           |             |
| 227.1           | Station keeping light, full aft   | MS17781                   |                           | *           |
| 228             | Canceled-obsolete   |                           |                           |             |
| 229             | Superseded by 229.1   |                           |                           |             |
| 229.1           | Berth light, 8W, fluorescent, for rail mtg with receptacle                            | MIL-F-16377/17            | 9G6230-00-578-7547        | 4.1*        |
| 231             | Superseded by 231.1   |                           |                           |             |
| 231.1           | Berth light, 8W, fluorescent, for spring berths with receptacle                       | MIL-F-16377/17            | 9G6230-00-808-4466        | 4.1*        |
| 232             | Superseded by 232.1   |                           |                           |             |
| 232.1           | Berth light, 8W, fluorescent, for pan type berths, bhd or bar mtg with receptacle     | MIL-F-16377/17            | 9G6230-01-146-3701        | 4.1*        |

Supersedes page 13 of 22 August 1986

MIL-HDBK-290(SH)  
22 August 1986

| <u>Sym. No.</u>  | <u>Item</u>  | <u>Std Dwg &amp; Spec</u>                                   | <u>National Stock No.</u>                                       | <u>Wt</u> |
|--|--|---|---|-----------|
| 233  | Superseded by 233.1  |   |   |           |
| 233.1  | Light, navigation, ident (sub), yellow, 500W   | MIL-L-24560/12  | 0029-LL-HD2-F131  | 4.5       |
| 234  | Canceled-Use 232   |   |   |           |
| 235-238  | Canceled-obsolete  |   |   |           |
| <u>LIGHTS AND LIGHTING FIXTURES (continued with 266.2)</u> |  |   |   |           |
| <u>LIGHTS, VISUAL LANDING AIDS</u>                         |  |   |   |           |
| 239.1  | Superseded by 239.2  |   |   |           |
| 239.2  | Deck edge light, with blue globe, wrttt  | NAEC(SI)#408833-1<br>NAEC(SI)#608303-1<br>NAEC(SI)#518340-1 | 9G6210-00-803-5911<br>5R6220-00-215-6358<br>5RM6210-01-042-8652 | 7.5       |
| 240  | Superseded by 221  |   |   |           |
| 241  | Superseded by 222  |   |   |           |
| 242  | Canceled-obsolete  |   |   |           |
| 243  | Canceled-obsolete  |   |   |           |
| 243.1  | Drop line light  | NAEC(SI)#616263-1   | 5R6210-00-223-8434  | 2.5       |
| 243.2  | Light bar assy, vertical drop line, air capable ships  | NAEC(SI)#617682-1   | 5RM6210-00-107-8813   |           |
| 243.3  | Light bar assy, extended line-up, air capable ships  | NAEC(SI)#617577-1   | 5RM6210-00-099-7120   |           |
| 244,245  | Canceled-obsolete  |   |   |           |
| 246  | Light fixture, extended line-up, air capable ships   | NAEC(SI)#515364-1   | 5RM6210-00-086-6153   |           |
| 247.1  | Canceled-obsolete  |   |   |           |
| 247.2  | Canceled-obsolete  |   |   |           |
| 247.3  | Canceled   |   |   |           |
| 248  | Floodlight, 115V, 1000W, incandescent, white, ovhd, medium spread lens (62° horiz, 43° vert) | NAEC(SI)#612963-1   | 5R6220-00-988-1519  | 38.0      |
| 248.1  | Floodlight, 115V, 1000W, incandescent, white ovhd, w/smooth beam lens (25° horiz, 22° vert)  | NAEC(SI)#612963-2   | 5R6220-00-988-1520  | 40.0      |
| 248.2  | Canceled   |   |   |           |

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

22 August 1986

| <u>Sym. No.</u> | <u>Item</u>   | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u>                | <u>Wt</u> |
|-----------------|---|---------------------------|--|-----------|
| 334             | Superseded by 334.1   |                           |  |           |
| 334.1           | Canceled-Use 333.1 with one red filter on center lamp (See MIL-F-16377)                 | MIL-F-16377/34            | 9G6210-00-635-8814                       | 4.25      |
| 334.2           | Canceled-Use 333.2 with one red filter on center lamp (see MIL-F-16377)                 | MIL-F-16377/7             |  | 5.6       |
| 335             | Incandescent, 15W, gyro compass, pp, sub  |                           |  |           |
| 336             | Fluorescent, 16W, ovhd, wrttt, std mtg, with clear and white prismatic window assy      | MIL-F-16377/7             |  | 6.75      |
| 336.1           | Fluorescent, 16W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy |                           |  |           |
| 337             | Mirror light set, 15W, for toilet cases (2 lights)                                      | MIL-F-16377/18            | 9G6210-00-023-1653                       | 12.1      |
| 338             | Superseded by 338.1   |                           |  |           |
| 338.1           | Fluorescent, ovhd, 15W, white diffusing, wrttt, std mtg                                 | MIL-F-16377/5             | 9G6210-00-725-3556                       | 6.75      |
| 338.2           | Fluorescent, ovhd, 15W, white diffusing, wrttt, flushmounted                            | MIL-F-16377/5             |  | 8.2       |
| 339.1           | Fluorescent, 15W, ovhd, wrttt, std mtg, with clear and white prismatic window assy      | MIL-F-16377/5             |  | 6.75      |
| 339.2           | Fluorescent, 15W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy | MIL-F-16377/5             |  | 8.2       |
| 340             | Mirror light fluorescent, 15W, recessed, with gnd receptacle                            | MIL-F-16377/18            | 9G6210-00-990-5556                       | 6.6       |
| 341             | Superseded by 341.1   |                           |  |           |
| 341.1           | Daylight, 60W, blue & white (CIC lighting), std mtg, dp 15°                             | MIL-F-16377/12            | 9G6210-00-455-0068                       | 18.1      |
| 341.2           | Daylight, 60W, blue & white (CIC lighting), flushmounted, dp 15°                        | MIL-F-16377/12            | 9G6210-00-548-0222                       | 20.3      |
| 342             | Superseded by 342.2   |                           |  |           |
| 342.1           | Superseded by 342.3   |                           |  |           |
| 342.2           | Fluorescent, 60W, ovhd, wrttt, std mtg with clear and white prismatic window assy       |                           |  |           |
| 342.3           | Fluorescent, 60W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy | MIL-F-16377/12            | 9N5930-00-719-9659<br>9Z0145-00-558-6165 | 14.5      |
| 343             | Canceled-obsolete   | MIL-F-16377/12            |  | 16.75     |

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

| <u>Sym. No.</u> | <u>Item</u>   | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|-----------------|---|---------------------------|---------------------------|-----------|
| 343.1           | Fluorescent, 45W, ovhd, wrttt, std mtg, with clear and white prismatic window assy      | MIL-F-16377/66            |                           | 12.0      |
| 343.2           | Fluorescent, 45W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy | MIL-F-16377/66            |                           | 13.6      |
| 344             | Superseded by 344.2   |                           |                           |           |
| 344.1           | Superseded by 344.3   |                           |                           |           |
| 344.2           | Fluorescent, 40W, ovhd, wrttt, std mtg, with clear and white prismatic window assy      | MIL-F-16377/11            | 9G6210-01-149-41687       | 11.25*    |
| 344.3           | Fluorescent, 40W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy | MIL-F-16377/11            | 9G6210-01-088-6185        | 13.1      |
| 345             | Canceled-obsolete   |                           |                           |           |
| 345.1           | Canceled-obsolete   |                           |                           |           |
| 345.2           | Fluorescent, 30W, ovhd, wrttt, std mtg, with clear and white prismatic window assy      | MIL-F-16377/65            |                           | 8.7       |
| 345.3           | Fluorescent, 30W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy | MIL-F-16377/65            |                           | 10.1      |
| 346             | Superseded by 346.2   |                           |                           |           |
| 346.1           | Superseded by 346.3   |                           |                           |           |
| 346.2           | Fluorescent, 24W, ovhd, wrttt, std mtg, with clear and white prismatic window assy      | MIL-F-16377/9             | 9G6210-01-088-6124        | 7.4       |
| 346.3           | Fluorescent, 24W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy | MIL-F-16377/9             | 9G6210-01-186-9957        | 8.7       |
| 347             | Superseded by 347.2   |                           |                           |           |
| 347.1           | Superseded by 347.3   |                           |                           |           |
| 347.2           | Fluorescent, 20W, ovhd, wrttt, std mtg, with clear and white prismatic window assy      | MIL-F-16377/8             | 9G6210-01-088-6945        | 8.1       |
| 347.3           | Fluorescent, 20W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy | MIL-F-16377/8             | 9G6210-01-088-6186        | 9.75      |
| 348             | Fluorescent, ovhd, 60W, clear prismatic window, flushmounted                            | MIL-F-16377/57            | 9G6210-00-115-9186        | 18.0      |
| 349             | Fluorescent, ovhd, 80W, clear prismatic window, flushmounted                            | MIL-F-16377/57            | 9G6210-00-115-9152        | 24.0      |
| 350             | Fluorescent, ovhd, 120W, clear prismatic window, flushmounted                           | MIL-F-16377/57            | 9G6210-00-115-9150        | 27.0      |

Supersedes page 22 of 22 August 1986

MIL-HDBK-290(SH)  
6 April 1988

| Sym. No.  | Item  | Std Dwg & Spec                 | National Stock No. | Wt   |
|---|---|--------------------------------|--------------------|------|
| 537   | Hull fitting, for 16 - 3 pin hermetically sealed conn           | 815-1197302                    |                    | *    |
| 538   | Hull fitting, for AN/BQQ-1 sonar                                | 815-1197218                    |                    | *    |
| 539   | Hull fitting, for RG-57 A/U cable (used in ulcer circuits)      | 815-1197307                    |                    | *    |
| <b>HULL FITTINGS (continued with symbol 1900)</b> |   |                                |                    |      |
| <b>FEEDER DISTRIBUTION BOXES</b>                  |   |                                |                    |      |
| 540   | 125/250V dc, 0-30A fuses, 3 ph 75-200 MCM, 2 wire branch, nwt   | MIL-F-24646/3                  | 9N5920-00-178-1609 | 22.0 |
| 541   | 4 ckt, 125/250V dc, 0-30A fuses, 3 wire bus 200 MCM, nwt        | MIL-F-24646/3<br>-001          | 9N5920-00-153-5788 | 25.4 |
| 542   | 125/250V dc, 0-30A fuses, 3 wire bus 200 MCM, 2 wire branch     | MIL-F-24646/3<br>-002          | 9N5920-00-153-5789 | 33   |
| 543   | 2 ckt, 450V, 0-30A fuses, 3 ph bus, nwt                         | MIL-F-24646/3<br>-003          | 9N5920-00-178-1624 | 22   |
| 544   | 450V, 0-30A fuses, 3 ph bus, 3 ph branches                      | MIL-F-24646/4<br>-001          | 1H5920-00-178-1625 | 23   |
| 545   | 6 ckt, 450V, 0-30A fuses, 3 ph bus, nwt                         | MIL-F-24646/4<br>-002          | 9N5920-00-178-1626 | 29   |
| 546   | 2 ckt, 450V, 31-60A fuses, 3 ph bus, 200 MCM, nwt               | MIL-F-24646/4<br>-003          | 9N5920-00-178-1613 | 27   |
| 547   | 450V, 31-60A fuses, 3 ph bus, 200 MCM, 43 ph branches nwt       | MIL-F-24646/4<br>-004          | 9N5920-00-178-1614 | 41   |
| 548-554   | Not yet used  |                                |                    |      |
| 555.1   | 2 ckt, sbm, 250V, 0-30A fuses                                   | MIL-F-24646/9<br>-005          | 9N5920-00-296-4736 | *    |
| 556.1   | 4 ckt, sbm, 250V, 0-30A fuses                                   | MIL-F-24646/9<br>-001          | 9N5920-00-284-8327 | *    |
| 557.1   | 6 ckt, sbm, 250V, 0-30A fuses                                   | MIL-F-24646/9<br>-002          | 9N5920-00-296-3357 | 24   |
| 558.1   | 8 ckt, sbm, 250V, 0-30A fuses, single pole                      | MIL-F-24646/9<br>-003          | 9N5920-00-892-9315 | 35.0 |
| 559.1   | 12 ckt, sbm, 250V, 0-30A fuses, single pole                     | MIL-F-24646/9<br>-004          | 9N5920-00-024-0126 | *    |
| 560.1   | 2 ckt, sbm, 250V, 0-30A fuses, 3 ph                             | MIL-F-24646/10<br>-005         | 9N5920-00-296-3869 | *    |
| 561.1   | Sbm, 250V, 0-30A fuses, 43 ph branches                          | MIL-F-24646/10<br>-001         | 9Z5920-00-028-3963 | *    |
| 562.1   | 6 ckt, sbm, 250V, 0-30A fuses, 3 ph bus, 75 MCM, 63 ph branches | MIL-F-24646/10<br>-002<br>-003 |                    | 48.0 |

Supersedes page 31 of 22 August 1986

MIL-HDBK-290(SH)  
6 April 1988

| Sym. No.   | Item   | Std Dwg & Spec     | National Stock No. | Wt   |
|--|--|--------------------|--------------------|------|
| 563.1  | 2 ckt, sbm, 250V, 0-30A fuses, 3 ph bus, 75-200 MCM, 3 ph branch, 40 MCM     | MIL-F-24646/10-004 | 9N5920-00-296-4775 | *    |
| 564-567  | Canceled-obsolete  |                    |                    |      |
| 568.1  | 4 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, sgl ph branch, 40 MCM       | MIL-F-24646/13-001 | 9N5920-00-296-3870 | *    |
| 569.1  | 3 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, 3 ph branch, 40 MCM         | MIL-F-24646/13-002 | 9N5920-00-355-4733 | 45.0 |
| 570.1  | 4 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, 3 ph branch, 23 MCM         | MIL-F-24646/13-003 | 9N5920-00-355-4735 | 62.0 |
| 571.1  | 3 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, 3 ph branch, 23 MCM         | MIL-F-24646/13-004 | 9N5920-00-355-4736 | 81.0 |
| <u>FEEDER DISTRIBUTION BOXES (continued with symbol 578.1)</u> |  |                    |                    |      |
| <u>TERMINAL BOXES (continued from symbol 530)</u>              |  |                    |                    |      |
| 572.1  | Terminal box, conn, sbm 15 ft, 500V, 2 ckt, 3 ph bus, 75 MCM, branch 40 MCM  | MIL-T-24558/26     | 1H5940-00-215-5965 | 29.9 |
| 573.1  | Terminal box, conn, sbm 15 ft, 500V, 4 ckt, 3 ph bus, 75 MCM, branch 40 MCM  | MIL-T-24558/27     | 9G5940-00-284-9141 | 31.0 |
| 574.1  | Terminal box, conn, sbm 15 ft, 500V, 6 ckt, 3 ph bus, 75 MCM, branch 40 MCM  | MIL-T-24558/28     |                    | 36.8 |
| 575.1  | Terminal box, conn, sbm 15 ft, 500V, 2 ckt, 3 ph bus, 200 MCM, branch 75 MCM | MIL-T-24558/29     | 9G5940-00-215-5966 | 31.0 |
| 576.1  | Terminal box, conn, sbm 15 ft, 500V, 4 ckt, 3 ph bus, 150 MCM to 400 MCM     | MIL-T-24558/30     | 9G5940-00-215-5970 | 81.4 |
| 577.1  | Terminal box, conn, 4 ckt, sbm 15 ft, 500V, 3 ph bus, 150 MCM to 250 MCM     | MIL-T-24558/30     | 1H5940-00-215-5970 | 81.4 |
| <u>FEEDER DISTRIBUTION BOXES (continued from symbol 571.1)</u> |  |                    |                    |      |
| 578.1  | Term box, sbm, fdr distr, aircraft btry charging 600A, 28.5V dc              | 815-74473          | 1H5940-00-179-2013 | *    |
| 579  | Panel, elec, sbm 15 ft, 125V ac, AQB-A50                                     | MIL-P-23928/9      | 9N5925-00-571-0415 | 18.1 |
| 580-599  | Not yet used   |                    |                    |      |

Supersedes page 32 of 22 August 1986



MIL-HDBK-290(SH)  
6 April 1988

| <u>Sym. No.</u>           | <u>Item</u>   | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|---------------------------|---|---------------------------|---------------------------|-----------|
| <u>DISTRIBUTION BOXES</u> |   |                           |                           |           |
| 600                       | 4 ckt, te, dp, w/o sw, midget fuses, 125V, nwt, sgl fdr bus, 75 MCM, branch, 14 MCM                             | MIL-F-24646/1-001         | 9N5920-01-103-0577        | 20        |
| 601                       | 8 ckt, te, dp, w/o sw, midget fuses, 125V, nwt, sgl fdr bus, 75 MCM, branch, 14 MCM                             | MIL-F-24646/1-002         | 9N5920-00-178-1606        | 22        |
| 602                       | 4 ckt, te, dp, with sw, midget fuses, 125V, nwt, sgl fdr bus, 14 MCM, branch, 4 MCM                             | MIL-F-24646/6-001         | 1H6110-00-152-0266        | 19        |
| 603                       | 8 ckt, dp, with sw, 125V, sgl fdr nwt   | MIL-F-24646/6-002         | 9G6110-00-152-0268        | 22-26     |
| 604                       | 4 ckt, dp, with sw, midget fuses, 125V, sgl fdr nwt   | MIL-F-24646/6-003         | 9G6110-00-152-0246        | 19        |
| 605                       | 8 ckt, dp, with sw, 125V, dbl fdr nwt   | MIL-F-24646/6-004         | 1H6110-00-152-0267        | 22-26     |
| 606                       | 12 ckt, dp, with sw, 125V, dbl fdr nwt  | MIL-F-24646/6-005         | 9G6110-00-152-0269        | 29        |
| 607                       | Canceled-obsolete   |                           |                           |           |
| 608                       | Superseded by 603   |                           |                           |           |
| 609                       | 4 ckt, w/o sw, midget fuses, 125/250V dc, 3 wire bus, 2 wire branch, nwt  | MIL-F-24646/2-001         | 9N5920-00-178-1615        | 19.0      |
| 610                       | 8 ckt, w/o sw, midget fuses, 125/250V dc, 3 wire bus, 2 wire branch, nwt  | MIL-F-24646/2-002         | 9N5920-00-178-1616        | 19        |
| 611                       | 12 ckt, w/o sw, midget fuses, 125/250V dc, 3 wire bus, 2 wire branch, nwt                                       | MIL-F-24646/2-003         | 9N5920-00-178-1617        | 29        |
| 612.1                     | Fuse box (distr), 4 ckt, te, w/o sw, midget fuses, 125V, 3 ph, sgl fdr bus, 60 MCM, sgl ph branch, 14 MCM, nmag | MIL-F-24646/1-003         | 9N5920-00-642-9908        | 10.0      |
| 613                       | 8 ckt, te, w/o sw, midget fuses, 125V, 3 ph bus, 75 MCM, sgl ph branch, 14 MCM                                  | MIL-F-24646/1-004         |                           | 25        |
| 613.1                     | 8 ckt, te, w/o sw, midget fuses, 125V, 3 ph bus, 75 MCM, sgl ph branch, 14 MCM, nmag                            | MIL-F-24646/1-005         | 9N5920-00-845-1475        | 25        |
| 614                       | 12 ckt, with sw, 225V, 3 ph sgl fdr   | MIL-F-24646/1-006         | 1H5920-00-178-1619        | 18        |
| 615                       | 4 ckt, with sw, 125V, 3 ph sgl fdr, nwt   | MIL-F-24646/6-006         | 9G6110-00-778-8964        | 15        |
| 616                       | 8 ckt, with sw, 3 ph, nwt   | MIL-F-24646/6-007         | 9G6110-00-152-0286        | 28        |
| 617                       | Panel, power distr, 12 ckt, te, with sw, 125V, 3 ph sgl fdr   | MIL-F-24646/6-008         | 9G6110-00-152-0285        | 30        |
| 618                       | 12 ckt, dp, with sw, 125V, sgl fdr, nwt   |                           |                           |           |
| 619                       | Canceled-obsolete   |                           |                           |           |
| 620                       | For maintenance only-see 5.3  | 5461-L                    | Not stocked               | 29        |

MIL-HDBK-290(SH)

6 April 1988

| <u>Sym. No.</u> | <u>Item</u>   | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|-----------------|---|---------------------------|---------------------------|-----------|
| 621             | Cabinet type, 1000V dc, sub, 4 ckt, 2 wire, dp, 0-30A fuses                     | S6202-73973               | 9N5920-00-295-8792        | 23.2      |
| 622             | For maintenance only-see 5.3  |                           |                           |           |
| 623             | For maintenance only-see 5.3  |                           |                           |           |
| 624             | Panel, distr, 1000V, dp, 4 ckt, 31-100A fused branch                            | S6202-74479               |                           | *         |
| 625             | Panel, 1000V, dp, type 63A, two 101-200A, fused branches                        | 815-74480                 |                           | 48        |
| 626             | Fdr distr box, 500V dc, w/o sw, dbl fdr, 4-30A, 2-60A, fused branches, nwt      | MIL-F-24646/5-001         |                           | 25.0      |
| 627             | Fdr distr box, 500V dc, w/o sw, dbl fdr, 4-60A, fused branches, nwt             | MIL-F-24646/5-002         |                           | 22.0      |
| 628-634         | Not yet used  |                           |                           |           |
| 635.1           | 4 ckt, sbm, w/o sw, 125V, sgl fdr   | MIL-F-24646/7             | 9N5920-00-280-4012        | 24        |
| 636-641         | Canceled-obsolete   | -001                      |                           |           |
| 642             | Superseded by 602   |                           |                           |           |
| 643             | Superseded by 603   |                           |                           |           |
| 644             | 4 ckt, sbm, dp, with sw, midget fuses, 125V, interlocking cover                 | MIL-F-24646/12-001        |                           | *         |
| 645             | 4 ckt, sbm, dp, with sw, midget fuses, 125V, sgl fdr                            | MIL-F-24646/11-001        |                           | *         |
| 645.1           | 4 ckt, sbm, dp, with sw, midget fuses, 125V, sgl fdr                            | MIL-F-24646/11-002        |                           | *         |
| 646.1           | 4 ckt, sbm, w/o sw, 125V, 3 ph, sgl fdr   | MIL-F-24646/8-001         | 9N5920-00-296-7015        | *         |
| 647.1           | 8 ckt, sbm, w/o sw, 125V, 3 ph, sgl fdr   | MIL-F-24646/8-002         | 9N5920-00-355-4734        | 33        |
| 648             | 4 ckt, with sw, midget fuses, 125V, 3 ph, sgl fdr, interlocking fuse cover, sbm | MIL-F-24646/12-002        |                           | *         |
| 649.1           | 4 ckt, sbm, 125V, 3 ph, sgl fdr   | MIL-F-24646/11-003        | 9G6110-00-174-1653        | *         |
| 650.1           | 8 ckt, sbm, with sw, 125V, 3 ph, sgl fdr  | MIL-F-24646/11-004        | 7H6110-00-174-1657        | 34        |
| 651             | 6 ckt, with sw, 450V, sgl fdr, 3 ph, dp branch, interlock fuse cover            | S6202-74203               | 7H6110-00-068-4518        | 31        |
| 652             | Not yet used  |                           |                           |           |
| 653             | 12 ckt, dp, w/o sw, 125V  | MIL-F-24646/7-003         |                           | 25.0      |
| 654             | 5 ckt, nwt, dp, w/o sw, 125V  | MIL-F-24646/7-002         |                           | 15.0      |
| 655-669         | Not yet used  |                           |                           |           |

Supersedes page 34 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

| Sym. No.                            | Item  | Std Dwg & Spec         | National Stock No. | Wt   |
|-------------------------------------|---|------------------------|--------------------|------|
| <u>FUSE BOXES (BRANCH JUNCTION)</u> |   |                        |                    |      |
| 670                                 | Superseded by 674.1-For maintenance only<br>-see reference number.                  |                        |                    |      |
| 671.1                               | Midget fuses, sbm, 2 ckt, cylindrical   | MIL-F-24646/18<br>-001 | 9N5920-00-355-4729 | 4    |
| 672                                 | Canceled-obsolete   |                        |                    |      |
| 673                                 | Two 0-30A, 1000V, fuses, sbm (fdr jct box)  | S6202-74475            |                    | 6    |
| 674                                 | For maintenance only-see 5.3  |                        |                    |      |
| 674.1                               | For maintenance only-see 5.3  |                        |                    |      |
| 674.2                               | For maintenance only-see 5.3  |                        |                    |      |
| 675                                 | Not yet used  |                        |                    |      |
| 676                                 | For maintenance only-see 5.3  |                        |                    |      |
| 677                                 | Jct box, 4 receptacle, sbm 4000 ft  | 815-1197383            |                    | *    |
| 678,679                             | Not yet used  |                        |                    |      |
| <u>FUSE BOXES (FEEDER JUNCTION)</u> |   |                        |                    |      |
| 680                                 | 0-30A fuses, 250V, 3 ph bus,<br>75-200 MCM, sgl ph branch, te                       | MIL-F-24646/14<br>-001 | 9N5920-00-178-1688 | 19.0 |
| 681.1                               | Nwt, 31-60A fuses, 250V, 3 ph bus, 4-75 MCM,<br>3 ph branch                         | MIL-F-24646/14<br>-002 | 9N5920-00-024-0127 | 10   |
| 682-684                             | Not yet used  |                        |                    |      |
| 685.1                               | 1 ckt, sbm, dp, twin cond fdr, 0-30A fuses,<br>250V, bus, 75 MCM, branch, 40 MCM    | MIL-F-24646/15<br>-001 | 9N5920-00-284-7122 | 10.0 |
| 686.1                               | 1 ckt, sbm, dp, twin cond fdr, 31-60A fuses,<br>250V, bus, 75 MCM, branch, 40 MCM   | MIL-F-24646/15<br>-002 |                    | *    |
| 687.1                               | 1 ckt, sbm, sgl cond fdr, 0-30A fuses,<br>250V, dp bus, 250 MCM, branch, 14 MCM     | MIL-F-24646/16<br>-001 |                    | *    |
| 688.1                               | 1 ckt, sbm, sgl cond fdr, 31-60A fuses,<br>250V, dp bus, 250 MCM, branch, 40 MCM    | MIL-F-24646/16<br>-002 | 9N5920-00-296-6118 | *    |
| 689.1                               | 1 ckt, sbm, sgl cond fdr, 60-100A fuses,<br>250V, dp bus, 400 MCM, branch, 75 MCM   | MIL-F-24646/16<br>-003 |                    | 36.0 |
| 690.1                               | 1 ckt, sbm, sgl cond fdr, 100-200A fuses,<br>250V, dp bus, 400 MCM, branch, 150 MCM | MIL-F-24646/16<br>-004 | 1H5920-00-178-1677 | *    |
| 691.1                               | 1 ckt, sbm, 0-30A fuses, 250V, 3 ph bus, 75<br>MCM, 3 ph branch, 40 MCM             | MIL-F-24646/15<br>-003 | 9N5920-00-296-6119 | *    |

Supersedes page 35 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

| <u>Sym. No.</u>                          | <u>Item</u>  | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u>                                      | <u>Wt</u> |
|--|--|---------------------------|--|-----------|
| 692.1                                    | 1 ckt, sbm, 31-60A fuses, 250V, 3 ph bus, 200 MCM, 3 ph branch, 40 MCM | MIL-F-24646/15-004        | 9N5920-00-296-6120   | *         |
| 693.1                                    | 1 ckt, sbm, 0-30A fuses, 500V, 3 ph bus, 75 MCM, 3 ph branch, 14 MCM   | MIL-F-24646/17            | 9N5920-00-355-4732   | 29.0      |
| 694,695                                  | Canceled-obsolete  |                           |  |           |
| 696                                      | Not yet used   |                           |  |           |
| 697                                      | For maintenance only-see 5.3   |                           |  |           |
| 698,699                                  | Not yet used   |                           | 9N5920-00-285-0466   |           |
| <u>CONNECTORS, PLUGS AND RECEPTACLES</u> |  |                           |  |           |
| 700                                      | Canceled-obsolete  |                           |  |           |
| 701                                      | Superseded by 701.1  |                           |  |           |
| 701.1                                    | Superseded by 720.1  |                           |  |           |
| 702                                      | For maintenance only-see 5.3   |                           | 1H5935-00-243-1283<br>9N5935-00-241-2533<br>1H5935-00-243-1283 |           |
| 703                                      | For maintenance only-see 5.3   |                           |  |           |
| 704,705                                  | Canceled-obsolete  |                           |  |           |
| 706                                      | Superseded by 706.1  |                           |  |           |
| 706.1                                    | Receptacle, plug, conn, 10A, 125V, 3 ph, gnd wrt                       | MIL-R-2726/68             | 9N5935-00-195-8920<br>9N5935-00-234-4872                       | 1.3       |

Supersedes page 36 of 22 August 1986

MIL-HDBK-290(SH)  
6 April 1988

| <u>Sym. No.</u> | <u>Item</u>  | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u>                                    | <u>Wt.</u>      |
|-----------------|--|---------------------------|--|-----------------|
| 727.1           | Receptacle, plug, 10A, 125V, sgl pole, male<br>(black)                                   | MIL-P-2726/30             | 9N5935-00-197-4948   | 0.3             |
| 727.2           | Receptacle, plug, 10A, 125V, sgl pole, male<br>(red)                                     |                           |  |                 |
| 728             | Superseded by 728.1  |                           |  |                 |
| 728.1           | Receptacle, plug, 4 pin, 60A, 208/117V, 400 Hz,<br>3 ph, sbm, 15 ft (aircraft servicing) | MIL-R-2726/26             | 1H5935-00-195-8916   | 6.0             |
| 729             | Superseded by 729.1  |                           |  |                 |
| 729.1           | Receptacle, plug, 10A, 125V, dp,<br>male   | MIL-P-2726/31             | 1H5935-00-375-5640   | 0.3             |
| 730             | Not yet used   |                           |  |                 |
| 730.1           | Receptacle, te, 15A, 125V, 60 Hz,<br>bladed type, gnd                                    | MIL-R-2726/66             | 9G5975-00-284-5827<br>9G5975-00-188-1164<br>5975-00-782-6938 | 1.0<br>1.0<br>* |
| 730.4           | Receptacle, channel, 10A, 25V, bladed<br>type, gnd                                       | MIL-R-2726/40             |  |                 |
| 731.1           | Battery charging outlet box, sbm 15 ft,<br>sgl ckt, 40A, nmag                            | S6202-74428               | 1H5935-00-336-5866   | 2.0             |
| 732             | Battery charging outlet box, nwt, 3<br>ckt, 40A  | S6202-73030               | 1H5935-00-241-2347   | 9.5             |
| 733.1           | Battery charging outlet box, sbm, 2<br>ckt, 40A  | S6202-74313               | 1H5935-00-033-6508   | 4.3             |
| 734             | Canceled-obsolete  |                           |  |                 |
| 735.1           | Superseded by 735.3  |                           |  |                 |
| 735.2           | Receptacle, sgl, wrttt, 15A, 500V, to ground,<br>sgl ph, ungd, nmag                      | S6202-74026               | 1H5935-00-518-9131   | *               |
| 735.3           | Receptacle, enclosed, 15A, 125V, 2 pole,<br>gnd, wrttt                                   | MIL-R-2726/47             | 9N5935-00-280-2390   | 2.4             |
| 736             | Canceled-obsolete  |                           |  |                 |
| 737             | Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft<br>(3 cond)                                  | MIL-C-24231/12<br>-001    | 1H5935-00-494-5854   | 16.1            |
| 737.1           | Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft<br>(7 cond)                                  | MIL-C-24231/13<br>-001    | 9N5935-00-752-3102   | *               |
| 737.2           | Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft<br>(14 cond)                                 | MIL-C-24231/14<br>-001    | 9N5935-00-752-3103   | *               |

Supersedes page 39 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

| <u>Sym. No.</u>  | <u>Item</u>  | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|--|--|---------------------------|---------------------------|-----------|
| 778  | Canceled-obsolete  |                           |                           |           |
| 779  | Receptacle, outlet, tpl, portable, 15A,<br>125V ac, dp, gnd, 25 ft extension     | MIL-R-2726/69             | 1H6150-00-449-1189        | *         |
| <u>CONNECTORS, PLUGS AND RECEPTACLES (continued with symbol number 1091)</u> |  |                           |                           |           |
| <u>SWITCHES</u>  |  |                           |                           |           |
| 780.1  | Superseded by 780.5  |                           |                           |           |
| 780.2  | Switch, toggle DPST, 10A ac, 125V, wtrtt, nmag                                   | S6202-74427               | 9N5930-00-522-1425        | 1         |
| 780.3  | Canceled-obsolete  |                           |                           |           |
| 780.4  | Switch, toggle, DPDT, 10A ac, 125V, wtrtt, nmag                                  | S6202-74427               | 9N5930-00-522-5646        | 1         |
| 780.5  | Switch, toggle, DPST, 15A, 125V, te  | 803-5184170               | 9N5930-00-643-9424        | 1.4       |
| 780.6  | Switch, toggle, DPST, 10A ac, 125V, nmag, te                                     | S6202-74427               |                           | 1         |
| 781,782  | Canceled-obsolete  |                           |                           |           |
| 783  | Not yet used   |                           |                           | *         |
| 784  | Switch, push button, sbm 2000 ft   | S6202-73896               |                           | 2.5       |
| 785  | Switch, push, sbm, norm, open, 2 garg  | 815-1197027               | 9N5930-00-690-3960        | *         |
| 786,787  | Not yet used   |                           |                           |           |
| 788  | Switch, push, 15A ac, 1A dc, 120V, te,<br>norm open or norm closed               | 815-1853053               | 9N5930-00-687-1095        | *         |
| 789  | Switch, push, 15A ac, 1A dc, 120V, wtrtt,<br>norm open or norm closed            | 815-1853053               | 9N5930-00-687-1096        | *         |
| 790.1  | Switch, door operated, interlocking, 125V,<br>10A dc, 25A ac, sbm, 3 ckt         | S6202-74303               | 9N5930-00-309-0816        | *         |
| 791.1  | Switch, door operated, interlocking, 6 ckt,<br>120V, 10A dc, 25A ac, sbm         | S6202-74304               | 9N5930-00-258-5657        | *         |
| 792  | Switch, door operated, 1 ckt, normally open<br>or normally closed, 5A, 125V, sbm | S6202-74052               | 9N5930-00-259-8890        | 3         |
| 793-798  | Not yet used   |                           |                           |           |
| 799  | Switch, foot operated, 10A, 125V ac  | S6202-73782               | 9N5930-00-033-5564        | 1         |
| 800  | Canceled-obsolete  |                           |                           |           |
| 801.1  | Switch, rotary, snap action, sbm 15 ft,<br>10A, 125V ac, DPST, flushmounted      | MIL-S-15743/1             | 9N5930-00-296-4527        | 1.9       |

Supersedes page 43 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

| <u>Sym. No.</u> | <u>Item</u>  | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|-----------------|--|---------------------------|---------------------------|-----------|
| 802,803         | Canceled-obsolete  |                           |                           |           |
| 804.1           | Switch, rotary, snap-on-off, 10A, 125V, 3PST, sbm, type 1SR3A4-2                               | MIL-S-15743/3             | 9N5930-00-296-5290        | 2.2       |
| 805.1           | Switch, rotary, snap-on-off, 10A, 125V, 4PST, sbm, type 1SR4A4-2                               | MIL-S-15743/4             | 9N5930-00-259-7368        | 2.5       |
| 806-808         | Canceled-obsolete  |                           |                           |           |
| 809             | Superseded by 2638.1   |                           |                           |           |
| 810             | Superseded by 2638.1   |                           |                           |           |
| 811,812         | Canceled-obsolete  |                           |                           |           |
| 813             | Not yet used   |                           |                           |           |
| 814             | Switch, rotary, snap, flushmounted, 10A, 120V ac, splashproof, on-off-on-off, type 2, 1SR2A4-4 | MIL-S-15743/7             | 9N5930-00-049-9765        | 2.5       |
| 815             | Switch, rotary, 60A, 115V ac, motor starting for sbm pumps                                     | S6202-73692               | 2H6110-00-578-6789        | 29.0      |
| 816             | Switch, rotary, 30A, 230V dc, motor starting for sbm pumps                                     | S6202-73692               | 2H6110-00-803-4472        | 29.0      |
| 817             | Superseded by 817.1  |                           |                           |           |
| 817.1           | Switch, motor starting, rotary, wrttt, 30A, 500V ac, snap action                               | MIL-S-15743/15            | 1H6110-00-889-0611        | *         |
| 818-824         | Not yet used   |                           |                           |           |
| 825-826         | Canceled-obsolete  |                           |                           |           |
| 827.1           | Switch, rotary, snap, transfer, 10A, 125V, 2 ckt, special series parallel, sbm, type 1SPSS4-2  | MIL-S-15743/5             | 1H5930-00-259-7372        | 3.0       |
| 828             | Canceled-obsolete  |                           |                           |           |
| 829.1           | Switch, rotary, snap, transfer, 10A, 125V DPDT, small boats, sbm, type 1SR2C4A-2               | MIL-S-15743/3             | 9N5930-00-258-5501        | 2.2       |
| 830-836         | Canceled-obsolete  |                           |                           |           |
| 837             | Not yet used   |                           |                           |           |
| 838.1           | Switch, rotary, snap, DPDT, sbm, 30A, 450V ac/250V dc, type 3SR2C4A-2                          | MIL-S-15743/8             | 9N5930-00-258-5462        | 2.0       |
| 839.1           | Switch, rotary, snap, 4PDT, 30A, 450V ac/250V dc, type 3SR4C4-2                                | MIL-S-15743/9             | 1H5930-00-296-4309        |           |

Supersedes page 44 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

| <u>Sym. No.</u> | <u>Item</u>  | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|-----------------|--|---------------------------|---------------------------|-----------|
| 840.1           | Switch, rotary, snap, DPDT, (3-Way), 30A, 450V ac/250V dc, type 3SR2C4-2                         | MIL-S-15743/8             | 9N5930-00-258-5461        | 2.0       |
| 841-843         | Canceled-obsolete  |                           |                           |           |
| 844             | Superseded by 849  |                           |                           |           |
| 845             | Superseded by 853  |                           |                           |           |
| 846             | Superseded by 854  |                           |                           |           |
| 847             | Canceled-obsolete  |                           |                           |           |
| 848.1           | Switch, rotary, snap, TPDT, 30A, 450V ac/250V dc, type 3SR3B4-2                                  | MIL-S-15743/9             | 1H5930-00-296-4310        | 2.0       |
| 849             | Switch, rotary, snap, transfer, 30A, 125V ac, 3PDT w/indicator light, wrttt                      | MIL-S-15743/13            | 9N5930-00-296-9389        | *         |
| 850.1           | Switch, rotary, snap, transfer, 10A, 125V, 3PDT, sbm, type 1SR3B4-2                              | MIL-S-15743/5             | 9N5930-00-296-5287        | 2.9       |
| 851             | Switch, rotary, snap, TPST, 30A, 450V ac/250V dc, type 3SR3A4-2                                  | MIL-S-15743/8             | 9N5930-00-296-7318        | 2.0       |
| 852             | Switch, rotary, snap, 4PDT, 1-OFF-2-OFF, sbm, 30A, 450V ac/250V dc, type 3SR4B4-2                | MIL-S-15743/10            | 1H5930-00-296-4311        | 2.0       |
| 853             | Switch, rotary, snap, TPDT transfer, 60A, 500V ac, 3PDT w/indicator light, wrttt                 | MIL-S-15743/14            | 1H5930-00-259-7362        | 32.0      |
| 854             | Switch, rotary, snap transfer, 60A 125V ac, 3PDT w/indicator light, wrttt                        | MIL-S-15743/14            | 1H5930-00-259-7361        | 32.0      |
| 855             | Superseded by 2571 and 2511  |                           |                           |           |
| 856             | Superseded by 2512   |                           |                           |           |
| 857             | Switch, rotary, snap, 10A, 120V ac, 3PDT, sbm, type 1SR3C4-2                                     | MIL-S-15743/4             | 1H5930-00-296-9828        | 2.9       |
| 858             | Switch, rotary, snap, 10A, 120V ac, DPJT, splashproof, flushmounted, small boats, type 1SR2F4-2a | MIL-S-15743/2             | 1H5930-00-259-7152        | *         |
| 859             | Switch, pushbutton, 2 gang, spraytight, flushmounted, small boats                                | S6202-74294               | 1H5930-00-216-7404        | *         |
| 860             | Switch, pushbutton, SPST, splashproof, for horns, momentary normally open                        | S6202-73888               | 9N5930-00-296-9298        | 1.3       |
| 861             | Switch box, explosionproof (ep) for ep ventilating fan   | 815-1197047               | 1H5930-00-306-0182        | *         |

Supersedes page 45 of 22 August 1986



MIL-HDBK-290(SH)  
6 April 1988

| <u>Sym. No.</u>                                     | <u>Item</u>   | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|---|---|---------------------------|---------------------------|-----------|
| 862   | Switch, rotary, snap, 10A, 125V, 3P3T, sbm, type 1SR3F4-2               | MIL-S-15743/6             |                           | *         |
| 863   | Switch, rotary, snap, 10A, 125V, 4PDT, sbm, type 1SR4B4-2               | MIL-S-15743/5             | 9N5930-00-688-4045        | *         |
| 864   | Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 3-5                   | MIL-S-15743/21            |                           | *         |
| 865   | Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 5-5                   | MIL-S-15743/21            |                           | *         |
| 866   | Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 10-5                  | MIL-S-15743/21            |                           | *         |
| 867   | Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL3-5                    | MIL-S-15743/21            |                           | *         |
| 868   | Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL5-5                    | MIL-S-15743/21            |                           | *         |
| 869   | Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL10-5                   | MIL-S-15743/21            |                           | *         |
| 870   | Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL3-5                    | MIL-S-15743/21            | 1H5930-00-948-6677        | *         |
| 871   | Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL5-5                    | MIL-S-15743/21            |                           | *         |
| 872   | Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL10-5                   | MIL-S-15743/21            |                           | *         |
| 873-874   | Not yet used  |                           |                           |           |
| 875-878   | Canceled-obsolete   |                           |                           |           |
| 879.1   | Switch, rotary, snap, 10A, 125V, DP3T, ignition and blower, small boats |                           |                           |           |
| 880,881   | Canceled-obsolete   |                           |                           |           |
| 882-888   | For maintenance only-see 5.3  |                           |                           |           |
| 889   | For maintenance only-see 5.3  |                           |                           |           |
| 890-892   | For maintenance only-see 5.3  |                           |                           |           |
| 893-899   | Not yet used  |                           |                           |           |
| <u>SWITCHES</u> (continued with symbol number 2170) |   |                           |                           |           |
| 893   | Disconnect switch, NQB-A101, 500V ac, te                                |                           |                           |           |
| 894   | Disconnect switch, NQB-A250, 500V ac, te                                |                           |                           |           |
| 895   | Disconnect switch, AQB-A101 or NQB-A101, te                             |                           |                           |           |
|   |   | MIL-P-23928/3             |                           |           |
|   |   | MIL-P-23928/6             |                           |           |
|   |   | MIL-P-23928/3             |                           |           |
|   |   |                           | 1H5925-00-173-9912        |           |
|   |   | MIL-S-15743/3             | 9N5930-00-258-5502        | 2.6       |

Supersedes page 46 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

| <u>Sym. No.</u>                                     | <u>Item</u>   | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|---|---|---------------------------|---------------------------|-----------|
| <u>SWITCHES (continued with symbol number 2170)</u> |   |                           |                           |           |
| 896   | Disconnect panel, AQB-A101/100 with 500V ac<br>shunt trip, te | MIL-P-23928/3             | 7310-00-8332-5769         |           |
| <u>SWITCHES AND RECEPTACLES</u>                     |   |                           |                           |           |
| 900   | Superseded by 900.1   |                           |                           |           |
| 900.1   | Receptacle w/sw, interlocking, 15A, 125V,<br>gnd, wtrtt       | MIL-R-2726/48             | 9N5999-00-9335-2312       | 3.3       |
| 901, 902  | Canceled-obsolete   |                           |                           |           |
| 903.1   | Superseded by 916   |                           |                           |           |
| 904   | Canceled-obsolete   |                           |                           |           |
| 905.1   | Canceled-obsolete   |                           |                           |           |
| 906.1   | Superseded by 917   |                           |                           |           |
| 907   | Canceled-obsolete   |                           |                           |           |
| 908.1   | Superseded by 915-For maintenance only-see 5.3                |                           |                           |           |
| 909-911   | Canceled-obsolete   |                           | 1H5999-00-025-6388        |           |
| 912   | Superseded by 900   |                           |                           |           |
| 913   | Use 776.1-For maintenance only-see 5.3                        |                           |                           |           |
| 914   | For maintenance only-see 5.3                                  |                           |                           |           |
| 915   | Superseded by 915.1   |                           |                           |           |
| 915.1   | Receptacle w/sw, 30A, 3 ph, interlocking,<br>gnd, wtrtt       | MIL-R-2726/19             | 1H5999-00-879-1519        | 6.4       |
| 916   | Superseded by 916.1   |                           |                           |           |
| 916.1   | Receptacle w/sw, 30A, 450V, 1 ph,<br>interlocking, gnd, wtrtt | MIL-R-2726/20             | 1H5999-00-879-1520        | 8.0       |
| 917   | Superseded by 917.1   |                           |                           |           |
| 917.1   | Receptacle w/sw, 30A, 250V dc, interlocking<br>gnd, wtrtt     | MIL-R-2726/21             | 1H5999-00-879-1521        | 6.1       |
| 918   | Superseded by 918.1   |                           |                           |           |
| 918.1   | Receptacle, bladed, 15A w/3A, sw, DPST,<br>125V, gnd, te      | MIL-R-2726/43             | 1H5999-01-023-9366        | 0.5       |
| 919   | Receptacle and sw, 15A, 125V, bladed type,<br>gnd, wtrtt      | MIL-R-2726/39             | 9N5999-01-070-8414        | *         |
| 920-929   | Not yet used  |                           |                           |           |

Supersedes page 47 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

| <u>Sym. No.</u>                 | <u>Item</u>   | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|---------------------------------|---|---------------------------|---------------------------|-----------|
| <u>MISCELLANEOUS APPLIANCES</u> |   |                           |                           |           |
| 930                             | Superseded by 930.1   |                           |                           |           |
| 930.1                           | Superseded by 930.2-For maintenance only-see 5.3                              |                           |                           |           |
| 930.2                           | Canceled-obsolete   |                           |                           |           |
| 931                             | Superseded by 931.1   |                           |                           |           |
| 931.1                           | Superseded by 931.2-For maintenance only-see 5.3                              |                           |                           |           |
| 931.2                           | Canceled-obsolete   |                           |                           |           |
| 932                             | Pulsator for sub ident light  | MIL-C-24174/4             |                           |           |
| 933                             | Not yet used  |                           |                           |           |
| 934-939                         | Canceled-obsolete   |                           |                           |           |
| 940                             | Superseded by 940.1-For maintenance only-see 5.3                              |                           |                           |           |
| 940.1                           | Supply pnl navigation light, nwt, 120V ac, 3 ph bus, 8 ckt                    | MIL-P-24175/2             | 1H6110-00-152-0304        | 34.0      |
| 941                             | Canceled-obsolete   |                           |                           |           |
| 942                             | Superseded by 942.1   |                           |                           |           |
| 942.1                           | Supply pnl navigation light, nwt, 120V dc, dp, bus, 10 ckt                    | MIL-P-24175/4             | 2H6110-00-025-9003        | 35.0      |
| 943                             | Superseded by 2550  |                           |                           |           |
| 944                             | Superseded by 944.1   |                           |                           |           |
| 944.1                           | Superseded by 944.2   |                           |                           |           |
| 944.2                           | Supply and control pnl, dp, nmag, 3 ph bus, 6 ckt (for R, S & A light system) | MIL-P-24175/1             | 9G6110-00-635-4002        | 14.0      |
| 945                             | Superseded by 945.1   |                           |                           |           |
| 945.1                           | Supply and control pnl, nwt, navigation light 120V dc, 8 ckt                  | MIL-P-24175/3             | 9G6110-00-096-2722        | 31.3      |
| 946-948                         | Canceled-obsolete   |                           |                           |           |
| 949.1                           | Superseded by 1001  |                           |                           |           |
| 950,951                         | Canceled-obsolete   |                           |                           |           |
| 951.1                           | Dimmer, sbm (for flight control ready light) 150W                             | S6504-74246               | 1H5950-00-033-5669        | 7.0       |
| 952                             | Canceled-obsolete   |                           |                           |           |
| 953                             | For maintenance only-see 5.3  |                           | 1H5905-00-192-3948        |           |

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)  
22 August 1986

| Sym. No. | Item  | Std Dwg & Spec | National Stock No. | Wt |
|----------|---|----------------|--------------------|----|
| 2512.4   | Same as 2512.3 except te  | MIL-P-23928/4  |                    | #  |
| 2512.5   | Same as 2512.3 except wrttt   | MIL-P-23928/4  |                    | #  |
| 2512.6   | Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc | MIL-P-23928/4  |                    | #  |
| 2512.7   | Same as 2512.6 except te  | MIL-P-23928/4  |                    | #  |
| 2512.8   | Same as 2512.6 except wrttt   | MIL-P-23928/4  |                    | #  |
| 2512.9   | Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), dp, ten 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc   | MIL-P-23928/4  |                    | #  |
| 2512.10  | Same as 2512.9 except te  | MIL-P-23928/4  |                    | #  |
| 2512.11  | Same as 2512.9 except wrttt   | MIL-P-23928/4  |                    | #  |
| 2512.12  | Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), 100A, 500V ac/250V dc  | MIL-P-23928/4  |                    | #  |
| 2512.13  | Same as 2512.12 except te   | MIL-P-23928/4  |                    | #  |
| 2512.14  | Same as 2512.12 except wrttt  | MIL-P-23928/4  |                    | #  |
| 2513     | Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, four 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc    | MIL-P-23928/4  |                    | #  |
| 2513.1   | Same as 2513 except te  | MIL-P-23928/4  |                    | #  |
| 2513.2   | Same as 2513 except wrttt   | MIL-P-23928/4  |                    | #  |
| 2513.3   | Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, six 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc     | MIL-P-23928/4  |                    | #  |
| 2513.4   | Same as 2513.3 except te  | MIL-P-23928/4  |                    | #  |
| 2513.5   | Same as 2513.3 except wrttt   | MIL-P-23928/4  |                    | #  |
| 2513.6   | Pwr distribution panel with two-way 250A manual bus trans (NEQ-A250 cb), dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc   | MIL-P-23928/4  |                    | #  |

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

| <u>Sym. No.</u> | <u>Item</u>   | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|-----------------|---|---------------------------|---------------------------|-----------|
| 2513.7          | Same as 2513.6 except te  | MIL-P-23928/4             |                           | #         |
| 2513.8          | Same as 2513.6 except wrttt   | MIL-P-23928/4             |                           | #         |
| 2513.9          | Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, ten 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc | MIL-P-23928/4             |                           | #         |
| 2513.10         | Same as 2513.9 except te  | MIL-P-23928/4             |                           | #         |
| 2513.11         | Same as 2513.9 except wrttt   | MIL-P-23928/4             |                           | #         |
| 2513.12         | Pwr distribution panel with two-way 250A manual bus trans (NQB-A101 cb), 100A, 500V ac/250V dc, twelve 3 ph br                      | MIL-P-23928/4             |                           | #         |
| 2513.13         | Same as 2513.12 except te   | MIL-P-23928/4             |                           | #         |
| 2513.14         | Same as 2513.12 except wrttt  | MIL-P-23928/4             |                           | #         |
| 2514-2520       | Canceled-obsolete   |                           |                           |           |
| 2521            | Pwr distribution panel, dp, two 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc  | MIL-P-23928/4             |                           | #         |
| 2521.1          | Same as 2521 except te  | MIL-P-23928/4             |                           | #         |
| 2521.2          | Same as 2521 except wrttt   | MIL-P-23928/4             |                           | #         |
| 2522            | Superseded by 2522.2  |                           |                           |           |
| 2522.1          | Superseded by 2522.2  |                           |                           |           |
| 2522.2          | Pwr distribution panel, dp, four 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc   | MIL-P-23928/4             | 6110-00-990-6165          | *         |
| 2522.3          | Same as 2522.2 except te  | MIL-P-23928/4             |                           | #         |
| 2522.4          | Same as 2522.2 except wrttt   | MIL-P-23928/4             |                           | #         |
| 2523            | Superseded by 2523.2  |                           |                           |           |
| 2523.1          | Superseded by 2523.2  |                           |                           |           |
| 2523.2          | Pwr distribution panel, dp, six 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc  | MIL-P-23928/4             |                           | #         |
| 2523.3          | Same as 2523.2 except te  | MIL-P-23928/4             |                           | #         |
| 2523.4          | Same as 2523.2 except wrttt   | MIL-P-23928/4             |                           | #         |
| 2524-2530       | Canceled-obsolete   |                           |                           |           |
| 2531            | Superseded by 2531.2  |                           |                           |           |
| 2531.1          | Superseded by 2531.2  |                           |                           |           |
| 2531.2          | Pwr distribution panel, dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc  | MIL-P-23928/4             |                           | #         |

Supersedes page 92 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

| <u>Sym. No.</u> | <u>Item</u>   | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|-----------------|---|---------------------------|---------------------------|-----------|
| 2638.1          | Switch, lever operated, 10A, 125V ac, six pole, type S2JRM3A-2, 2 position, with locking plate, sbm | MIL-S-15743/17*           | 9N5930-00-259-8883        | 4         |
| 2639.1          | Switch, lever operated, 10A, 125V ac, six pole, type S2JR3-2, 2 position, positive detent, sbm      | MIL-S-15743/18*           | 9N5930-00-259-8881        | 4         |
| 2640.1          | Switch, lever operated, 10A, 125V ac, six pole, type S2JR3A-2, 3 position, base mtd, sbm            | MIL-S-15743/19*           | 9N5930-00-259-8884        | 4         |
| 2641.1          | Switch, lever operated, 10A, 125V ac, six pole, type S2JRM3A-2, 3 position, base mtd, sbm           | MIL-S-15743/20*           | 9N5930-00-259-8885        | 4         |
| 2642            | Switch, multipole rotary, 10A, type JR-EP304R 125V ac, 5A, 125V dc, panel mtd                       | S6202-73193               | 1H5930-00-259-8888        | 9         |
| 2643            | Switch, multipole rotary, 10A, type JRM-300 125V ac, 5A, 125V dc, panel mtd                         | S6202-73193               | 1H5930-00-259-8889        | 8         |
| 2644, 2645      | Canceled-obsolete   |                           |                           |           |
| 2646.2          | Rotary sw (collision alarm), sbm 4000, base mtd   | 815-1853062               |                           | *         |
| 2646.3          | Rotary sw (diving alarm), sbm 4000, base mtd  | 815-1853062               |                           | *         |
| 2647            | Contact maker, 4 way, wrttt for AA cease fire or depth charge fire, type S218A                      | S6501-73466               | 9N5930-00-240-8098        | 12        |
| 2647.1          | Canceled-obsolete   |                           |                           |           |
| 2648            | Contact maker, 6 way wrttt for AA cease fire or depth charge fire, type S-169A                      | S6501-73467               | 9N5930-00-259-8883        | *         |
| 2648.1          | Canceled-obsolete   |                           |                           |           |
| 2649            | Switch, portable, momentary contact, 10A, 115V, type S166A  | S6504-73353               | 9N5930-00-216-7402        | *         |
| 2651            | Switch, sensitive, sbm, type S171A  | S6501-73689               | 9N5930-00-259-8899        | 3         |
| 2652            | Superseded by 2652.1  |                           |                           |           |
| 2652.1          | Magnetic sw, sbm 4000 ft (sw unit)  | 815-1853067               | 1H5930-00-448-0001        | *         |
| 2652.2          | Magnetic sw, sbm 4000 ft (LMC-7MC)  | 815-1853067               | 1H5930-00-732-4705        | *         |
| 2653-2669       | Canceled-obsolete   |                           |                           |           |
| 2670            | Alarm swbd, 10 lines, type IC/S   | S6504-74285               | 1H6320-00-261-9128        | 68.0      |
| 2670.1          | Alarm swbd, 20 lines, type IC/S   | S6504-74285               | 1H6320-00-261-9136        | 103.0     |
| 2670.2          | Alarm swbd, 30 lines, type IC/S   | S6504-74285               | 1H6320-00-261-9135        | 140.1     |
| 2670.3          | Alarm swbd, 40 lines, type IC/S   | S6504-74285               | 1H6320-00-261-9133        | 170.0     |
| 2671            | Alarm swbd, 50 lines, type IC/S   | S6504-74286               | 9G6320-00-261-9132        | 225.0     |

Supersedes page 97 of 22 August 1986

MIL-HDBK-290(SH)  
22 August 1986

| Sym. No.  | Item  | Std Dwg & Spec | National Stock No. | Wt    |
|-----------|---|----------------|--------------------|-------|
| 2671.1    | Alarm swbd, 60 lines, type IC/S   | S6504-74286    | 1H6320-00-261-9131 | 265.0 |
| 2672      | Alarm swbd, 80 lines, type IC/S   | S6504-74287    | H6320-00-261-9130  | 300.0 |
| 2672.1    | Alarm swbd, 100 lines, type IC/S  | S6504-74287    | H6320-00-261-9129  | 350.0 |
| 2672.2    | Alarm swbd, 120 lines, type IC/S  | S6504-74287    | H6320-00-261-9134  | 400.0 |
| 2673      | Jackbox, microphone, wrttt, for <u>plug</u><br>type H-29B, type IC/MJB-2    | S6502-74345    | 1N5935-00-257-9966 | 3     |
| 2674      | Jack, sound pwr tel, pnl mtd, type H-34A                                    | S6505-74274    |                    | 1     |
| 2675      | Holder, sound pwr tel handset, <u>nmag</u> ,<br>type Z-33A                  | S6501-74464    | 9N5965-00-642-9879 | 5     |
| 2676      | Holder, sound pwr tel handset, <u>steel</u> ,<br>type Z-33B                 | S6501-74464    | 9N5965-00-642-9880 | 5     |
| 2677-2681 | Canceled-obsolete   |                |                    |       |
| 2682.1    | Superseded by 2682.2  |                |                    |       |
| 2682.2    | Switch, multipole rotary, <u>10A, 120V ac</u> ,<br>sbm 15 ft, type S1JR5-3  | S6202-74290    | 1H5930-00-581-3415 | *     |
| 2683.1    | Superseded by 2683.2  |                |                    |       |
| 2683.2    | Switch, multipole rotary, <u>10A, 120V ac</u> ,<br>sbm 15 ft, type S2JR5-3  | S6202-74290    | 1H5930-00-581-6032 | *     |
| 2684.1    | Superseded by 2684.2  |                |                    |       |
| 2684.2    | Switch, multipole rotary, <u>10A, 120V ac</u> ,<br>sbm 15 ft, type S3JR5-3  | S6202-74290    | 1H5930-00-581-3413 | *     |
| 2685.1    | Superseded by 2685.2  |                |                    |       |
| 2685.2    | Switch, multipole rotary, <u>10A, 120V ac</u> ,<br>sbm 15 ft, type S4JR5-3  | S6202-74290    | 1H5930-00-581-6029 | *     |
| 2686.1    | Superseded by 2686.2  |                |                    |       |
| 2686.2    | Switch, multipole rotary, <u>10A, 120V ac</u> ,<br>sbm 15 ft, type S1JR10-3 | S6202-74290    | 1H5930-00-581-3416 | *     |
| 2687.1    | Superseded by 2687.2  |                |                    |       |
| 2687.2    | Switch, multipole rotary, <u>10A, 120V ac</u> ,<br>sbm 15 ft, type S2JR10-3 | S6202-74290    | 1H5930-00-581-6037 | *     |
| 2688.2    | Switch, multipole rotary, <u>10A, 120V ac</u> ,<br>sbm 15 ft, type S3JR10-3 | S6202-74290    | 1H5930-00-581-6030 | *     |
| 2689.1    | Superseded by 2689.2  |                |                    |       |
| 2689.2    | Switch, multipole rotary, <u>10A, 120V ac</u> ,<br>sbm 15 ft, type S4JR10-3 | S6202-74290    | 1H5930-00-581-3420 | *     |

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

22 August 1986

| <u>Sym. No.</u> | <u>Item</u>   | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|-----------------|---|---------------------------|---------------------------|-----------|
| 2929            | Superseded by 2929.1  |                           |                           |           |
| 2929.1          | Tel headset stowage box, 6 compartments   | 815-1853040               | 9N5965-00-223-6354        | *         |
| 2930,2931       | Not yet used  |                           |                           |           |
| 2932            | Canceled-obsolete   |                           |                           |           |
| 2933.1          | 20 fuse box, 0-20A, 120V, spraytight  | S6202-74298               | 9N5920-00-033-6598        | *         |
| 2934            | Superseded by 2934.1  |                           |                           |           |
| 2934.1          | Alarm pnl, 4 ckt, 115V ac   | S6504-73807               | 9G6350-00-360-0988        | *         |
| 2934.2          | Canceled-obsolete   |                           |                           |           |
| 2935            | Superseded by 2934.2  |                           |                           |           |
| 2935.1          | Alarm pnl, 2 ckt, 115V ac   | S6504-73806               | 9G6350-00-360-0987        | *         |
| 2935.2          | Canceled-obsolete   |                           |                           |           |
| 2936            | Superseded by 2935.1  |                           |                           |           |
| 2937            | Superseded by 2935.2  |                           |                           |           |
| 2938            | Cabinet for sound pwr tel handset, spt  | S6501-73819               | 1N5965-00-263-1226        | 10.0      |
| 2939            | Horn, resonated, high intensity, 12V dc, type IC/H3 D2, wrttt                               | 803-1853029               | 9G6350-00-981-1337        | 12        |
| 2940            | Horn, resonated, high intensity, 24V dc, type IC/H3 D3, wrttt                               | 803-1853029               | 9G6350-00-224-4945        | 12        |
| 2941            | Horn, resonated, high intensity, 115V dc, type IC/H3 D4, wrttt                              | 803-1853029               | 9G6350-00-915-6415        | 12        |
| 2942            | Horn, resonated, high intensity, 115V ac, type IC/H3 S4, wrttt                              | 803-1853029               | 9G6350-00-051-8411        | 12        |
| 2943            | Alarm, signal, bus failure (electronic) monitoring, 115V dc or 115V 60-400 Hz, type IC-E1D1 | 804-1853042               | 9G6350-00-924-0551        | *         |
| 2944            | Horn, vibratory, wrttt, 115V dc, type IC/H1 D4  | 803-74354                 | 9G6350-00-299-6223        | 10.0      |
| 2945            | Portable ship control unit, sub bridge, type IC/29A40                                       | 815-1853085               | 2H6605-00-191-3402        | *         |
| 2945.1          | Portable, ship control unit, sub bridge type  |                           |                           |           |
| 2945.2          | Plug assy, straight   | 815-1853085               | 1H6150-00-590-0863        |           |
| 2945.3          | Plug assy, 90°  | 815-1853085-78            | 1H6150-00-590-0863        |           |
| 2945.4          | Plug assy, extension, dockside use  | 815-1853085-79            | 1H6150-00-590-3453        |           |
| 2945.5          | Plug assy, test cable   | 815-1853085-80            | 1H6150-00-590-3454        |           |

REPRINTED WITHOUT CHANGE



MIL-HDBK-290(SH)

6 April 1988

| <u>Sym. No.</u> | <u>Item</u>  | <u>Std Dwg &amp; Spec</u> | <u>National Stock No.</u> | <u>Wt</u> |
|-----------------|--|---------------------------|---------------------------|-----------|
| 2946            | Not yet used   |                           |                           |           |
| 2947            | Canceled-obsolete  |                           |                           |           |
| 2948-2976       | Not yet used   |                           |                           |           |
| 2977            | Water sw magazine sprinkler alarm, pp                          | 803-74081                 | 9N5930-00-033-6729        | 4         |
| 2978            | Superseded by 2978.1   |                           |                           |           |
| 2978.1          | Panel, communication for fleet anchorage                       | 815-1197077               | 1N5805-00-647-2244        | 23        |
| 2979            | Not yet used   |                           |                           |           |
| 2980            | Swbd, sound pwr tel, type IC/A1                                | S6501-74012               | 2N5805-00-988-5413        | 25.0      |
| 2981            | Sound pwr tel pnl, type IC/A5                                  | S6501-74239               |                           | 20.0      |
| 2982            | Not yet used   |                           |                           |           |
| 2983            | Loudspeaker, pp, type LS-450( )/B                              | 815-1853087               |                           | *         |
| 2984            | Loudspeaker, pp, type IC/SHA-IR                                | S6502-73987               | 9N5965-00-393-0347        |           |
| 2985            | Loudspeaker, lw, w/internal volume control, type LS-305( )/SIC | MIL-L-24223               | 9N5965-00-636-2462        | 10        |
| 2985.1          | Loudspeaker, lw, w/external volume control, type LS-306( )/SIC | MIL-L-24223               | 9N5965-00-284-6579        | 10        |
| 2986            | Loudspeaker, high pwr, w/o volume control, type IC/SBA-4       | S6502-74073               | 9N5965-00-296-1808        | 30.0      |
| 2987            | Loudspeaker, high pwr, with volume control, type IC/SBG-4      | S6502-74073               | 5805-00-636-2181          | 30.0      |
| 2988            | Call signal station, type IC/D                                 |                           |                           |           |
| 2989            | Superseded by 2989.1   | S6501-73801               | 1N5805-00-548-8019        | 9         |
| 2989.1          | Jack, sbm 4000 ft, for announcing eqpt                         |                           |                           |           |
| 2990            | Superseded by 2652.2   | 815-1853064               | 1H5935-00-989-6918        | *         |
| 2991            | Canceled-obsolete  |                           |                           |           |
| 2992            | Microphone station, type IC/MSB-2                              |                           |                           |           |
| 2993            | Superseded by 3000, 30001                                      | S6502-74284               | 1N5830-00-548-8004        | 15.0      |
| 2994            | For maintenance only-see 5.3                                   |                           |                           |           |
| 2994.1          | For maintenance only-see 5.3                                   |                           | 1N5965-00-905-6894        |           |
| 2994.2          | For maintenance only-see 5.3                                   |                           | 9N5965-00-913-9545        |           |
| 2994.3          | For maintenance only-see 5.3                                   |                           | 2N5965-00-913-9528        |           |
| 2994.4          | For maintenance only-see 5.3                                   |                           | 1N5965-00-905-6895        |           |
| 2995            | Indicator, temp, for use with resistant temp detectors         | 815-1197033               | 2N5965-00-913-9548        | *         |
|                 |  |                           | 2H6685-00-753-2261        |           |

Supersedes page 106 of 22 August 1986

MIL-HDBK-290(SH)  
22 August 1986

| Symbol No. | Item   | Dwg. No./Spec. No. |
|------------|--|--------------------|
| 2556.2     | Kit, navigation lights                         | S6405-74251        |
| 2777       | Switch, liquid level, type IC/R1-U             | MIL-S-16032        |
| 2777.1     | Switch, liquid level, type IC/R1-V             | MIL-S-16032        |
| 2777.2     | Switch, liquid level, type IC/RH1-U            | MIL-S-16032        |
| 2777.3     | Switch, liquid level, type IC/RH1-V            | MIL-S-16032        |
| 2777.4     | Switch, liquid level, type IC/RH2-U            | MIL-S-16032        |
| 2777.5     | Switch, liquid level, type IC/RH2-V            | MIL-S-16032        |
| 2777.6     | Switch, liquid level, type IC/RL1-U            | MIL-S-16032        |
| 2811       | Cont pnl-air defense officers grouping, wrtrtt | S6504-73282        |
| 2840       | Switchboard, test for interior communications  | S6508-73677        |
| 2994       | Microphone, mag IC/MPM-3                       | S6502-74164        |
| 2994.1     | Microphone, mag IC/MPM-4                       | S6502-74164        |
| 2994.2     | Microphone, mag IC/MPM-5                       | S6502-74164        |
| 2994.3     | Microphone, mag IC/MPM-6                       | S6502-74164        |
| 2994.4     | Microphone, mag IC/MPM-2                       | S6502-74164        |

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

## 5.4 Cross-reference of drawing/specification numbers to symbol numbers.

| <u>NAVSEA DWG. NO.</u> | <u>SYM. NO.</u> | <u>NAVSEA DWG. NO.</u> | <u>SYM. NO.</u> |
|------------------------|-----------------|------------------------|-----------------|
| 4313-L                 | 670             | S6405-73191            | 953-959         |
|                        |                 | S6202-73193            | 2642,2643       |
| 4859-L                 | 702,703         | S6504-73282            | 2811            |
| 4861-L                 | 707-710         | S6202-73319            | 2773            |
|                        |                 | S6202-73351            | 888-892         |
|                        |                 | S6504-73353            | 2649            |
| 4899-L                 | 2441            | S6503-73416            | 2747,2747.1     |
| 4920-L                 | 1503.1          | S6202-73448            | 752             |
| 5026-L                 | 1504            | S6202-73449            | 882-887         |
| 5080-L                 | 940             | S6501-73466            | 2647            |
|                        |                 | S6501-73467            | 2648            |
| 5170-L                 | 966,967         | S6202-73475            | 2749            |
|                        |                 | S6508-73677            | 2840            |
|                        |                 | S6501-73689            | 2651            |
| 5217-L                 | 1505            | S6202-73692            | 815,816         |
|                        |                 | S6202-73747            | 913,914         |
|                        |                 | 803-73754              | 2619.1          |
|                        |                 | 803-73755              | 2620.1          |
|                        |                 | 803-73756              | 2621.1          |
| 5374-L                 | 2484            | S6202-73763            | 2748            |
| 5410-L                 | 494             | S6202-73782            | 799             |
| 5427-L                 | 746.1           | S6501-73801            | 2988            |
| 5448-L                 | 2454            | S6504-73806            | 2935.1          |
| 5453-L                 | 1039            | S6504-73807            | 2934.1          |
|                        |                 | S6501-73819            | 2938            |
|                        |                 | S6202-73825            | 697             |
|                        |                 | S6202-73867            | 2812            |
| 5537-L                 | 722             | S6202-73888            | 860             |
| 5544-L                 | 765             | S6202-73896            | 784             |
| 5568-L                 | 2698-2711       | 803-73898              | 2433            |
| S6202-73030            | 732             | 803-73904              | 2622            |
| S6201-73032            | 2450            | 803-73905              | 2623            |
| S6202-73125            | 2561,2561.1     | S6202-73919            | 2815.1-2815.4   |
| S6201-73132            | 2479            | S6202-73920            | 2816.1-2816.4   |
| S6201-73133            | 2480            | S6202-73921            | 2818.1-2818.4   |
| S6201-73134            | 2482            | S6202-73922            | 2819.1-2819.4   |

Supersedes page 114 of 22 August 1986

## MIL-HDBK-290(SH)

6 April 1988

| <u>NAVSEA DWG. NO.</u> | <u>SYM. NO.</u> | <u>NAVSEA DWG. NO.</u> | <u>SYM. NO.</u> |
|------------------------|-----------------|------------------------|-----------------|
| S6201-73135            | 2481            | S6202-73964            | 987             |
|                        |                 | S6202-73965            | 721             |
|                        |                 | S6202-73966            | 726             |
|                        |                 | S6202-73973            | 621             |
|                        |                 | S6202-73974            | 622             |
| S6202-73975            | 623             |                        |                 |
| S6202-73976            | 620             | S6202-74203            | 651             |
| S6502-73987            | 2984            | S6202-74207            | 801.1, 804.1    |
| S6202-74012            | 2980            |                        | 805.1, 814      |
| S6202-74026            | 735.2           |                        | 827.1, 829.1    |
|                        |                 |                        | 850.1, 857      |
|                        |                 |                        | 858,            |
| S6202-74052            | 792             |                        |                 |
| 803-74055              | 2637.1, 2638.1  | S6501-74210            | 2841-2843       |
|                        | 2639.1, 2640.1  | S6505-74211            | 2922            |
|                        | 2641.1          |                        |                 |
| S6501-74062            | 2873.1          | S6202-74214            | 908.1           |
| S6504-74063            | 3809.1          | 815-74233              | 674-674.2       |
|                        |                 | S6501-74239            | 2981            |
| S6502-74073            | 2986, 2987      | S6504-74244            | 2507            |
| 803-74081              | 2977            | S6504-74246            | 951.1           |
| S6501-74093            | 2860.1          |                        |                 |
| S6501-74094            | 2861.1          | S6505-74249            | 2793            |
| S6502-74117            | 723-725         | S6405-74250            | 2555.2          |
|                        |                 | S6405-74251            | 2556.2          |
| S6502-74164            | 2994-2994.4     | S6202-74253            | 2403            |
|                        |                 | S6202-74254            | 509             |
|                        |                 |                        |                 |
|                        |                 | S6202-74255            | 773             |
|                        |                 | S6202-74256            | 774             |
|                        |                 | S6202-74257            | 510             |
|                        |                 | S8101-74260            | 472, 472.1      |
|                        |                 | S8101-74261            | 473, 473.1      |
| S6202-74173            | 562.1           |                        |                 |
|                        |                 | S8101-74262            | 474             |
|                        |                 | S6402-74270            | 989, 989.1      |
|                        |                 | S6505-74274            | 2674            |
|                        |                 | S6202-74276            | 838.1, 839.1    |
|                        |                 |                        | 840.1, 848.1    |
|                        |                 |                        | 851, 852        |
|                        |                 |                        | 2752.1, 2753    |
|                        |                 | S6504-74284            | 2992            |
|                        |                 |                        |                 |
|                        |                 | S6504-74285            | 2670-2670.3     |
|                        |                 | S6504-74286            | 2671, 2671.1    |
|                        |                 | S6504-74287            | 2672-2672.2     |
|                        |                 | 803-74290              | 2179-2197       |
|                        |                 |                        | 2682.2, 2683.2  |
|                        |                 |                        | 2684.2, 2685.2  |

Supersedes page 115 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

| <u>NAVSEA DWG. NO.</u> | <u>SYM. NO.</u> | <u>NAVSEA DWG. NO.</u> | <u>SYM. NO.</u> |
|------------------------|-----------------|------------------------|-----------------|
|                        |                 |                        | 2686.2,2687.2   |
|                        |                 |                        | 2688.2,2689.2   |
|                        |                 |                        | 2690.2,2691.2   |
|                        |                 |                        | 2692.2,2693.2   |
|                        |                 |                        | 2694.2,2695.2   |
|                        |                 |                        | 2696.2,2697.2   |
|                        |                 | S6202-74294            | 859             |
| S6501-74295            | 2788,2788.1     | 815-1197046            | 1136,1136.1     |
| S6504-74296            | 986             | 815-1197047            | 861             |
| S6202-74298            | 2933.1          | 815-1197050            | 964.1,969.1     |
| S6202-74303            | 790.1           | 815-1197052            | 676             |
| S6202-74304            | 791.1           | 815-1197055            | 490             |
| 803-74308              | 2628-2628.2     | 815-1197056            | 762,762.1       |
| 803-74309              | 2627-2627.3     | 815-1197060            | 2414-2414.2     |
| S6202-74313            | 733.1           |                        | 2415,2415.2     |
| S6202-74319            | 930.1,931.1     |                        | 2415.3          |
| S6202-74322            | 2763            | 815-1197064            | 1004            |
|                        |                 | 815-1197067            | 2455            |
| S6202-74340            | 2404            | 815-1197071            | 492.3,492.4     |
| 803-74342              | 2622.1-2622.3   |                        |                 |
| S6502-74345            | 2673            | 815-1197074            | 761.1           |
| 803-74354              | 2944            | 815-1197077            | 2978.1          |
| S6202-74361            | 988.1,988.2,    | 815-1197083            | 817.1           |
|                        | 988.4-988.7     | 815-1197096            | 2449.1-2449.4   |
|                        |                 | 815-1197098            | 2448.1-2448.3   |
| S6202-74362            | 764.1,764.2     |                        |                 |
| S6202-74367            | 777             | S6202-1197101          | 2446.1-2446.4   |
| S6202-74369            | 511.1           |                        | 2447.1-2447.6   |
| S6201-74397            | 2456            | 803-1197104            | 3003            |
| S6202-74408            | 771,771.1       |                        |                 |
|                        |                 | 803-1197118            | 2805.1,2806.1   |
| 815-74416              | 492.1,492.2     |                        | 2807.1          |
| 815-74417              | 493.1,493.2     | 815-1197119            | 1000            |
| S6401-74420            | 993             |                        |                 |
| S6202-74427            | 780.2,780.4     | 815-1197120            | 1001            |
|                        | 780.6           | 815-1197132            | 298             |
|                        |                 | 815-1197149            | 1045            |
| S6202-74428            | 731.1           | 815-1197150            | 1106            |
|                        |                 | 815-1197151            | 1107            |
| S6201-74439            | 2452.1          | 815-1197152            | 1108            |
|                        |                 |                        |                 |
|                        |                 | 815-1197153            | 1109            |
|                        |                 | 815-1197170            | 1170,1171       |
| S6501-74464            | 2675,2676       |                        | 1171.1,1172     |
|                        |                 |                        | 1173,1174       |

Supersedes page 116 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

| <u>NAVSEA DWG. NO.</u> | <u>SYM. NO.</u> | <u>NAVSEA DWG. NO.</u> | <u>SYM. NO.</u> |
|------------------------|-----------------|------------------------|-----------------|
| 803-74465              | 2626            |                        | 1174.1,1175     |
| 815-74473              | 578.1           |                        | 1176,1176.1     |
| S6202-74475            | 673             |                        |                 |
| S6202-74477            | 2470-2470.2     | 815-1197172            | 1227-1227.2     |
| S6202-74479            | 624             |                        | 1228,1228.1     |
|                        |                 |                        | 1229,1229.1     |
|                        |                 |                        | 1230,1230.1     |
| 815-74480              | 625             |                        |                 |
| S6504-74488            | 3004,3005       |                        |                 |
| 815-1197005            | 965             | 815-1197174            | 1231-1231.2     |
| 815-1197022            | 2789            |                        | 1232,1232.1     |
|                        |                 |                        | 1233,1233.1     |
|                        |                 | 815-1197176            | 1178            |
| 815-1197027            | 785             | 815-1197180            | 515             |
| 815-1197031            | 2790            | 815-1197182            | 518             |
| 815-1197032            | 3006-3011       |                        |                 |
| 815-1197033            | 2995            |                        |                 |
| 815-1197038            | 2464            |                        |                 |
|                        |                 | 815-1197353            | 1254            |
| 815-1197183            | 519             |                        | 1255-1255.2     |
| 815-1197185            | 531             | 815-1197354            | 1250,1250.1     |
| 815-1197193            | 532             |                        | 1251-1251.2     |
| 815-1197194            | 533             | 815-1197361            | 1900            |
| 815-1197195            | 534             | 815-1197362            | 1902            |
|                        |                 | 815-1197363            | 1903            |
| 815-1197196            | 535             |                        |                 |
| 815-1197212            | 3012            | 815-1197364            | 1906            |
| 815-1197214            | 1149,1149.1     | 815-1197366            | 1908            |
|                        | 1150,1150.1     | 815-1197367            | 1904            |
|                        | 1151-1151.4     | 815-1197369            | 1905            |
| 815-1197217            | 493.3,493.4     | 815-1197371            | 1256            |
| 815-1197218            | 538             |                        |                 |
|                        |                 | 815-1197372            | 1247            |
| 815-1197219            | 491             | 815-1197375            | 1901            |
| 815-1197222            | 1005            | 815-1197376            | 1244.1          |
| 815-1197224            | 849             | 815-1197377            | 1245-1245.2     |
| 815-1197225            | 853,854         | 815-1197378            | 1243.1          |
| 815-1197227            | 205             |                        |                 |
|                        |                 | 815-1197382            | 1907            |
| 815-1197231            | 467             | 815-1197383            | 677             |
| 803-1197239            | 1506.1          | 815-1197385            | 1246,1246.1     |
| 815-1197240            | 1220-1220.19    | 815-1197413            | 1278            |
| 815-1197242            | 1235            | 815-1197414            | 1279            |
| 815-1197244            | 287,288         |                        |                 |
|                        |                 | 803-1853029            | 2939-2942       |
| 803-1197255            | 713.11          | 815-1853031            | 2912            |
| 815-1197301            | 536             | 803-1853036            | 2457            |
| 815-1197302            | 537             | 815-1853038            | 2920            |
| 815-1197304            | 1119-1119.5     |                        |                 |
| 815-1197307            | 539             |                        |                 |

Supersedes page 117 of 22 August 1986

MIL-HDBK-290(SH)  
22 August 1986

| <u>NAVSEA DWG. NO.</u>  | <u>SYM. NO.</u>  | <u>NAVSEA DWG. NO.</u>   | <u>SYM. NO.</u> |
|-------------------------|--|--------------------------|-----------------|
| 815-1197312             | 1210-1210.3  | 815-1853040              | 2924.1, 2925.1  |
| 815-1197325             | 1195-1195.2,<br>1196-1196.2                            |                          | 2926.1, 2927.1  |
| 815-1197328             | 1223   | 815-1853041              | 2928.1, 2929.1  |
| 815-1197332             | 1224   | 804-1853042              | 2921            |
| 815-1197335             | 1225   | 815-1853053              | 2943            |
|                         |  | 815-1853061              | 788, 789        |
| 815-1197336             | 1226   | 815-1853062              | 2854.4          |
| 815-1197338             | 1208   | 815-1853064              | 2646.2, 2646.3  |
| 815-1197341             | 1207   | 815-1853066              | 2989.1          |
| 815-1197342             | 1197-1206  | 815-1853067              | 3000, 3001      |
| 815-1197348             | 1240-1240.3,<br>1241, 1241.1,<br>1242, 1242.1,<br>1243 | 815-1853076              | 2652.1, 2652.2  |
| 815-1197349             | 1248,<br>1249-1249.2                                   | 815-1853077              | 2742            |
| 815-1197351             | 1322-1325  | 815-1853078              | 2743            |
| 815-1197352             | 1252, 1252.1,<br>1253-1253.2                           | 815-1853083              | 2744            |
|                         |  | 815-1853085              | 2785, 2786      |
|                         |  | 815-1853087              | 2945-2945.5     |
|                         |  |                          | 2983            |
|                         |  | <u>NAEC(SI) DWG. NO.</u> |                 |
| 815-1853089             | 2791   | 508447-10                | 260.3           |
|                         |  | 508447-11                | 260.4           |
| 803-2482977             | 2913   | 514610-1                 | 260.3           |
| S6504-3313883           | 259.1  | 518170-1                 | 2578            |
| S6504-3313884           | 259.4  | 518170-2                 | 2579            |
|                         |  | 518340-1                 | 239.2           |
| 803-5001027             | 1040, 1040.1   | 608303-1                 | 239.2           |
|                         | 2418   | 609024-1                 | 256.1           |
|                         | 2418.1   | 609024-2                 | 257.1           |
| 815-5184170             | 780.5  | 609331-1                 | 247.3           |
|                         |  | 611403-1                 | 253.1           |
|                         |  | 611403-2                 | 253.2           |
|                         |  | 611508-2                 |                 |
|                         |  | 619184-2                 | 253.4           |
|                         |  | 611774-1                 | 265             |
|                         |  | 612886-1                 | 248.3           |
|                         |  | 612963-1                 | 248             |
|                         |  | 612963-2                 | 248.1           |
|                         |  | 616263-1                 | 243.1           |
|                         |  | 616702-1                 | 2574            |
|                         |  | 616702-10                | 2580            |
|                         |  | 616850-1                 | 249             |
|                         |  | 617577-1                 | 243.3           |
| <u>MIL-STD DWG. NO.</u> |  |                          |                 |
| 17220                   | 2465   |                          |                 |
| 17287                   | 285  |                          |                 |
| 17315                   | 215  |                          |                 |
| 17318                   | 195.1  |                          |                 |
| 17781                   | 225.1, 226.1<br>227.1                                  |                          |                 |
| 17784                   | 407.1  |                          |                 |
| 17831                   | 1484   |                          |                 |
| 17832                   | 1485   |                          |                 |
| 17850                   | 960  |                          |                 |

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)  
22 August 1986

| <u>MIL-STD DWG. NO.</u>     | <u>SYM. NO.</u>           | <u>NAEC(SI) DWG. NO.</u>    | <u>SYM. NO.</u> |
|-----------------------------|---------------------------|-----------------------------|-----------------|
| 17995                       | 171.2,216.1               | 618962-1                    | 257.4           |
| 17999                       | 219,220                   | 619016-1                    | 254.2           |
| 18053                       | 2416.2416.1               | 619184-1                    | 253.3           |
| 90555                       | 1326                      | 619403-1                    | 249.3           |
| 90556                       | 1327-1329                 | 619615-1                    | 259.6           |
| <u>NAEC(SI) DWG. NO.</u>    |                           | 619616-1                    | 259.5           |
| 408117-4                    | 252                       | 620130-1                    | 254.3           |
| 505950-3                    | 2569                      | 620235-1                    | 2581            |
| 506829-1                    | 263                       | 620783-1                    | 2582            |
| 508447-1                    | 260.1                     | 620783-2                    | 2583            |
| 508950-1                    | 262.1                     | 621941-1                    | 2587            |
| 514265-1                    | 260.2                     | 621941-2                    | 2589            |
| 514268-1                    | 262.2                     | 621941-3                    | 2591            |
| 515364-1                    | 246                       | 621941-4                    | 2593            |
| 515846-1                    | 263.5                     | 621941-5                    | 2595            |
| 515846-2                    | 263.6                     | 623775-1                    | 2597            |
| <u>VENDOR DWG./PART NO.</u> |                           | <u>VENDOR DWG./PART NO.</u> |                 |
| HUBBELL ELECTRIC            |                           | BUMED 522                   | 109             |
| SPF-843                     | 258                       | GENERAL ELECTRIC            |                 |
| 15365                       | 176                       | 9T51B125                    | 2576            |
| STACO                       |                           | <u>SPECIFICATIONS</u>       |                 |
| 15M1520CT-2                 | 2584                      | <u>SYM. NO.</u>             |                 |
| <u>SPECIFICATIONS</u>       |                           | MIL-R-2726/28               | 1221            |
| W-J-800                     | 406.1-406.3               | MIL-R-2726/29               | 1222            |
| MIL-L-1130                  | 105                       | MIL-P-2726/30               | 727.1           |
| MIL-L-2034                  | 107.1                     | MIL-P-2726/31               | 729.1           |
| MIL-S-2649                  | 301.1-301.6,<br>309-309.5 | MIL-R-2726/32               | 775.1,775.2     |
| <u>NAEC(SI) DWG. NO.</u>    |                           | MIL-R-2726/33               | 1214.2,1214.5   |
| 617682-1                    | 243.2                     | MIL-R-2726/34               | 1214.3,1214.4   |
| 617828-10                   | 2575                      | MIL-R-2726/35               | 1213.2,1213.4   |
| 617848-1                    | 254                       | MIL-R-2726/36               | 1213.3,1213.5   |
| 617882-1                    | 254.1                     | MIL-R-2726/37               | 1099.1          |
| 618927-1                    | 2586                      | MIL-R-2726/38               | 1218.3          |
| 618927-2                    | 2586.1                    | MIL-R-2726/39               | 919             |
| 618927-3                    | 2586.2                    | MIL-R-2726/40               | 730.4           |
| 618927-4                    | 2586.3                    | MIL-R-2726/41               | 1098.1          |
| 618927-5                    | 2586.4                    | MIL-R-2726/42               | 746.2           |
| 618927-6                    | 2586.5                    |                             |                 |

REPRINTED WITHOUT CHANGE



MIL-HDBK-290(SH)  
6 April 1988

| <u>SPECIFICATIONS</u> | <u>SYM. NO.</u> | <u>SPECIFICATIONS</u> | <u>SYM. NO.</u> |
|-----------------------|-----------------|-----------------------|-----------------|
| MIL-R-2726/1          | 715.1           | MIL-R-2726/43         | 918.1           |
| MIL-R-2726/2          | 716.1           | MIL-R-2726/44         | 765.3           |
|                       |                 | MIL-R-2726/45         | 772.1           |
| MIL-R-2726/3          | 717.1           | MIL-R-2726/46         | 721.1           |
| MIL-R-2726/4          | 718.1           | MIL-R-2726/47         | 735.3           |
| MIL-R-2726/5          | 1140.1          |                       |                 |
| MIL-R-2726/6          | 1143.1          | MIL-R-2726/48         | 900.1           |
| MIL-R-2726/7          | 756.1,756.2     | MIL-R-2726/49         | 765.6-765.8     |
|                       |                 | MIL-R-2726/50         | 720.3           |
| MIL-R-2726/8          | 757.1,757.2     | MIL-R-2726/51         | 2440.2          |
| MIL-R-2726/9          | 758.1,758.2     | MIL-R-2726/52         | 1257            |
| MIL-R-2726/10         | 759.1           |                       |                 |
| MIL-R-2726/11         | 1141.1,1141.2   | MIL-R-2726/53         | 1258            |
| MIL-R-2726/12         | 1144.1,1144.2   | MIL-R-2726/54         | 1259            |
|                       |                 | MIL-R-2726/55         | 1260            |
| MIL-R-2726/13         | 1142.1          | MIL-R-2726/56         | 1261            |
| MIL-R-2726/14         | 1145.1-1145.3   | MIL-R-2726/57         | 1262            |
| MIL-R-2726/15         | 1146.1-1146.3   |                       |                 |
| MIL-R-2726/16         | 1147.1-1147.3   | MIL-R-2726/58         | 1263            |
| MIL-R-2726/17         | 1148.1-1148.3   | MIL-R-2726/59         | 1264            |
|                       |                 | MIL-R-2726/60         | 1265            |
| MIL-R-2726/18         | 1105.1          | MIL-R-2726/61         | 1266            |
| MIL-R-2726/19         | 915.1           | MIL-R-2726/62         | 1267            |
| MIL-R-2726/20         | 916.1           |                       |                 |
| MIL-R-2726/21         | 917.1           | MIL-R-2726/63         | 1268            |
| MIL-R-2726/22         | 770.2           | MIL-R-2726/64         | 1269            |
|                       |                 | MIL-R-2726/65         | 1272            |
| MIL-R-2726/23         | 726.1           | MIL-R-2726/66         | 730.1           |
| MIL-R-2726/24         | 707.1           | MIL-R-2726/67         | 741.2           |
| MIL-R-2726/25         | 722.1           |                       |                 |
| MIL-R-2726/26         | 728.1           | MIL-R-2726/68         | 706.1           |
| MIL-R-2726/27         | 776.1           | MIL-R-2726/69         | 779             |
|                       |                 | MIL-R-2726/70         | 1100            |
|                       |                 | MIL-R-2726/71         | 1101            |
|                       |                 | MIL-R-2726/72         | 2439            |
|                       |                 |                       |                 |
| MIL-R-2726/73         | 1215            | MIL-F-16377/25        | 48.2,68.2       |
| DOD-B-15072/9         | 1492            | MIL-F-16377/26        | 112,113,113.1   |
| DOD-B-15072/10        | 1496            | MIL-F-16377/27        | 92.2,92.3,      |
| DOD-B-15072/3         | 1490            |                       | 93.2,93.3       |
| DOD-B-15072/11        | 1491            | MIL-F-16377/28        | 23.1            |
|                       |                 | MIL-F-16377/29        | 159.1           |
| DOD-B-15072/12        | 1493            |                       |                 |
| DOD-B-15072/13        | 1494            | MIL-F-16377/30        | 137             |
| DOD-B-15072/14        | 1495,1497       | MIL-F-16377/31        | 147.2           |
|                       |                 | MIL-F-16377/32        | 134.1           |
|                       |                 | MIL-F-16377/33        | 136.1,156       |
|                       |                 | MIL-F-16377/34        | 335             |

Supersedes page 120 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

| <u>SPECIFICATIONS</u> | <u>SYM. NO.</u>     |
|-----------------------|---------------------|
| MIL-S-15743/1         | 801.1               |
| MIL-S-15743/2         | 858                 |
| MIL-S-15743/3         | 804.1, 829.1, 879.1 |
| MIL-S-15743/4         | 805.1, 857          |
| MIL-S-15743/5         | 827, 850.1, 863     |
| MIL-S-15743/6         | 862                 |
| MIL-S-15743/7         | 814                 |
| MIL-S-15743/8         | 838.1, 851          |
| MIL-S-15743/9         | 839, 848.1          |
| MIL-S-15743/10        | 852                 |
| MIL-S-15743/13        | 849                 |
| MIL-S-15743/14        | 853, 854            |
| MIL-S-15743/15        | 817                 |
| MIL-S-15743/21        | 864-872             |
| MIL-S-16032           | 2777-2777.6         |

Supersedes page 120 of 22 August 1986

## MIL-HDBK-290(SH)

6 April 1988

| <u>SPECIFICATIONS</u> | <u>SYM. NO.</u> | <u>SPECIFICATIONS</u> | <u>SYM. NO.</u> |
|-----------------------|-----------------|-----------------------|-----------------|
| MIL-S-24235/6         | 2425-2425.2     | MIL-T-24558/9         | 525             |
| MIL-S-24235/9         | 1520-1542,      | MIL-T-24558/10        | 438             |
|                       | 1570-1592       | MIL-T-24558/11        | 523.1           |
| MIL-S-24235/10        | 1600-1622       | MIL-T-24558/12        | 450             |
|                       |                 | MIL-T-24558/13        | 524.1           |
| MIL-S-24235/11        | 996,1853        |                       |                 |
| MIL-S-24235/12        | 1658-1679       | MIL-T-24558/14        | 451             |
|                       |                 | MIL-T-24558/15        | 452             |
| MIL-S-24235/16        | 512,512.1,      | MIL-T-24558/16        | 453             |
|                       | 513,513.1       | MIL-T-24558/17        | 454             |
| MIL-S-24235/17        | 1701-1723,      | MIL-T-24558/18        | 400.1-400.4     |
|                       | 1731-1753,      |                       |                 |
|                       | 1761-1783,      | MIL-T-24558/19        | 444             |
|                       | 1791-1813       | MIL-T-24558/20        | 529             |
| MIL-S-24282           | 106.1,106.2     | MIL-T-24558/21        | 476.1           |
| MIL-L-24352           | 292             | MIL-T-24558/22        | 415-415.4       |
| MIL-C-24360           | 2420            | MIL-T-24558/23        | 403.1           |
|                       |                 |                       |                 |
| MIL-C-24368/1         | 1160            | MIL-T-24558/24        | 416             |
| MIL-C-24368/2         | 1161            | MIL-T-24558/25        | 418.1-418.3     |
| MIL-C-24368/4         | 1162-1162.3     | MIL-T-24558/26        | 572.1           |
| MIL-T-24381/1         | 1025            | MIL-T-24558/27        | 573.1           |
| MIL-T-24381/2         | 1032-1034       | MIL-T-24558/28        | 574.1           |
| MIL-T-24381/3         | 1035            |                       |                 |
|                       |                 | MIL-T-24558/29        | 575.1           |
| MIL-T-24381/4         | 1024            | MIL-T-24558/30        | 576.1,577.1     |
| MIL-T-24381/5         | 1041            | MIL-L-24560/1         | 160.1           |
| MIL-T-24381/7         | 1038            | MIL-L-24560/2         | 114.1,115.1,    |
| MIL-T-24381/8         | 1044            |                       | 116.1,117.1,    |
| MIL-T-24381/9         | 1037            |                       | 118.1           |
|                       |                 | MIL-L-24560/3         | 164.3           |
| MIL-P-24395/1         | 1005.1,1005.2   | MIL-L-24560/4         | 190.1           |
| MIL-P-24395/2         | 1005.3,1005.4   | MIL-L-24560/5         | 191.2           |
| MIL-C-24404/1         | 477.1,477.2     | MIL-L-24560/6         | 192.1           |
| MIL-C-24404/2         | 478.2-478.4     | MIL-L-24560/7         | 193.1,194       |
|                       |                 | MIL-L-24560/8         | 196.3,196.4,    |
| MIL-C-24404/3         | 479.1,479.2     |                       | 197.2           |
| MIL-C-24404/4         | 480.3-480.7     |                       |                 |
| MIL-L-24532           | 289             | MIL-L-24560/9         | 182.2,183.2     |
| MIL-T-24552/1         | 1046            | MIL-L-24560/10        | 172.2           |
| MIL-T-24552/2         | 1047            | MIL-L-24560/11        | 200.2           |
|                       |                 | MIL-L-24560/12        | 233.1           |
| MIL-T-24552/3         | 1048            | MIL-L-24560/13        | 174.4,174.5,    |
| MIL-T-24552/4         | 1049            |                       | 188.3,189.3     |
| MIL-T-24558/1         | 520.1           |                       |                 |
| MIL-T-24558/2         | 435.1           | MIL-L-24560/21        | 221             |
| MIL-T-24558/3         | 528             | MIL-L-24560/22        | 222             |
|                       |                 | MIL-L-24560/23        | 161.4           |
| MIL-T-24558/4         | 432.1           | MIL-L-24560/24        | 206.2           |
| MIL-T-24558/5         | 434             | MIL-F-24646/1-001     | 600             |
| MIL-T-24558/6         | 433.1           | MIL-F-24646/1-002     | 601             |
| MIL-T-24558/7         | 522.1           | MIL-F-24646/1-003     | 612.1           |
| MIL-T-24558/8         | 446             | MIL-F-24646/1-004     | 613             |

MIL-HDBK-290(SH)  
6 April 1988

| <u>SPECIFICATIONS</u> | <u>SYM. NO.</u> | <u>SPECIFICATIONS</u> | <u>SYM. NO.</u> |
|-----------------------|-----------------|-----------------------|-----------------|
| MIL-F-24646/1-005     | 613.1           | MIL-F-24646/11-003    | 649.1           |
| MIL-F-24646/1-006     | 614             | MIL-F-24646/11-004    | 650.1           |
| MIL-F-24646/2-001     | 609             | MIL-F-24646/12-001    | 644             |
| MIL-F-24646/2-002     | 610             | MIL-F-24646/12-002    | 648             |
| MIL-F-24646/2-003     | 611             | MIL-F-24646/13-001    | 568.1           |
| MIL-F-24646/3-001     | 540             | MIL-F-24646/13-002    | 569.1           |
| MIL-F-24646/3-002     | 541             | MIL-F-24646/13-003    | 570.1           |
| MIL-F-24646/3-003     | 542             | MIL-F-24646/13-004    | 571.1           |
| MIL-F-24646/4-001     | 543             | MIL-F-24646/14-001    | 680             |
| MIL-F-24646/4-002     | 544             | MIL-F-24646/14-002    | 681.1           |
| MIL-F-24646/4-003     | 545             | MIL-F-24646/15-001    | 685.1           |
| MIL-F-24646/4-004     | 546             | MIL-F-24646/15-002    | 686.1           |
| MIL-F-24646/4-005     | 547             | MIL-F-24646/15-003    | 691.1           |
| MIL-F-24646/5-001     | 626             | MIL-F-24646/15-004    | 692.1           |
| MIL-F-24646/5-002     | 627             | MIL-F-24646/16-001    | 687.1           |
| MIL-F-24646/6-001     | 602             | MIL-F-24646/16-002    | 688.1           |
| MIL-F-24646/6-002     | 603             | MIL-F-24646/16-003    | 689.1           |
| MIL-F-24646/6-003     | 604             | MIL-F-24646/16-004    | 690.1           |
| MIL-F-24646/6-004     | 605             | MIL-F-24646/17-001    | 693.1           |
| MIL-F-24646/6-005     | 606             | MIL-F-24646/18-001    | 671.1           |
| MIL-F-24646/6-006     | 615             |                       |                 |
| MIL-F-24646/6-007     | 616             |                       |                 |
| MIL-F-24646/6-008     | 617             |                       |                 |
| MIL-F-24646/7-001     | 635.1           |                       |                 |
| MIL-F-24646/7-002     | 654             |                       |                 |
| MIL-F-24646/7-003     | 653             |                       |                 |
| MIL-F-24646/8-001     | 646.1           |                       |                 |
| MIL-F-24646/8-002     | 647.1           |                       |                 |
| MIL-F-24646/9-001     | 555.1           |                       |                 |
| MIL-F-24646/9-002     | 556.1           |                       |                 |
| MIL-F-24646/9-003     | 557.1           |                       |                 |
| MIL-F-24646/9-004     | 558.1           |                       |                 |
| MIL-F-24646/9-005     | 559.1           |                       |                 |
| MIL-F-24646/10-001    | 560.1           |                       |                 |
| MIL-F-24646/10-002    | 561.1           |                       |                 |
| MIL-F-24646/10-003    | 562.1           |                       |                 |
| MIL-F-24646/10-004    | 563.1           |                       |                 |
| MIL-F-24646/11-001    | 645             |                       |                 |
| MIL-F-24646/11-002    | 645.1           |                       |                 |

Supersedes page 123 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

5.5 Cross-reference of National Stock Numbers (NSN) to symbol numbers. (Note: The National Stock Numbers are not listed by Federal Supply Classification (FSC), but rather are listed numerically by the 3-digit number that identifies the fiche number within a given FSC. To find a given stock number, enter the table using the 3-digit number and there you will find all the FSC's that have similar numbers. For example, to find the symbol number for NSN 1H5935-070-9495, first locate 070; there are five listed, one of which is 1H5935-070-9495 for symbol 1171.1.)

| <u>STOCK NO.</u>    | <u>SYM. NO.</u> |
|---------------------|-----------------|
| 5RM1710-LL-BB0-8915 | 263.5           |
| 5R 5950-00-116-3307 | 2586.3          |
| 5RM5950-01-044-9698 | 2579            |
| 5RM5950-01-047-3780 | 2580            |
| 5RM5950-01-049-2335 | 2578            |
| 5RM5950-01-057-5612 | 2582            |
| 5RM5950-01-057-5613 | 2585            |
| 5RD5950-01-063-9186 | 2581            |
| 5R 5950-01-177-9816 | 2586.1          |
| 5R 6110-01-031-6533 | 254.2           |
| 5R 6120-01-082-2891 | 2586.5          |
| 5R 6120-01-090-9803 | 2586.4          |
| 5RD6210-00-149-0743 | 253.4           |
| 5RM6210-01-010-2770 | 235             |
| 5RD6210-01-164-4081 | 260.3           |
| 5RD6210-01-176-9080 | 260.4           |
| 5RM6210-01-177-9589 | 404.5           |
| 5R 6220-00-862-3221 | 405             |
| 5R 6220-00-988-1520 | 248.1           |
| 5R 6220-00-988-1521 | 248.3           |
| 5RD6220-01-102-1954 | 358             |
| 5RD6220-01-176-6408 | 404             |
| 5RD6240-01-099-8559 | 355             |
| 5RD6240-01-099-8560 | 356             |
| 5RD6240-01-099-8561 | 357             |
| 5R 6350-01-044-6887 | 254.3           |

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

| <u>STOCK NO.</u>    | <u>SYM. NO.</u> | <u>STOCK NO.</u>   | <u>SYM. NO.</u> |
|---------------------|-----------------|--------------------|-----------------|
| 9N5920-00-033-6598  | 2933.1          | 2H6150-00-086-9067 | 1151.2          |
| 9N5920-00-033-6603  | 620             | 2H6150-00-086-9068 | 1151.3          |
| 2H5950-00-033-6725  | 986             | 9G6150-00-087-0815 | 765.6           |
| 9N5930-00-033-6729  | 2977            | 9G6230-01-087-6125 | 163             |
| 5RM6210-01-042-8652 | 239.2           | 9G6210-01-088-6944 | 344.2           |
|                     |                 | 2H5930-00-089-0592 | 2788.1          |
| 9G6210-01-044-5273  | 351.1           | 1H5930-00-089-0593 | 2747.1          |
| 9G6210-01-045-7724  | 352.1           | 9N5920-00-090-0870 | 2873.1          |
| 9N5935-01-046-2614  | 1142.1          | 9N5935-00-091-9436 | 755.3           |
| 5RM5950-01-049-2332 | 2583            | 9G6230-00-095-3674 | 291             |
| 9N5930-00-049-9765  | 814             | 9G6110-00-096-2722 | 945.1           |
| 9G5930-00-096-2726  | 2620.1          | 1H5975-00-153-6778 | 1039            |
| 5RM6210-00-099-7120 | 243.3           | 1H5940-00-153-6779 | 1044            |
| 5R6110-00-101-9821  | 254.1           | 9G6240-00-155-7774 | 309.4           |
| 5935-01-103-4760    | 1272            | 9G6210-00-159-2237 | 134.1           |
| 5R6210-00-106-9543  | 254             | 9G6230-00-160-0610 | 307             |
| 5RM6210-00-107-8813 | 243.2           | 5R5950-00-165-3654 | 2574            |
| 9G6210-00-115-9137  | 352             | 5R5950-00-165-3665 | 2586.2          |
| 9G6210-00-115-9150  | 350             | 5R5950-00-165-3666 | 2586            |
| 9G6210-00-115-9152  | 349             | 9N5935-00-170-3061 | 715.1           |
| 9G6210-00-115-9171  | 351             | 1H5925-00-173-9912 | 889             |
| 9G6210-00-115-9186  | 348             | 1H6110-00-174-1653 | 649.1           |
| 9G6210-00-115-9187  | 353             | 2H6110-00-174-1657 | 650.1           |
| 5R6120-00-116-5026  | 2575            | 1H6230-00-174-5143 | 298             |
| 1H6220-00-118-2386  | 989.1           | 9G5940-00-178-0392 | 1032            |
| 1H5935-00-122-8553  | 1148.2          | 9G5940-00-178-0394 | 1033            |
| 6350-00-131-6579    | 2628            | 9G5940-00-178-0397 | 1034            |
| 9N5935-00-134-0312  | 1143.1          | 1H5975-00-178-0751 | 1600            |
| 5935-00-134-0406    | 1213.3, 1213.5  | 1H5975-00-178-0752 | 1601            |
| 9N5935-00-135-5256  | 1148.1          | 1H5975-00-178-0753 | 1602            |
| 9G6240-00-145-1148  | 263.2, 3033     | 1H5975-00-178-0754 | 1603            |
| 5935-01-145-3182    | 1101            | 1H5975-00-178-0755 | 1604            |
| 9G6230-01-146-3701  | 232.1           | 1H5975-00-178-0756 | 1605            |
| 5R6210-00-149-0743  | 253.3           | 1H5975-00-178-0757 | 1606            |
| 1H6210-00-151-9844  | 23.1            | 1H5975-00-178-0758 | 1607            |
| 1H6110-00-152-0246  | 604             | 1H5975-00-178-0759 | 1608            |
| 2H6110-00-152-0266  | 602             |                    |                 |
| 1H6110-00-152-0267  | 605             | 1H5975-00-178-0760 | 1609            |
| 9G6110-00-152-0268  | 603             | 1H5975-00-178-0761 | 1610            |
| 1H6110-00-152-0269  | 606             | 1H5975-00-178-0763 | 1612            |
| 1H6110-00-152-0270  | 2481            | 1H5975-00-178-0764 | 1613            |
| 2H6110-00-152-0271  | 2479            | 1H5975-00-178-0765 | 1614            |

Supersedes page 127 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

| <u>STOCK NO.</u>   | <u>SYM. NO.</u> | <u>STOCK NO.</u>   | <u>SYM. NO.</u> |
|--------------------|-----------------|--------------------|-----------------|
| 2H6110-00-152-0277 | 969.1           | 1H5975-00-178-0766 | 1615            |
| 2H6110-00-152-0278 | 2480            | 1H5975-00-178-0767 | 1616            |
| 1H6110-00-152-0279 | 2482            | 1H5975-00-178-0768 | 1617            |
| 2H6110-00-152-0280 | 964.1           | 1H5975-00-178-0769 | 1618            |
| 1H6110-00-152-0285 | 617             | 1H5975-00-178-0770 | 1619            |
| 1H6110-00-152-0286 | 616             | 1H5975-00-178-0771 | 1620            |
| 1H6110-00-152-0304 | 940.1           | 1H5975-00-178-0772 | 1621            |
| 9G6210-00-152-2844 | 137             | 1H5975-00-178-1229 | 1667            |
| 9G6230-00-152-2870 | 148.2           | 1H5975-00-178-1231 | 1669            |
| 9N5920-00-153-5788 | 541             | 1H5975-00-178-1233 | 1671            |
| 9N5920-00-153-5789 | 542             | 1H5975-00-178-1238 | 1676            |
| 9N5920-00-153-6186 | 2441            | 1H5975-00-178-1241 | 1679            |
| 9G5975-00-153-6397 | 406.3           | 1H5975-00-178-1461 | 1575            |
| 1H5940-00-153-6756 | 1037            | 1H5975-00-178-1499 | 1520            |
| 9G5975-00-153-6775 | 406.3           | 1H5975-00-178-1500 | 1521            |
| 1H5975-00-178-1501 | 1522            | 9N5920-00-178-1688 | 680             |
| 1H5975-00-178-1503 | 1524            | 1H5940-00-179-2013 | 578.1           |
| 1H5975-00-178-1504 | 1525            | 2H6625-00-183-8346 | 2454            |
| 1H5975-00-178-1506 | 1527            | 2H6625-00-183-8347 | 2450            |
| 1H5975-00-178-1507 | 1528            | 9L6530-00-185-0034 | 107.1           |
| 1H5975-00-178-1508 | 1529            | 9G5975-00-188-1164 | 730.1           |
| 1H5975-00-178-1509 | 1530            | 9N5935-00-188-5837 | 775.1           |
| 1H5975-00-178-1510 | 1531            | 2H6605-00-191-3402 | 2945            |
| 1H5975-00-178-1511 | 1532            | 1H5905-00-192-3943 | 955             |
| 1H5975-00-178-1513 | 1534            | 1H5905-00-192-3946 | 958             |
| 1H5975-00-178-1514 | 1570            | 1H5905-00-192-3948 | 953             |
| 1H5975-00-178-1515 | 1571            | 1H5905-00-193-3949 | 959             |
| 1H5975-00-178-1516 | 1572            | 9G6240-00-193-0941 | 309.1           |
| 1H5975-00-178-1517 | 1573            | 9G5975-00-194-8877 | 406.1           |
| 1H5975-00-178-1518 | 1574            | 9G6140-00-195-5339 | 1494            |
| 1H5975-00-178-1520 | 1576            | 9G6140-00-195-5341 | 1493            |
| 1H5975-00-178-1521 | 1577            | 1H5935-00-195-8916 | 728.1           |
| 1H5975-00-178-1522 | 1578            | 9N5935-00-195-8920 | 706.1           |
| 1H5975-00-178-1523 | 1579            | 1H5935-00-196-2292 | 1214.4          |
| 1H5975-00-178-1524 | 1580            | 1H5935-00-196-2293 | 1214.5          |
| 1H5975-00-178-1525 | 1581            | 9N5935-00-197-4948 | 727.1           |
| 1H5975-00-178-1526 | 1582            | 1H5940-00-204-6069 | 493.1           |
| 1H5975-00-178-1527 | 1583            | 1H5975-00-215-5890 | 1038            |
| 1H5975-00-178-1528 | 1584            | 1H5940-00-215-5959 | 435.1           |
| 1H5975-00-178-1529 | 1585            | 1H5940-00-215-5960 | 403.1           |
|                    |                 | 9G5940-00-215-5962 | 432.1           |

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)  
6 April 1988

| <u>STOCK NO.</u>   | <u>SYM. NO.</u> | <u>STOCK NO.</u>   | <u>SYM. NO.</u> |
|--------------------|-----------------|--------------------|-----------------|
| 9G6250-00-569-9501 | 514             | 1H5930-00-610-5413 | 2196            |
| 9N5925-00-571-0415 | 579             | 1H5930-00-610-5414 | 2197            |
| 1H5935-00-578-2759 | 746.2           | 9G5940-00-617-7982 | 490             |
| 9N5935-00-578-2760 | 776.1           | 1H5977-00-626-2420 | 3007            |
| 9N5930-00-578-3951 | 2180            | 2H6150-00-630-4635 | 3009            |
| 9N5930-00-578-3952 | 2690.2          | 9Q5180-00-630-8553 | 771.1           |
| 9N5930-00-578-3953 | 2694.2          | 9G6210-00-633-6886 | 69              |
| 1H5930-00-578-3954 | 2182            | 9G6110-00-635-4002 | 944.2           |
| 9N5930-00-578-3971 | 2188            | 2H6625-00-635-4745 | 2452.1          |
| 9N5930-00-578-4903 | 2194            | 9G6210-00-635-8814 | 335             |
| 9N5930-00-578-4908 | 2692.2          | 9G6210-00-635-8817 | 112,113         |
| 2H6110-00-578-6789 | 815             | 9G6210-00-635-8819 | 112             |
| 9G6230-00-578-7401 | 2438            | 9G6210-00-635-8820 | 113             |
| 9G6230-00-578-7547 | 229.1           | 5805-00-636-2181   | 2987            |
| 9G6210-00-578-7703 | 79.1            | 9N5965-00-642-9879 | 2675            |
| 1H5930-00-581-3413 | 2684.2          |                    |                 |
| 1H5930-00-581-3414 | 2181            | 9N5965-00-642-9880 | 2676            |
| 1H5930-00-581-3415 | 2682.2          | 9N5920-00-642-9907 | 673             |
| 1H5930-00-581-3416 | 2686.2          | 9N5920-00-642-9908 | 612.1           |
| 1H5930-00-581-3417 | 2185            | 9G6220-00-643-0856 | 192.1           |
| 2H5930-00-581-3418 | 2183            | 9G6220-00-643-0857 | 190.1           |
| 1H5930-00-581-3419 | 2186            | 9G6230-00-643-3661 | 105             |
| 1H5930-00-581-3420 | 2689.2          | 9N5930-00-643-9424 | 780.5           |
| 1H5930-00-581-3421 | 2184            | 1N5805-00-647-2244 | 2978.1          |
| 1H5930-00-581-3422 | 2696.2          | 2H6150-00-651-8743 | 1151.4          |
| 1H5930-00-581-3423 | 2191            | 1H5995-00-657-6313 | 713.11          |
| 1H5930-00-581-3424 | 2697.2          | 9G6230-00-658-3045 | 285             |
| 9N5930-00-581-3425 | 2192            | 1H6150-00-659-0677 | 3006            |
| 1H5930-00-581-4611 | 2193            | H4820-00-659-6673  | 513.1           |
| 1H5930-00-581-6028 | 2187            | 1H5940-00-665-0884 | 451             |
| 1H5930-00-581-6029 | 2685.2          | 1H5940-00-665-0885 | 453             |
| 1H5930-00-581-6030 | 2688.2          | 9G6220-00-678-9075 | 174.4           |
| 1H5930-00-581-6031 | 2190            | 9G6150-00-679-0711 | 2440.2          |
| 1H5930-00-581-6032 | 2683.2          | 9G6150-00-681-8379 | 713(50)         |
| 1H5930-00-581-6033 | 2691.2          | 9G6150-00-681-8380 | 713(100)        |
| 1H5930-00-581-6034 | 2693.2          | 9Z5530-00-682-4439 | 2447.1          |
| 1H5930-00-581-6035 | 2179            | 9Z5330-00-682-4441 | 2447.4          |
| 1H5930-00-581-6036 | 2189            | 9Z5330-00-682-4442 | 2447.5          |
| 1H5930-00-581-6037 | 2687.2          | 1H6110-00-683-0989 | 1000            |
| 1H6150-00-590-0863 | 2945.2, 2945.3  | 9G6350-00-683-1199 | 3003            |
| 1H6150-00-590-3453 | 2945.4          | 9N5930-00-687-1095 | 788             |

Supersedes page 133 of 22 August 1986



## MIL-HDBK-290(SH)

6 April 1988

| <u>STOCK NO.</u>   | <u>SYM. NO.</u> | <u>STOCK NO.</u>   | <u>SYM. NO.</u> |
|--------------------|-----------------|--------------------|-----------------|
| 9N5930-00-687-1096 | 789             | 9G6230-00-783-6252 | 102.2           |
| 9N5930-00-688-4045 | 863             | 9G6230-00-783-6253 | 108             |
| 9N5930-00-690-3960 | 785             | 9G6230-00-783-6519 | 100.2, 101.2,   |
| 9G6140-00-692-4670 | 1485            |                    | 102.2, 108      |
| 9G6230-00-701-2947 | 286             | 9G6210-00-790-4846 | 136.1           |
|                    |                 | 9G6210-00-790-4847 | 156             |
| 9G6210-00-702-5773 | 92.2, 92.3      |                    |                 |
| 9G6210-00-702-9347 | 259.1           | 9G6680-00-800-5243 | 2777            |
| 1H6210-00-702-9756 | 259.4           | 1H6150-00-802-8362 | 1484            |
| 1H5935-00-705-1665 | 713.2           | 2H6110-00-803-4472 | 816             |
| 1H5935-00-705-1666 | 713             | 9G6210-00-803-5911 | 239.1           |
|                    |                 | 9G6230-00-808-4466 | 231.1           |
|                    |                 | 1H5975-00-823-0944 | 2406            |
| 1H5935-00-705-9321 | 737.4           |                    |                 |
| 1H5935-00-705-9326 | 737.5           | 9G6150-00-823-2392 | 2415.2          |
| 1H5935-00-705-9327 | 737.3           | 9G6220-00-839-0298 | 197.2           |
| 1H5935-00-706-9360 | 713.1           | 1H5935-00-840-6715 | 761.1           |
| 9N5930-00-719-9659 | 342.2           | 9G6230-00-843-5991 | 2432.1          |
|                    |                 | 9N5920-00-845-1475 | 613.1           |
| 9G6220-00-722-4496 | 174.5, 196.3,   |                    |                 |
|                    | 206.2           | 1H5935-00-851-6741 | 757.1           |
| 9G6220-00-723-5326 | 164.3           | 1H5935-00-851-6742 | 756.1           |
| 9G6150-00-725-1366 | 2416            | 1H5935-00-851-6743 | 758.1           |
| 9G6210-00-725-3556 | 338.1           | 1H5935-00-852-4199 | 716.1           |
| 9G6110-00-727-1002 | 1001            | 9G6210-00-856-7069 | 176             |
|                    |                 |                    |                 |
| 9G6220-00-731-9196 | 197.2           | 9G6210-00-856-7070 | 176             |
| 9G6220-00-731-9197 | 114.1, 115.1,   | 9G6210-00-856-7071 | 176             |
|                    | 116.1, 117.1,   | 9G6210-00-856-7072 | 176             |
|                    | 118.1, 172.2,   | 9G6210-00-856-7073 | 176             |
|                    | 182.2, 183.2,   | 5R6350-00-862-3208 | 252             |
|                    | 197.2, 206.2    |                    |                 |
| 1H5930-00-732-4705 | 2652.2          | 5R6220-00-862-3219 | 257.1-257.3     |
| 5R6220-00-737-0869 | 258             | 5R6220-00-862-3221 | 256.1-256.3     |
| 1H6110-00-747-9269 | 2473.1          | 9G6210-00-866-1338 | 2816.3          |
|                    |                 | 9G6210-00-866-1339 | 2816.4          |
| 9G6150-00-752-2542 | 988.4           | 1H5940-00-869-7082 | 400.3           |
| 1H5935-00-752-2835 | 774             |                    |                 |
| 9N5935-00-752-3102 | 737.1           | 1H5940-00-869-7092 | 400.4           |
| 9N5935-00-752-3103 | 737.2           | 5R6210-00-869-7141 | 265             |
| 2H6625-00-752-7898 | 2840            | 1H5920-00-870-6996 | 2465            |
|                    |                 | 9N5935-00-875-3213 | 1221            |
|                    |                 | 9N5935-00-875-3230 | 1222            |
| 2H6685-00-753-2261 | 2995            |                    |                 |
| 1H5940-00-761-1669 | 492.3           | 5R6210-00-878-1127 | 260.1           |
| 9G6210-00-768-7190 | 154             | 5R6210-00-878-1128 | 262.1           |
| 9G6210-00-768-7191 | 153             | 5R6210-00-878-1131 | 263-263.4       |
| 9G6230-00-776-5920 | 100.2           |                    |                 |

Supersedes page 134 of 22 August 1986

## MIL-HDBK-290(SH)

22 August 1986

| <u>STOCK NO.</u>   | <u>SYM. NO.</u> | <u>STOCK NO.</u>   | <u>SYM. NO.</u> |
|--------------------|-----------------|--------------------|-----------------|
| 9G6110-00-778-8964 | 615             | 5R6210-00-878-1132 | 253.1           |
| 9G6210-00-780-8502 | 89              |                    |                 |
| 9G6230-00-782-0643 | 289             | 1H5999-00-879-1519 | 915.1           |
| 9N5935-00-782-6938 | 730.1           | 1H5999-00-879-1520 | 916.1           |
| 9G6230-00-783-6251 | 101.2           | 1H5999-00-879-1521 | 917.1           |
|                    |                 | 1H5975-00-881-6262 | 2407            |
|                    |                 | 1H5975-00-881-6263 | 2407            |
| 1H5975-00-881-6264 | 2408            | 9G6240-00-917-0774 | 303.2, 309.5    |
| 1H5975-00-881-6265 | 2408            | 9G6350-00-924-0551 | 2943            |
| 1H5975-00-881-6266 | 2409            | 1H5935-00-925-2303 | 517.3           |
| 1H5975-00-881-6267 | 2409            | 1H5850-00-930-1559 | 106.2           |
| 1H5975-00-881-6268 | 2410            | 9N5935-00-935-2235 | 717.1           |
|                    |                 | 1H5935-00-935-2298 | 517.12          |
| 1H5975-00-881-6269 | 2410            | 1H5935-00-935-2299 | 516             |
| 1H5975-00-881-6270 | 2411            | 1H5925-00-935-2300 | 517.4           |
| 1H5975-00-881-6271 | 2411            | 1H5935-00-935-2301 | 517.6           |
| 1H5975-00-881-6272 | 2412            | 1H5935-00-935-2302 | 517.7           |
| 1H5975-00-881-6273 | 2412            |                    |                 |
| 1H5975-00-881-6274 | 2413            | 1H5935-00-935-2304 | 517.9           |
| 1H5975-00-881-6275 | 2413            | 1H5935-00-935-2305 | 517.2           |
| 1H5975-00-881-7963 | 2406            | 1H5935-00-935-2306 | 517.8           |
| 1H5975-00-881-8251 | 2405            | 1H5925-00-935-2307 | 517             |
| 1H5975-00-881-8252 | 2405            | 1H5935-00-935-2308 | 517.5           |
| H4820-00-883-5588  | 512.1           | 1H5935-00-935-2309 | 517.1           |
| 9G6230-00-883-6209 | 266.2           | 9N5999-00-935-2312 | 900.1           |
| 1H5935-00-886-1650 | 1145.1          | 1H6130-00-937-2314 | 1506.1          |
| 1H6110-00-889-0611 | 817.1           | 9N5930-00-945-7221 | 2695.2          |
| 2H5995-00-889-0632 | 1119.4          | 5R5950-00-946-8243 | 2573            |
| 1H6110-00-889-0990 | 754.2           |                    |                 |
| 9G6230-00-889-1559 | 303.1-303.5     |                    |                 |
| 9G6680-00-892-1638 | 2777.6          | 9N5930-00-948-6677 | 870             |
| 9G6210-00-892-1715 | 80.1            | 1H6110-00-950-3058 | 2550.1          |
| 9G6230-00-892-5244 | 297             | 9N5930-00-956-0655 | 2753            |
| 9G6210-00-892-5374 | 2818.3          | 1H5977-00-956-7882 | 3008            |
| 1H5935-00-892-8970 | 1146.1          | 2H6150-00-958-6472 | 1149            |
| 1H5935-00-892-8971 | 1147.1          | 1H6150-00-962-5602 | 2743            |
| 1H5935-00-892-9114 | 1141.1          | 1H5930-00-963-1243 | 2742            |
| 9N5920-00-892-9315 | 558.1           | 9G6230-00-968-7831 | 100.2           |
| 1H5930-00-893-1370 | 2747            | 1H5935-00-972-0491 | 1136            |
| 9G6210-00-895-3902 | 247.3           | 9G6350-00-981-1337 | 2939            |
|                    |                 | 5R6220-00-988-1519 | 248             |
| 1H6150-00-902-9830 | 2415.3          | 2N5805-00-988-5413 | 2980            |
| 2H6230-00-904-1530 | 299             | 1H5935-00-989-6918 | 2989.1          |

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

| <u>STOCK NO.</u>   | <u>SYM. NO.</u> | <u>STOCK NO.</u>   | <u>SYM. NO.</u> |
|--------------------|-----------------|--------------------|-----------------|
| 9G6150-00-904-3324 | 988.7           | 9G6210-00-990-5556 | 340             |
| 9G6150-00-904-3325 | 988.6           | 9G6220-00-990-6016 | 200.2           |
| 9G6150-00-905-3323 | 988.5           | 6110-00-990-6165   | 2522.22         |
| 1N5965-00-905-6894 | 2994            |                    |                 |
| 1N5965-00-905-6895 | 2994.3          |                    |                 |
| 2N5965-00-913-9528 | 2994.2          |                    |                 |
| 9N5965-00-913-9545 | 2994.1          |                    |                 |
| 2N5965-00-913-9548 | 2994.4          |                    |                 |
| 9G6210-00-914-4152 | 93.2, 93.3      |                    |                 |
| 9G6350-00-915-6415 | 2941            |                    |                 |

### 5.3 Subject term (key word) listing

Electrical equipment  
Electronic equipment  
Ship alteration  
Symbol numbers

Preparing activity:  
Navy - SH  
(Project DRPR-N288)

Supersedes page 136 of 22 August 1986