

MIL-HDBK-290(SH)
22 August 1986
SUPERSEDING
SEE FOREWORD

MILITARY HANDBOOK

STANDARD ELECTRICAL SYMBOL LIST



AMSC N/A

DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited

AREA DRPR

DEPARTMENT OF THE NAVY
NAVAL SEA SYSTEMS COMMAND

Washington, DC 20362-5101

Standard Electrical Symbol List

1. This Military Handbook is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, Naval Sea Systems Command, SEA 5523, Department of the Navy, Washington, DC 20362-5101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

22 August 1986

FOREWORD

1. This handbook is prepared to provide a list of standard symbol numbers assigned to electrical and electronic equipment covered by standard and type drawings and military specification and standards for shipboard applications. Symbol numbers are a shorthand means of identifying electrical/electronic equipment and are for use in the preparation and revision of electrical/electronic system drawings.

2. This handbook supersedes publication NAVSEA S0300-AT-GTP-010/ESL of 1 November 1978 which was also formerly known as NAVSEA 0960-LP-000-4000 or NAVSHIPS 250-560-3.

CONTENTS

		<u>Page</u>
Paragraph 1.	SCOPE	1
1.1	Scope	1
1.1.1	Limitations	1
1.1.2	Implementation	1
1.2	Application	1
2.	REFERENCED DOCUMENTS (Not applicable)	1
3.	DEFINITIONS	1
3.1	Abbreviations	1
4.	GENERAL STATEMENT OF REQUIREMENTS	1
4.1	Description	1
4.1.1	Current symbol numbers	1
4.1.2	Maintenance symbol numbers	2
4.2	New numbers	2
4.3	Canceled numbers	2
4.4	Multiple National Stock Numbers	2
5.	DETAIL STATEMENT OF REQUIREMENTS	2
5.1	Assignment of symbol numbers	2
5.2	List of current symbol numbers	3
5.3	List of maintenance symbol numbers	108
5.4	Cross-reference of drawing/specification numbers to symbol numbers	114
5.5	Cross-reference of National Stock Numbers (NSN) to symbol numbers	124

MIL-HDBK-290(SH)

22 August 1986

1. SCOPE

1.1 Scope. This handbook covers standard symbol numbers which are used in the preparation, revision, and interpretation of ships' electrical and electronic system drawings.

1.1.1 Limitations. This handbook covers only high usage items such as lighting fixtures, connections, boxes, switches, receptacles, and so forth. This standard does not cover all electrical or electronic equipment and is not intended as a material ordering guide. National Stock Numbers (NSN's) listed in Section 5 are for the convenience of the user and should be checked for currency and correctness before use.

1.1.2 Implementation. This handbook applies to work on a specific ship or ships only when invoked by the Ship Specifications or similar contractual document.

1.2 Application. Although this handbook is primarily for application to new construction, its use may be considered during overhaul, ship alteration (ShipAlt), conversion, or repair. In such cases, the degree of applicability will be specified by the activity preparing the instructions for the work.

2. REFERENCED DOCUMENTS

STANDARD

MILITARY

MIL-STD-12 - Abbreviations For Use On Drawings, and in Specifications, Standards and Technical Documents.

3. DEFINITIONS

3.1 Abbreviations. The abbreviations contained in this Military Handbook are in accordance with MIL-STD-12.

4. GENERAL STATEMENT OF REQUIREMENTS

4.1 Description. This handbook consists of electrical and electronic equipment of the latest design, which are covered by specifications, military standards, and drawings. The equipments have symbol numbers assigned by equipment categories as listed in section 5. Symbol numbers are listed as current or for maintenance/repair. Cross-references of drawing/specification numbers to symbol numbers and National Stock Numbers to symbol numbers have been included as a convenience to the user.

4.1.1 Current symbol numbers. Current symbol numbers identify standard electrical and electronic equipment to be used in new ship construction. These standard equipments may also be used in the conversion or alteration of existing ships. In such cases, the degree of applicability shall be specified by the activity preparing the instructions for the work. The equipment is listed in 5.2 numerically by symbol number and includes item nomenclature, standard drawing or specification number, stock number, and weight.

22 August 1986

4.1.2 Maintenance symbol numbers. Maintenance symbol numbers identify equipments inactive for new ship design. These inactive equipments are used only as replacements of like items currently in existence which cannot be replaced by an equipment approved for new design. They will remain current until contracts or specifications that reference them are terminated or until the Naval Sea Systems Command cancels them. The equipment is listed in 5.3 numerically by symbol number and includes item nomenclature and drawing or specification number.

4.2 New numbers. When a new part or item is developed or when that part or item is significantly modified to be either functionally or physically non-interchangeable with its previous type, a new symbol number is assigned. This new symbol number is assigned as a new whole number or a decimal point change of the previously assigned number.

4.3 Canceled numbers. When a part or item becomes obsolete and is no longer required for new construction or maintenance, the symbol number is canceled.

4.4 Multiple National Stock Numbers. When multiple stock numbers are shown for a symbol number, it indicates the equipment is not stocked in the supply system as a complete unit. The multiple stock numbers shown are those of the individual parts that make up the complete equipment. For more information, refer to drawing/specification shown.

5. DETAIL STATEMENT OF REQUIREMENTS

5.1 Assignment of symbol numbers. Symbol numbers are assigned numerically in the following categories:

<u>Equipment</u>	<u>Symbol numbers</u>
Lights and lighting fixtures	1-238, 266.2-399
Lights, visual landing aids	239.1-265
Boxes	
Terminal	400.1-511.1, 520.1-530, 572.1-577.1
Feeder distribution	540-571.1, 578.1-599
Distribution	600-669
Branch junction	670-679
Fuse (feeder junction)	680-699
Hull fittings	512-519, 531-539, 1900-2169
Connectors, plugs and receptacles ...	700-779, 1091-1148.3, 1170-1480
Switches	780.1-899, 2170-2399
Switches and receptacles	900-929
Miscellaneous appliances	930-1019, 2400-2449.4
Casualty power equipment	1020-1090
Shore power connectors	1149-1169
Storage batteries and equipment	1481-1519
Stuffing tubes	1520-1899
Panels and switchboards	2450-2550.1
Kits and auxiliary equipment	2551-2599
Interior communication equipment	2600-3012

MIL-HDBK-290(SH)

22 August 1986

5.2 List of current symbol numbers. Note: These graphic symbols, when listed in the weight column, indicate the following:

- "*" - weight is less than 100 pounds if weight is not specified.
- "#" - weight is more than 100 pounds.
- "@" - complete with batteries.
- "\$" - with cable.

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>LIGHTS AND LIGHTING FIXTURES</u>				
1-4	Canceled-obsolete			
5.1	Bunklight, 15W, incandescent, with swivel mtg bracket, for minesweeper only	MIL-F-16377/37	9G6210-00-411-6024	2.0
6.1	Superseded by 5.1			
7.1	Superseded by 5.1			
8.1	Bunklight, incandescent, 15W, box mtd, for minesweeper only	MIL-F-16377/37	9G6210-00-411-6025	1.5
9-14	Not yet used			
15-22	Canceled-obsolete			
23.1	Ammo hoist, wrttt, 50W, white	MIL-F-16377/28	1H6210-00-151-9844	15.0
24-34	Not yet used			
35-47	Canceled-obsolete			
48.2	Incandescent, ovhd, 110W, white, ep	MIL-F-16377/25	9G6210-00-500-2550 9G6210-00-237-8775	7.6
49-51	Not yet used			
52-56	Canceled-obsolete			
57	Incandescent, ovhd, 200W, white, wrttt	MIL-F-16377/23	9G6210-00-283-9691 6210-00-299-2893	9.0
57.1	Window, lighting fixture			
58-59	Canceled-obsolete			
60	Not yet used			
61.1, 62.1	Canceled-Use 92.2			
63.1	Canceled-Use 92.2			
64.1	Incandescent, ovhd, 50W, white with reflector and baffle	MIL-F-16377/20	9G6210-00-295-2881	2.25
65	Incandescent, ovhd, 50W, white plastic shield	MIL-F-16377/20	9G6210-00-505-0115	2.0
66.2	For maintenance only-see 5.3-Use 74 and 74.1		9G6210-00-299-7702	6.5
67	Incandescent, 150W, 120V, white, decorative	MIL-F-16377/64		7.6
68.2	Incandescent, ovhd, 110W, red, ep	MIL-F-16377/25	9G6210-00-500-2550 9G6210-00-399-6316	
69	Incandescent, ovhd, 200W, red for night replenishment	MIL-G-16377/23	9G6210-00-283-9691 9G6210-00-548-0107	11.5
69.1	Shade, lamp			
70.2	Superseded by 70.3		9G6210-00-633-6886	

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
70.3	Fluorescent, ovhd, 16W, white diffusing, wrttt, std mtg	MIL-F-16377/7	9G6210-00-548-0082	5.6
70.4	Fluorescent, ovhd, 16W, white diffusing, wrttt, flushmounted	MIL-F-16377/7		6.75
71	Superseded by 71.1			*
71.1	Canceled-Use 70.3 with one red filter on center lamp (see MIL-F-16377)			
71.2	Canceled-Use 70.4 with one red filter on center lamp (see MIL-F-16377)			
72.2	Superseded by 72.3			
72.3	Canceled-Use 73.3 with one red filter on one lamp (see MIL-F-16377)			8.5
72.4	Canceled-Use 73.4 with one red filter on one lamp (see MIL-F-16377)			*
73.2	Superseded by 73.3			
73.3	Fluorescent, ovhd, 24W, white diffusing, wrttt, std mtg	MIL-F-16377/9	9G6210-00-295-2880	7.5
73.4	Fluorescent, ovhd, 24W, white diffusing, wrttt, flushmounted	MIL-F-16377/9		8.7
74	Fluorescent, ovhd, 180W, white, hangar spaces, std mtg	MIL-F-16377/13	9G6210-00-474-5653	60.0
74.1	Fluorescent, ovhd, 180W, white, hangar spaces, flushmounted	MIL-F-16377/13		67.0
75	Fluorescent, ovhd, red, hangar spaces, std mtg	MIL-F-16377/13	9G6210-00-518-1483	60.0
75.1	Fluorescent, ovhd, 180W, red, hangar spaces, flushmounted	MIL-F-16377/13		67.0
76	Canceled-obsolete			
77.3	Superseded by 77.4			
77.4	Fluorescent, ovhd, 40W, white diffusing, wrttt, std mtg	MIL-F-16377/11	9G6210-00-215-6355	11.25
77.5	Fluorescent, ovhd, 40W, white diffusing, wrttt, flushmounted	MIL-F-16377/11		13.1
78	Superseded by 78.1			
78.1	Superseded by 78.2			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
78.2	Fluorescent, 16W, wrttt, with clear and white prismatic window assy for reading and berthing table unit	MIL-F-16377/7	6210-00-669-6526	5.6
79	Superseded by 79.1			
79.1	Fluorescent, ovhd, sw, white, directional, wrttt, std mtg	MIL-F-16377/14	9G6210-00-578-7703	4.2
79.2	Fluorescent, ovhd, sw, white, directional, wrttt, flushmounted	MIL-F-16377/14		5.1
80	Superseded by 80.1			
80.1	Fluorescent, ovhd, sw, white diffusing, wrttt, std mtg	MIL-F-16377/14	9G6210-00-892-1715	4.2
80.2	Fluorescent, ovhd, sw, white diffusing, wrttt, flushmounted	MIL-F-16377/14		5.1
81	Fluorescent, 30W, ovhd, wrttt, std mtg, with diffusing window assy	MIL-F-16377/65		8.7
81.1	Fluorescent, 30W, ovhd, wrttt, flushmounted, with diffusing window assy	MIL-F-16377/65		10.1
82	Fluorescent, 45W, ovhd, wrttt, std mtg, with diffusing window assy	MIL-F-16377/66		12.0
82.1	Fluorescent, 45W, ovhd, wrttt, flushmounted, with diffusing window assy	MIL-F-16377/66		13.6
83-88	Canceled-obsolete			
89	Incandescent, ovhd, 100W, white, with plastic shield	MIL-F-16377/21	9G6210-00-780-8502	2.9
90.2	Incandescent, ovhd, 100W, white, with baffle			
91.1	Canceled-Use 94.1	MIL-F-16377/21	9G6210-00-548-0081	3.25
92.2	Incandescent, 50W, wrttt, white diffusing, deck mtd	MIL-F-16377/27	9G6210-00-299-7703	2.8
92.3	Same as 92.2 but with bhd mtg bracket	MIL-F-16377/27	9G6210-00-299-7703 9G6210-00-702-5773	
93.2	Incandescent, 50W, wrttt, red diffusing, deck mtd	MIL-F-16377/27	5340-00-391-1073 9G6210-00-299-7703 9G6210-00-914-4152	2.8

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
93.3	Same as 93.2 but with bhd mtg bracket	MIL-F-16377/27	9G6210-00-299-7703	
93.4	Globe, electric light		9G6210-00-914-4152	
93.5	Bracket, angle		9G5340-00-391-1073	
94.1	Incandescent, ovhd, 200W, white dome reflector and baffle	MIL-F-16377/22	9G6210-00-548-0381	4.6
95	Superseded by 95.1			
95.1	Light, small boat cabin, white, wrttt, 2lcp or 25W	MIL-F-16377/36	9G6210-00-548-0428 9G6210-00-295-2192	1.3
96	Superseded by 96.1			
96.1	Light, small boat cabin, white, w/sw, wrttt, 2lcp or 25W	MIL-F-16377/36	9G6210-00-548-0428 9G6210-00-295-2865	1.3
97	Superseded by 97.1			
97.1	Light, small boat cabin, red, white, wrttt, 2lcp or 25W	MIL-F-16377/36	9G6210-00-295-2192 9G6210-00-399-7028	1.3
98	Superseded by 98.1			
98.1	Light, small boat cabin, red, w/sw, wrttt, 2lcp or 25W	MIL-F-16377/36	9G6210-00-399-7028 9G6210-00-295-2865	1.3
99	Canceled-Use 95.1			
99.1	Canceled-Use 97.1			
100.2	Hand lantern, w/o relay, portable, wrttt	MIL-F-16377/53	9G6230-00-783-6519 9G6230-00-776-5920 9G6230-00-968-7831	9.0
100.3	Lantern, portable, rechargeable (10V, 60Hz), wrttt	MIL-F-16377/53		9.0
101.2	Lantern, w/relay, wrttt, 115V a.c.	MIL-F-16377/53	9G6230-00-783-6519 9G6230-00-783-6252	8.75
101.3	Lantern, relay, rechargeable, 120V, 60Hz, wrttt	MIL-F-16377/53		8.75
MIL-F-16377/53	9G6230-00-783-6519			
MIL-F-16377/23	9G6210-00-283-9691			
MIL-L-16879	5G6230-00-264-6450			
MIL-L-1130	9G6230-00-643-3661			

MIL-HDBK-290(SH)

22 August 1986

102.2 Lantern, w/relay, wrttt, 115V d.c.

103 Gangway, portable, 200W, nmag, wrttt

104 Lantern, portable, head or hand, nmag

105 Lantern, flood, damage control, nmag, 30

106 Superseded by 106.1

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
106.1	Light, signal, multipurpose, complete with red, green and yellow filters in stowage box	MIL-L-24282	1H5850-00-501-1455	16.5
106.2	Same as 106.1 except with the addition of filters for infrared capability	MIL-L-24282	1H5850-00-930-1559	17.0
107	Superseded by 107.1			
107.1	Light, surgical, ovhd, 100W, 120V, portable complete in stowage box	MIL-L-2034	9L6530-00-185-0034	5.2
107.2	Superseded by 107.1			
108	Lantern, w/relay, wrttt, 230V dc	MIL-F-16377/53	9G6230-00-783-6519	8.75@
		BUMED 522	9G6230-00-783-6253	
109	Light, surgical, ovhd, adjustable, 150W, 120V		9L6530-01-052-6838	
110, 111	Not yet used			
112	Incandescent, ovhd, 110W, white, wrttt	MIL-F-16377/26	9G6210-00-635-8817	8.5
113	Incandescent, ovhd, 110W, red, wrttt	MIL-F-16377/26	9G6210-00-635-8819	8.5
113.1	Superseded by 114.1		9G6210-00-635-8817	
114	Light, navigation, 50W, clear lens		9G6210-00-635-8820	
114.1		MIL-L-24560/2	9G6220-00-731-9197	2.5
115	Superseded by 115.1		9G6220-01-067-0630	
115.1	Light, navigation, 50W, red lens	MIL-L-24560/2	9G6220-00-731-9197	2.5
116	Superseded by 116.1		9G6220-01-067-0629	
116.1	Light, navigation, 50W green lens	MIL-L-24560/2	9G6220-00-731-9197	2.5
117	Superseded by 117.1		9G6220-01-067-0631	
117.1	Light, navigation, 50W, blue lens	MIL-L-24560/2	9G6220-00-731-9197	2.5
118	Superseded by 118.1			
118.1	Light, navigation, 50W, yellow lens lens, light	MIL-L-24560/2	9G6220-00-731-9197	2.5
119, 120	Not yet used			
121.1	Filter assy, red and white for use with 141.2, 148.2, 150.2, 270.3, 270.4	MIL-F-16377/48	9G6220-01-130-6632	2.5
			9G6230-00-548-2040	1.5

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
121.2	Filter assy, blue and white for use with 141.2, 148.2, 150.2, 270.3 and 270.4	MIL-F-16377/48	9G6230-00-514-0905	1.5
122	Not yet used			
123	Canceled-obsolete			
124	Not yet used			
125	Canceled-obsolete			
126.1	Superseded by 126.2			
126.2	Superseded by 126.3			
126.3	Light, 50W for motors and generators			
127, 128	Not yet used	MIL-F-16377/1	9G6210-00-226-2810	1.75
129-133	Canceled-obsolete			
134	Superseded by 134.1			
134.1	Water/gage light, incandescent, 15 or 25W, with mtg brackets	MIL-F-16377/32	9G6210-00-159-2237	3.0
135	Superseded by 134.1			
135.1	Superseded by 134.1			
136.1	Light, sightglass, 6W, white	MIL-F-16377/33	9G6210-00-790-4846	1.25
137	Incandescent, ovhd, 100W and 10W, white psychiatric ward	MIL-F-16377/30	9G6210-00-152-2844	23.4
138-140	Not yet used			
141.2	Fluorescent, desk/light, dbl arm, 8W, white, bhd mtg	MIL-F-16377/16	9G6230-00-067-4882	3.5
142.2	Fluorescent, desk, secretary bureau, 8W, white			
143, 144	Canceled-obsolete	MIL-F-16377/4	9G6230-00-548-0385	1.5
145.1	Superseded by 145.2			
145.2	Superseded by 145.4			
145.3	Superseded by 145.5			
145.4	Fluorescent, ovhd, 32W, directional, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/10	9G6210-00-548-0227	12.0
145.5	Fluorescent, ovhd, 32W, directional, wrttt, flush mounted, with clear and white prismatic window assy	MIL-F-16377/10		13.8
146	Not yet used			

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
147.2	Incandescent, spot illum, 6, 15 or 25W, red, blue or white	MIL-F-16377/31	9G6210-00-284-0480	1.25
147.3	Superseded by 147.2			
148.2	Fluorescent, desk light, pedestal, sgl arm, 8W, white	MIL-F-16377/15	9G6230-00-152-2870	11.6
149.1	Superseded by 149.2			
149.2	Superseded by 149.4			
149.3	Superseded by 149.5			
149.4	Fluorescent, ovhd, 16W, directional, wrttt, std mtg with clear and white prismatic window assy	MIL-F-16377/6	9G6210-00-548-0226	7.50
149.5	Fluorescent, ovhd, 16W, directional, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/6		8.75
150.2	Fluorescent, desk, pedestal, dbl arm, 8W, white	MIL-F-16377/16	9G6230-00-336-5876 9G6230-00-067-4882	6.0
151	Fluorescent, water gage, 8W, ventilated	MIL-F-16377/3		4.1
152	Fluorescent, water gage, 6W, ventilated	MIL-F-16377/2		3.8
153	Fluorescent, water gage, 8W, wrttt	MIL-F-16377/3	9G6210-00-768-7191	4.1
154	Fluorescent, water gage, 6W, wrttt	MIL-F-16377/2	9G6210-00-768-7190	3.8
155	Not yet used			
156	Light, sightglass, 6W, red	MIL-F-16377/33	9G6210-00-790-4847	1.25
157.1	Superseded by 157.2			
157.2	Canceled-Use 149.2 with one red filter on each lamp (see MIL-F-16377)			
157.3	Canceled-Use 149.2 with one red filter on each lamp (see MIL-F-16377)			
158	Canceled-obsolete			
159.1	Light, boiler outer casing, 100W, white	MIL-F-16377/29	9G6210-00-069-2033	8.0
160.1	Light, aircraft warning, red, 90W, six lamp	MIL-L-24560/1	9G6220-00-548-0217	4.5
161.3	Superseded by 161.4			
161.4	Light, navigation, anchor & boom, clear, 50W	MIL-L-24560/23	9G6220-00-050-6743	7.4
162.2	Superseded by 161.3			
163	Light, extension, fluorescent, 4W, 120V, for servicing elek eqpt	MIL-F-16377/68	9G6230-01-087-6125	2.5

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
164	Superseded by 164.3			
164.1, 164.2	Canceled-obsolete			
164.3	Light, approach (hull contour), blue, 25W	MIL-L-24560/3	9G6220-00-723-5326	2.1
165-170	Canceled-obsolete			
171.2	Light, navigation, combination class 1 small boats, 15 cp	MS17995	9G6220-00-295-2737	7.5
172.1	Superseded by 172.2			
172.2	Light, navigation, masthead, clear, 50W	MIL-L-24560/10	9G6220-00-731-9197	18.0
173	Canceled-obsolete			
174.2	Superseded by 174.4			
174.3	Superseded by 174.5			
174.4	Light, navigation, sub, stbd, clear, 50W	MIL-L-24560/13	9G6220-00-678-9075	5.5
174.5	Light, navigation, sub, green, 50W	MIL-L-24560/13	9G6220-00-722-4496	5.5
175.1	Canceled-Use 116			
176	Light, navigation, revolving beam, 150W, 115V, 60 Hz, amber, blue & green globes for ASW operations	Hubbell Type 15365	9G6210-00-856-7073 9G6210-00-856-7069 9G6210-00-856-7070 9G6210-00-856-7071 9G6210-00-856-7072	*
177	Superseded by 233			
178, 179	Canceled-obsolete			
180.1	Canceled-Use 114			
181	Canceled-obsolete			
182.1	Superseded by 182.2			
182.2	Light, navigation, side, red, 50W	MIL-L-24560/9	9G6220-00-731-9197	18.0
183.1	Superseded by 183.2			
183.2	Light, navigation, side, green, 50W	MIL-L-24560/9	9G6220-00-731-9197	18.0
184-187	Canceled-obsolete			
188.2	Superseded by 188.3			
188.3	Light, navigation, sub, clear (masked), 50W	MIL-L-24560/13		5.5
189.2	Superseded by 189.3			
189.3	Light, navigation, sub, port, red, 50W	MIL-L-24560/13		5.5
190.1	Light, signal, red, 90W, six lamps	MIL-L-24560/4	9G6220-00-643-0857	14.0
191.2	Light, yardarm blinker, clear, 180W, 12 lamps	MIL-L-24560/5	9G6220-00-546-1174	25.6

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
192.1	Light, signal, clear, 45W, 3 lamps	MIL-L-24560/6	9G6220-00-643-0856	14.0
193	Superseded by 193.1			
193.1	Light, navigation, red and white, 180W, 120V	MIL-L-24560/7		32.3
194	Light, navigation, clearance/obstruction, red and green, 180W, nine lamps	MIL-L-24560/7		32.3
195.1	Steering light for jack staffs, wrttt, 2 cp	MS17318	9G6220-00-500-1180	1.1
196.1	Superseded by 196.3			
196.2	Superseded by 196.4			
196.3	Light, navigation, stern, clear, 50W	MIL-L-24560/8	9G6220-00-722-4496	18.0
196.4	Light, navigation, stern, yellow, 50W	MIL-L-24560/8	9G6220-00-067-0630	18.0
197	Superseded by 197.1			
197.1	Superseded by 197.2			
197.2	Light, navigation, stern, blue, 50W	MIL-L-24560/8	9G6220-00-731-9196	18.0
			9G6220-00-731-9197	
			9G6220-00-839-0298	
198,199	Canceled-obsolete			
200.2	Light, wake, white, 50W, splashproof	MIL-L-24560/11	9G6220-00-990-6016	1.5
201	Canceled-obsolete			
202	Not yet used			
203	Canceled-obsolete			
204	Canceled-obsolete			
205	Light, combined anchor & stern, for rudder mounting	815-1197227		*
206.1	Superseded by 206.2			
206.2	Light, navigation, portable towing, 50W	MIL-L-24560/24	9G6220-00-731-9197	10.5
			9G6220-00-722-4496	11.25
207.2	Canceled-obsolete			
208.2	Canceled-obsolete			
209.1	Canceled-obsolete			
210.1	Canceled-obsolete			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
211.1	Canceled-obsolete			
212.1	Canceled-obsolete			
213.1	Canceled-obsolete			
214	Canceled-obsolete			
215	Polarity signal light, 150W, red, green	MS17315	9G6220-00-399-6337	19.5
216.1	Polarity signal light, 21 cp red, 21 cp green, small boats	MS17995	9G6220-00-028-3964	3.8
217.1	Canceled-obsolete			
218.1	Canceled-obsolete			
219	Side light, contour, port, red small boats	MS17999	9G6220-00-548-0215	3.5
220	Side light, contour, stbd, green, small boats			
221	Light, navigation, traffic control (aircraft carriers), 90W, six lamps, red and green	MS17999 MIL-L-24560/21	9G6220-00-548-0216	4.1 30.0
222	Light, navigation, traffic light, 90W, six lamps, red, yellow and green	MIL-L-24560/22		30.0
223, 224	Not yet used			
225	Superseded by 225.1			*
225.1	Station keeping light, stbd	MS17781		
226	Superseded by 226.1			*
226.1	Station keeping light, port	MS17781	1H6220-00-609-3343	
227	Superseded by 227.1			*
227.1	Station keeping light, full aft	MS17781		
228	Canceled-obsolete			
229	Superseded by 229.1			
229.1	Berth light, 8W, fluorescent, for rail mtg with receptacle	MIL-F-16377/17		4.1
231	Superseded by 231.1			
231.1	Berth light, 8W, fluorescent, for spring berths with receptacle	MIL-F-16377/17		4.1
232	Superseded by 232.1			
232.1	Berth light, 8W, fluorescent, for pan type berths, bhd or bar mtg with receptacle	MIL-F-16377/17		4.1

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
233	Superseded by 233.1			
233.1	Light, navigation, ident (sub), yellow, 500W	MIL-L-24560/12	0029-LL-HD2-F131	4.5
234	Canceled-Use 232			
235-238	Canceled-obsolete			
<u>LIGHTS AND LIGHTING FIXTURES (continued with 266.2)</u>				
<u>LIGHTS, VISUAL LANDING AIDS</u>				
239.1	Superseded by 239.2			
239.2	Deck edge light, with blue globe, wtrtt			7.5
240	Superseded by 221	NAEC(SI)#408833-1	9G6210-00-803-5911	
241	Superseded by 222	NAEC(SI)#608303-1	5R6220-00-215-6358	
242	Canceled-obsolete	NAEC(SI)#518340-1	5RM6210-01-042-8652	
243	Canceled-obsolete			
243.1	Drop line light	NAEC(SI)#616263-1	5R6210-00-223-8434	2.5
243.2	Light bar assy, vertical drop line, air capable ships	NAEC(SI)#617682-1	5RM6210-00-107-8813	
243.3	Light bar assy, extended line-up, air capable ships	NAEC(SI)#617577-1	5RM6210-00-099-7120	
244,245	Canceled-obsolete			
246	Light fixture, extended line-up, air capable ships	NAEC(SI)#515364-1	5RM6210-00-086-6153	
247.1	Canceled-obsolete			
247.2	Canceled-obsolete			
247.3	Canceled			
248	Floodlight, 115V, 1000W, incandescent, white, ovhd, medium spread lens (62° horiz, 43° vert)	NAEC(SI)#612963-1	5R6220-00-988-1519	38.0
248.1	Floodlight, 115V, 1000W, incandescent, white ovhd, w/smooth beam lens (25° horiz, 22° vert)	NAEC(SI)#612963-2	5R6220-00-988-1520	40.0
248.2	Canceled			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
248.3	Floodlight, 120V, 1000W, incandescent, white, ovhd, plain clear lens (14° horiz, 13° vert)	NAEC(SI)612886-1	5R6220-00-988-1521	38.0
249	Floodlight, deck surface	NAEC(SI)616850-1	5R6230-00-086-5215	40.0
249.1	Superseded by 249.3			
249.2	Superseded by 249.3			
249.3	Floodlight, deck surface, dual lamp	NAEC(SI)619403-1	5R6230-01-031-3260	18.0
250.1	Canceled-obsolete			
251.1	Canceled-obsolete			
252	Signal wand	NAEC(SI)408117-4	5R6350-00-862-3208	5
253	Canceled-obsolete			
253.1	Centerline light, quartz	NAEC(SI)611403-1	5R6210-00-878-1132	*
253.2	Centerline light, quartz	NAEC(SI)611403-2	5R6210-00-253-1063	
253.3	Guide light	NAEC(SI)619184-1	5R6210-00-149-0743	
253.4	Guide light	NAEC(SI)619184-2	5RD6210-00-149-0743	8.0
254	Flash sequencer, air capable ships	NAEC(SI)617848-1	5R6210-00-106-9543	190
254.1	Lighting cont pnl, lamps ships	NAEC(SI)617882-1	5R6110-00-101-9821	58
254.2	Lighting cont pnl, std, air capable ships	NAEC(SI)619016-1		60
254.3	Lighting cont pnl, Vertrep decks, air capable ships	NAEC(SI)620130-1		50
255	Canceled-obsolete			
256.1	Flight deck light, non-CVA/CVS, steel decks, 360° horiz & vert distribution, red lens	NAEC(SI)609024-1	5R6220-00-862-3221	9.25
256.2	Canceled		5R6210-00-845-1426	11.0
256.3	Canceled		5R6210-00-550-8876	11.0
257.1	Flight deck light, non-CVA/CVS, wood decks, 360° horiz & vert distribution, red lens	NAEC(SI)609024-2	5R6220-00-862-3219	10.12
257.2	Canceled		5R6210-00-845-1426	11.0
257.3	Canceled		5R6210-00-550-8876	11.0
257.4	Flight deck edge light, non-CVA/CVS, aluminum	NAEC(SI)618962-1	5R6210-00-008-1392	4.0
258	Homing beacon (white rotating beam)	HUBBELL ELEC SPF-843	5R6220-00-737-0869	12.0

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
259	Superseded by 2570 Rotary beacon light, with red, amber & green filters	<u>S6504-3313883</u>	9G6210-00-702-9347	49.0
259.2	Superseded by 259.1	S6504-3313884	1H6210-00-702-9756	
259.3	Superseded by 259.1	NAEC(SI)619616-1	5RM6210-00-013-3169	15.0
259.4	Control unit for 259.1	NAEC(SI)619615-1	5RD6210-00-012-6039	10.0
259.5	Deck status light, air capable ships			
259.6	Control panel, deck status, light (for 259.5)			
260	air capable ships			
260.1	Canceled-obsolete Line-up light assy, unidirectional, steel deck	NAEC(SI)508447-1	5R6210-00-878-1127	8.0
260.2	Line-up light assy, unidirectional, aluminum deck	NAEC(SI)514265-1	5R6210-00-086-1814	4.5
260.3	Guide light, white, unidirectional	NAEC(SI)508447-10	5RD6210-01-164-4081	8.0
260.4	Guide light, red, unidirectional	NAEC(SI)508447-11	5RD6210-01-176-9080	8.0
261	Canceled-obsolete			
262	Canceled-obsolete			
262.1	Line-up light assy, bidirectional steel deck	NAEC(SI)508950-1	5R6210-00-878-1128	12.0
262.2	Line-up light assy, bidirectional, aluminum deck	NAEC(SI)514268-1	5R6210-00-086-1854	8.5
263	Floodlight for type PAR56 lamp (see 263.1, 263.4), ovhd, red, w/o lamp	NAEC(SI)506829-1	5R6210-00-878-1131	15.0
263.1	Floodlight, symbol 263 with 120V, 300W sealed beam spot lamp 300PAR56/2SP (MS15535-4, beam 20° X 15°)		5R6210-00-878-1131 9G6240-00-270-4689	
263.2	Floodlight, symbol 263 with 120V, 300W sealed beam medium flood lamp 300PAR56/4MFL (MS15535-8, beam 35° X 20°)		5R6210-00-878-1131 9G6240-00-145-1148	
263.3	Floodlight, symbol 263 with 120V, 300W sealed beam wide flood lamp 3QOPAR56/4WFL (MS15535-6, beam 60° X 30°)		5R6210-00-878-1131 9G6240-00-056-0737	
263.4	Floodlight, symbol 263 with 24-28V, 250W sealed beam medium flood lamp #4549 (MS15535-3, beam 40° X 18°)		5R6210-00-878-1131 9G6240-00-270-4695	
263.5	Floodlight, helicopter maint-symbol 263.2 with support assy steel decks	NAEC(SI)515846-1	5RM1710-LL-BB0-8915	30.0

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
263.6	Floodlight, helicopter maint, symbol 263.2 with support assy, aluminum, decks	NAEC(SI)515846-2		
264	Canceled			
264.1	Canceled-obsolete			
265	Spot pad light, portable	NAEC(SI)611774-1	5R6210-00-869-7141	7.5
<u>LIGHTS AND LIGHTING FIXTURES (continued from symbol number 238)</u>				
266.2	Light, flex arm (machine tool), 100W incandescent	MIL-F-16377/56	9G6230-00-883-6209	5.0
267-269	Canceled-obsolete			
270.2	Superseded by 270.3			
270.3	Desk light, radio operating, fluorescent, 8W sgl arm	MIL-F-16377/19	9G6230-00-548-0108	1.9
270.4	Desk light, radio operating, fluorescent, 8W, dbl arm	MIL-F-16377/19		3.1
271-282	Canceled-obsolete			
283.1	Canceled-obsolete			
283.2	Canceled-obsolete			
284	Superseded by 286			
285	Light, station marking box, splashproof, night replenishment operation	MS17287	9G6230-00-658-3045	20.1
286	Light, extension, 100W ep & wrttt, gnd 50 ft cable	MIL-F-16377/52	9G6230-00-701-2947	9.3
286.1	Light, extension, 100W, ep & wrttt, gnd 100 ft cable	MIL-F-16377/52	9G6230-00-268-9246	
287	For maintenance only-see 5.3			
288	For maintenance only-see 5.3			
289	Light, marker, distress, floating, flashing	MIL-L-24532	9G6230-00-782-0643	3.7
290	Light, extension, 25W, ep & wrttt, gnd, 100 ft cable	MIL-F-16377/51	9G6230-00-283-9671	10.5
291	Light, extension, 25W, ep & wrttt, gnd, 100 ft cable & ext handle	MIL-F-16377/51	9G6230-00-095-3674	11.6
292	Whistle light set			
293-295	Not yet used	MIL-L-24352	1H6210-00-435-4955	*

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
296	Superseded by 299.1			
297	Searchlight, incandescent, signal, 8 in, type I, 115V ac, 60 Hz	MIL-S-16938	9G6230-00-892-5244	18
297.1	Searchlight, incandescent, signal, 8 in, type II, 28V ac/dc, 60 Hz	MIL-S-16938	9G6230-00-064-8535	18
298	Superseded by 297.1-298 For maintenance only- see 5.3		H6230-00-174-5143	
298.1	Superseded by 297			
299	Searchlight, signal, 12 in, mercury-xenon (type II)	MIL-S-19551	2H6230-00-904-1530	156
299.1	Searchlight, signal, 12 in, incandescent (type I)	MIL-S-19551	2H6230-00-412-9375	96
300	Floodlight, 120V, 500W, incandescent, wrtft, red	MIL-F-16377/62	9G6230-00-548-0434	18.8
300.1	Floodlight, 120V, 500W, incandescent, wrtft, white	MIL-F-16377/62	9G6230-00-548-0434	18.8
300.2	Superseded by 303.1			
301.1	Searchlight, 7 in, small boats, deck mtd, local control, type II w/o lamp (see 301.2-301.6)	MIL-S-2649	9G6230-00-295-2776	17.0
301.2	Same as 301.1 with 100W, 12.5V spot lamp (MS15535-1)	MIL-S-2649	9G6230-00-295-2776	
301.3	Same as 301.1 with 250W, 24-28V spot lamp (MS15535-2)	MIL-S-2649	9G6240-00-193-0941	
301.4	Same as 301.1 with 250W, 24-28V flood lamp (MS15535-3)	MIL-S-2649	9G6230-00-295-2776	
301.5	Same as 301.1 with 450W, 24-28V spot lamp (MS15535-7)	MIL-S-2649	9G6240-00-274-4013	
301.6	Same as 301.1 with 300W, 120V flood lamp (MS15535-4)	MIL-S-2649	9G6230-00-295-2776	
302.2	Light, ext, small boats, 25 ft cable	MIL-F-16377/50	9G6240-00-270-4695	5.0
303	Superseded by 263			
303.1	Floodlight for type PAR56 lamp (see 303.2-303.5), ovhd, white, w/o lamp	MIL-F-16377/61	9G6230-00-889-1559	14.0
303.2	Floodlight, 303.1 with 120V, 300W sealed beam spot lamp 300PAR56/2SP (MS15535-4, beam 20° x 15°)	MIL-F-16377/61	9G6230-00-889-1559	16.0
			9G6240-00-917-0774	

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
303.3	Floodlight, 303.1 with 120V, 300W sealed beam medium flood lamp 300PAR56/4MFL (MS15535-8, beam 35° X 20°)	MIL-F-16377/61	9G6230-00-889-1559 9G6240-00-145-1148	16.0
303.4	Floodlight, 303.1 with 120V, 300W sealed beam wide flood lamp 300PAR56/4WFL (MS15535-6, beam 60° X 30°)	MIL-F-16377/61	9G6230-00-889-1559 9G6240-00-056-0737	16.0
303.5	Floodlight, 303.1 with 24-28V, 250W sealed beam medium flood lamp #4549 (MS15535-3, beam 40° X 18°)	MIL-F-16377/61	9G6230-00-889-1559 9G6240-00-270-4695	16.0
304	Bow & hull numeral light, 100W, incandescent	MIL-F-16377/38	9G6210-00-505-0116	*
305	Superseded by 286			
306	Superseded by 286			
306.1	Superseded by 306.2			
306.2	Light, fluorescent, ext, 8W, ep & wrttt, gnd, 50 ft cable	MIL-F-16377/49	9G6230-00-244-3996	10.0
307	Light, streamer, ship dress light, 50 ft, 17, 25W, 120V lamps	MIL-F-16377/39	9G6230-00-160-0610 9G6230-00-159-2231	32
307.1	Canceled-obsolete			
309	Searchlight, 7 in, dp, small boats, pilot house control, type I w/o lamp (see 309.1-309.5)	MIL-S-2649	9G6230-00-215-6362	8.0
309.1	Same as 309 with 100W, 12.5V spot lamp (MS15535-1)	MIL-S-2649	9G6230-00-215-6362 9G6240-00-193-0941	
309.2	Same as 309 with 250W, 24-28V spot lamp (MS15535-2)	MIL-S-2649	9G6230-00-215-6362 9G6240-00-274-4013	
309.3	Same as 309 with 250W, 24-28V flood lamp (MS15535-3)	MIL-S-2649	9G6230-00-215-6362 9G6240-00-270-4695	
309.4	Same as 309 with 450W, 24-28V spot lamp (MS15535-7)	MIL-S-2649	9G6230-00-215-6362 9G6240-00-155-7774	
309.5	Same as 309 with 300W, 120V flood lamp (MS15535-4)	MIL-S-2649	9G6230-00-215-6362 9G6240-00-917-0774	
310	Detail light, splashproof, small boats, 3cp	MIL-F-16377/35	9G6210-00-399-6339	1.0
311	Floodlight, portable, 600W, sealed beam lamp, 120/28V, 60 Hz	MIL-F-16377/63	1H6230-00-242-6420	42.0
312,313	Canceled-obsolete			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
314.1	Superseded by 314.2			
314.2	Canceled-Use 145.2 with one red filter on each rear lamp (see MIL-F-16377)			
314.3	Canceled-Use 145.3 with one red filter on each rear lamp (see MIL-F-16377)			
315	Superseded by 286			
316	Floodlight, 150W, sealed beam, white	MIL-F-16377/60	6230-01-026-4438	9.5
317	Floodlight, 150W, sealed beam, red			
318	Incandescent, ovhd, 200W, white, dp	MIL-F-16377/60	6230-01-026-4439	10
319	Incandescent, heat lamp, 250W			
320-325	Not yet used			
326.1	Superseded by 141.2 & 121.1			
327.1	Superseded by 150.2 & 121.1			
328	Not yet used			
329.1	Superseded by 329.2			
329.2	Canceled-Use 149.4 with one red filter over rear lamp (see MIL-F-16377)			
329.3	Canceled-Use 149.5 with one red filter over rear lamp (see MIL-F-16377)			
330.1	Superseded by 286			
331	Superseded by 331.1			
331.1	Fluorescent, ovhd, 20W, white diffusing, wrttt, std mtg	MIL-F-16377/8	9G6210-00-548-0598	8.1
331.2	Fluorescent, ovhd, 20W, white diffusing, wrttt, flushmounted	MIL-F-16377/8		9.75
332	Superseded by 332.1			
332.1	Canceled-Use 331.2 with red filter (see MIL-F-16377)			
332.3	Canceled-Use 331.1 with red filter (see MIL-F-16377)			
333	Superseded by 333.1			
333.1	Fluorescent, ovhd, 60W, white diffusing, wrttt, std mtg	MIL-F-16377/12	9G6210-00-548-0222	14.5
333.2	Fluorescent, ovhd, 60W, white diffusing, wrttt, flushmounted	MIL-F-16377/12		16.75

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
334	Superseded by 334.1			
334.1	Canceled-Use 333.1 with one red filter on center lamp (See MIL-F-16377)	MIL-F-16377/34	9G6210-00-635-8814	4.25
334.2	Canceled-Use 333.2 with one red filter on center lamp (see MIL-F-16377)	MIL-F-16377/7		5.6
335	Incandescent, 15W, gyro compass, pp, sub			
336	Fluorescent, 16W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/7		6.75
336.1	Fluorescent, 16W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy			
337	Mirror light set, 15W, for toilet cases (2 lights)	MIL-F-16377/18	9G6210-00-023-1653	12.1
338	Superseded by 338.1			
338.1	Fluorescent, ovhd, 15W, white diffusing, wrttt, std mtg	MIL-F-16377/5	9G6210-00-725-3556	6.75
338.2	Fluorescent, ovhd, 15W, white diffusing, wrttt, flushmounted	MIL-F-16377/5		8.2
339.1	Fluorescent, 15W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/5		6.75
339.2	Fluorescent, 15W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/5		8.2
340	Mirror light fluorescent, 15W, recessed, with gnd receptacle	MIL-F-16377/18	9G6210-00-990-5556	6.6
341	Superseded by 341.1			
341.1	Daylight, 60W, blue & white (CIC lighting), std mtg, dp 15°	MIL-F-16377/12	9G6210-00-455-0068	18.1
341.2	Daylight, 60W, blue & white (CIC lighting), flushmounted, dp 15°	MIL-F-16377/12	9G6210-00-548-0222	20.3
342	Superseded by 342.2			
342.1	Superseded by 342.3			
342.2	Fluorescent, 60W, ovhd, wrttt, std mtg with clear and white prismatic window assy			
342.3	Fluorescent, 60W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/12	9N5930-00-719-9659 9Z0145-00-558-6165	14.5 16.75
343	Canceled-obsolete			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
343.1	Fluorescent, 45W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/66		12.0
343.2	Fluorescent, 45W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/66		13.6
344	Superseded by 344.2			
344.1	Superseded by 344.3			
344.2	Fluorescent, 40W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/11		11.25
344.3	Fluorescent, 40W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/11		13.1
345	Canceled-obsolete			
345.1	Canceled-obsolete			
345.2	Fluorescent, 30W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/65		8.7
345.3	Fluorescent, 30W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/65		10.1
346	Superseded by 346.2			
346.1	Superseded by 346.3			
346.2	Fluorescent, 24W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/9		7.4
346.3	Fluorescent, 24W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/9		8.7
347	Superseded by 347.2			
347.1	Superseded by 347.3			
347.2	Fluorescent, 20W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/8		8.1
347.3	Fluorescent, 20W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/8		9.75
348	Fluorescent, ovhd, 60W, clear prismatic window, flushmounted	MIL-F-16377/57	9G5210-00-115-9186	18.0
349	Fluorescent, ovhd, 80W, clear prismatic window, flushmounted	MIL-F-16377/57	9G5210-00-115-9152	24.0
350	Fluorescent, ovhd, 120W, clear prismatic window, flushmounted	MIL-F-16377/57	9G5210-00-115-9150	27.0

MIL-HDBK-290(SH)
22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
351	Fluorescent, mirror illum, 30W, clear prismatic window, with duplex receptacle, 24 in long	MIL-F-16377/58	9G6210-00-115-9171	12.0
351.1	Fluorescent, mirror illum, 30W, clear prismatic window, with duplex receptacle, 21 in long	MIL-F-16377/58	9G6210-01-044-5273	11.5
352	Fluorescent, mirror illum, 30W, clear prismatic window, with sw and sgl receptacle, 21 in long	MIL-F-16377/58	9G6210-00-115-9137	11.5
352.1	Fluorescent, mirror illum, 30W, clear prismatic window, with sw and sgl receptable, 24 in long	MIL-F-16377/58	9G6210-01-045-7724	12.0
353	Fluorescent, step light, 8W, clear prismatic lens	MIL-F-16377/59	9G6210-00-115-9187	5.0
353.1	Fluorescent, step light, 8W, red prismatic lens	MIL-F-16377/59		5.0
353.2	Fluorescent, step light, 8W, blue prismatic lens	MIL-F-16377/59		5.0
354	Fluorescent, mirror illum for small boats, 8W, clear prismatic window	MIL-F-16377/71	9G6210-00-024-0128	3.5
355-399	Not yet used			
<u>TERMINAL BOXES</u>				
400.1	Terminal box, conn, sbm 15 ft, 600V, 4 terminal, 8 wire, 3 in metal enclosure	MIL-T-24558/18	9G5940-00-024-0128	1.8
400.2	Terminal box, conn, sbm 15 ft, 600V, 4 terminal, 12 wire, 4 in metal enclosure	MIL-T-24558/18	1H5940-00-231-0831	2.4
400.3	Terminal box, conn, sbm 15 ft, 600V, 4 terminal, 12 wire, 4 in plastic enclosure	MIL-T-24558/18	1H5940-00-869-7082	2.4
400.4	Terminal box, conn, sbm 15 ft, 600V, 4 terminal, 8 wire, 3 in plastic enclosure	MIL-T-24558/18	1H5940-00-869-7092	1.8
401-402	Not yet used			
403.1	Terminal box, conn, sbm 15 ft, 300V, 3 terminal, 6 wire, 75 MCM	MIL-T-24558/23	1H5940-00-215-5960	5.4
404-405	Not yet used			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
406.1	Jct box, 4 in sq X 2-1/8 in deep with cover, flushmounted	W-S-800	9G5975-00-194-8877	0.8
406.2	Jct box, handy, 4 in X 2-1/8 in X 2-1/8 in deep with cover	W-S-800	9G5975-00-281-0056 9G5975-00-284-5827	0.8
406.3	Jct box, octagonal, 4 in X 2-1/8 in deep with cover	W-S-800	9G5975-00-280-7921	0.8
407.1	Resistor box, for lighting system	MS17784	9G5975-00-153-6397	0.7
408	Canceled-obsolete		9G5975-00-153-6775	
409	Not yet used		9G6250-00-335-3382	
410-414	Canceled-obsolete			
415	Terminal box, conn, sbm 15 ft, 500V, two terminal, 4 wire, 75 MCM	MIL-T-24558/22	9G5940-00-216-7406	19.8
415.1	Terminal box, conn, sbm 15 ft, 500V, two terminal, 4 wire, 100 MCM	MIL-T-24558/22	9G5940-00-216-7406	19.8
415.2	Terminal box, conn, sbm 15 ft, 500V, two terminal, 4 wire, 125 MCM	MIL-T-24558/22	9G5940-00-216-7406	19.8
415.3	Terminal box, conn, sbm 15 ft, 500V, two terminal, 4 wire, 150 MCM	MIL-T-24558/22	9G5940-00-216-7406	19.8
415.4	Terminal box, conn, sbm 15 ft, 500V, two terminal, 4 wire, 200 MCM	MIL-T-24558/22	9G5940-00-216-7406	19.8
416	Terminal box, conn, sbm 15 ft, 600V, three terminal, 6 wire, 275 MCM cables	MIL-T-24558/24	1H5940-00-284-9157	8.1
417	Canceled-obsolete			
418.1	Terminal box, conn, sbm 15 ft, 500V, 3 ph, 250 MCM cable	MIL-T-24558/25	1H5940-00-216-7409	33.0
418.2	Terminal box, conn, sbm 15 ft, 500V, 3 ph, 300 MCM cable	MIL-T-24558/25	1H5940-00-216-7409	33.0
418.3	Terminal box, conn, sbm 15 ft, 500V, 3 ph, 400 MCM cable	MIL-T-24558/25	1H5940-00-216-7409	33.0
419-421	Canceled-obsolete			
422-429	Not yet used			
430,431	Canceled-obsolete			
432.1	Terminal box, conn, sbm 15 ft, 600V, 20 terminal, 80 wire	MIL-T-24558/4	9G5940-00-215-5962	6.8

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
433.1	Terminal box, conn, sbm 15 ft, 600V, 40 terminal, 160 wire	MIL-T-24558/6	1H5940-00-215-5963	16.9
434	Terminal box, conn, sbm 15 ft, 600V, 30 terminal, 90 wire	MIL-T-24558/5	1H5940-00-080-3931	5.4
435	Superseded by 435.1			
435.1	Terminal box, conn, sbm 15 ft, 600V, 8 terminal, 32 wire	MIL-T-24558/2	1H5940-00-215-5959	3.25
436-437	Canceled-obsolete			
438	Terminal box, conn, sbm 15 ft, 600V, 80 terminal, 320 wire	MIL-T-24558/10	1H5940-00-351-2228	32.0
439-443	Canceled obsolete			
444	Terminal box, conn, sbm 15 ft, 1000V, 4 terminal, 8 wire	MIL-T-24558/19		3.25
445	Not yet used			
446	Terminal box, conn, sbm 15 ft, 600V, 60 terminal, 240 wire	MIL-T-24558/8	1H5940-00-215-5967	23.6
447-449	Not yet used			
450	Terminal box, conn, sbm 15 ft, 600V, 120 terminal, 480 wire	MIL-T-24558/12	2H5940-00-080-3932	43.6
451	Terminal box, conn, sbm 15 ft, 600V, 192 terminal, 576 wire (tel service)	MIL-T-24558/14	1H5940-00-665-0884	36.9
452	Terminal box, conn, sbm 15 ft, 600V, 200 terminal, 800 wire	MIL-T-24558/15		36.3
453	Terminal box, conn, sbm 15 ft, 600V, 288 terminal, 864 wire (tel service)	MIL-T-24558/16	1H5940-00-665-0885	58.0
454	Terminal box, conn, sbm 15 ft, 600V, 384 terminal, 1152 wire (tel service)	MIL-T-24558/17		40.0
455	Ballast & starter box, wtrtt	MIL-F-16377/47		*
456-466	Not yet used			
467	For maintenance only-see 5.3			
468	Superseded by 467			
469	Superseded by 467			
470,471	Canceled-obsolete			
472	Term box for special cable, 500 MCM, spraytight	S8101-74260		150.0

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
472.1	Term box for special cable, 650 MCM, spraytight	S8101-74260		150.0
473	Term box for special cable, 800 MCM, spraytight	S8101-74261		#
473.1	Term box for special cable, 1300 MCM, spraytight	S8101-74261		#
474	Term box for special cable, 800 MCM, spraytight	S8101-74262		#
475	Canceled-obsolete			
476	Superseded by 476.1			
476.1	Terminal box, conn, sbm 15 ft, 500V, 12 terminal, 24 wire, 23 MCM	MIL-T-24558/21	1H5940-00-296-6714	16.7
477	Superseded by 477.1 and 477.2			
477.1	Connection box, sbm 15 ft, 20 terminal, 6.5-13 kilo cm, for degaussing cables	MIL-C-24404/1		
477.2	Connection box, sbm 15 ft, 20 terminal, 14-60 kilo cm, for degaussing cables	MIL-C-24404/1		
478	Superseded by 478.2 and 478.3			
478.1	Superseded by 478.4			
478.2	Connection box, sbm 15 ft, 40 terminal, 6.5-13 kilo cm, for degaussing cables	MIL-C-24404/2	1H5975-00-384-5794	
478.3	Connection box, sbm 15 ft, 40 terminal, 14-60 kilo cm, for degaussing cables	MIL-C-24404/2		
478.4	Connection box, sbm 15 ft, 10 terminal, 75-200 kilo cm, for degaussing cables	MIL-C-24404/2		
479	Superseded by 479.1 and 479.2			
479.1	Connection box, sbm 15 ft, 60 terminal, 6.5-13 kilo cm, for degaussing cables	MIL-C-24404/3		
479.2	Connection box, sbm 15 ft, 60 terminal, 14-60 kilo cm, for degaussing cables	MIL-C-24404/3		
480	Superseded by 480.3, 480.4			
480.1	Superseded by 480.5			
480.2	Superseded by 480.6			
480.3	Connection box, sbm 15 ft, 80 terminal, 6.5-13 kilo cm, for degaussing cables	MIL-C-24404/4		

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
480.4	Connection box, sbm 15 ft, 80 terminal, 14-60 kilo cm, for degaussing cables	MIL-C-24404/4		
480.5	Connection box, sbm 15 ft, 18 terminal, 75-350 kilo cm, for degaussing cables	MIL-C-24404/4		
480.6	Connection box, sbm 15 ft, 20 terminal, 75-200 kilo cm, for degaussing cables	MIL-C-24404/4		
480.7	Connection box, sbm 15 ft, 12 terminal, 157-413 kilo cm, for degaussing cables	MIL-C-24404/4		
481	Canceled-obsolete			
482	Canceled-obsolete			
483	Canceled-obsolete			
484	Superseded by 490			
485	Superseded by 490			
486-487	Canceled-obsolete			
488	Superseded by 493.2			
489	Canceled-obsolete			
490	Connection box, ship to ship, 800A, 450V	815-1197055	9G5940-00-617-7982	#
491	For maintenance only-see 5.3			
492.1	For maintenance only-see 5.3-Superseded by 492.3		1H5940-00-549-5554	
492.2	For maintenance only-see 5.3-Superseded by 492.4		1H5940-00-549-5554	
492.3	For maintenance only-see 5.3		1H5940-00-761-1669	
492.4	For maintenance only-see 5.3			
493.1	For maintenance only-see 5.3-Superseded by 493.3		1H5940-00-204-6069	
493.2	For maintenance only-see 5.3-Superseded by 493.4			
493.3	For maintenance only-see 5.3			
493.4	For maintenance only-see 5.3		1H5940-00-081-2285	
494	For maintenance only-see 5.3		1H5940-00-081-2285	
495-498	Canceled-obsolete			
499	Superseded by 504			
500	Canceled-obsolete			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
501	Superseded by 777			
502	Canceled-obsolete			
503.1	Superseded by 514			
504	Superseded by 504.1 or 504.2			
504.1	Superseded by 1189			
504.2	Superseded by 1189			
505-508	Canceled-obsolete			
509	For maintenance only-see 5.3		1H5940-00-216-7407	
510	For maintenance only-see 5.3		H5940-00-215-5972	
511	Superseded by 511.1			
511.1	Switch box (relay) 550A, sbm 15 ft, 28.5V dc	S6202-74369	2H6110-00-338-3808	54
<u>TERMINAL BOXES (Continued with symbol 520.1)</u>				
<u>HULL FITTINGS</u>				
512	Cable shearing valve, .475/.545 dia cables	MIL-S-24235/16		*
512.1	Cable shearing valve, .627/.750 dia cables	MIL-S-24235/16	H4820-00-883-5588	*
513	Cable shearing valve, .795/.870 dia cables	MIL-S-24235/16	2H4820-00-445-8703	*
513.1	Cable shearing valve, .995/1.156 dia cables	MIL-S-24235/16	H4820-00-659-6673	*
514	Ballast box, 8W, fluorescent lamp	MIL-F-16377/46	9G6250-00-569-9501	0.75
515	Hull fitting, sgl conn, 4 pin hermetically sealed connector	815-1197180		*
516	Hull fitting, mult cables (2 to 8 receptacle), pp, 2000 psi	MIL-C-24231/11-001	1H5925-00-935-2299	#
516.1	Hull fitting, mult cables (8 - 3-cond receptacle shld cable), pp, 2000 psi	MIL-C-24231/11-002		#
516.2	Hull fitting, mult cables (10 - 3-cond receptacle, shld cable), pp, 2000 psi	MIL-C-24231/11-003		#
517	Hull fitting, sgl cable (3 cond), pp, 2000 psi	MIL-C-24231/5-001	1H5925-00-935-2307	#
517.1	Hull fitting, sgl cable (7 cond), pp, 2000 psi	MIL-C-24231/7-001	1H5935-00-935-2309	8.75
517.2	Hull fitting, sgl cable (14 cond), pp, 2000 psi	MIL-C-24231/10-001	1H5935-00-935-2305	13.7

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
517.3	Hull fitting, sgl cable (24 cond), pp, 2000 psi	MIL-C-24231/10 -002	1H5935-00-925-2303	15.1
517.4	Hull fitting, sgl cable (DSS-3 shld), pp, 2000 psi	MIL-C-24231/6 -001	1H5925-00-935-2300	*
517.5	Hull fitting, sgl cable (7SS-2 shld), pp, 2000 psi	MIL-C-24231/9 -001	1H5935-00-935-2308	*
517.6	Hull fitting, sgl cable (30 cond), pp, 2000 psi	MIL-C-24231/10 -003	1H5935-00-935-2301	*
517.7	Hull fitting, sgl cable (FSS-2 shld), pp, 2000 psi	MIL-C-24231/8 -002	1H5935-00-935-2302	*
517.8	Hull fitting, sgl cable (TSS-4 shld), pp, 2000 psi	MIL-C-24231/8 -001	1H5935-00-935-2306	9.7
517.9	Hull fitting, sgl cable (FSS-4 shld), pp, 2000 psi	MIL-C-24231/8 -003	1H5935-00-935-2304	*
517.11	Hull fitting, sgl cable (4 cond), pp, 2000 psi	MIL-C-24231/5 -003		*
517.12	Hull fitting, sgl cable (RG-264A/U), pp, 2000 psi	MIL-C-24231/9 -003	1H5935-00-935-2298	16.4
517.13	Hull fitting, sgl cable (3 cond), pp, (THOF-9) 2000 psi	MIL-C-24231/24 -001		*
517.14	Hull fitting, sgl cable (40 cond), pp, 2000 psi	MIL-C-24231/10 -004		*
518	Hull fitting, 8 conn for 3 & 8 pin hermetically sealed connectors	815-1197182		*
519	Hull fitting, 16 conn for 3 pin hermetically sealed connector	815-1197183		*
<u>HULL FITTINGS (continued with symbol 531)</u>				
<u>TERMINAL BOXES (continued from symbol 511.1)</u>				
520.1	Terminal box, conn, sbm 15 ft, 600V, 6 terminal, 18 wire	MIL-T-24558/1	1H5940-00-351-2222	1.8
521.1	Superseded by 434			

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
522	Superseded by 522.1			
522.1	Terminal box, conn, sbm 15 ft, 600V, 48 terminal, 144 wire	MIL-T-24558/7	1H5940-00-351-2226	16.4
523	Superseded by 523.1			
523.1	Terminal box, conn, sbm 15 ft, 600V, 96 terminal, 288 wire	MIL-T-24558/11	1H5940-00-351-2227	24.3
524	Superseded by 524.1			
524.1	Terminal box, conn, sbm 15 ft, 600V, 144 terminal, 432 wire	MIL-T-24558/13	1H5940-00-351-2229	33.5
525	Terminal box, conn, sbm 15 ft, 600V, 72 terminal, 216 wire	MIL-T-24558/9	1H5940-00-351-2225	16.5
526-527	Canceled-obsolete			
528	Terminal box, conn, sbm 15 ft, 600V, 10 terminal, 30 wire	MIL-T-24558/3	1H5940-00-351-2223	2.5
529	Terminal box, conn, sbm 15 ft, 1000V, 10 terminal, 20 wire	MIL-T-24558/20	1H5940-00-503-4204	6.8
530	Superseded by 444			
<u>TERMINAL BOXES</u> (continued with symbol 572.1)				
<u>HULL FITTINGS</u> (continued from symbol 519)				
531	Hull fitting, sgl for 19 pin hermetically sealed conn	815-1197185		*
532	Hull fitting, sgl for 3,4,5 & 8 pin hermetically sealed conn	815-1197193		*
533	Hull fitting, sgl for 19 pin hermetically sealed conn	815-1197194		*
534	Hull fitting, sgl for 37 pin hermetically sealed conn	815-1197195		*
535	Hull fitting, sgl for 68 pin hermetically sealed conn	815-1197196		*
536	Hull fitting, for 8 - 3 pin hermetically sealed conn	815-1197301		*

MIL-HDBK-290(SH)

22 August 1986

Sym. No.	Item	Std Dwg & Spec	National Stock No.	Wt
537	Hull fitting, for 16 - 3 pin hermetically sealed conn	815-1197302		*
538	Hull fitting, for AN/BQ-1 sonar	815-1197218		*
539	Hull fitting, for RG-57 A/U cable (used in ulcer circuits)	815-1197307		*
<u>HULL FITTINGS (continued with symbol 1900)</u>				
<u>FEEDER DISTRIBUTION BOXES</u>				
540	125/250V dc, 0-30A fuses, 3 ph 75-200 MCM, 2 wire branch, nwt	MIL-F-24646/3	9N5920-00-178-1609	22.0
541	4 ckt, 125/250V dc, 0-30A fuses, 3 wire bus 200 MCM, nwt	MIL-F-24646/3	9N5920-00-153-5788	25.4
542	125/250V dc, 0-30A fuses, 3 wire bus 200 MCM, 2 wire branch	MIL-F-24646/3	9N5920-00-153-5789	33
543	2 ckt, 450V, 0-30A fuses, 3 ph bus, nwt	4875-L	9N5920-00-178-1624	22
544	450V, 0-30A fuses, 3 ph bus, 3 ph branches	4876-L	9N5920-00-178-1625	23
545	6 ckt, 450V, 0-30A fuses, 3 ph bus, nwt	4877-L	9N5920-00-178-1626	29
546	2 ckt, 450V, 31-60A fuses, 3 ph bus, 200 MCM, nwt	S6202-73215	9N5920-00-178-1613	27
547	450V, 31-60A fuses, 3 ph bus, 200 MCM, 43 ph branches nwt	S6202-73216	9N5920-00-178-1614	41
548-554	Not yet used			
555.1	2 ckt, sbm, 250V, 0-30A fuses	S6202-74165	9N5920-00-296-4736	*
556.1	4 ckt, sbm, 250V, 0-30A fuses	S6202-74166	9N5920-00-284-8327	*
557.1	6 ckt, sbm, 250V, 0-30A fuses	S6202-74167	9N5920-00-296-3357	24
558.1	8 ckt, sbm, 250V, 0-30A fuses, single pole	S6202-74168	9N5920-00-892-9315	35.0
559.1	12 ckt, sbm, 250V, 0-30A fuses, single pole	S6202-74169	9N5920-00-024-0126	*
560.1	2 ckt, sbm, 250V, 0-30A fuses, 3 ph	S6202-74171	9N5920-00-296-3869	*
561.1	Sbm, 250V, 0-30A fuses, 43 ph branches	S6202-74172	1H5920-00-028-3963	*
562.1	6 ckt, sbm, 250V, 0-30A fuses, 3 ph bus, 75 MCM, 63 ph branches	S6202-74173		48.0

MIL-HDBK-290(SH)
22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
563.1	2 ckt, sbm, 250V, 0-30A fuses, 3 ph bus, 75-200 MCM, 3 ph branch, 40 MCM	S6202-74170	9N5920-00-296-4775	*
564-567	Canceled-obsolete			
568.1	4 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, sgl ph branch, 40 MCM	S6202-74174	9N5920-00-296-3870	*
569.1	3 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, 3 ph branch, 40 MCM	S6202-74178	9N5920-00-355-4733	45.0
570.1	4 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, 3 ph branch, 23 MCM	S6202-74179	9N5920-00-355-4735	62.0
571.1	3 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, 3 ph branch, 23 MCM	S6202-74180	9N5920-00-355-4736	81.0

FEEDER DISTRIBUTION BOXES (continued with symbol 578.1)TERMINAL BOXES (continued from symbol 530)

572.1	Terminal box, conn, sbm 15 ft, 500V, 2 ckt, 3 ph bus, 75 MCM, branch 40 MCM	MIL-T-24558/26	1H5940-00-215-5965	29.9
573.1	Terminal box, conn, sbm 15 ft, 500V, 4 ckt, 3 ph bus, 75 MCM, branch 40 MCM	MIL-T-24558/27	1H5940-00-284-9141	31.0
574.1	Terminal box, conn, sbm 15 ft, 500V, 6 ckt, 3 ph bus, 75 MCM, branch 40 MCM	MIL-T-24588/28	1H5940-00-215-5969	36.8
575.1	Terminal box, conn, sbm 15 ft, 500V, 2ckt, 3 ph bus, 200 MCM, branch 75 MCM	MIL-T-24558/29	1H5940-00-215-5966	31.0
576.1	Terminal box, conn, sbm 15 ft, 500V, 4 ckt, 3 ph bus, 150 MCM to 400 MCM	MIL-T-24558/30	1H5940-00-215-5970	81.4
577.1	Terminal box, conn, 4 ckt, sbm 15 ft, 500V, 3 ph bus, 150 MCM to 250 MCM	MIL-T-24558/30	1H5940-00-215-5970	81.4

FEEDER DISTRIBUTION BOXES (continued from symbol 571.1)

578.1	Term box, sbm, fdr distr, aircraft btry charging 600A, 28.5V dc	815-74473	1H5940-00-179-2013	*
579	Panel, elec, sbm 15 ft, 125V ac, AQB-A50	MIL-P-23928/9	9N5925-00-571-0415	18.1
580-599	Not yet used			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>DISTRIBUTION BOXES</u>				
600	4 ckt, te, dp, w/o sw, midget fuses, 125V, nwt, sgl fdr bus, 75 MCM, branch, 14 MCM	5348-L		20
601	8 ckt, te, dp, w/o sw, midget fuses, 125V, nwt, sgl fdr bus, 75 MCM, branch, 14 MCM	5349-L	9N5920-00-178-1606	22
602	4 ckt, te, dp, with sw, midget fuses, 125V, nwt, sgl fdr bus, 14 MCM, branch, 4 MCM	5459-L	2H6110-00-152-0266	19
603	8 ckt, dp, with sw, 125V, sgl fdr nwt	5460-L	9G6110-00-152-0268	22-26
604	4 ckt, dp, with sw, midget fuses, 125V, sgl fdr nwt	5459-L	1H6110-00-152-0246	19
605	8 ckt, dp, with sw, 125V, dbl fdr nwt	5460-L	1H6110-00-152-0267	22-26
606	12 ckt, dp, with sw, 125V, dbl fdr nwt	5461-L	1H6110-00-152-0269	29
607	Canceled-obsolete			
608	Superseded by 603			
609	4 ckt, w/o sw, midget fuses, 125/250V dc, 3 wire bus, 2 wire branch, nwt	S6202-73160	9N5920-00-178-1615	19.0
610	8 ckt, w/o sw, midget fuses, 125/250V dc, 3 wire bus, 2 wire branch, nwt	S6202-73162	9N5920-00-178-1616	19
611	12 ckt, w/o sw, midget fuses, 125/250V dc, 3 wire bus, 2 wire branch, nwt	S6202-73163	9N5920-00-178-1617	29
612.1	Fuse box (distr), 4 ckt, te, w/o sw, midget fuses, 125V, 3 ph, sgl fdr bus, 60 MCM, sgl ph branch, 14 MCM, nmag	S6202-74440	9N5920-00-642-9908	10.0
613	8 ckt, te, w/o sw, midget fuses, 125V, 3 ph bus, 75 MCM, sgl ph branch, 14 MCM	5214-L		25
613.1	8 ckt, te, w/o sw, midget fuses, 125V, 3 ph bus, 75 MCM, sgl ph branch, 14 MCM, nmag	5214-L	9N5920-00-845-1475	25
614	12 ckt, with sw, 225V, 3 ph sgl fdr	4755-L	1H5920-00-178-1619	18
615	4 ckt, with sw, 125V, 3 ph sgl fdr, nwt	4759-L	9G6110-00-778-8964	15
616	8 ckt, with sw, 3 ph, nwt	5196-L	1H6110-00-152-0286	28
617	Panel, power distr, 12 ckt, te, with sw, 125V, 3 ph sgl fdr	4761-L	1H6110-00-152-0285	30
618	12 ckt, dp, with sw, 125V, sgl fdr, nwt	5461-L	Not stocked	29
619	Canceled-obsolete			
620	For maintenance only-see 5.3		9N5920-00-033-6603	

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
621	Cabinet type, 1000V dc, sub, 4 ckt, 2 wire, dp, 0-30A fuses	S6202-73973	9N5920-00-295-8792	23.2
622	For maintenance only-see 5.3		9N5920-00-296-4774	
623	For maintenance only-see 5.3		9N5920-00-296-6117	*
624	Panel, distr, 1000V, dp, 4 ckt, 31-100A fused branch	S6202-74479		
625	Panel, 1000V, dp, type 63A, two 101-200A, fused branches	815-74480		48
626	Fdr distr box, 500V dc, w/o sw, dbl fdr, 4-30A, 2-60A, fused branches, nwt	815-74462		25.0
627	Fdr distr box, 500V dc, w/o sw, dbl fdr, 4-60A, fused branches, nwt	815-74463		22.0
628-634	Not yet used			
635.1	4 ckt, sbm, w/o sw, 125V, sgl fdr	S6202-74200	9N5920-00-280-4012	24
636-641	Canceled-obsolete			
642	Superseded by 602			
643	Superseded by 603			*
644	4 ckt, sbm, dp, with sw, midget fuses, 125V, interlocking cover	S6202-74195		*
645	4 ckt, sbm, dp, with sw, midget fuses, 125V, sgl fdr	S6202-74196		*
645.1	4 ckt, sbm, dp, with sw, midget fuses, 125V, sgl fdr	S6202-74196		*
646.1	4 ckt, sbm, w/o sw, 125V, 3 ph, sgl fdr	S6202-74199	9N5920-00-296-7015	*
647.1	8 ckt, sbm, w/o sw, 125V, 3 ph, sgl fdr	S6202-74202	9N5920-00-355-4734	33
648	4 ckt, with sw, midget fuses, 125V, 3 ph, sgl fdr, interlocking fuse cover, sbm	S6202-74198		*
649.1	4 ckt, sbm, 125V, 3 ph, sgl fdr	S6202-74197	1H6110-00-174-1653	*
650.1	8 ckt, sbm, with sw, 125V, 3 ph, sgl fdr	S6202-74201	2H6110-00-174-1657	34
651	6 ckt, with sw, 450V, sgl fdr, 3 ph, dp branch, interlock fuse cover	S6202-74203	2H6110-00-068-4518	31
652	Not yet used			
653	12 ckt, dp, w/o sw, 125V	5306-L		25.0
654	5 ckt, nwt, dp, w/o sw, 125V	5305-L		15.0
655-669	Not yet used			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>FUSE BOXES (BRANCH JUNCTION)</u>				
670	Superseded by 674.1-For maintenance only -see reference number.			
671.1	Midget fuses, sbm, 2 ckt, cylindrical	S6202-74028	9N5920-00-355-4729	4
672	Canceled-obsolete			
673	Two 0-30A, 1000V, fuses, sbm (fdr jct box)	S6202-74475	9N5920-00-642-9907	6
674	For maintenance only-see 5.3			
674.1	For maintenance only-see 5.3			
674.2	For maintenance only-see 5.3			
675	Not yet used			
676	For maintenance only-see 5.3			
677	Jct box, 4 receptacle, sbm 4000 ft	815-1197383		*
678,679	Not yet used			
<u>FUSE BOXES (FEEDER JUNCTION)</u>				
680	0-30A fuses, 250V, 3 ph bus,	4688-L	9N5920-00-178-1688	19.0
681.1	75-200 MCM, sgl ph branch, te Nwt, 31-60A fuses, 250V, 3 ph bus, 4-75 MCM, 3 ph branch	4740-L	9N5920-00-024-0127	10
682-684	Not yet used			
685.1	1 ckt, sbm, dp, twin cond fdr, 0-30A fuses, 250V, bus, 75 MCM, branch, 40 MCM	S6202-74183	9N5920-00-284-7122	10.0
686.1	1 ckt, sbm, dp, twin cond fdr, 31-60A fuses, 250V, bus, 75 MCM, branch, 40 MCM	S6202-74185		*
687.1	1 ckt, sbm, sgl cond fdr, 0-30A fuses, 250V, dp bus, 250 MCM, branch, 14 MCM	S6202-74184		*
688.1	1 ckt, sbm, sgl cond fdr, 31-60A fuses, 250V, dp bus, 250 MCM, branch, 40 MCM	S6202-74186	9N5920-00-296-6118	*
689.1	1 ckt, sbm, sgl cond fdr, 60-100A fuses, 250V, dp bus, 400 MCM, branch, 75 MCM	S6202-74187		36.0
690.1	1 ckt, sbm, sgl cond fdr, 100-200A fuses, 250V, dp bus, 400 MCM, branch, 150 MCM	S6202-74188	1H5920-00-178-1677	*
691.1	1 ckt, sbm, 0-30A fuses, 250V, 3 ph bus, 75 MCM, 3 ph branch, 40 MCM	S6202-74189	9N5920-00-296-6119	*

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
692.1	1 ckt, sbm, 31-60A fuses, 250V, 3 ph bus, 200 MCM, 3 ph branch, 40 MCM	S6202-74190	9N5920-00-296-6120	*
693.1	1 ckt, sbm, 0-30A fuses, 500V, 3 ph bus, 75 MCM, 3 ph branch, 14 MCM	S6202-74191	9N5920-00-355-4732	29.0
694,695	Canceled-obsolete			
696	Not yet used			
697	For maintenance only-see 5.3			
698,699	Not yet used		9N5920-00-285-0466	
<u>CONNECTORS, PLUGS AND RECEPTACLES</u>				
700	Canceled-obsolete			
701	Superseded by 701.1			
701.1	Superseded by 720.1			
702	For maintenance only-see 5.3			
703	For maintenance only-see 5.3		9N5935-00-241-2532 1H5935-00-243-1283 9N5935-00-241-2533 1H5935-00-243-1283	
704,705	Canceled-obsolete			
706	Superseded by 706.1			
706.1	Receptacle, plug, conn, 10A, 125V, 3 ph, gnd wtrtt	MIL-R-2726/68	9N5935-00-195-8920 9N5935-00-234-4872	1.3

MIL-HDBK-290(SH)
22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
707	Superseded by 707.1-707 for maintenance only- see Appx B			
707.1	For maintenance only-see 5.3		1H5935-00-242-0026	
708	For maintenance only-see 5.3		9N5935-00-243-1285	
709	For maintenance only-see 5.3		9N5935-00-241-2530	
710	For maintenance only-see 5.3		9N5935-00-243-1285	
711	Superseded by 728		1H5935-00-241-2537	
712	Canceled-obsolete		9N5935-00-234-4873	
713	Molded plug kit, 300V-6A, 125V-10A, sbm 4000 ft (3 cond)	MIL-C-24231/1	1H5935-00-705-1666	*
713(50)	Cable assy, 125V, 10A, sbm 4000 ft, 3 cond, TSS-4 cable, 50 ft length	MIL-C-24231/1	9G6150-00-681-8379	*
713(100)	Cable assy, 125V, 10A, sbm 4000 ft, 3 cond, TSS-4 cable, 100 ft length	MIL-C-24231/1	9G6150-00-681-8380	*
713.1	Molded plug kit, 300V-6A, 125V-10A, sbm 4000 ft (7 cond)	MIL-C-24231/3	1H5935-00-706-9360	16.0
713.1(90)	Cable assy, 125V-10A, sbm 4000 ft (7 cond) FSS-2 cable	MIL-C-24231/3	1H5995-00-070-9489	13.5
713.1(100)	Cable assy, 125V-10A, sbm 4000 ft (7 cond) 2 SW-3 cable	MIL-C-24231/3	1H5995-00-070-9512	*
713.2	Molded plug kit, 300V-6A, 125V-10A, sbm 4000 ft (14 cond)	MIL-C-24231/4	1H5935-00-705-1665	*
713.3	Molded plug kit, 300V-6A, 125V-10A, sbm 4000 ft (24 cond)	MIL-C-24231/4	1H5935-00-064-2036	*
713.4	Molded plug kit, 300V-6A, 125V-10A, sbm 4000 ft (30 cond)	MIL-C-24231/4	1H5935-00-064-2038	*
713.5	Molded plug kit, 300V-6A, 125V-10A, sbm 4000 ft (3 cond) (90°)	MIL-C-24231/2		
713.6	Molded plug kit, 300V-6A, 125V-10A, sbm 4000 ft (4 cond)	MIL-C-24231/1		*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
713.7	Molded plug kit, 300V-6A, 125V-10A, sbm 4000 ft (9 cond)	MIL-C-24231/3-002	1H5935-00-064-2037	*
713.8	Molded plug kit, 300V-6A, 125V-10A, sbm 4000 ft (4 cond) (90°)	MIL-C-24231/2-002		*
713.9	Molded plug kit, 300V-6A, 125V-10A, sbm 4000 ft (3 #12 cond)	MIL-C-24231/23-001		*
713.10	Molded plug, 300V-6A, 12V-10A, sbm 4000 ft (40 cond)	MIL-C-24231/4		
713.11	Epoxy splice kit, for DSS-3 cable & plug assy repair	803-1197255	1H5995-00-657-6313	
714	Canceled-obsolete			
715	Superseded by 715.1			
715.1	Receptacle, plug, 2 pin, 40A, 125V dc, wtrtt	MIL-R-2726/1	9N5935-00-170-3061	0.5
716	Superseded by 716.1			
716.1	Receptacle, plug, 3 pin, gnd, 50A, 250V dc, wtrtt	MIL-R-2726/2	1H5935-00-852-4199	0.5
717	Superseded by 717.1			
717.1	Receptacle, plug, 4 pin, gnd, 40A, 450V ac, 60 Hz, wtrtt	MIL-R-2726/3	9N5935-00-935-2235	0.5
718	Superseded by 718.1			
718.1	Receptacle, plug, 12 pin, 5A, 125V dc, wtrtt	MIL-R-2726/4		0.5
720	Superseded by 720.3			
720.1	Superseded by 720.3			
720.2	Superseded by 720.3			
720.3	Receptacle, plug, 15A, 125/250V, 2 pole, gnd, wtrtt	MIL-R-2726/50	5935-00-325-0469	*
721	Superseded by 721.1			
721.1	For maintenance only-see 5.3			
722	Superseded by 722.1			
722.1	For maintenance only-see 5.3			
723	Plug and receptacle for announcing eqpt		9N5935-00-224-5348	
724	Receptacle for announcing eqpt	S6502-74117	1H5935-00-507-4883	
725	Plug for announcing eqpt	S6502-74117	Not Stocked	
726	Superseded by 726.1			
726.1	For maintenance only-see 5.3	S6502-74117	9N5935-00-258-3541	
727	Superseded by 727.1			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
727.1	Receptacle, plug, 10A, 125V, sgl pole, male (black)	MIL-P-2726/30	9N5935-00-197-4948	0.3
727.2	Receptacle, plug, 10A, 125V, sgl pole, male (red)			
728	Superseded by 728.1			
728.1	Receptacle, plug, 4 pin, 60A, 208/117V, 400 Hz, 3 ph, sbm, 15 ft (aircraft servicing)	MIL-R-2726/26	1H5935-00-195-8916	6.0
729	Superseded by 729.1			
729.1	Receptacle, plug, 10A, 125V, dp, male	MIL-P-2726/31	1H5935-00-375-5640	0.3
730	Not yet used			
730.1	Receptacle, te, 15A, 125V, 60 Hz, bladed type, gnd	MIL-R-2726/66	9G5975-00-284-5827 9G5975-00-188-1164	1.0 1.0
730.4	Receptacle, channel, 10A, 25V, bladed type, gnd	MIL-R-2726/40		*
731.1	Battery charging outlet box, sbm 15 ft, sgl ckt, 40A, nmag	S6202-74428	1H5935-00-336-5866	2.0
732	Battery charging outlet box, nwt, 3 ckt, 40A	S6202-73030	1H5935-00-241-2347	9.5
733.1	Battery charging outlet box, sbm, 2 ckt, 40A	S6202-74313	1H5935-00-033-6508	4.3
734	Canceled-obsolete			
735.1	Superseded by 735.3			
735.2	Receptacle, sgl, wtrtt, 15A, 500V, to ground, sgl ph, ungnd, nmag	S6202-74026	1H5935-00-518-9131	*
735.3	Receptacle, enclosed, 15A, 125V, 2 pole, gnd, wtrtt	MIL-R-2726/47	9N5935-00-280-2390	2.4
736	Canceled-obsolete			
737	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (3 cond)	MIL-C-24231/12 -001	1H5935-00-494-5854	16.1
737.1	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (7 cond)	MIL-C-24231/13 -001	9N5935-00-752-3102	*
737.2	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (14 cond)	MIL-C-24231/14 -001	9N5935-00-752-3103	*

MIL-HDBK-290(SH)
22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
737.3	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (24 cond)	MIL-C-24231/14 -002	1H5935-00-705-9327	*
737.4	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (2 cond shld)	MIL-C-24231/12 -002	1H5935-00-705-9321	
737.5	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (30 cond)	MIL-C-24231/14 -003	1H5935-00-705-9326	
737.6	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft 7 cond continuation of 7SS-2	MIL-C-24231/13 -002		
737.7	Receptacle, 300V, 5A, 125V-10A, sbm 4000 ft (4 cond)	MIL-C-24231/12 -003		
737.8	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (40 cond)	MIL-C-24231/14 -004		
737.9	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (7 cond) for FSS-2 cable	MIL-C-24231/13 -003		
738	Superseded by 738.1			
738.1	Superseded by 1189			
738.2	Superseded by 1189.1			
739,740	Canceled-obsolete			
741.1	Superseded by 741.2			
741.2	Receptacle, enclosed, 10A, 125V, 3 ph, gnd, wrttt	MIL-R-2726/67	1H5935-00-025-6386	3.3
742.1	Superseded by 1148			
743.1	Canceled-obsolete			
744.1	Superseded by 1147			
745	Canceled-obsolete			
746	Superseded by 746.2			
746.1	Receptacle, sgl, wrttt, 50A, 500V, 2 pole, gnd	5427-L	Not Stocked	12.6
746.2	Receptacle, enclosed, 60A, 500V, 3 ph, gnd, sbm 15 ft	MIL-R-2726/42	1H5935-00-578-2759	12.6
747	Canceled-obsolete			
748.1	Superseded by 735.1			
749	Canceled-obsolete			
750.1	Superseded by 779			
751.1	Superseded by 1099			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
752	Receptacle & plug, portable, 10A, 125V, dp, spraytight, gnd	S6202-73448	9G6150-00-220-9382	5.3
753	Canceled-obsolete			
754.1	Superseded by 754.2			
754.2	Panel, receptacle, for test bench	MIL-C-22438/1	1H6110-00-889-0990	6.3
755.2	Superseded by 755.3			
755.3	Panel, receptacle, enclosed (test bench), 8 outlet	MIL-C-22438/2	9N5935-00-091-9436	19.0
756	Superseded by 756.1, 756.2			
756.1	Receptacle, 2 pin, 40A, 125V dc, wtrtt (metal shell)	MIL-R-2726/7	1H5935-00-851-6742	0.4
756.2	Receptacle, 2 pin, 40A, 125V dc, wtrtt (plastic shell)	MIL-R-2726/7		*
757	Superseded by 757.1, 757.2			
757.1	Receptacle, 3 pin, gnd, 50A, 250V dc, wtrtt (metal shell)	MIL-R-2726/8	1H5935-00-851-6741	0.4
757.2	Receptacle, 3 pin, gnd, 50A, 250V dc, wtrtt (plastic shell)	MIL-R-2726/8		*
758	Superseded by 758.1, 758.2			
758.1	Receptacle, 4 pin, gnd, 40A, 450V ac, wtrtt (metal shell)	MIL-R-2726/9	1H5935-00-851-6743	0.6
758.2	Receptacle, 4 pin, gnd, 40A, 450V ac, wtrtt (plastic shell)	MIL-R-2726/9		*
759	Superseded by 759.1			
759.1	Receptacle, 12 pin, 5A, 125V dc, wtrtt	MIL-R-2726/10		0.4
760	Superseded by 746.1			
761	Superseded by 761.1			
761.1	Cable, 400A ac, 450V, 3 ph	815-1197074	1H5935-00-840-6715	620/920
762	Cable, 500A, 500V, dual voltage	815-1197056		460/680
762.1	Assy, 500A, 250V, dual voltage	815-1197056		460/680
763	Canceled-obsolete			
764.1	For maintenance only-see 5.3			
764.2	For maintenance only-see 5.3			
765	Superseded by 765.2-765 for maintenance only-see 5.3		1H5935-00-500-5258	

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
765.1	Superseded by 765.3			
765.2	Superseded by 765.4			
765.3	Receptacle, outlet, tpl, portable, 60A, 500V, 3 ph, gnd, sbm 15 ft (for floating drydock use)	MIL-R-2726/44		43.8
765.4	Superseded by 765.5			
765.5	Superseded by 765.6			
765.6	Receptacle, outlet, tpl, 40A, 450V ac, 60 Hz, 4 pole, portable, plastic, gnd (for sbm pumps and hoists)	MIL-R-2726/49	9G6150-00-087-0815	34.0
765.7	For maintenance only-see 5.3			
765.8	Same as 765.6 except adaptable to casualty pwr using MIL-T-24552 eqpt	MIL-R-2726/49		
766-769	Canceled-obsolete			
770.1	Superseded by 770.2			
770.2	Receptacle, outlet, welding, 200A dc, constant potential, sbm 15 ft	MIL-R-2726/22	1H5935-00-331-0091	*
771	Conn repair kit for fabricated plugs			#
771.1	Conn repair kit for fabricated plugs	S6202-74408	905180-00-508-1589	#
772	Superseded by 772.1	S6202-74408	905180-00-630-8553	#
772.1	Receptacle, outlet sw, 100A-125V, 60A-250V, interlocking, gnd, nwt (for sbm pump and port welders)	MIL-R-2726/45		#
773	For maintenance only-see 5.3			
774	For maintenance only-see 5.3			
775	Superseded by 775.1			
775.1	Receptacle, 10A, 125V, sgl pole, pnl mtd (black)	MIL-R-2726/32	9N5935-00-188-5837	0.1
775.2	Receptacle, 10A, 125V, sgl pole, pnl mtd (red)	MIL-R-2726/32	9N5935-00-280-2391	0.1
776	Superseded by 776.1			
776.1	Receptacle w/sw, 60A, 208/117V, 3 ph, interlocking, gnd, sbm 15 ft (aircraft servicing)	MIL-R-2726/27	9N5935-00-578-2760	12.6
777	For maintenance only-see 5.3		1H5935-00-521-8932	

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
778	Canceled-obsolete			
779	Receptacle, outlet, tpl, portable, 15A, 125V ac, dp, gnd, 25 ft extension	MIL-R-2726/69	1H6150-00-449-1189	#
<u>CONNECTORS, PLUGS AND RECEPTACLES (continued with symbol number 1091)</u>				
<u>SWITCHES</u>				
780.1	Superseded by 780.5			
780.2	Switch, toggle DPST, 10A ac, 125V, wtrtt, nmag	S6202-74427	9N5930-00-522-1425	1
780.3	Canceled-obsolete			
780.4	Switch, toggle, DPDT, 10A ac, 125V, wtrtt, nmag	S6202-74427	9N5930-00-522-5646	1
780.5	Switch, toggle, DPST, 15A, 125V, te	803-5184170	9N5930-00-643-9424	1.4
780.6	Switch, toggle, DPST, 10A ac, 125V, nmag, te	S6202-74427		1
781,782	Canceled-obsolete			
783	Not yet used			
784	Switch, push button, sbm 2000 ft	S6202-73896		#
785	Switch, push, sbm, norm, open, 2 garg	815-1197027	9N5930-00-690-3960	2.5
786,787	Not yet used			
788	Switch, push, 15A ac, 1A dc, 120V, te, norm open or norm closed	815-1853053	9N5930-00-687-1095	#
789	Switch, push, 15A ac, 1A dc, 120V, wtrtt, norm open or norm closed	815-1853053	9N5930-00-687-1096	#
790.1	Switch, door operated, interlocking, 125V, 10A dc, 25A ac, sbm, 3 ckt	S6202-74303	9N5930-00-309-0816	#
791.1	Switch, door operated, interlocking, ckt, 120V, 10A dc, 25A ac, sbm	S6202-74304	9N5930-00-258-5657	#
792	Switch, door operated, 1 ckt, normally open or normally closed, 5A, 125V, sbm	S6202-74052	9N5930-00-259-8890	3
793-798	Not yet used			
799	Switch, foot operated, 10A, 125V ac	S6202-73782	9N5930-00-033-5564	1
800	Canceled-obsolete			
801.1	Switch, rotary, snap action, sbm 15 ft, 10A, 125V ac, DPST, flushmounted	MIL-S-15743/1	9N5930-00-296-4527	1.9

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
802,803 804.1	Canceled-obsolete Switch, rotary, snap-on-off, 10A, 125V, 3PST, sbm, type 1SR3A4-2	MIL-S-15743/3	9N5930-00-296-5290	2.2
805.1	Switch, rotary, snap-on-off, 10A, 125V, 4PST, sbm, type 1SR4A4-2	MIL-S-15743/4	9N5930-00-259-7368	2.5
806-808 809 810 811,812 813 814	Canceled-obsolete Superseded by 2638.1 Superseded by 2638.1 Canceled-obsolete Not yet used			
	Switch, rotary, snap, flushmounted, 10A, 120V ac, splashproof, on-off-on-off, type 2, 1SR2A4-4	MIL-S-15743/7	9N5930-00-049-9765	2.5
815	Switch, rotary, 60A, 115V ac, motor starting for sbm pumps	S6202-73692	2H6110-00-578-6789	29.0
816	Switch, rotary, 30A, 230V dc, motor starting for sbm pumps	S6202-73692	2H6110-00-803-4472	29.0
817 817.1	Superseded by 817.1 Switch, motor starting, rotary, wrtst, 30A, 500V ac, snap action	MIL-S-15743/15	1H6110-00-889-0611	*
818-824 825-826 827.1	Not yet used Canceled-obsolete Switch, rotary, snap, transfer, 10A, 125V, 2 ckt, special series parallel, sbm, type 1SPSS4-2			3.0
828 829.1	Canceled-obsolete Switch, rotary, snap, transfer, 10A, 125V DPDT, small boats, sbm, type 1SR2C4A-2	MIL-S-15743/3	9N5930-00-258-5501	2.2
830-836 837 838.1	Canceled-obsolete Not yet used Switch, rotary, snap, 30A, 450V ac/250V dc, type 3SR2C4A-2			2.0
839.1	Switch, rotary, snap, 30A, 450V ac/250V dc, type 3SR4C4-2	MIL-S-15743/9	1H5930-00-296-4309	2.0

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
840.1	Switch, rotary, snap, 30A, 450V ac/250V dc, type 3SR2C4-2	MIL-S-15743/8	9N5930-00-258-5461	2.0
841-843	Canceled-obsolete			
844	Superseded by 849			
845	Superseded by 853			
846	Superseded by 854			
847	Canceled-obsolete			
848.1	Switch, rotary, snap, 30A, 450V ac/250V dc, type 3SR3B4-2	MIL-S-15743/9	1H5930-00-296-4310	2.0
849	Switch, rotary, snap, transfer, 30A, 125V ac, 3PDT w/indicator light, wrttt	MIL-S-15743/13	9N5930-00-296-9389	*
850.1	Switch, rotary, snap, transfer, 10A, 125V, 3PDT, sbm, type 1SR3B4-2	MIL-S-15743/5	9N5930-00-296-5287	2.9
851	Switch, rotary, snap, 30A, 450V ac/250V dc, type 3SR3A4-2	MIL-S-15743/8	9N5930-00-296-7318	2.0
852	Switch, rotary, snap, 30A, 450V ac/250V dc, type 3SR4B4-2	MIL-S-15743/10	1H5930-00-296-4311	2.0
853	Switch, rotary, snap, transfer, 60A, 500V ac, 3PDT w/indicator light, wrttt	MIL-S-15743/14	1H5930-00-259-7362	32.0
854	Switch, rotary, snap transfer, 60A 125V ac, 3PDT w/indicator light, wrttt	MIL-S-15743/14	1H5930-00-259-7361	32.0
855	Superseded by 2571 and 2511			
856	Superseded by 2512			
857	Switch, rotary, snap, 10A, 120V ac, 3PDT, sbm, type 1SR3C4-2	MIL-S-15743/4	1H5930-00-296-9828	2.9
858	Switch, rotary, snap, 10A, 120V ac, DP3T, splashproof, flushmounted, small boats, type 1SR2F4-2a	MIL-S-15743/2	1H5930-00-259-7152	*
859	Switch, pushbutton, 2 gang, spraytight, flushmounted, small boats	S6202-74294	1H5930-00-216-7404	*
860	Switch, pushbutton, SPST, splashproof, for horns, momentary normally open	S6202-73888	9N5930-00-296-9298	1.3
861	Switch box, explosionproof (ep) for ep ventilating fan	815-1197047	1H5930-00-306-0182	*

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
862	Switch, rotary, snap, 10A, 125V, 3P3T, sbm, type 1SR3F4-2	MIL-S-15743/6		*
863	Switch, rotary, snap, 10A, 125V, 4PDT, sbm, type 1SR4B4-2	MIL-S-15743/5	9N5930-00-688-4045	*
864	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 3-5	815-1197026		*
865	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 5-5	815-1197026		
866	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 10-5	815-1197026		
867	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL3-5	815-1197026		*
868	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL5-5	815-1197026		*
869	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL10-5	815-1197026		*
870	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL3-5	815-1197026	9N5930-00-948-6677	*
871	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL5-5	815-1197026		*
872	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL10-5	815-1197026		*
873-874	Not yet used			
875-878	Canceled-obsolete			
879.1	Switch, rotary, snap, 10A, 125V, DP3T, ignition and blower, small boats	MIL-S-15743/3	9N5930-00-258-5502	2.6
880, 881	Canceled-obsolete			
882-888	For maintenance only-see 5.3			
889	For maintenance only-see 5.3			
890-892	For maintenance only-see 5.3			
893-899	Not yet used		1H5925-00-173-9912	
<u>SWITCHES (continued with symbol number 2170)</u>				
893	Disconnect switch, NQB-A101, 500V ac, te	MIL-P-23928/3		
894	Disconnect switch, NQB-A250, 500V ac, te	MIL-P-23928/6		
895	Disconnect switch, AQB-A101 or NQB-A101, te	MIL-P-23928/3		

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>SWITCHES (continued with symbol number 2170)</u>				
896	Disconnect panel, AQB-A101/100 with 500V ac shunt trip, te	MIL-P-23928/3	7310-00-832-5769	
<u>SWITCHES AND RECEPTACLES</u>				
900	Superseded by 900.1			
900.1	Receptacle w/sw, interlocking, 15A, 125V, gnd, wtrtt	MIL-R-2726/48	9N5999-00-935-2312	3.3
901,902	Canceled-obsolete			
903.1	Superseded by 916			
904	Canceled-obsolete			
905.1	Canceled-obsolete			
906.1	Superseded by 917			
907	Canceled-obsolete			
908.1	Superseded by 915-For maintenance only-see 5.3			
909-911	Canceled-obsolete		1H5999-00-025-6388	
912	Superseded by 900			
913	Use 776.1-For maintenance only-see 5.3			
914	For maintenance only-see 5.3			
915	Superseded by 915.1			
915.1	Receptacle w/sw, 30A, 3 ph, interlocking, gnd, wtrtt	MIL-R-2726/19	1H5999-00-879-1519	6.4
916	Superseded by 916.1			
916.1	Receptacle w/sw, 30A, 450V, 1 ph, interlocking, gnd, wtrtt	MIL-R-2726/20	1H5999-00-879-1520	8.0
917	Superseded by 917.1			
917.1	Receptacle s/sw, 30A, 250V dc, interlocking gnd, wtrtt	MIL-R-2726/21	1H5999-00-879-1521	6.1
918	Superseded by 918.1			
918.1	Receptacle, bladed, 15A w/3A, sw, DPST, 125V, gnd, te	MIL-R-2726/43	1H5999-01-023-0366	0.5
919	Receptacle and sw, 15A, 125V, bladed type, gnd, wtrtt	MIL-R-2726/39	9N5999-01-070-8414	*
920-929	Not yet used			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>MISCELLANEOUS APPLIANCES</u>				
930	Superseded by 930.1			
930.1	Superseded by 930.2-For maintenance only-see 5.3			
930.2	Canceled-obsolete			
931	Superseded by 931.1			
931.1	Superseded by 931.2-For maintenance only-see 5.3			
931.2	Canceled-obsolete			
932	Pulsator for sub ident light	MIL-C-24174/4		
933	Not yet used			
934-939	Canceled-obsolete			
940	Superseded by 940.1-For maintenance only-see 5.3			
940.1	Supply pnl navigation light, nwt, 120V ac, 3 ph bus, 8 ckt	MIL-P-24175/2	1H6110-00-152-0304	34.0
941	Canceled-obsolete			
942	Superseded by 942.1			
942.1	Supply pnl navigation light, nwt, 120V dc, dp, bus, 10 ckt	MIL-P-24175/4	2H6110-00-025-9003	35.0
943	Superseded by 2550			
944	Superseded by 944.1			
944.1	Superseded by 944.2			
944.2	Supply and control pnl, dp, nmag, 3 ph bus, 6 ckt (for R, S & A light system)	MIL-P-24175/1	9G6110-00-635-4002	14.0
945	Superseded by 945.1			
945.1	Supply and control pnl, nwt, navigation light 120V dc, 8 ckt	MIL-P-24175/3	9G6110-00-096-2722	31.3
946-948	Canceled-obsolete			
949.1	Superseded by 1001			
950,951	Canceled-obsolete			
951.1	Dimmer, sbm (for flight control ready light) 150W	S6504-74246	1H5950-00-033-5669	7.0
952	Canceled-obsolete			
953	For maintenance only-see 5.3		1H5905-00-192-3948	

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
954	For maintenance only-see 5.3			
955	For maintenance only-see 5.3		1H5905-00-192-3943	
956,957	For maintenance only-see 5.3			
958	For maintenance only-see 5.3		1H5905-00-192-3946	
959	For maintenance only-see 5.3		1H5905-00-192-3949	
960	Dimmer, sbm 15 ft, for blinker signaling light	MS17850		*
961.2	Canceled-obsolete			
962.3	Canceled-obsolete			
963.2	Canceled-obsolete			
964	Superseded by 964.1			
964.1	Supply, control and telltale pnl, running light, dc	815-1197050	2H6110-00-152-0280	57.0
965	Snorkel safety circuit relay box coil, sbm	815-1197005		*
966	Superseded by 969-For maintenance only-see 5.3			
967	For maintenance only-see 5.3			
968	Superseded by 1000			
969	Superseded by 969.1			
969.1	Supply, control and telltale pnl, te, for running light, 115V ac, 60 Hz	815-1197050	2H6110-00-152-0277	65.0
970	Superseded by 970.1			
970.1	Superseded by 970.2			
970.2	Canceled-obsolete			
971,972	Canceled-obsolete			
973	Superseded by 973.1			
973.1	Superseded by 973.2			
973.2	Canceled-obsolete			
974-977	Canceled-obsolete			
978	Superseded by 978.1			
978.1	Superseded by 978.2			
978.2	Control key, blinker light, sbm			
979.1	Superseded by 978.1	MIL-C-24174/3	966220-00-399-7105	5.4
980-982	Canceled-obsolete			
983	Superseded by method 22191			
984-985	Canceled-obsolete			

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
986	Dimmer, sbm, flight control ready light system, 4 autotransformers	S6504-74296	2H5950-00-033-6725	38.0
987	Cable assy, 3 contact for gas turbine, aircraft starting, 35V dc	S6202-73964	1H6150-00-220-9384	92.0
988.1	Cable assy, 400 Hz aircraft servicing, 65 ft, dbl plug	S6202-74361	1H6150-00-033-5651	102.0
988.2	Cable assy, 400 Hz aircraft servicing, 75 ft, dbl plug	S6202-74361	1H6150-00-383-3443	120.0
988.3	Canceled-obsolete			
988.4	Cable assy, 400 Hz, aircraft servicing, 105 ft, dbl plug	S6202-74361	9G6150-00-752-2542	124.0
988.5	Cable assy, sgl plug, 400 Hz aircraft servicing, 65 ft	S6202-74361	9G6150-00-905-3323	#
988.6	Cable assy, sgl plug, 400 Hz aircraft servicing, 85 ft	S6202-74361	9G6150-00-904-3325	#
988.7	Cable assy, sgl plug, 400 Hz aircraft servicing, 105 ft	S6202-74361	9G6150-00-904-3324	#
989	Control pnl, running light dimmer, 115V ac/dc	S6402-74270	9G6220-00-399-7104	20.0
989.1	Dimmer control pnl for task light	S6402-74270	1H6220-00-118-2386	*
990	Canceled-obsolete			
991	Superseded by 1000			
992	Superseded by 1001			
993	Control pnl, running light dimmer, dp	S6401-74420	1H6210-00-283-9688	10.0
994	Superseded by 994.2			
994.1	Superseded by 994.3			
994.2	Superseded by 994.6 or 1009.2			
994.3	Superseded by 994.5 or 1009.1			
994.4	Power and lighting distribution pnl, dp, 3 ph bus, six sgl ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
994.5	Same as 994.4 except te			*
994.6	Same as 994.4 except wtrtt	MIL-P-23928/1		*
995	Superseded by 995.2	MIL-P-23928/1		*
995.1	Superseded by 995.3			
995.2	Superseded by 995.6 or 1010.2			
995.3	Superseded by 995.6 or 1010.1			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
995.4	Pwr and lgt distribution pnl, dp, 3 ph bus, eight sgl ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
995.5	Same as 995.4 except te	MIL-P-23928/1		*
995.6	Same as 995.4 except wrttt	MIL-P-23928/1		*
996	Weather deck outlet, nmag	MIL-S-24235/11 (being revised)	1H5975-00-296-6608	2.6
997.1	Canceled-obsolete			
998.1	Canceled-obsolete			
999	Superseded by 999.2			
999.1	Superseded by 999.3			
999.2	Superseded by 999.6, 1011.2			
999.3	Superseded by 999.5, 1011.1			
999.4	Power and lighting distribution pnl, dp, 3 ph bus, 12 sgl ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
999.5	Same as 999.4 except te	MIL-P-23928/1		*
999.6	Same as 999.4 except wrttt	MIL-P-23928/1		*
1000	Panel, control and distr, wrttt, 6 ckt small boats	815-1197119	1H6110-00-683-0989	5.0
1001	Panel control and distr, wrttt, 8 ckt, small boats	815-1197120	9G6110-00-727-1002	12.0
1002, 1003	Not yet used			
1004	Voltage and ground resistance meter panel, for sub batteries	815-1197064		*
1005	For maintenance only-see 5.3-superseded by 1005.1			
1005.1	Panel, ground detector, dp, 120V ac, 3 ph	MIL-P-24395/1	1H6110-00-014-2084	6.0
1005.2	Panel, ground detector, dp, 450V ac, 3 ph	MIL-P-24395/1		
1005.3	Panel, ground detector, dp, 120V dc	MIL-P-24395/2		
1005.4	Panel, ground detector, dp, 240V dc	MIL-P-24395/2		
1006	Power and lighting distribution pnl, dp, 3 ph bus, 14 sgl ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
1006.1	Same as 1006 except te	MIL-P-23928/1		*
1006.2	Same as 1006 except wrttt	MIL-P-23928/1		*
1007	Power and lighting distribution pnl, dp, 3 ph bus, 18 sgl ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
1007.1	Same as 1007 except te	MIL-P-23928/1		*
1007.2	Same as 1007 except wrttt	MIL-P-23928/1		*

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1008	Power and lighting distribution pnl, dp, 3 ph bus, 24 sgl ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
1008.1	Same as 1008 except te	MIL-P-23928/1		*
1008.2	Same as 1008 except wrttt	MIL-P-23928/1		*
1009	Power and lighting distribution pnl, dp, four 3 ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
1009.1	Same as 1009 except te	MIL-P-23928/1		*
1009.2	Same as 1009 except wrttt	MIL-P-23928/1		*
1010	Power and lighting distribution pnl, dp, six 3 ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
1010.1	Same as 1010 except te	MIL-P-23928/1		*
1010.2	Same as 1010 except wrttt	MIL-P-23928/1		*
1011	Power and lighting distribution pnl, dp, eight 3 ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
1011.1	Same as 1011 except te	MIL-P-23928/1		*
1011.2	Same as 1011 except wrttt	MIL-P-23928/1		*
1012	Power and lighting distribution pnl, dp, 10 3 ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
1012.1	Same as 1012 except te	MIL-P-23928/1		*
1012.2	Same as 1012 except wrttt	MIL-P-23928/1		*
1013	Power and lighting distribution pnl, dp, 12-3 ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
1013.1	Same as 1013 except te	MIL-P-23928/1		*
1013.2	Same as 1013 except wrttt	MIL-P-23928/1		*
1014	Power and lighting distribution pnl, dp, 14-3 ph br, ALB-1 cb, 50A, 125V	MIL-P-23928/1		*
1014.1	Same as 1014 except te	MIL-P-23928/1		*
1014.2	Same as 1014 except wrttt	MIL-P-23928/1		*
1015-1019	Not yet used			*

MISCELLANEOUS APPLIANCES (continued with symbol number 2400)

1015

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>CASUALTY POWER SUPPLY EQUIPMENT</u>				
1020-1023	Canceled-obsolete			
1024	For maintenance only-see 5.3			
1025	For maintenance only-see 5.3		9G5940-00-336-5889	
1026-1031	Canceled-obsolete			
1032	For maintenance only-see 5.3		9G5940-00-178-0392	
1033	For maintenance only-see 5.3		9G5940-00-178-0394	
1034	For maintenance only-see 5.3		9G5940-00-178-0397	
1035	For maintenance only-see 5.3		1H5975-00-178-1587	
1036	Canceled-obsolete			
1037	For maintenance only-see 5.3		1H5940-00-153-6756	
1038	For maintenance only-see 5.3		1H5975-00-215-5890	
1039	For maintenance only-see 5.3		1H5975-00-153-6778	
1040	For maintenance only-see 5.3			
1040.1	For maintenance only-see 5.3			
1041	For maintenance only-see 5.3		9N5930-00-392-2894	
1042-1043	Canceled-obsolete			
1044	For maintenance only-see 5.3			
1045	Stowage rack, air conditioning and elec start and service cables for flight deck edge and hangar deck	815-1197149	1H5940-00-153-6779	10.0
1046	Terminal, casualty pwr, receptacle, back connected, 200A, 450V ac, 3 ph	MIL-T-24552/1		
1047	Terminal, casualty pwr, receptacle, upper and lower riser, 200A, 450V ac, 3 ph	MIL-T-24552/2		
1048	Terminal, casualty pwr, bhd seal (used with 1046)	MIL-T-24552/3		
1049	Terminal, casualty pwr, plug (used with 1046 and 1047)	MIL-T-24552/4		
1050-1059	Not yet used			
1060-1090	Canceled-obsolete			

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>CONNECTORS, PLUGS AND RECEPTACLES (continued from symbol 779)</u>				
1091	Superseded by 1147			
1092	Superseded by 717			
1093	Canceled			
1094	Not yet used			
1095	Canceled-obsolete			
1096	Superseded by 1146			
1097	Superseded by 1147			
1098	Superseded by 1098.1			
1098.1	Receptacle, enclosed, 15A, 125V, wrttt, (for 12 in mercury-xenon searchlight)	MIL-R-2726/41		*
1099	Superseded by 1099.1			
1099.1	Receptacle, 15A, 125V, 60 Hz, bladed type, gnd, wrttt	MIL-R-2726/37	1H5935-00-086-8922	1.3
1100	Receptacle, te, 15A, 125V, 400 Hz, bladed type, sgl ph, gnd (duplex)	MIL-R-2726/70		*
1101	Receptacle, wrttt, 15A, 125V, 400 Hz, bladed type, sgl ph, gnd	MIL-R-2726/71	5935-01-145-3182	*
1102-1104	Canceled-obsolete			
1105	Superseded by 1105.1			
1105.1	Receptacle, tpl outlet, 50A, 250V dc, 3 pole, gnd, wrttt	MIL-R-2726/18		
1106	Plug and receptacle, pp, 44 pin missile cable	815-1197150		60.0
1107	Plug and receptacle, pp, 72 pin missile cable	815-1197151		90.0
1108	Plug and receptacle, pp, 138 pins	815-1197152		120.0
1109	Plug and receptacle, pp, 175 pin, tactical umbilical cord	815-1197153		130.0
1110-1114	Canceled-obsolete			
1115	Adapter for molded plug, 3 cond (for symbol 713)	MIL-C-24231/15-001		*
1115.1	Adapter for molded plug, 4 cond (for symbol 713.1)	MIL-C-24231/15-002		*
1116	Adapter for molded plug, 7 cond (for symbol 713.1)	MIL-C-24231/16-001		*

MIL-HDBK-290(SH)

22 August 1986

Sym. No.	Item	Std Dwg & Spec	National Stock No.	Wt
1116.1	Adapter for molded plug, 9 cond, for symbol number 713.7	MIL-C-24231/17-001		*
1117	Receptacle (80 cond)(for ECM mast base) (2.125 in base)	MIL-C-24231/22-001		*
1117.1	Receptacle (80 cond)(for ECM mast base) (3.875 in base)	MIL-C-24231/22-001		*
1118	Plug (80 cond)(for ECM mast base)	MIL-C-24231/21-001		*
1119	Plug, for RG-57 A/U cable, outboard, (shld not carried through plug)	815-1197304		*
1119.1	Plug, for RG-57 A/U cable, inboard, (shld not carried through plug)	815-1197304		*
1119.2	Plug, for RG-57 A/U cable, outboard, (shld carried through plug)	815-1197304		*
1119.3	Plug, for RG-57 A/U cable, inboard, (shld carried through plug)	815-1197304		*
1119.4	Plug, for RG-57 A/U cable, outboard, (shld gnd to plug)	815-1197304	2H5995-00-889-0632	*
1119.5	Plug, for RG-57 A/U cable, inboard, (shld gnd to plug)	815-1197304		*
1120-1135	Canceled-obsolete			
1136	Receptacle fabricated, sbm 50 ft for acoustic minesweeping gear	815-1197046	1H5935-00-972-0491	8.6
1136.1	Plug for symbol number 1136	815-1197046	1H1075-00-063-3245	13.4
1137	Canceled-obsolete			*
1137.1	Canceled-obsolete			*
1138	Receptacle conn (hull fitting) 65 cord, 600V ac, 4A, indiv/1A avg, sbm 4000 ft	MIL-C-24231/19-001		*
1138.1	Receptacle conn (end fitting) 65 cord, 600V ac, 4A, indiv/1A avg, sbm 4000 ft	MIL-C-24231/20-001		*
1139	Plug conn, 65 cord, 500V ac, 4A, sbm 4000 ft	MIL-C-24231/18-001		*
1140	Superseded by 1140.1			
1140.1	Receptacle, plug, 3 pin, gnd, 40A, 450V ac, wrttt	MIL-R-2726/5	1H5935-00-064-2042	4.75

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1141	Superseded by 1141.1, 1141.2			
1141.1	Receptacle, 3 pin, gnd, 40A, 450V ac, wtrtt (metal shell)	MIL-R-2726/11	1H5935-00-892-9114	0.5
1141.2	Receptacle, 3 pin, gnd, 40A, 450V ac, wtrtt (plastic shell)	MIL-R-2726/11		*
1142	Superseded by 1142.1			
1142.1	Receptacle, cap assy	MIL-R-2726/13	9N5935-01-046-2614	*
1143	Superseded by 1143.1			
1143.1	Receptacle, plug, 3 pin, gnd, 40A, 125V ac, wtrtt	MIL-R-2726/6	9N5935-00-134-0312	*
1144	Superseded by 1144.1, 1144.2			
1144.1	Receptacle, 3 pin, gnd, 40A, 125V ac, wtrtt (metal shell)	MIL-R-2726/12	9N5935-00-053-0688	*
1144.2	Receptacle, 3 pin, gnd, 40A, 125V ac, wtrtt (plastic shell)	MIL-R-2726/12		*
1145	Superseded by 1145.1			
1145.1	Receptacle, enclosed, 3 pin, gnd, 40A, 450V ac, wtrtt (metal shell)	MIL-R-2726/14	1H5935-00-886-1650	*
1145.2	Receptacle, enclosed, 3 pin, gnd, 40A, 450V ac, wtrtt (plastic)	MIL-R-2726/14		*
1145.3	Receptacle, enclosed, 3 pin, gnd, 40A, 450V ac, wtrtt (molded plastic)	MIL-R-2726/14		*
1146	Superseded by 1146.1			
1146.1	Receptacle, enclosed, 3 pin, gnd, 50A, 250V ac, wtrtt (metal housing)	MIL-R-2726/15	1H5935-00-892-8970	3.0
1146.2	Receptacle, enclosed, 3 pin, gnd, 50A, 250V ac, wtrtt (plastic)	MIL-R-2726/15		*
1146.3	Receptacle, enclosed, 3 pin, gnd, 50A, 250V ac, wtrtt (molded plastic)	MIL-R-2726/15		*
1147	Superseded by 1147.1			
1147.1	Receptacle, enclosed, 4 pin, gnd, 40A, 450V ac, wtrtt (metal housing)	MIL-R-2726/16	1H5935-00-892-8971	3.0
1147.2	Receptacle, enclosed, 4 pin, gnd, 40A, 450V ac, wtrtt (plastic)	MIL-R-2726/16		*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1147.3	Receptacle, enclosed, 4 pin, gnd, 40A, 450V ac, wrttt (molded plastic)	MIL-R-2726/16		*
1148	Superseded by 1148.1			
1148.1	Receptacle, enclosed, 3 pin, gnd, 40A, 125V ac, wrttt (metal housing)	MIL-R-2726/17	9N5935-00-135-5256	*
1148.2	Receptacle, enclosed, 3 pin, gnd, 40A, 125V ac, wrttt (plastic)	MIL-R-2726/17	1H5935-00-122-8553	
1148.3	Receptacle, enclosed, 3 pin, gnd, 40A, 125V ac, wrttt (molded plastic)	MIL-R-2726/17		
<u>CONNECTORS, PLUGS AND RECEPTACLES (continued with symbol 1170)</u>				
<u>SHORE POWER CONNECTORS</u>				
1149	Shorepower plug assy, angled 0°, outboard sub	815-1197214	2H6150-00-958-6472	*
1149.1	Shorepower plug assy, straight, outboard, sub	815-1197214		*
1150	Shorepower plug assy, angled 0°, outboard, pos	815-1197214		*
1150.1	Shorepower plug assy, angled 0°, outboard, neg	815-1197214		*
1151	Shorepower plug assy, angled 0°, inboard, sub	815-1197214		*
1151.1	Shorepower plug assy, angled 180°, inboard, sub	815-1197214		*
1151.2	Shorepower plug assy, straight, inboard, sub	815-1197214	2H6150-00-086-9067	*
1151.3	Shorepower plug assy, angled 90°, inboard, sub	815-1197214	2H6150-00-086-9068	*
1151.4	Shorepower plug assy, angled 270°, inboard, sub	815-1197214	2H6150-00-651-8743	*
1152-1159	Canceled-obsolete			
1160	Conn plug assy pwr transfer, ship to shore, ship to ship	MIL-C-24368/1		#
1161	Conn assy receptacle and receptacle cabled, pwr transfer, shore to ship & ship to ship, 500A, 50 Hz, 450V	MIL-C-24368/2- under revision		#
1162	Conn assy, plug and receptacle, in-lire, pwr transfer, shore to ship & ship to ship, ph A, ph B and ph C, 500V, 500A	MIL-C-24368/4		
1162.1	Same as 1162 except ph A only	MIL-C-24368/4		
1162.2	Same as 1162 except ph B only	MIL-C-24368/4		
1162.3	Same as 1162 except ph C only	MIL-C-24368/4		
1163-1169	Canceled-obsolete			

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>CONNECTORS, PLUGS AND RECEPTACLES (continued from symbol 1148.3)</u>				
1170	For maintenance only-see 5.3			
1171	For maintenance only-see 5.3			
1171.1	For maintenance only-see 5.3		1H5935-00-070-9495	
1172	For maintenance only-see 5.3			
1173	For maintenance only-see 5.3			
1174	For maintenance only-see 5.3			
1174.1	For maintenance only-see 5.3		1H5995-00-070-9490	
1175	For maintenance only-see 5.3			
1176	For maintenance only-see 5.3			
1176.1	For maintenance only-see 5.3		1H5995-00-070-9488	
1177	Superseded by 1231			
1177.1	Superseded by 1232			
1177.2	Superseded by 1233			
1178	Plug & receptacle conn, hermetically sealed for 68 # 16 pins	815-1197176 * also listed in maintenance section		*
1179	Not yet used			
1180-1186	Canceled-obsolete			
1187	Superseded by 1229			
1187.1	Superseded by 1230			
1188, 1188.1	Canceled-obsolete			
1189	Superseded by 1322			
1189.1	Canceled-obsolete			
1190	Superseded by 1323			
1190.1	Canceled-obsolete			
1191	Canceled-obsolete			
1191.1	Canceled-obsolete			
1192	Superseded by 1325			
1192.1	Canceled-obsolete			
1193	Canceled-obsolete			
1193.1	Canceled-obsolete			
1194	Canceled-obsolete			
1194.1	Canceled-obsolete			
1195	Plug for RC-317/U cable, outboard-shld braided not carried thru plug, hermetically sealed	815-1197325		*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1195.1	Plug for RG-317/U cable, <u>outboard-shld braid</u> <u>carried thru plug, hermetically sealed</u>	815-1197325		*
1195.2	Plug for RG-317/U cable, <u>outboard-shld braid</u> <u>grounded to plug, hermetically sealed</u>	815-1197325		*
1196	Plug for RG-317/U cable, <u>inboard-shld braid</u> <u>carried thru plug, hermetically sealed</u>	815-1197325		*
1196.1	Plug for RG-317/U cable, <u>inboard-shld braid</u> <u>carried thru plug, hermetically sealed</u>	815-1197325		*
1196.2	Plug for RG-317/U cable, <u>inboard-shld braid</u> <u>grounded to plug, hermetically sealed</u>	815-1197325		*
1197	Plug, <u>hermetically sealed, 3 pin (.390 cable)</u> DSS-2	815-1197342		*
1198	Plug, <u>hermetically sealed, 3 pin (.500 cable)</u> DSS-3, DSS-4	815-1197342		*
1199	Plug, <u>hermetically sealed, 4 pin (.500 cable)</u> TSS-4	815-1197342		*
1200	Plug, <u>hermetically sealed, 8 pin (.500 cable)</u> FSS-2	815-1197342		*
1201	Plug, <u>hermetically sealed, 5 pin (.625 cable)</u> FSS-4	815-1197342		*
1202	Plug, <u>hermetically sealed, 8 pin (.625 cable)</u> 7SS, 2SW-3	815-1197342		*
1203	Receptacle, HS, 3 #12 pins DSS-2, DSS-3, DSS-4	815-1197342		*
1204	Receptacle, HS, 4 #12 pins TSS-4	815-1197342		*
1205	Receptacle, HS, 5 #12 pins FSS-4	815-1197342		*
1206	Receptacle, HS, 8 #16 pins FSS-4, 7SS, 2SW-3	815-1197342		*
1207	Adapter, right angle for receptacle	815-1197341		*
1208	Conn adapter for MX 2646 hull fitting (used in ulcer circuits)	815-1197338		*
1209	Assigned E.B. for 1197315			*
1210	Connector, plug & header, pp, 15 pin conn assy for aft umbilical cable	815-1197312		*
1210.1	Header assy, pc 10, 15 pin	815-1197312		*

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1210.2	Plug assy, pc 28, missile side	815-1197312		*
1210.3	Plug assy, pc 53, compartment side	815-1197312		*
1211	Assigned E.B. for 1197313			
1212	Assigned E.B. for 1197314			
1213	Superseded by 1213.2, 1213.4			
1213.1	Superseded by 1213.3, 1213.5			
1213.2	Receptacle, 40A, 125V, sgl pole, pnl mtd, female (red)	MIL-R-2726/35	1H5935-00-257-7457	*
1213.3	Receptacle, 40A, 125V, sgl pole, pnl mtd, male (red)	MIL-R-2726/36	9N5935-00-257-7459 5935-00-134-0406	*
1213.4	Receptacle, 40A, 125V, sgl pole, pnl mtd, female (black)	MIL-R-2726/35	1H5935-00-257-7456	*
1213.5	Receptacle, 40A, 125V, sgl pole, pnl mtd, male (black)	MIL-R-2726/36	1H5935-00-257-7458 5935-00-134-0406	*
1214	Superseded by 1214.2, 1214.5			
1214.1	Superseded by 1214.3, 1214.4			
1214.2	Receptacle, plug, 40A, 125V, sgl pole, male (red)	MIL-R-2726/33	1H5935-00-283-4007	*
1214.3	Receptacle, plug, 40A, 125V, sgl pole, female (red)	MIL-R-2726/34	1H5935-00-280-2379	*
1214.4	Receptacle, plug, 40A, 125V, sgl pole, female (black)	MIL-R-2726/34	1H5935-00-196-2292	*
1214.5	Receptacle, plug, 40A, 125V, sgl pole, male (black)	MIL-R-2726/33	1H5935-00-196-2293	*
1215	Receptacle, 15A, 125V, bladed type, gnd, portable	MIL-R-2726/73	1H5935-00-480-7948	*
1216	Assigned to 815-1197247			
1217	Superseded by 730.4			
1218	Superseded by 1218.3			
1218.1	Superseded by 1218.3			
1218.2	Superseded by 1218.3			
1218.3	Receptacle, plug, 15A, 125V, bladed type, gnd, wtrtt	MIL-R-2726/38	1H5935-00-220-2213	0.2
1219	Not yet used			
1220	Pressure transducer, psig 0-50	815-1197240		*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1220.1	Pressure transducer, psig 0-50	815-1197240		*
1220.2	Pressure transducer, psig 0-100	815-1197240		*
1220.3	Pressure transducer, psig 0-100	815-1197240		
1220.4	Pressure transducer, psig 0-150	815-1197240		*
1220.5	Pressure transducer, psig 0-150	815-1197240		*
1220.6	Pressure transducer, psig 0-250	815-1197240		*
1220.7	Pressure transducer, psig 0-250	815-1197240		*
1220.8	Pressure transducer, psig 0-500	815-1197240		*
1220.9	Pressure transducer, psig 0-500	815-1197240		*
1220.10	Pressure transducer, psig 0-1000	815-1197240		*
1220.11	Pressure transducer, psig 0-1000	815-1197240		*
1220.12	Pressure transducer, psig 0-1500	815-1197240		*
1220.13	Pressure transducer, psig 0-1500	815-1197240		*
1220.14	Pressure transducer, psig 0-2500	815-1197240		*
1220.15	Pressure transducer, psig 0-2500	815-1197240		*
1220.16	Pressure transducer, psig 0-3500	815-1197240		*
1220.17	Pressure transducer, psig 0-3500	815-1197240		*
1220.18	Pressure transducer, psig 0-5000	815-1197240		*
1220.19	Pressure transducer, psig 0-5000	815-1197240		*
1221	Receptacle, 4 pole, gnd, 100A, 450V, 3 ph, wtrtt	MIL-R-2726/28	9N5935-00-875-3213	*
1222	Plug, 4 pole, gnd, 100A, 450V, 3 ph, wtrtt	MIL-R-2726/29		*
1223	Plug assy for limit sw	815-1197328	9N5935-00-875-3230	*
1224	Plug assy for resistance temp detector	815-1197332		*
1225	Plug for unground RG-17A/U hull fitting (assy & details)	815-1197335		*
1226	Receptacle for unground RG-17A/U hull fitting (assy & details)	815-1197336		*
1227	For maintenance only-see 5.3			
1227.1	For maintenance only-see 5.3			
1227.2	For maintenance only-see 5.3			
1228	For maintenance only-see 5.3			
1228.1	For maintenance only-see 5.3			
1229	For maintenance only-see 5.3			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1229.1	For maintenance only-see 5.3			
1230, 1230.1	For maintenance only-see 5.3			
1231	For maintenance only-see 5.3			
1231.1	For maintenance only-see 5.3			
1231.2	For maintenance only-see 5.3			
1232, 1232.1	For maintenance only-see 5.3			
1233	For maintenance only-see 5.3			
1233.1	For maintenance only-see 5.3			
1234	Assigned E.B. for 1197317			
1235	For maintenance only-see 5.3			
1236	Assigned to 815-1197247			
1237	Assigned to 815-1197247			
1238-1239	Not yet used			
1240	Conn assy, hermetically sealed, wtrtt, sub (1240.1 & 1241.1) 3 #16 contacts	815-1197348		*
1240.1	Plug conn assy, straight (16-20 wire)	815-1197348		*
1240.2	Plug conn assy, straight (20-24 wire)	815-1197348		*
1240.3	Plug conn assy, 90° (20-24 wire)	815-1197348		*
1241	Conn assy, hermetically sealed, wtrtt, sub, (1240.1 & 1242.1) 3 #16 pins, flanged	815-1197348		*
1241.1	Receptacle connector	815-1197348		*
1242	Conn assy, hermetically sealed, wtrtt, sub, (1241.1 & 1243.1), 3 #15 pins, 90° flanged	815-1197348		*
1242.1	Receptacle conn, flanged	815-1197348		*
1243	Conn assy, hermetically sealed, wtrtt (1242.1 & 1243.1) sub, 3 #16 pins, 90° flanged	815-1197348		*
1243.1	Plug connector, 90°	815-1197348		*
1244.1	Receptacle & plug, wtrtt, 8 pin, right angle	815-1197376		*
1245	Receptacle assy, wtrtt, 5 pin	815-1197377		*
1245.1	Plug assy, wtrtt (1SWF-2)	815-1197377		*
1245.2	Plug assy, wtrtt (FSS-2)	815-1197377		*
1246	Receptacle assy, 3 pin, sbm 400 ft	815-1197385		*
1246.1	Plug assy, 3 pin, sbm 400 ft	815-1197385		*
1247	Plug, 48 #16 contacts, sub inboard, right angle	815-1197372		*

MIL-HDBK-290(SH)

22 August 1986

Sym. No.	Item	Std Dwg & Spec	National Stock No.	Wt
1248	Plug assy, 5 #16 contacts, wrttrt, sub	815-1197349		*
1248.1	Assigned E.B. for 815-1197349			
1248.2	Assigned E.B. for 815-1197349			*
1248.3	Assigned E.B. for 815-1197349			*
1249	Receptacle, 5 #16 contacts, wrttrt, sub	815-1197349		*
1249.1	Receptacle, flanged, 5 #16 contacts, wrttrt, sub	815-1197349		*
1249.2	Receptacle, <u>reduced length</u> , 5 #16 contacts, wrttrt, sub	815-1197349		*
1250	Plug, 24 #16 contacts, wrttrt, sub (2SWF-7)	815-1197354		*
1250.1	Plug, 24 #16 contacts, wrttrt, sub (MWF-24)	815-1197354		*
1250.2	Assigned E.B. for 815-1197354			
1250.3	Assigned E.B. for 815-1197354			
1251	Receptacle, 24 #16 contacts, wrttrt, sub	815-1197354		*
1251.1	Receptacle, flanged, 24 #16 contacts, wrttrt, sub	815-1197354		*
1251.2	Receptacle, <u>reduced length</u> , 24 #16 contacts, wrttrt, sub	815-1197354		*
1252	Plug, 9 #16 contacts, wrttrt, sub (2SWF-3)	815-1197352		*
1252.1	Plug, 9 #16 contacts, wrttrt, sub (7SS-2)	815-1197352		*
1252.2	Assigned E.B. for 815-1197352			
1252.3	Assigned E.B. for 815-1197352			
1253	Receptacle, 9 #16 contacts, wrttrt, sub	815-1197352		*
1253.1	Receptacle, flanged, 9 #16 contacts, wrttrt, sub	815-1197352		*
1253.2	Receptacle, <u>reduced length</u> , 9 #16 contacts, wrttrt, sub	815-1197352		*
1254	Plug, 14 #16 contacts, wrttrt, sub	815-1197353		*
1254.1	Assigned E.B. for 815-1197353			
1254.2	Assigned E.B. for 815-1197353			
1254.3	Assigned E.B. for 815-1197353			
1255	Receptacle, 14 #16 contacts, wrttrt, sub	815-1197353		*
1255.1	Receptacle, flanged, 14 #16 contacts, wrttrt, sub	815-1197353		*
1255.2	Receptacle, <u>reduced length</u> , 14 #16 contacts, wrttrt, sub	815-1197353		*
1256	Receptacle, sub inboard, 48 #16 contacts	815-1197371		*
1257	Plug, 3 pin, gnd, 10A, 450V, 60 Hz, sgl ph, wrttrt	MIL-R-2726/52		*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1258	Plug, 4 pin, gnd, 10A, 450V, 60 Hz, 3 ph, wrttt	MIL-R-2726/53		*
1259	Plug, 3 pin, gnd, 10A, 450V, 400 Hz, sgl ph, wrttt	MIL-R-2726/54		*
1260	Plug, 4 pin, gnd, 10A, 450V, 400 Hz, 3 ph, wrttt	MIL-R-2726/55		*
1261	Plug, 4 pole, gnd, 60A, 450V, 3 ph, wrttt	MIL-R-2726/56		*
1262	Receptacle, 3 pin, gnd, 10A, 450V, 60 Hz, sgl ph, wrttt	MIL-R-2726/57		*
1263	Receptacle, 4 pin, gnd, 10A, 450V ac, 60 Hz, wrttt	MIL-R-2726/58		*
1264	Receptacle, 3 pin, gnd, 10A, 450V, 400 Hz, sgl ph, wrttt	MIL-R-2726/59		*
1265	Receptacle, 4 pin, gnd, 10A, 450V, 400 Hz, 3 ph, wrttt	MIL-R-2726/60		*
1266	Receptacle, 4 pole, gnd, 60A, 450V, 3 ph, wrtrt	MIL-R-2726/61		*
1267	Receptacle, enclosed, 3 pin, gnd, 10A, 450V, 60 Hz, sgl ph, wrttt	MIL-R-2726/62		*
1268	Receptacle, enclosed, 4 pin, gnd, 10A, 450V ac, 60 Hz, wrttt	MIL-R-2726/63		*
1269	Receptacle, enclosed, 3 pin, gnd, 10A, 450V, 400 Hz, sgl ph, wrttt	MIL-R-2726/64		*
1270	Conn assy, sgl cale, 2SWF-3	MIL-C-24231/26 -001		*
1270.1	Conn assy, sgl cable, 2SWF-4	MIL-C-24231/26 -002		*
1270.2	Conn assy, sgl cable, 2SWF-7	MIL-C-24231/26 -003		*
1271	Receptacle assy, multi-pin, 2SWF-3 cable	MIL-C-24231/27 -001		*
1271.1	Receptacle assy, multi-pin, 2SWF-4 cable	MIL-C-24231/27 -002		*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1271.2	Receptacle assy, multi-pin, 2SWP-7 cable	MIL-C-24231/27		#
1272	gnd, 400 Hz, 3 ph, wrttr	-003		
1273-1277	Not yet used			
1278	Hull fitting, wrtrtt, sub, 6 conn	815-1197413		
1279	Hull fitting, wrtrtt, sub, 6 conn	815-1197414		
1280	Assigned E.B. for 815-1197397		5935-01-103-4760	#
1281	Assigned E.B. for 815-1197397			
1281.1	Assigned E.B. for 815-1197397			
1281.2	Assigned E.B. for 815-1197397			
1282	Assigned E.B. for 815-1197400			
1283	Assigned E.B. for 815-1197400			
1284	Assigned E.B. for 815-1197412			
1285	Assigned E.B. for 815-1197412			
1286	Assigned E.B. for 815-1197408			
1287	Assigned E.B. for 815-1197408			
1288	Assigned E.B. for 815-1197419			
1289	Assigned E.B. for 815-1197419			
1290	Assigned E.B. for 815-1197410			
1291	Assigned E.B. for 815-1197410			
1292	Assigned E.B. for 815-1197411			
1293	Assigned E.B. for 815-1197411			
1294	Assigned E.B. for 815-1197433			
1295	Assigned E.B. for 815-1197443			
1296	Assigned E.B. for 815-1197407			
1297	Assigned E.B. for 815-1197406			
1298	Assigned E.B. for 815-1197434			
1299	Assigned E.B. for 815-1197445			
1300	Assigned E.B. for 815-1197444			
1301	Assigned E.B. for 815-1197437			
1302	Assigned E.B. for 815-1197398			
1303	Assigned E.B. for 815-1197398			
1304	Assigned E.B. for 815-1197450			
1305	Assigned E.B. for 815-1197465			

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1306	Assigned E.B. for 815-1197461			
1307	Assigned E.B. for 815-1197461			
1308	Assigned E.B. for 815-1197462			
1309	Assigned E.B. for 815-1197462			
1310	Assigned E.B. for 815-1197463			
1311	Assigned E.B. for 815-1197463			
1312	Not yet used			
1313	Canceled-obsolete			
1314	Not yet used			
1315-1321	Canceled-obsolete			
1322	Receptacle, 300V-6A, 125V-10A, sbm 4000 ft (3 cond)	815-1197351		
1323	Receptacle, 300V-6A, 125V-10A, sbm 4000 ft (4 cond)	815-1197351		
1324	Receptacle, 300V-6A, 125V-10A, sbm 4000 ft (7 cond)	815-1197351		
1325	Receptacle, 300V-6A, 125V-10A, sbm 4000 ft (14 cond)	815-1197351		
1326	Receptacle, 450-480V, 100A, 3 wire, 4 pole (AGSE)	MS90555 C44150S	9N5935-01-021-2744	
1327	Plug, 450-480V, for type 4/1 cable	MS90556 C44151P	9N5935-01-019-6555	
1328	Plug, 450-480V, for type 4/2 cable	MS90556 C44152P	9N5935-01-021-1062	
1329	Plug, 450-480V, for type 4/6 cable	MS90556 C44156P	9N5935-01-019-6556	
1330-1339	Not yet used			
1340-1347	Canceled-obsolete			
1348-1359	Not yet used			
1360-1367	Canceled-obsolete			
1368-1379	Not yet used			
1380-1384	Canceled-obsolete			
1385-1387	Not yet used			
1388-1390	Canceled-obsolete			
1391	Not yet used			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1392-1394	Canceled-obsolete			
1395-1399	Not yet used			
1400-1407	Canceled-obsolete			
1408-1419	Not yet used			
1420-1426	Canceled-obsolete			
1427-1434	Not yet used			
1435-1445	Canceled-obsolete			
1446-1449	Not yet used			
1450-1470	Canceled-obsolete			
1471-1480	Not yet used			
<u>STORAGE BATTERIES AND EQUIPMENT</u>				
1481	Superseded by 1484, 1485			
1482	Superseded by 1484, 1485			
1483	Superseded by 1484, 1485			
1484	Battery bus disconnect, quick opening	MS17831	1H6150-00-802-8362	*
1485	Wrench for bus disconnect	MS17832	9G6140-00-692-4670	*
1486-1489	Not yet used			
1490	Portable storage btry, type 2V, 20 Ah	DOD-B-15072/3	9G6140-00-255-5719	4.0
1491	Portable storage btry, type 12V, 15 Ah	DOD-B-15072/11	9G6140-00-255-5721	22.0
1492	Portable storage btry, type 6V, 50 Ah	DOD-B-15072/9	9G6140-00-255-5722	44.0
1493	Portable storage btry, type 6V, 100 Ah	DOD-B-15072/12	9G6140-00-195-5341	55.0
1494	Portable storage btry, type 6V, 130 Ah	DOD-B-15072/13	9G6140-00-195-5339	77.0
1495	Portable storage btry, type 6V, 300 Ah	DOD-B-15072/14	9G6140-00-255-5727	121.0
1496	Portable storage btry, type 6V, 205 Ah	DOD-B-15072/10	9G6140-00-255-5726	143.0
1497	Portable storage btry, type 8V, 300 Ah	DOD-B-15072/14	9G6140-00-255-5728	187.0
1498-1502	Canceled-obsolete			
1503.1	Storage btry water filler, portable	4920-L	9G6140-00-025-1C08	5.0
1504	Storage btry cell syringe	5026-L	1H6140-00-025-1009	*
1505	Indicator, electrolyte level	5217-L	9G6680-00-246-1103	*
1506	Superseded by 1506.1			
1506.1	ION exchanger for sub btry water purification	803-1197239	1H6130-00-937-2314	*
1507-1513	Canceled-obsolete			
1514-1519	Not yet used			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>STUFFING TUBES</u>				
1520	Stuffing tube, size A, brass	MIL-S-24235/9 -001	1H5975-00-178-1499	★
1521	Stuffing tube, size B, brass	MIL-S-24235/9 -002	1H5975-00-178-1500	★
1522	Stuffing tube, size C, brass	MIL-S-24235/9 -003	1H5975-00-178-1501	★
1523	Stuffing tube, size D, brass	MIL-S-24235/9 -004		★
1524	Stuffing tube, size E, brass	MIL-S-24235/9 -005	1H5975-00-178-1503	★
1525	Stuffing tube, size F, brass	MIL-S-24235/9 -006	1H5975-00-178-1504	★
1526	Stuffing tube, size G, brass	MIL-S-24235/9 -007		★
1527	Stuffing tube, size J, brass	MIL-S-24235/9 -008	1H5975-00-178-1506	★
1528	Stuffing tube, size K, brass	MIL-S-24235/9 -009	1H5975-00-178-1507	★
1529	Stuffing tube, size L, brass	MIL-S-24235/9 -010	1H5975-00-178-1508	★
1530	Stuffing tube, size M, brass	MIL-S-24235/9 -011	1H5975-00-178-1509	★
1531	Stuffing tube, size N, brass	MIL-S-24235/9 -012	1H5975-00-178-1510	★
1532	Stuffing tube, size P, brass	MIL-S-24235/9 -013	1H5975-00-178-1511	★
1533	Stuffing tube, size R, brass	MIL-S-24235/9 -014		★
1534	Stuffing tube, size S, brass	MIL-S-24235/9 -015	1H5975-00-178-1513	★
1535	Stuffing tube, size T, brass	MIL-S-24235/9 -016		★

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1536	Stuffing tube, size V, brass	MIL-S-24235/9 -017		*
1537	Stuffing tube, size W, brass	MIL-S-24235/9 -018		*
1538	Stuffing tube, size X, brass	MIL-S-24235/9 -019		*
1539	Stuffing tube, size Y, brass	MIL-S-24235/9 -020		*
1540	Stuffing tube, size Z, brass	MIL-S-24235/9 -021		*
1541	Stuffing tube, size AA, brass	MIL-S-24235/9 -022		*
1542	Stuffing tube, size BB, brass	MIL-S-24235/9 -023		*
1543-1562	Not yet used			
1563	Canceled-obsolete			
1564-1569	Not yet used			
1570	Stuffing tube, size A, steel	MIL-S-24235/9 -121	1H5975-00-178-1514	*
1571	Stuffing tube, size B, steel	MIL-S-24235/9 -122	1H5975-00-178-1515	*
1572	Stuffing tube, size C, steel	MIL-S-24235/9 -123	1H5975-00-178-1516	*
1573	Stuffing tube, size D, steel	MIL-S-24235/9 -124	1H5975-00-178-1517	*
1574	Stuffing tube, size E, steel	MIL-S-24235/9 -125	1H5975-00-178-1518	*
1575	Stuffing tube, size F, steel	MIL-S-24235/9 -126	1H5975-00-178-1461	*
1576	Stuffing tube, size G, steel	MIL-S-24235/9 -127	1H5975-00-178-1520	*
1577	Stuffing tube, size J, steel	MIL-S-24235/9 -128	1H5975-00-178-1521	*
1578	Stuffing tube, size K, steel	MIL-S-24235/9 -129	1H5975-00-178-1522	*

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1579	Stuffing tube, size L, steel	MIL-S-24235/9 -130	1H5975-00-178-1523	#
1580	Stuffing tube, size M, steel	MIL-S-24235/9 -131	1H5975-00-178-1524	#
1581	Stuffing tube, size N, steel	MIL-S-24235/9 -132	1H5975-00-178-1525	#
1582	Stuffing tube, size P, steel	MIL-S-24235/9 -133	1H5975-00-178-1526	#
1583	Stuffing tube, size R, steel	MIL-S-24235/9 -134	1H5975-00-178-1527	#
1584	Stuffing tube, size S, steel	MIL-S-24235/9 -135	1H5975-00-178-1528	#
1585	Stuffing tube, size T, steel	MIL-S-24235/9 -136	1H5975-00-178-1529	#
1586	Stuffing tube, size V, steel	MIL-S-24235/9 -137	1H5975-00-178-1530	#
1587	Stuffing tube, size W, steel	MIL-S-24235/9 -138	1H5975-00-178-1531	#
1588	Stuffing tube, size X, steel	MIL-S-24235/9 -139	1H5975-00-178-1532	#
1589	Stuffing tube, size Y, steel	MIL-S-24235/9 -140	1H5975-00-178-1533	#
1590	Stuffing tube, size Z, steel	MIL-S-24235/9 -141	1H5975-00-178-1534	#
1591	Stuffing tube, size AA, steel	MIL-S-24235/9 -142	1H5975-00-178-1535	#
1592	Stuffing tube, size BB, steel	MIL-S-24235/9 -143		#
1593-1599 1600	Not yet used Stuffing tube, size A, steel	MIL-S-24235/10 -01	1H5975-00-178-0751	#
1601	Stuffing tube, size B, steel	MIL-S-24235/10 -02	1H5975-00-178-0752	#
1602	Stuffing tube, size C, steel	MIL-S-24235/10 -03	1H5975-00-178-0753	#

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1603	Stuffing tube, size D, steel	MIL-S-24235/10 -04	1H5975-00-178-0754	*
1604	Stuffing tube, size E, steel	MIL-S-24235/10 -05	1H5975-00-178-0755	*
1605	Stuffing tube, size F, steel	MIL-S-24235/10 -06	1H5975-00-178-0756	*
1606	Stuffing tube, size G, steel	MIL-S-24235/10 -07	1H5975-00-178-0757	*
1607	Stuffing tube, size J, steel	MIL-S-24235/10 -08	1H5975-00-178-0758	*
1608	Stuffing tube, size K, steel	MIL-S-24235/10 -09	1H5975-00-178-0759	*
1609	Stuffing tube, size L, steel	MIL-S-24235/10 -10	1H5975-00-178-0760	*
1610	Stuffing tube, size M, steel	MIL-S-24235/10 -11	1H5975-00-178-0761	*
1611	Stuffing tube, size N, steel	MIL-S-24235/10 -12		*
1612	Stuffing tube, size P, steel	MIL-S-24235/10 -13	1H5975-00-178-0763	*
1613	Stuffing tube, size R, steel	MIL-S-24235/10 -14	1H5975-00-178-0764	*
1614	Stuffing tube, size S, steel	MIL-S-24235/10 -15	1H5975-00-178-0765	*
1615	Stuffing tube, size T, steel	MIL-S-24235/10 -16	1H5975-00-178-0766	*
1616	Stuffing tube, size V, steel	MIL-S-24235/10 -17	1H5975-00-178-0767	*
1617	Stuffing tube, size W, steel	MIL-S-24235/10 -18	1H5975-00-178-0768	*
1618	Stuffing tube, size X, steel	MIL-S-24235/10 -19	1H5975-00-178-0769	*
1619	Stuffing tube, size Y, steel	MIL-S-24235/10 -21	1H5975-00-178-0770	*

MIL-HDBK-290(SH)
22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1620	Stuffing tube, size Z, steel	MIL-S-24235/10 -21	1H5975-00-178-0771	*
1621	Stuffing tube, size AA, steel	MIL-S-24235/10 -22	1H5975-00-178-0772	*
1622	Stuffing tube, size BB, steel	MIL-S-24235/10 -23		*
1623-1629	Not yet used			
1630-1652	Canceled-obsolete			
1653-1657	Not yet used			
1658	Stuffing tube, split, for repair, size Z	MIL-S-24235/12 -21		*
1659	Stuffing tube, split, for repair, size AA	MIL-S-24235/12 -22		*
1660	Stuffing tube, split, for repair, size A	MIL-S-24235/12 -01		*
1661	Stuffing tube, split, for repair, size B	MIL-S-24235/12 -02		*
1662	Stuffing tube, split, for repair, size C	MIL-S-24235/12 -03		*
1663	Stuffing tube, split, for repair, size D	MIL-S-24235/12 -04		*
1664	Stuffing tube, split, for repair, size E	MIL-S-24235/12 -05		*
1665	Stuffing tube, split, for repair, size F	MIL-S-24235/12 -06		*
1666	Stuffing tube, split, for repair, size G	MIL-S-24235/12 -07		*
1667	Stuffing tube, split, for repair, size J	MIL-S-24235/12 -08	1H5975-00-178-1229	*
1668	Stuffing tube, split, for repair, size K	MIL-S-24235/12 -09		*
1669	Stuffing tube, split, for repair, size L	MIL-S-24235/12 -10	1H5975-00-178-1231	*
1670	Stuffing tube, split, for repair, size M	MIL-S-24235/12 -11		*

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1671	Stuffing tube, split, for repair, size N	MIL-S-24235/12 -12	1H5975-00-178-1233	*
1672	Stuffing tube, split, for repair, size P	MIL-S-24235/12 -13		*
1673	Stuffing tube, split, for repair, size R	MIL-S-24235/12 -14		*
1674	Stuffing tube, split, for repair, size S	MIL-S-24235/12 -15		*
1675	Stuffing tube, split, for repair, size T	MIL-S-24235/12 -16		*
1676	Stuffing tube, split, for repair, size V	MIL-S-24235/12 -17	1H5975-00-178-1238	*
1677	Stuffing tube, split, for repair, size W	MIL-S-24235/12 -18		*
1678	Stuffing tube, split, for repair, size X	MIL-S-24235/12 -19		*
1679	Stuffing tube, split, for repair, size Y	MIL-S-24235/12 -20	1H5975-00-178-1241	*
1680-1700	Not yet used			
1701	Stuffing tube, type, steel, for bhd requiring pipe protection, size A	MIL-S-24235/17 -001	9G5975-01-014-8994	
1702	Same as 1701 except size B	MIL-S-24235/17 -002	9G5975-01-014-8995	
1703	Same as 1701 except size C	MIL-S-24235/17 -003	9G5975-01-014-9928	
1704	Same as 1701 except size D	MIL-S-24235/17 -004	9G5975-01-014-9929	
1705	Same as 1701 except size E	MIL-S-24235/17 -005	9G5975-01-014-9930	
1706	Same as 1701 except size F	MIL-S-24235/17 -006	9G5975-01-014-9931	
1707	Same as 1701 except size G	MIL-S-24235/17 -007	9G5975-01-014-9932	
1708	Same as 1701 except size J	MIL-S-24235/17 -008	9G5975-01-014-9933	

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1709	Same as 1701 except size K	MIL-S-24235/17 -009	9G5975-01-014-9934	
1710	Same as 1701 except size L	MIL-S-24235/17 -010	9G5975-01-014-8996	
1711	Same as 1701 except size M	MIL-S-24235/17 -011	9G5975-01-014-8997	
1712	Same as 1701 except size N	MIL-S-24235/17 -012	9G5975-01-014-8951	
1713	Same as 1701 except size P	MIL-S-24235/17 -013	9G5975-01-014-9952	
1714	Same as 1701 except size R	MIL-S-24235/17 -014	9G5975-01-015-6930	
1715	Same as 1701 except size S	MIL-S-24235/17 -015	9G5975-01-015-2697	
1716	Same as 1701 except size T	MIL-S-24235/17 -016	9G5975-01-014-8998	
1717	Same as 1701 except size V	MIL-S-24235/17 -017	9G5975-01-014-8999	
1718	Same as 1701 except size W	MIL-S-24235/17 -018	9G5975-01-014-9000	
1719	Same as 1701 except size X	MIL-S-24235/17 -019	9G5975-01-014-9001	
1720	Same as 1701 except size Y	MIL-S-24235/17 -020	9G5975-01-014-9002	
1721	Same as 1701 except size Z	MIL-S-24235/17 -021	9G5975-01-014-9953	
1722	Same as 1701 except size AA	MIL-S-24235/17 -022	9G5975-01-014-9003	
1723	Same as 1701 except size BB	MIL-S-24235/17 -023	9G5975-01-014-9004	
1724-1730	Not yet used			
1731	Stuffing tube, type, al, for bhd requiring pipe protection, size A	MIL-S-24235/17 -031	9G5975-01-014-9958	
1732	Same as 1731 except size B	MIL-S-24235/17 -032	9G5975-01-014-9959	

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1733	Same as 1731 except size C	MIL-S-24235/17 -033	9G5975-01-014-9960	
1734	Same as 1731 except size D	MIL-S-24235/17 -034	9G5975-01-014-9961	
1735	Same as 1731 except size E	MIL-S-24235/17 -035	9G5975-01-014-9962	
1736	Same as 1731 except size F	MIL-S-24235/17 -036	9G5975-01-014-9963	
1737	Same as 1731 except size G	MIL-S-24235/17 -037	9G5975-01-014-9964	
1738	Same as 1731 except size J	MIL-S-24235/17 -038	9G5975-01-014-9965	
1739	Same as 1731 except size K	MIL-S-24235/17 -039	9G5975-01-014-9966	
1740	Same as 1731 except size L	MIL-S-24235/17 -040	9G5975-01-014-9967	
1741	Same as 1731 except size M	MIL-S-24235/17 -041	9G5975-01-014-9968	
1742	Same as 1731 except size N	MIL-S-24235/17 -042	9G5975-01-014-9994	
1743	Same as 1731 except size P	MIL-S-24235/17 -043	9G5975-01-014-9995	
1744	Same as 1731 except size R	MIL-S-24235/17 -044	9G5975-01-014-9996	
1745	Same as 1731 except size S	MIL-S-24235/17 -045	9G5975-01-014-9997	
1746	Same as 1731 except size T	MIL-S-24235/17 -046	9G5975-01-014-9969	
1747	Same as 1731 except size V	MIL-S-24235/17 -047	9G5975-01-014-9970	
1748	Same as 1731 except size W	MIL-S-24235/17 -048	9G5975-01-014-9971	
1749	Same as 1731 except size X	MIL-S-24235/17 -049	9G5975-01-014-9972	

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1750	Same as 1731 except size Y	MIL-S-24235/17 -050	9G5975-01-014-9973	
1751	Same as 1731 except size Z	MIL-S-24235/17 -051	9G5975-01-014-9998	
1752	Same as 1731 except size AA	MIL-S-24235/17 -052	9G5975-01-014-9974	
1753	Same as 1731 except size BB	MIL-S-24235/17 -053	9G5975-01-014-9975	
1754-1760	Not yet used			
1761	Stuffing tube, type, steel, for decks requiring pipe protection, size A	MIL-S-24235/17 -061	9G5975-01-014-9005	
1762	Same as 1761 except size B	MIL-S-24235/17 -062	9G5975-01-014-9935	
1763	Same as 1761 except size C	MIL-S-24235/17 -063	9G5975-01-014-9936	
1764	Same as 1761 except size D	MIL-S-24235/17 -064	9G5975-01-014-9937	
1765	Same as 1761 except size E	MIL-S-24235/17 -065	9G5975-01-014-9938	
1766	Same as 1761 except size F	MIL-S-24235/17 -066	9G5975-01-014-9939	
1767	Same as 1761 except size G	MIL-S-24235/17 -067	9G5975-01-014-9940	
1768	Same as 1761 except size J	MIL-S-24235/17 -068	9G5975-01-014-9941	
1769	Same as 1761 except size K	MIL-S-24235/17 -069	9G5975-01-014-9006	
1770	Same as 1761 except size L	MIL-S-24235/17 -070	9G5975-01-014-9942	
1771	Same as 1761 except size M	MIL-S-24235/17 -071	9G5975-01-014-9943	
1772	Same as 1761 except size N	MIL-S-24235/17 -072	9G5975-01-014-9954	
1773	Same as 1761 except size P	MIL-S-24235/17 -073	9G5975-01-014-6197	

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1774	Same as 1761 except size R	MIL-S-24235/17 -074	9G5975-01-014-9955	
1775	Same as 1761 except size S	MIL-S-24235/17 -075	9G5975-01-014-9956	
1776	Same as 1761 except size T	MIL-S-24235/17 -076	9G5975-01-014-9944	
1777	Same as 1761 except size V	MIL-S-24235/17 -077	9G5975-01-014-9945	
1778	Same as 1761 except size W	MIL-S-24235/17 -078	9G5975-01-014-9946	
1779	Same as 1761 except size X	MIL-S-24235/17 -079	9G5975-01-014-9947	
1780	Same as 1761 except size Y	MIL-S-24235/17 -080	9G5975-01-014-9948	
1781	Same as 1761 except size Z	MIL-S-24235/17 -081	9G5975-01-014-9957	
1782	Same as 1761 except size AA	MIL-S-24235/17 -082	9G5975-01-014-9949	
1783	Same as 1761 except size BB	MIL-S-24235/17 -083	9G5975-01-014-9950	
1784-1790	Not yet used			
1791	Stuffing tube, type, aluminum, for decks requiring pipe protection, size A	MIL-S-24235/17 -091	9G5975-01-014-9976	
1792	Same as 1791 except size B	MIL-S-24235/17 -092	9G5975-01-014-9977	
1793	Same as 1791 except size C	MIL-S-24235/17 -093	9G5975-01-014-9978	
1794	Same as 1791 except size D	MIL-S-24235/17 -094	9G5975-01-014-9979	
1795	Same as 1791 except size E	MIL-S-24235/17 -095	9G5975-01-014-9980	
1796	Same as 1791 except size F	MIL-S-24235/17 -096	9G5975-01-014-9981	
1797	Same as 1791 except size G	MIL-S-24235/17 -097	9G5975-01-014-9982	

MIL-HDBK-290(SH)
22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1798	Same as 1791 except size J	MIL-S-24235/17 -098	9G5975-01-014-9983	
1799	Same as 1791 except size K	MIL-S-24235/17 -099	9G5975-01-014-9984	
1800	Same as 1791 except size L	MIL-S-24235/17 -100	9G5975-01-014-9985	
1801	Same as 1791 except size M	MIL-S-24235/17 -101	9G5975-01-014-9986	
1802	Same as 1791 except size N	MIL-S-24235/17 -102	9G5975-01-014-9999	
1803	Same as 1791 except size P	MIL-S-24235/17 -103	9G5975-01-015-0000	
1804	Same as 1791 except size R	MIL-S-24235/17 -104	9G5975-01-015-0001	
1805	Same as 1791 except size S	MIL-S-24235/17 -105	9G5975-01-015-0002	
1806	Same as 1791 except size T	MIL-S-24235/17 -106	9G5975-01-014-9987	
1807	Same as 1791 except size V	MIL-S-24235/17 -107	9G5975-01-014-9988	
1808	Same as 1791 except size W	MIL-S-24235/17 -108	9G5975-01-014-9989	
1809	Same as 1791 except size X	MIL-S-24235/17 -109	9G5975-01-014-9990	
1810	Same as 1791 except size Y	MIL-S-24235/17 -110	9G5975-01-014-9991	
1811	Same as 1791 except size Z	MIL-S-24235/17 -111	9G5975-01-015-0003	
1812	Same as 1791 except size AA	MIL-S-24235/17 -112	9G5975-01-014-9992	
1813	Same as 1791 except size BB	MIL-S-24235/17 -113	9G5975-01-014-9993	
1814-1852	Not yet used			
1853	Outlet for hull and weather deck	MIL-S-24235/11 (being revised)	1H5975-00-178-1584	7.2
1854	Superseded by 996			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
1855-1870	Canceled-obsolete			
1871-1899	Not yet used			
<u>HULL FITTINGS</u> (continued from symbol number 539)				
1900	Hull fitting harness for AN/BQQ-1 sonar	815-1197361		*
1901	Inboard harness for AN/BQQ-1 sonar	815-1197375		*
1902	Hull fitting, elec, wrttt, sub, 3 #16 contacts	815-1197362		*
1903	Hull fitting, elec, wrttt, sub, 5 #16 contacts	815-1197363		*
1904	Hull fitting, elec, wrttt, sub, 24 #16 contacts	815-1197366		*
1905	Hull fitting, elec, wrttt, sub, 3 #16 contacts, 16 conn	815-1197367		*
1906	Hull fitting, elec, wrttt, sub, 9 #16 contacts	815-1197364		*
1907	Hull fitting, for 7SS-2 (PY system)	815-1197382		*
1908	Hull fitting, elec, wrttt, sub, 14 #16 contacts	815-1197369 - 1197365 canceled		*
1909	Assigned E.B. for 815-1197395			
1910-1999	Not yet used			
2000-2049	Canceled-obsolete			
2050-2069	Not yet used			
2070-2088	Canceled-obsolete			
2089	Not yet used			
2090-2125	Canceled-obsolete			
2126-2129	Not yet used			
2130-2136	Canceled-obsolete			
2137-2169	Not yet used			
<u>SWITCHES</u> (continued from symbol number 899)				
2170-2178	Not yet used			
2179	Switch, rotary, sbm 15, 10A, 120V ac, type S1JR5-3A	S6202-74290	1H5930-00-581-6035	*
2180	Switch, rotary, sbm 15, 10A, 120V ac, type S2JR5-3A	S6202-74290	9N5930-00-578-3951	*
2181	Switch, rotary, sbm 15, 10A, 120V ac, type S3JR5-3A	S6202-74290	1H5930-00-581-3414	*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2182	Switch, rotary, sbm 15, 10A, 120V ac, type S4JR5-3A	S6202-74290	1H5930-00-578-3954	*
2183	Switch, rotary, sbm 15, 10A, 120V ac, type S1JR10-3A	S6202-74290	2H5930-00-581-3418	*
2184	Switch, rotary, sbm 15, 10A, 120V ac, type S2JR10-3A	S6202-74290	1H5930-00-581-3421	*
2185	Switch, rotary, sbm 15, 10A, 120V ac, type S3JR10-3A	S6202-74290	1H5930-00-581-3417	*
2186	Switch, rotary, sbm 15, 10A, 120V ac, type S4JR10-3A	S6202-74290	1H5930-00-581-3419	*
2187	Switch, rotary, sbm 15, 10A, 120V ac, type S1JR15-3A	S6202-74290	1H5930-00-581-6028	*
2188	Switch, rotary, sbm 15, 10A, 120V ac, type S2JR15-3A	S6202-74290	9N5930-00-578-3971	*
2189	Switch, rotary, sbm 15, 10A, 120V ac, type S3JR15-3A	S6202-74290	1H5930-00-581-6036	*
2190	Switch, rotary, sbm 15, 10A, 120V ac, type S4JR15-3A	S6202-74290	1H5930-00-581-6031	*
2191	Switch, rotary, sbm 15, 10A, 120V ac, type S1JR25-3A	S6202-74290	1H5930-00-581-3423	*
2192	Switch, rotary, sbm 15, 10A, 120V ac, type S2JR25-3A	S6202-74290	9N5930-00-581-3425	*
2193	Switch, rotary, sbm 15, 10A, 120V ac, type S3JR25-3A	S6202-74290	1H5930-00-581-4611	*
2194	Switch, rotary, sbm 15, 10A, 120V ac, type S4JR25-3A	S6202-74290	9N5930-00-578-4903	*
2195	Switch conversion kit, type S-JRBC-10	S6202-74290	1H5930-00-610-5412	*
2196	Switch conversion kit, type S-JRBC-15	S6202-74290	1H5930-00-610-5413	*
2197	Switch conversion kit, type S-JRBC-25	S6202-74290	1H5930-00-610-5414	*
2198,2199	Not yet used			
2221,2222	Canceled-obsolete			
2223-2229	Not yet used			
2230-2250	Canceled-obsolete			
2251-2259	Not yet used			
2260-2277	Canceled-obsolete			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2278-2284	Not yet used			
2285-2291	Canceled-obsolete			
2292-2299	Not yet used			
2300-2312	Canceled-obsolete			
2313-2319	Not yet used			
2320-2348	Canceled-obsolete			
2349-2359	Not yet used			
2360-2387	Canceled-obsolete			
2388-2399	Not yet used			
<u>MISCELLANEOUS APPLIANCES (continued from symbol number 1019)</u>				
2400, 2401	Canceled-obsolete			
2402.1	Superseded by 2414 and 2415			
2402.2	Superseded by 2414.1 and 2415.1			
2402.3	Superseded by 2414.2 and 2415.2			
2403	Cable assy, aircraft servicing, 28.5V dc, 550A, 3 contact	S6202-74253		136.0
2404	Cable assy, adapter, aircraft, external starting, gas turbine engine (mates with 2402.1, 987 and NAEC 49A1A7)	S6202-74340	1H6150-00-033-5647	6
2405	Stuffing tube, bhd, size 1 (HY-80)	MIL-S-24235/1	1H5975-00-881-8252	*
2405	Stuffing tube, bhd, size 1 (H.T.)	MIL-S-24235/1	1H5975-00-881-8251	*
2405.1-	Packing for symbol 2405	MIL-S-24235/2		
2405.7				
2406	Stuffing tube, bhd, size 2 (HY-80)	MIL-S-24235/1	1H5975-00-881-7963	*
2406	Stuffing tube, bhd, size 2 (H.T.)	MIL-S-24235/1	1H5975-00-823-0944	*
2406.1-	Packing for symbol 2406	MIL-S-24235/2		
2406.5				
2407	Stuffing tube, bhd, size 3 (HY-80)	MIL-S-24235/1	1H5975-00-881-6262	*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2407	Stuffing tube, bhd, size 3 (H.T.)	MIL-S-24235/1	1H5975-00-881-6263	*
2407.1-	Packing for symbol 2407	MIL-S-24235/2		
2407.7				
2408	Stuffing tube, bhd, size 4 (HY-80)	MIL-S-24235/1	1H5975-00-881-6265	*
2408	Stuffing tube, bhd, size 4 (H.T.)	MIL-S-24235/1	1H5975-00-881-6264	*
2408.1-	Packing for symbol 2408	MIL-S-24235/2		
2408.5				
2409	Stuffing tube, bhd, size 5 (HY-80)	MIL-S-24235/1	1H5975-00-881-6267	*
2409	Stuffing tube, bhd, size 5 (H.T.)	MIL-S-24235/1	1H5975-00-881-6266	*
2409.1-	Packing for symbol 2409	MIL-S-24235/2		
2409.3				
2410	Stuffing tube, bhd, size 6 (HY-80)	MIL-S-24235/1	1H5975-00-881-6269	*
2410	Stuffing tube, bhd, size 6 (H.T.)	MIL-S-24235/1	1H5975-00-881-6268	*
2410.1-	Packing for symbol 2410	MIL-S-24235/2		
2410.3				
2411	Stuffing tube, bhd, size 7 (HY-80)	MIL-S-24235/1	1H5975-00-881-6271	*
2411	Stuffing tube, bhd, size 7 (H.T.)	MIL-S-24235/1	1H5975-00-881-6270	*
2411.1-	Packing for 2411	MIL-S-24235/2		
2411.5				
2412	Stuffing tube, bhd, size 8 (HY-80)	MIL-S-24235/1	1H5975-00-881-6273	*
2412	Stuffing tube, bhd, size 8 (H.T.)	MIL-S-24235/1	1H5975-00-881-6272	*
2412.1-	Packing for 2412	MIL-S-24235/2		
2412.3				

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2413	Stuffing tube, bhd, size 9 (HY-80)	MIL-S-24235/1	1H5975-00-881-6275	*
2413	Stuffing tube, bhd, size 9 (H.T.)	MIL-S-24235/1	1H5975-00-881-6274	*
2413.1,	Packing for 2413	MIL-S-24235/2		
2413.2				
2414	Cable assy for jet aircraft, 28.5V dc, 300A, 65 ft, rectangular	815-1197060	1H5935-00-590-9017	
2414.1	Cable assy for jet aircraft, 28.5V dc, 300A, 75 ft, rectangular	815-1197060		
2414.2	Cable assy for jet aircraft, 28.5V dc, 300A, 105 ft, rectangular	815-1197060	1H5935-00-590-9046	
2415	Cable assy for jet aircraft, 28.5V dc, 300A, 65 ft, oval	815-1197060		
2415.1	Superseded by 2415.3			
2415.2	Cable assy for jet aircraft, 28.5V dc, 300A, 105 ft, oval	815-1197060	9G6150-00-823-2392	
2415.3	Cable assy for jet aircraft, 28.5V dc, 300A, 85 ft, oval	815-1197060	1H6150-00-902-9830	*
2416	Cable assy 25 ft, dp, gnd, 15A, 125V	MS18053	9G6150-00-725-1366	8.5
2416.1	Cable assy 100 ft, dp, gnd, 15A, 125V	MS18053		
2417	Canceled-obsolete			
2417.1	Canceled-obsolete			
2418	Stuffing tube, kick pipe, steel	803-5001027		*
		Method 3B241		
2418.1	Stuffing tube, kick pipe, aluminum	803-5001027		*
		Method 3B241		
2419	Canceled-obsolete			
2419.1	Canceled-obsolete			
2420	Cable assy, aircraft, autonavigator alignment, umbilical	MIL-C-24360		*
2421-2424	Not yet used			
2425	Stuffing tube, ballast tank for SS cable with molded plug (1/2 in dia cable w/3 cond plug)	MIL-S-24235/5,6		*

MIL-HDBK-290(SH)

22 August 1986

Sym. No.	Item	Std Dwg & Spec	National Stock No.	Wt
2425.1	Stuffing tube, ballast tank for SS cable with molded plug (1/2 in dia cable w/7 cond plug)	MIL-S-24235/5,6		*
2425.2	Stuffing tube, ballast tank for SS cable with molded plug (5/8 in dia cable w/7 cond plug)	MIL-S-24235/5,6		*
2426,2427	Not yet used			
2428	Stuffing tube, bhd, for ballast tanks, 10-1/2 in or 5/8 in dia cables, max	MIL-S-24235/3,4		*
2429	Stuffing tube, bhd, for ballast tanks, 16-1/2 in or 12-5/8 in dia cables, max	MIL-S-24235/3,4		*
2430	Stuffing tube, bhd, ballast tanks, 5-1/2 in or 2-5/8 in dia cables, max	MIL-S-24235/3,4		*
2431	Superseded by 2421.1			
2432.1	Hand lantern mtg bracket, adjustable, brass	MIL-F-16377/55	9G6230-00-843-5991	5
2433	Fuse box, for individual cell voltmeter leads, splashproof, wrttt	803-73898	9N5920-00-296-4737	*
2434-2437	Canceled-obsolete			
2438	Hand lantern, lug supporting bracket	MIL-F-16377/54	9G6230-00-578-7401	*
2439	Receptacle, adapter, 15A, 125V ac, 60-400 Hz, gnd, bladed type	MIL-R-2726/72		
2440	Superseded by 2440.2			
2440.1	Superseded by 2440.2			
2440.2	Receptacle adapter, 15A, 125V ac, gnd (bladed plug with stud type receptacle)	MIL-R-2726/51	9G6150-00-679-0711	0.5
2441	Fuse box, wrttt, for individual cell voltmeter leads, 3A, 500V	4899-L	9N5920-00-153-6186	6
2442	Superseded by 2449			
2443	Superseded by 2448			
2444	Superseded by 2448			
2445	Superseded by 2448			
2446	Not yet used			
2446.1	For maintenance only-see 5.3			
2446.2	For maintenance only-see 5.3			
2446.3	For maintenance only-see 5.3			

MIL-HDBK-290 (JH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2446.4	For maintenance only-see 5.3			
2447	Not yet used			
2447.1	For maintenance only-see 5.3		9Z5530-00-682-4439	
2447.2	For maintenance only-see 5.3		9Z5330-00-509-9839	
2447.3	For maintenance only-see 5.3		9Z5330-00-509-9865	
2447.4	For maintenance only-see 5.3		9Z5330-00-682-4441	
2447.5	For maintenance only-see 5.3		9Z5330-00-682-4442	
2447.6	For maintenance only-see 5.3			
2448	Superseded by 516			
2448.1	For maintenance only-see 5.3			
2448.2	For maintenance only-see 5.3			
2448.3	For maintenance only-see 5.3			
2449	Superseded by 517			
2449.1	For maintenance only-see 5.3			
2449.2	For maintenance only-see 5.3			
2449.3	For maintenance only-see 5.3			
2449.4	For maintenance only-see 5.3			
PANELS AND SWITCHBOARDS				
NOTE: Power and lighting panels are covered under Miscellaneous Appliances.				
2450	Superseded by 2457-For maintenance only-see 5.3		2H6625-00-183-8347	
2451	Canceled-obsolete			
2452.1	Swbd, general work, 125/500V, 3ph, ac, 125V dc, nmag, class 2 vessels	S6201-74439	2H6625-00-635-4745	77
2453	Canceled-obsolete			
2454	Test, swbd, general work, 25/125V dc	5448-L	2H6625-00-183-8346	105.0
2455	Synchro sw panel assy and details	815-1197067	1H6110-00-473-5111	*
2456	Test panel, btry discharge	S6201-74397	2H6625-00-521-9002	127
2457	Test switchboard, general purpose, 440V and 115V, 3ph, 60 Hz; 115V, sgl ph, 60 Hz; 0-120V dc; 115V, 400 Hz; 80V, 20 Hz	803-1853036		158
2458	Not yet used			

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2459	Battery charger, portable or bhd mtg, dp			
2460	Battery charging swbd, 3 circuit, 125V input, for class 1 and 2 vessels	MIL-C-24095	1H6130-00-224-6075 2H6130-00-224-6076	125 #
2461	Battery charging swbd, 6 circuit, 125V input, for class 1 and 2 vessels		2H6130-00-241-6310	1027.0 #
2462	Battery charging swbd, 14 circuit, 125V input, for class 1 and 2 vessels			
2463	Canceled-obsolete			*
2464	Panel, fused disconnect sw, sbm 15 ft, 30A 500V dc, 1000V, gnd, for btry ckt, brkr control	815-1197038		*
2465	Panel, fuse test, portable	MS17220	1H5920-00-870-6996	*
2466-2469	Not yet used			*
2470	Panel, emergency lighting btry supply sw, 31-100A, 1000V	S6202-74477		*
2470.1	Panel, emergency lighting btry supply sw, 61-100A, 500V	S6202-74477		*
2470.2	Panel, emergency lighting btry supply sw, 1-30A, 500V	S6202-74477		*
2471	Manual bus trans pnl, dp, double NQB-A101 cb, 500V ac/250V dc	MIL-P-23928/5		*
2471.1	Same as 2471 except te	MIL-P-23928/5		*
2471.2	Same as 2471 except wrttt	MIL-P-23928/5		*
2472	Superseded by 2472.2			*
2472.1	Pwr distribution pnl, dp, one 3 ph br, AQB or NQB-A250 cb, 250A, 500V ac/250V dc	MIL-P-23928/6		*
2472.2	Same as 2472.1 except te	MIL-P-23928/6		*
2472.3	Same as 2472.1 except wrttt	MIL-P-23928/6		*
2473	Superseded by 2473.1			
2473.1	Superseded by 2473.3 or 2473.4			*
2473.2	Pwr distribution pnl, dp, double AQB or or NQB-A250 cb, 500A, 500V ac/250V dc	MIL-P-23928/7	1H6110-00-747-9269	*
2473.3	Same as 2473.2 except te	MIL-P-23928/7		*
2473.4	Same as 2473.2 except wrttt	MIL-P-23928/7		*

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2474	Superseded by 2474.1			
2474.1	Superseded by 2474.3 or 2474.4	MIL-P-23928/8		*
2474.2	Manual bus trans pnl, dp, double NQB-A250 cb, 500V ac/ 250V dc, 400A			
2474.3	Same as 2474.2 except te	MIL-P-23928/8		*
2474.4	Same as 2474.2 except wrttt	MIL-P-23928/8		*
2475-2478	Canceled-obsolete			
2479	Heater control and ind panel, 4 ckt, 440V, 3 ph supply, propulsion gen	S6201-73132	2H6110-00-152-0271	48
2480	Heater control and ind panel, 4 ckt, 440V, 3 ph supply, 3 ph branch, nwt, propulsion gen	S6201-73133	2H6110-00-152-0278	61
2481	Heater control and ind panel, 4 ckt, 120/240V dc, 2 wire, propulsion gen	S6201-73135	1H6110-00-152-0270	54.0
2482	Heater control and ind panel, 6 ckt, 120/240V dc, 2 wire, nwt, propulsion gen	S6201-73134	1H6110-00-152-0279	44
2483	Canceled-obsolete			
2484	For maintenance only-see 5.3			
2485,2486	Canceled-obsolete		2H6110-00-352-0605	
2487	Superseded by 1004			
2488	Canceled-obsolete			
2489	Distribution panel, PT boats, nwt or spraytight	S6202-73771	Not stocked	*
2490.1	Canceled-obsolete			
2490.2	Canceled-obsolete			
2490.3	Canceled-obsolete			
2491-2493	Canceled-obsolete			
2494.1	Superseded by 2494.3			
2494.2	Superseded by 2494.3			
2494.3	Pwr distribution panel, dp, two 3 ph br, AQB or NQB-A50 cb, 100A, 500V ac/250V dc	MIL-P-23928/2		*
2494.4	Same as 2494.3 except te			
2494.5	Same as 2494.3 except wrttt	MIL-P-23928/2		*
2495.1	Superseded by 2495.3	MIL-P-23928/2		*
2495.2	Superseded by 2495.3			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2495.3	Pwr distribution panel, dp, four 3 ph br, AQB or NQB-A50 cb, 200A, 500V ac/250V dc Same as 2495.3 except te	MIL-P-23928/2		*
2495.4	Same as 2495.3 except te	MIL-P-23928/2		*
2495.5	Same as 2495.3 except wrttt	MIL-P-23928/2		*
2496.1	Superseded by 2496.3			
2496.2	Superseded by 2496.3			
2496.3	Pwr distribution panel, dp, six 3 ph br, AQB or NQB-A50 cb, 400A, 500V ac/250V dc Same as 2496.3 except te	MIL-P-23928/2		21.9
2496.4	Same as 2496.3 except te	MIL-P-23928/2		*
2496.5	Same as 2496.3 except wrttt	MIL-P-23928/2		*
2497.1	Superseded by 2497.3			
2497.2	Superseded by 2497.3			
2497.3	Pwr distribution panel, dp, eight 3 ph br, AQB or NQB-A50 cb, 400A, 500V ac/250V dc Same as 2497.3 except te	MIL-P-23928/2		30.8
2497.4	Same as 2497.3 except te	MIL-P-23928/2		*
2497.5	Same as 2497.3 except wrttt	MIL-P-23928/2		*
2498.1	Superseded by 2498.3			
2498.2	Superseded by 2498.3			
2498.3	Pwr distribution panel, dp, ten 3 ph br, AQB or NQB-A50 cb, 400A, 500V ac/250V dc Same as 2498.3 except te	MIL-P-23928/2		55.3
2498.4	Same as 2498.3 except te	MIL-P-23928/2		*
2498.5	Same as 2498.3 except wrttt	MIL-P-23928/2		*
2499.1	Superseded by 2499.3			
2499.2	Superseded by 2499.3			
2499.3	Pwr distribution panel, dp, twelve 3 ph br, AQB or NQB-A50 cb, 400A, 500V ac/250V dc Same as 2499.3 except te	MIL-P-23928/2		*
2499.4	Same as 2499.3 except te	MIL-P-23928/2		*
2499.5	Same as 2499.3 except wrttt	MIL-P-23928/2		*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2499.6	Pwr distribution panel, dp, fourteen 3 ph br, AQB or NQB-A50 cb, 400A, 500V ac/250V dc	MIL-P-23928/2		*
2499.7	Same as 2499.6 except te	MIL-P-23928/2		*
2499.8	Same as 2499.6 except wrttt	MIL-P-23928/2		*
2499.9	Pwr distribution panel, dp, sixteen 3 ph br, AQB or NQB-50 cb, 400A, 500V ac/250V dc	MIL-P-23928/2		*
2499.10	Same as 2499.9 except te	MIL-P-23928/2		*
2499.11	Same as 2499.9 except wrttt	MIL-P-23928/2		*
2500.1	Superseded by 2494.5			
2500.2	Superseded by 2494.5			
2501.1	Superseded by 2495.5			
2501.2	Superseded by 2495.5			
2502.1	Superseded by 2496.5			
2502.2	Superseded by 2496.5			
2503.1	Superseded by 2497.5			
2503.2	Superseded by 2497.5			
2504.1	Superseded by 2498.5			
2504.2	Superseded by 2498.5			
2505.1	Superseded by 2499.5			
2505.2	Superseded by 2499.5			
2506	Battery charging panel, nwt, for flood lantern batteries	MIL-B-24095	IH6130-00-216-7376	*
2507	Control panels for traffic light, dp	S6504-74244		25
2508	Pwr dist panel, dp, sgl 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/3		*
2508.1	Same as 2508 except te	MIL-P-23928/3		*
2508.2	Same as 2508 except wrttt	MIL-P-23928/3		*
2509,2510	Canceled-obsolete			#
2511	Pwr distribution panel with two-way 100A manual bus trans (NQB-A101 cb), dp, four 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2511.1	Same as 2511 except te	MIL-P-23928/4		#

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2511.2	Same as 2511 except wrttt	MIL-P-23928/4		#
2511.3	Pwr distribution panel with two-way 100A manual bus trans (NQB-A101 cb), dp, six 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2511.4	Same as 2511.3 except te	MIL-P-23928/4		#
2511.5	Same as 2511.3 except wrttt	MIL-P-23928/4		#
2511.6	Pwr distribution panel with two-way 100A manual bus trans (NQB-A101 cb), 100A, 500V ac/250V dc, twelve 3 ph br	MIL-P-23928/4		#
2511.7	Same as 2511.6 except te	MIL-P-23928/4		#
2511.8	Same as 2511.6 except wrttt	MIL-P-23928/4		#
2511.9	Pwr distribution panel with two-way 100A manual bus trans (NQB-A101 cb), dp, ten 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2511.10	Same as 2511.9 except te	MIL-P-23928/4		#
2511.11	Same as 2511.9 except wrttt	MIL-P-23928/4		#
2511.12	Pwr distribution panel with two-way 100A manual bus trans (NQB-A101 cb), dp, twelve 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2511.13	Same as 2511.12 except te	MIL-P-23928/4		#
2511.14	Same as 2511.12 except wrttt	MIL-P-23928/4		#
2512	Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), dp, four 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2512.1	Same as 2512 except te	MIL-P-23928/4		#
2512.2	Same as 2512 except wrttt	MIL-P-23928/4		#
2512.3	Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), dp, six 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2512.4	Same as 2512.3 except te	MIL-P-23928/4		#
2512.5	Same as 2512.3 except wrttt	MIL-P-23928/4		#
2512.6	Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2512.7	Same as 2512.6 except te	MIL-P-23928/4		#
2512.8	Same as 2512.6 except wrttt	MIL-P-23928/4		#
2512.9	Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), dp, ten 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2512.10	Same as 2512.9 except te	MIL-P-23928/4		#
2512.11	Same as 2512.9 except wrttt	MIL-P-23928/4		#
2512.12	Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), 100A, 500V ac/250V dc	MIL-P-23928/4		#
2512.13	Same as 2512.12 except te	MIL-P-23928/4		#
2512.14	Same as 2512.12 except wrttt	MIL-P-23928/4		#
2513	Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, four 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2513.1	Same as 2513 except te	MIL-P-23928/4		#
2513.2	Same as 2513 except wrttt	MIL-P-23928/4		#
2513.3	Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, six 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2513.4	Same as 2513.3 except te	MIL-P-23928/4		#
2513.5	Same as 2513.3 except wrttt	MIL-P-23928/4		#
2513.6	Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2513.7	Same as 2513.6 except te	MIL-P-23928/4		#
2513.8	Same as 2513.6 except wrttt	MIL-P-23928/4		#
2513.9	Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, ten 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2513.10	Same as 2513.9 except te	MIL-P-23928/4		#
2513.11	Same as 2513.9 except wrttt	MIL-P-23928/4		#
2513.12	Pwr distribution panel with two-way 250A manual bus trans (NQB-A101 cb), 100A, 500V ac/250V dc, twelve 3 ph br	MIL-P-23928/4		#
2513.13	Same as 2513.12 except te	MIL-P-23928/4		#
2513.14	Same as 2513.12 except wrttt	MIL-P-23928/4		#
2514-2520	Canceled-obsolete			
2521	Pwr distribution panel, dp, two 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2521.1	Same as 2521 except te	MIL-P-23928/4		#
2521.2	Same as 2521 except wrttt	MIL-P-23928/4		#
2522	Superseded by 2522.2			
2522.1	Superseded by 2522.2			
2522.2	Pwr distribution panel, dp, four 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2522.3	Same as 2522.2 except te	MIL-P-23928/4		#
2522.4	Same as 2522.2 except wrttt	MIL-P-23928/4		#
2523	Superseded by 2523.2			
2523.1	Superseded by 2523.2			
2523.2	Pwr distribution panel, dp, six 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2523.3	Same as 2523.2 except te	MIL-P-23928/4		#
2523.4	Same as 2523.2 except wrttt	MIL-P-23928/4		#
2524-2530	Canceled-obsolete			
2531	Superseded by 2531.2			
2531.1	Superseded by 2531.2			
2531.2	Pwr distribution panel, dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2531.3	Same as 2531.2 except te	MIL-P-23928/4		#
2531.4	Same as 2531.2 except wrttt	MIL-P-23928/4		#
2532	Superseded by 2532.2			
2532.1	Superseded by 2532.2			
2532.2	Pwr distribution panel, dp, ten 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2532.3	Same as 2532.2 except te			#
2532.4	Same as 2532.2 except wrttt	MIL-P-23928/4		#
2533	Superseded by 2533.2			
2533.1	Superseded by 2533.2			
2533.2	Pwr distribution panel, dp, twelve 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2533.3	Same as 2533.2 except te			#
2533.4	Same as 2533.3 except wrttt	MIL-P-23928/4		#
2534	Superseded by 2522.4			
2534.1	Superseded by 2522.4			
2535	Superseded by 2523.4			
2535.1	Superseded by 2523.4			
2536	Superseded by 2531.4			
2536.1	Superseded by 2531.4			
2537	Superseded by 2532.4			
2537.1	Superseded by 2532.4			
2538	Superseded by 2533.4			
2538.1	Superseded by 2533.4			
2539	Canceled (use 2522.2)			
2539.1	Canceled (use 2522.2)			
2540	Canceled (use 2523.2)			
2540.1	Canceled (use 2523.2)			
2541	Canceled (use 2531.2)			
2541.1	Canceled (use 2531.2)			
2542	Canceled (use 2532.2)			
2542.1	Canceled (use 2532.2)			
2543	Canceled (use 2533.2)			
2543.1	Canceled (use 2533.4)			
2544	Canceled (use 2522.4)			

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2544.1	Canceled (use 2522.4)			
2545	Canceled (use 2523.4)			
2545.1	Canceled (use 2523.4)			
2546	Canceled (use 2531.4)			
2546.1	Canceled (use 2531.4)			
2547	Canceled (use 2532.4)			
2547.1	Canceled (use 2532.4)			
2548	Canceled (use 2533.4)			
2548.1	Canceled (use 2533.4)			
2549	Superseded by 2550			
2550	Superseded by 2550.1			
2550.1	Control panel, sub, navigation lights, 10A, 120V ac, te	MIL-P-24175/5	1H6110-00-950-3058	20.0
<u>KITS AND AUXILIARY EQUIPMENT</u>				
2551	Canceled-obsolete			
2552, 2553	Not yet used			
2554	Navigation light kit for landing craft			
2555.2	Use 2554-For maintenance only-see 5.3			
2556.2	Use 2554-For maintenance only-see 5.3			
2557-2559	Canceled-obsolete			
2560	Superseded by 2566.2			
2561	Kit, elec repair, for repair party lockers, <u>magnetic</u>	S6202-73125	9Q5180-00-391-1087	6
2561.1	Kit, elec repair, for repair party lockers, <u>nmag</u>	S6202-73125		6
2562-2565	Not yet used			
2566	Canceled-obsolete			
2567	Superseded by 2574			
2569	Xfmr box, abm, 117/7.5V, 6.5V, night flight light	NAEC(SI)505950-3	5R5950-00-054-8509	*
2570	Canceled			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2571	Superseded by 2574			
2572	Canceled-obsolete			
2573	Xfmr box, sbm, 100VA, 115/6.5V, 60 Hz	NAEC(SI)611508-2	5R5950-00-946-8243	15.0
2574	Xfmr box, sbm, 200VA, 120/6.6, 12.5, 15, 30V, 60 Hz	NAEC(SI)616702-1	5R5950-00-165-3654	15.0
2575	Xfmr box, sbm, 750VA, 120/12V, 60 Hz	NAEC(SI)617828-10	5R6120-00-116-5026	30.0
2576	Xfmr box, sbm, 150VA, 115/32V, 60 Hz	GE P/N 9T51B125	9N5950-00-055-9403	
2577	Superseded by 2550			
2578	Xfmr box, 440/12V, 50VA, 60 Hz	NAEC(SI)518170-1	5RM5950-01-047-2335	10.0
2579	Xfmr box, 440/16V, 100VA, 60 Hz	NAEC(SI)518170-2	5RM5950-01-044-9698	10.0
2580	Xfmr box, 440/6.6V, 200VA, 12.5V, 15V, and 30V, 60 Hz	NAEC(SI)616702-10		
2581	Xfmr box, 440/13V, 1kVA, 60 Hz	NAEC(SI)620235-1	5RD5950-01-063-9186	
2582	Xfmr, variable, motor driven, sgl ph, 2 stack, 440V, 3.5A, 1.7kVA, 60 Hz, 5.0A, 2.4kVA	NAEC(SI)620783-1	5RM5950-01-057-5612	32
2583	Xfmr, variable, motor driven, sgl ph, 2 stack, 440V, 5.0A, 2.40kVA, 60 Hz, 7.0A, 3.kkVA	NAEC(SI)620783-2	5RM5950-01-049-2332	38
2584	Superseded by 2585			
2585	Xfmr, variable, motor driven, sgl ph, 2 stack, 40V, 10A, 4.8kVA, 60 Hz, 13.0, 6.24kVA		5RM5950-01-177-9816	46.0
2586	Xfmr, variable, motor driven, 10A	NAEC(SI)618927-1	5R5950-00-165-3666	60.0
2586.1	Xfmr, variable, motor driven, 15A	NAEC(SI)618927-2	5R5950-01-177-9816	27.0
2586.2	Xfmr, variable, motor driven, 22A	NAEC(SI)618927-3	5R5950-00-165-3665	41.0
2586.3	Xfmr, variable, motor driven, 30A	NAEC(SI)618927-4	5R5950-00-116-3307	50.0
2586.4	Xfmr, variable, motor driven, 50A	NAEC(SI)618927-5	5R6120-01-090-9803	95.0
2586.5	Xfmr, variable, motor driven, dual 50A, air capable ship	NAEC(SI)618927-6	5R6120-01-082-2891	162.0
2587-2599	Not yet used			
<u>INTERIOR COMMUNICATION EQUIPMENT</u>				
2600-2618	Canceled-obsolete			
2619.1	Obsolete use 789			
2620	Superseded by 2620.1			
2620.1	Switch box, double, wrttt, 10A, 125V ac, 0.5A, 125V dc	S6202-73755	9G5930-00-096-2726	*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2621	Superseded by 2621.1			
2621.1	Switch box, triple, wrttt, 10A, 125V ac	S6202-73756	9N5930-00-564-4683	*
2622	Bell, 115V, 60 Hz, wrttt, type IC/B1S4	803-73904	9G6350-00-295-2682	*
2622.1	Bell, 115V, 60 Hz, wrttt, type IC/B2S4	803-74342	9G6350-00-299-6310	9.5
2622.2	Bell, 115V, 60 Hz, wrttt, ep, type IC/B2S4(EXP)	803-74342	9G6350-00-269-7978	10.0
2622.3	Bell, 115V, 60 Hz, wrttt, type IC/B3S4	803-74342	9G6350-00-548-0005	10.5
2623	Buzzer, 115V, 60 Hz, wrttt type IC/Z1S5	803-73905	9G6350-00-295-2847	*
2624	Canceled, type IC/H5D4-obsolete			
2624.1	Canceled, type IC/H5S4-obsolete			
2625	Canceled, type IC/H4D2-obsolete			
2625.1	Canceled, type IC/H4D3-obsolete			
2626	Horn, vibratory, wrttt, 115V, type IC/H1S4	803-74465	9G6350-00-262-4121	*
2627	Siren, 115V ac, sp, low pitch, type IC/S1S4	803-74309	9G6350-00-224-4952	13
2627.1	Siren, 115V dc, sp, low pitch, type IC/S1D4	803-74309	9G6350-00-224-4950	13
2627.2	Siren, 115V ac, sp, high pitch, type IC/S2S4	803-74309	9G6350-00-224-4951	13
2627.3	Siren, 115V dc, sp, high pitch, type IC/S2D4	803-74309	9G6350-00-224-4953	13
2628	Horn, motor driven, wrttt, 24V dc, type IC/H8D3	803-74308	9G6350-00-131-6579	11
2628.1	Horn, motor driven, wrttt, 115V dc, type IC/H8D4	803-74308	9G6350-00-224-4949	11
2628.2	Horn, motor driven, wrttt, 115V ac, type IC/H8S4	803-74308	1H6350-00-224-4943	11
2629-2636	Canceled-obsolete			
2637.1	Switch, lever operated, 10A, 125V ac, <u>six pole</u> , type S2JRM3-2, <u>2 position</u> , base mtd, sbm	MIL-F-24646/16	1H5930-00-259-8882	4

MIL-HDBK-290(SH)

22 August 1986

Sym. No.	Item	Std Dwg & Spec	National Stock No.	Wt
2638.1	Switch, lever operated, 10A, 125V ac, <u>six pole, type S2JRM3A-2, 2 position, with locking plate, sbm</u>	803-74055	1H5930-00-259-8883	4
2639.1	Switch, lever operated, 10A, 125V ac, <u>six pole, type S2JR3-2, 2 position, positive detent, sbm</u>	803-74055	1H5930-00-259-8881	4
2640.1	Switch, lever operated, 10A, 125V ac, <u>six pole, type S2JR3A-2, 3 position, base mtd, sbm</u>	803-74055	1H5930-00-259-8884	4
2641.1	Switch, lever operated, 10A, 125V ac, <u>six pole, type S2JRM3A-2, 3 position, base mtd, sbm</u>	803-74055	1H5930-00-259-8885	4
2642	Switch, multipole rotary, 10A, type <u>JR-EP304R 125V ac, 5A, 125V dc, panel mtd</u>	S6202-73193	1H5930-00-259-8888	9
2643	Switch, multipole rotary, 10A, type <u>JRM-300 125V ac, 5A, 125V dc, panel mtd</u>	S6202-73193	1H5930-00-259-8889	8
2644, 2645	Canceled-obsolete			
2646.2	Rotary sw (collision alarm), sbm 4000, base mtd	815-1853062		*
2646.3	Rotary sw (diving alarm), sbm 4000, base mtd	815-1853062		*
2647	Contact maker, 4 way, wrttt for AA cease fire or depth charge fire, type S218A	S6501-73466	1H5930-00-240-8098	12
2647.1	Canceled-obsolete			
2648	Contact maker, 6 way wrttt for AA cease fire or depth charge fire, type S-169A	S6501-73467	1H5930-00-259-8883	*
2648.1	Canceled-obsolete			
2649	Switch, portable, momentary contact, 10A, 115V, type S166A	S6504-73353	9N5930-00-216-7402	*
2651	Switch, sensitive, sbm, type S171A	S6501-73689	9N5930-00-259-8899	3
2652	Superseded by 2652.1			
2652.1	Magnetic sw, sbm 4000 ft (sw unit)	815-1853067	1H5930-00-448-0001	*
2652.2	Magnetic sw, sbm 4000 ft (IMC-7MC)	815-1853067	1H5930-00-732-4705	*
2653-2669	Canceled-obsolete			
2670	Alarm swbd, 10 lines, type IC/S	S6504-74285	2H6320-00-261-9128	68.0
2670.1	Alarm swbd, 20 lines, type IC/S	S6504-74285	2H6320-00-261-9136	103.0
2670.2	Alarm swbd, 30 lines, type IC/S	S6504-74285	2H6320-00-261-9135	140.1
2670.3	Alarm swbd, 40 lines, type IC/S	S6504-74285	2H6320-00-261-9133	170.0
2671	Alarm swbd, 50 lines, type IC/S	S6504-74286	1H6320-00-261-9132	225.0

Sym. No.	Item	Std Dwg & Spec	National Stock No.	Wt
2671.1	Alarm swbd, 60 lines, type IC/S	S6504-74286	1H6320-00-261-9131	265.0
2672	Alarm swbd, 80 lines, type IC/S	S6504-74287	H6320-00-261-9130	300.0
2672.1	Alarm swbd, 100 lines, type IC/S	S6504-74287	H6320-00-261-9129	350.0
2672.2	Alarm swbd, 120 lines, type IC/S	S6504-74287	H6320-00-261-9134	400.0
2673	Jackbox, microphone, wrttt, for plug type H-29B, type IC/MJB-2	S6502-74345	1N5935-00-257-9966	3
2674	Jack, sound pwr tel, pnl mtd, type H-34A	S6505-74274		1
2675	Holder, sound pwr tel handset, nmag, type Z-33A	S6501-74464	9N5965-00-642-9879	5
2676	Holder, sound pwr tel handset, steel, type Z-33B	S6501-74464	9N5965-00-642-9880	5
2677-2681	Canceled-obsolete			
2682.1	Superseded by 2682.2			
2682.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S1JR5-3	S6202-74290	1H5930-00-581-3415	*
2683.1	Superseded by 2683.2			
2683.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S2JR5-3	S6202-74290	1H5930-00-581-6032	*
2684.1	Superseded by 2684.2			
2684.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S3JR5-3	S6202-74290	1H5930-00-581-3413	*
2685.1	Superseded by 2685.2			
2685.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S4JR5-3	S6202-74290	1H5930-00-581-6029	*
2686.1	Superseded by 2686.2			
2686.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S1JR10-3	S6202-74290	1H5930-00-581-3416	*
2687.1	Superseded by 2687.2			
2687.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S2JR10-3	S6202-74290	1H5930-00-581-6037	*
2688.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S3JR10-3	S6202-74290	1H5930-00-581-6030	*
2689.1	Superseded by 2689.2			
2689.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S4JR10-3	S6202-74290	1H5930-00-581-3420	*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2690.1	Superseded by 2690.2			
2690.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S1JR15-3	S6202-74290	9N5930-00-578-3952	*
2691.1	Superseded by 2691.2			
2691.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S2JR15-3	S6202-74290	1H5930-00-581-6033	*
2692.1	Superseded by 2692.2			
2692.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S3JR15-3	S6202-74290	9N5930-00-578-4908	*
2693.1	Superseded by 2693.2			
2693.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S4JR15-3	S6202-74290	1H5930-00-581-6034	*
2694.1	Superseded by 2694.2			
2694.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S1JR25-3	S6202-74290	9N5930-00-578-3953	*
2695.1	Superseded by 2695.2			
2695.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S2JR25-3	S6202-74290	9N5930-00-945-7221	*
2696.1	Superseded by 2696.2			
2696.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S3JR25-3	S6202-74290	1H5930-00-581-3422	*
2697.1	Superseded by 2697.2			
2697.2	Switch, multipole rotary, <u>10A, 120V ac</u> , sbm 15 ft, type S4JR25-3	S6202-74290	1H5930-00-581-3424	*
2698	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrtrt, 5 section, type S1JR5-3B	5568-L	9N5930-00-549-0103	12.1
2699	Switch, selective, 10A-125V ac, 5A-125V dc pnl mtd, wrtrt, 5 section, type S2JR5-3B	5568-L	9N5930-00-296-3876	12.1
2700	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrtrt, common rotor, type S3JR5-3B	5568-L		*
2701	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrtrt, special cutout, type S4JR5-3B	5568-L	9N5930-00-296-9386	*
2702	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrtrt, 10 section, type S1JR10-3B	5568-L	1H5930-00-259-8902	13.1

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2703	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrttt, 10 section, type S2JR10-3B	5568-L	1H5930-00-296-3877	13.6
2704	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrttt, common rotor, 10 section, type S3JR10-3B	5568-L		*
2705	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrttt, special cutout, 10 section, type S4JR10-3B	5568-L		*
2706	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrttt, 15 section, type S1JR15-3B	5568-L		14.8
2707	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrttt, 15 section, type S2JR15-3B	5568-L	1H5930-00-296-3873	14.8
2708	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrttt, common rotor, 15 section, type S3JR15-3B	5568-L		*
2709	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrttt, special cutout, type S4JR15-3B	5568-L	1H5930-00-259-8903	14.2
2710	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrttt, 25 section, type S1JR25-3B	5568-L		16.8
2711	Switch, selective, 10A-125V ac, 5A-125V dc, pnl mtd, wrttt, 25 section, type S2JR25-3B	5568-L	9N5930-00-258-5659	17.2
2714-2741	Canceled-obsolete			
2742	Switch, mag, sbm 4000 ft, 250V ac, 40 VA, 250V dc, 20W, DPDT	815-1853076	1H5930-00-963-1243	*
2743	Switch, mag, sbm 4000 ft, 250V ac, 40 VA, 250V dc, 20W, SPDT	815-1853077	1H6150-00-962-5602	*
2744	Switch, mag, sbm 4000 ft, 250V ac, 40A, 250V dc, 20W, SPDT	815-1853078	1H5930-00-568-3038	*
2745	Canceled-obsolete			
2746	Superseded by 2788			
2747	Switch, rotary telephone selector, <u>wrttt, 30 position non-illum, type JA2C(30)B</u>	S6503-73416	1H5930-00-893-1370	11
2747.1	Switch, rotary telephone selector, <u>wrttt, 30 position, illum</u>	S6503-73416	1H5930-00-089-0593	11

MIL-HDBK-290(SH)
22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2748	Switch, multipole rotary, 3 position, wrttt, 10A-125V ac, 5A-125V dc, type 2JRB-40	S6202-73763		
2749	Switch, multipole rotary, 60P4T, bhd mtd, 10A-125V ac, 5A-125V dc, type 3JRB-60	S6202-73475		*
2750, 2751	Canceled-obsolete			
2752.1	Switch, rotary snap, 30A, 450V ac/250V dc, type 3SR7S4-2	MIL-S-15743/9	9N5930-00-258-5463	2
2753	Switch, rotary snap, 30A, 450V ac/250V dc, type 3SR2A4-2	MIL-S-15743/11	9N5930-00-956-0655	2
2754-2762	Not yet used			
2763	Switch box with indicator, sbm, 30A, 120V ac, type 3SR4D4-3	MIL-S-15743/12	1H5930-00-258-4209	*
2764-2772	Not yet used			
2773	Switch, transfer, rotary snap, 200A, 125V, DPDT, with ind, wrttt, type HHH-S	S6202-73319	1H5930-00-259-7363	39
2774-2776	Canceled-obsolete			
2777	For maintenance only-see 5.3			
2777.1	For maintenance only-see 5.3		9G6680-00-800-5243	
2777.2	For maintenance only-see 5.3			
2777.3	For maintenance only-see 5.3			
2777.4	For maintenance only-see 5.3			
2777.5	For maintenance only-see 5.3			
2777.6	For maintenance only-see 5.3			
2778-2780	Canceled-obsolete			
2783	Not yet used		9G6680-00-892-1638	
2784	Superseded by 2785			
2785	Switch, rotary, 6 section, 15 position, 5A-125V ac, wrttt, deck mtd	MIL-S-15743/22	5930-00-296-6039	
2786	Switch, rotary, 6 section, 15 position, 5A-125V ac, wrttt, bhd mtd	MIL-S-15743/22		
2787	Not yet used			
2788	Switch, rotary selector, wrttt, 16 position with plug for sound pwr tel, type A-26A	S6501-74295	1H5930-00-296-6041	7.0
2788.1	Switch, rotary selector, wrttt, 16 position with plug for sound pwr tel, illum	S6501-74295	2H5930-00-089-0592	7

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2789	Relay box, sbm 15 ft, type IC/RAE	815-1197022		*
2790	Relay box, sbm 15 ft for sonar model AN/UQC series	815-1197031		*
2791	Relay box, sbm 15 ft call signal station operated for IC ckt EM and MI	815-1853089		#
2792	Not yet used			
2793	Reel stowage bracket and casualty communication leads, type IC/TCR	S6505-74249	1H5805-00-263-8644	8.
2794-2804	Canceled-obsolete			
2805.1	Switch, thermostat (mercurial), <u>spraytight</u> , fire alarm system, 105°F, type IC/J105	803-1197118	9N5930-00-565-5153	*
2806.1	Switch, thermostat (mercurial), <u>spraytight</u> , fire alarm system, 125°F, type IC/J125	803-1197118	9N5930-00-565-5154	*
2807.1	Switch, thermostat (mercurial), <u>spraytight</u> , fire alarm system, 150°F, type IC/J150	803-1197118	9N5930-00-565-5155	*
2808	Superseded by 2807.1			
2809.1	Sector control pnl for air defense stations	<u>S6504-7403</u>		*
2810	Canceled-obsolete			
2811	For maintenance only--see 5.3			
2812	Terminal conn, pp, for pp loudspeaker	S6202-73867	2H5930-00-240-8093	*
2813	Not yet used			
2814	Canceled-obsolete			
2815.1	Indicator light, single dial, wtrtt, 117V, integral xfrm, base mtd	S6202-73919	9G6210-00-336-5867	1.2
2815.2	Indicator light, single dial, wtrtt, 450V, integral xfrm, base mtd	S6202-73919	9G6210-00-336-5868	1.2
2815.3	Indicator light, single dial, wtrtt, 117V, integral xfrm, pnl mtd	S6202-73919	9G6210-00-538-8397	1.0
2815.4	Indicator light, single dial, wtrtt, 450V, integral xfrm, pnl mtd	S6202-73919	9G6210-00-538-8398	1.0

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2816.1	Indicator light, two dial, wrttt, 117V, integral xfmr, base mtd	S6202-73920	9G6210-00-336-5869	2.2
2816.2	Indicator light, two dial, wrttt, 450V, integral xfmr, base mtd	S6202-73920	9G6210-00-336-5870	2.2
2816.3	Indicator light, two dial, wrttt, 117V, integral xfmr, pnl mtd	S6202-73920	9G6210-00-866-1338	2.0
2816.4	Indicator light, two dial, wrttt, 450V, integral xfmr, pnl mtd	S6202-73920	9G6210-00-866-1339	2.0
2817	Canceled-obsolete			
2818.1	Indicator light, four dial, wrttt, 117V, integral xfmr, base mtd	S6202-73921	9G6210-00-336-5871	5.9
2818.2	Indicator light, four dial, wrttt, 450V, integral xfmr, base mtd	S6202-73921	9G6210-00-336-5872	5.9
2818.3	Indicator light, four dial, wrttt, 117V, integral xfmr, pnl mtd	S6202-73921	9G6210-00-892-5374	5.9
2818.4	Indicator light, four dial, wrttt, 450V, integral xfmr, pnl mtd	S6202-73921		5.9
2819.1	Indicator light, six dial, wrttt, 117V, integral xfmr, base mtd	S6202-73922	9G6210-00-336-5873	6.1
2819.2	Indicator light, six dial, wrttt, 450V, integral xfmr, base mtd	S6202-73922	9G6210-00-336-5874	6.1
2819.3	Indicator light, six dial, wrttt, 117V, integral xfmr, pnl mtd	S6202-73922		6.1
2819.4	Indicator light, six dial, wrttt, 450V, integral xfmr, pnl mtd	S6202-73922		6.1
2820-2832	Canceled-obsolete			
2833, 2834	Not yet used			
2835-2839	Canceled-obsolete			
2840	For maintenance only-see 5.3			
2841	Jackbox, sgl, for sound pwr tel, sbm	S6501-74210	2H6625-00-752-7898	1.6
2842	Jackbox, dbl, for sound pwr tel, sbm	S6501-74210	9N5935-00-552-6791	1.8
2843	Jackbox, four gang, for sound pwr tel, sbm	S6501-74210	9N5935-00-552-6790	3.0
2844	Not yet used			
2845-2853	Canceled-obsolete			

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2854.2	Superseded by 2854.4			
2854.3	Superseded by 2854.4			
2854.4	Jack, sbm 4000 ft, sound pwr tel	815-1853061		*
2855-2859	Canceled-obsolete			
2860.1	Switch box, wtrtt, sound pwr tel, type A-17A	S6501-74093	1H5930-00-033-5665	8
2861.1	Switch box, wtrtt, sound pwr tel, type A-19A	S6501-74094	9N5930-00-033-5666	15.0
2862-2864	Canceled-obsolete			
2865	Superseded by 2860.1			
2866-2872	Canceled-obsolete			
2873.1	Lighting arrester for automatic ships service tel egst, type E-13A	S6501-74062	9N5920-00-090-0870	*
2874-2911	Canceled-obsolete			
2912	Illum control device, plotting and status boards, 6V lamp	815-1853031		*
2913	Alignment outlet box for ships navigation and aircraft inertial alignment system	803-2482977		
2914,2915	Not yet used			
2916.1	Superseded by 2854.4			
2917-2919	Not yet used			
2920	Enclosure, wtrtt for type G dial tel	815-1853038		*
2921	Tel headsets hooks for types 1, 2, 3, 4, 5 or 6	815-1853041	9N5965-00-296-5283	*
2922	Jack, tel (sound pwr), type H-39A	S6505-74211		*
2923	Not yet used			
2924	Superseded by 2924.1			
2924.1	Tel headset stowage box, 1 compartment	815-1853040	9N5965-00-223-6353	*
2925	Superseded by 2925.1			
2925.1	Tel headset stowage box, 2 compartments	815-1853040	9N5965-00-223-6351	*
2926	Superseded by 2926.1			
2926.1	Tel headset stowage box, 3 compartments	815-1853040*	9N5965-00-223-6352	*
2927	Superseded by 2927.1			
2927.1	Tel headset stowage box, 4 compartments	815-1853040	9N5965-00-223-6349	*
2928	Superseded by 2928.1			
2928.1	Tel headset stowage box, 5 compartments	815-1853040	9N5965-00-223-6350	*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2929	Superseded by 2929.1			
2929.1	Tel headset stowage box, 6 compartments	815-1853040	9N5965-00-223-6354	*
2930, 2931	Not yet used			
2932	Canceled-obsolete			
2933.1	20 fuse box, 0-20A, 120V, spraytight	S6202-74298	9N5920-00-033-6598	*
2934	Superseded by 2934.1			
2934.1	Alarm pnl, 4 ckt, 115V ac	S6504-73807	9G6350-00-360-0988	*
2934.2	Canceled-obsolete			
2935	Superseded by 2934.2			
2935.1	Alarm pnl, 2 ckt, 115V ac	S6504-73806	9G6350-00-360-0987	*
2935.2	Canceled-obsolete			
2936	Superseded by 2935.1			
2937	Superseded by 2935.2			
2938	Cabinet for sound pwr tel handset, spt	S6501-73819	1N5965-00-263-1226	10.0
2939	Horn, resonated, high intensity, 12V dc, type IC/H3 D2, wrttt	803-1853029	9G6350-00-981-1337	12
2940	Horn, resonated, high intensity, 24V dc, type IC/H3 D3, wrttt	803-1853029	9G6350-00-224-4945	12
2941	Horn, resonated, high intensity, 115V dc, type IC/H3 D4, wrttt	803-1853029	9G6350-00-915-6415	12
2942	Horn, resonated, high intensity, 115V ac, type IC/H3 S4, wrttt	803-1853029	9G6350-00-051-8411	12
2943	Alarm, signal, bus failure (electronic) monitoring, 115V dc or 115V 60-400 Hz, type IC-E1D1	804-1853042	9G6350-00-924-0551	*
2944	Horn, vibratory, wrttt, 115V dc, type IC/H1 D4	803-74354	9G6350-00-299-6223	10.0
2945	Portable ship control unit, sub bridge, type 1C/29A40	815-1853085	2H6605-00-191-3402	*
2945.1	Portable, ship control unit, sub bridge type	815-1853085		
2945.2	Plug assy, straight	815-1853085-77	1H6150-00-590-0863	
2945.3	Plug assy, 90°	815-1853085-78	1H6150-00-590-0863	
2945.4	Plug assy, extension, dockside use	815-1853085-79	1H6150-00-590-3453	
2945.5	Plug assy, test cable	815-1853085-80	1H6150-00-590-3454	

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2946	Not yet used			
2947	Canceled-obsolete			
2948-2976	Not yet used			
2977	Water sw magazine sprinkler alarm, pp	803-74081	9N5930-00-033-6729	4
2978	Superseded by 2978.1			
2978.1	Panel, communication for fleet anchorage	815-1197077	1N5805-00-647-2244	23
2979	Not yet used			
2980	Swbd, sound pwr tel, type IC/A1	S6501-74012	2N5805-00-988-5413	25.0
2981	Sound pwr tel pnl, type IC/A5	S6501-74239		20.0
2982	Not yet used			
2983	Loudspeaker, pp, type LS-450()/B	815-1853087		
2984	Loudspeaker, pp, type IC/SHA-IR	S6502-73987	9N5965-00-393-0347	*
2985	Loudspeaker, lw, w/internal volume control, type LS-305()/SIC	MIL-L-24223	9N5965-00-284-6578	10
2985.1	Loudspeaker, lw, w/external volume control, type LS-306()/SIC	MIL-L-24223	9N5965-00-284-6579	10
2986	Loudspeaker, high pwr, w/o volume control, type IC/SBA-4	S6502-74073	9N5965-00-296-1808	30.0
2987	Loudspeaker, high pwr, with volume control, type IC/SBG-4	S6502-74073	5805-00-636-2181	30.0
2988	Call signal station, type IC/D	S6501-73801	1N5805-00-548-8019	9
2989	Superseded by 2989.1			
2989.1	Jack, sbm 4000 ft, for announcing eqpt	815-1853064	1H5935-00-989-6918	*
2990	Superseded by 2652.2			
2991	Canceled-obsolete			
2992	Microphone station, type IC/MSB-2			
2993	Superseded by 3000, 3001	S6502-74284	1N5830-00-548-8004	15.0
2994	For maintenance only-see 5.3		1N5965-00-905-6894	
2994.1	For maintenance only-see 5.3		9N5965-00-913-9545	
2994.2	For maintenance only-see 5.3		2N5965-00-913-9528	
2994.3	For maintenance only-see 5.3		1N5965-00-905-6895	
2994.4	For maintenance only-see 5.3		2N5965-00-913-9548	
2995	Indicator, temp, for use with resistant temp detectors	815-1197033	2H6685-00-753-2261	*

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2996	Superseded by 3000 and 3001			
2997, 2998	Canceled-obsolete			
2999	Superseded by 2652.2			
3000	Switch box, sbm 4000 ft (for integrated IC ckt)	815-1853066	1H5999-00-472-7347	*
3001	Switch box, sbm 4000 ft (for 27MC ckt)	815-1853066		*
3002	Not yet used			
3003	Buzzer, wrttt, 115V, 400 Hz, type IC/Z1 F4	803-1197104	9G6350-00-683-1199	*
3004	Bell, dp, 115V, 0-400 Hz, type IC/B5D SF4	S6504-74488	9G6350-00-263-4674	9
3005	Bell, dp, 450V, 60 Hz, type IC/B5 S5	S6504-74488	1H6320-00-548-0605	9
3006	Electrodes for snorkel head valve and induction duct, type A	815-1197032	1H6150-00-659-0677	*
3007	Electrodes for snorkel head valve and induction duct, type AH	815-1197032	1H5977-00-626-2420	*
3008	Electrodes for snorkel head valve and induction duct, type B	815-1197032	1H5977-00-956-7882	*
3009	Electrodes for snorkel head valve and induction duct, type BH	815-1197032	2H6150-00-630-4635	*
3010	Electrodes for snorkel head valve and induction duct, type C	815-1197032	1H5977-00-072-5834	*
3011	Indicator panel	815-1197032		*
3012	Electrode, sbm 4000 ft, plug-in type	815-1197212		*

5.3 List of maintenance symbol numbers. (Note: These symbol numbers are obsolete for new ship construction, but are required to replace like items still in service.)

Symbol No.	Item	Dwg. No./Spec. No.
66.2	Incandescent, 330W, hangar spaces, with darkened ship adaption	MIL-F-16377/24
287	Lighting fixture, cable harness, 60W, 115V, 500 psi air	815-1197244
288	Lighting fixture, cable harness, 60W, 115V, 500 psi underwater	815-1197244
298	Search light, signaling, 7 in Xenon, 400 Hz	815-1197132
467	Shore pwr splice box, 440V, 1600A, 3 ph	815-1197231
491	DC Shore pwr connection box, wrttt, 1600A, 250V dc	815-1197219
492.1	Shore term box, wrttt, 400A, 450V, 3 ph	<u>815-74416</u>
492.2	Shore term box, wrttt, 500A, 500V, 2 wire	<u>815-74416</u>
492.3	Shore term box, 400A, 450V, 3 ph, sbm 15 ft	815-1197071
492.4	Shore term box, 500A, 500V, 2 wire, sbm 15 ft	815-1197071
493.1	Shore term box, wrttt, 800A, 450V, 3 ph	<u>815-74417</u>
493.2	Shore term box, wrttt, 1000A, 500V, 2 wire	<u>815-74417</u>
493.3	Shore term box, sbm 15 ft, 800A, 450V, 3 ph	815-1197217
493.4	Shore term box, sbm 15 ft, 1000A, 500V dc, 2 wire	815-1197217
494	Term box, special cables, wrttt, type B	5410-L
509	Term box, sbm, with ind light, 550A, 28.5V, for aircraft servicing	S6202-74254
510	Feeder distribution box, aircraft servicing and starting, 650A, 28.5V dc, sbm	S6202-74257
620	Panel, power distr, cabinet type, 1000V dp, 31-100A fused branches	S6202-73976
622	Panel, elec distr, cabinet type, 1000V dp, 60-30A fused branches	S6202-73974
623	Panel, elec distr, cabinet type, 1000V, 20-30A fused branches	S6202-73975
670	Fuse box (branch junction), pp	<u>4313-L</u>
<u>674</u>	Fuse box (branch junction), pp, 1 ckt, two wire branches with resistor, for emer lights, sub, 1000V dc	815-74233
674.1	Fuse box (branch junction), <u>2 wire branches for emer lights for sub</u> , 335V dc, w/o resistor, pp	815-74233
674.2	Fuse box (branch junction), <u>2 wire branches for emer lights for sub</u> , 1000V dc, w/o resistor, pp	815-74233
676	Fuse and disconnect box, sbm 15 ft, <u>two 0-30A, fused branches</u> , 1000V dc	815-1197052

MIL-HDBK-290(SH)

22 August 1986

Symbol No.	Item	Dwg. No./Spec. No.
697	Fuse box (<u>feeder jct</u>), pp, <u>1 ckt</u> , fused, 3 ph bus, <u>60 MCM</u> , 3 ph branch	S6202-73825
702	Receptacle, plug, wrttt, dp, 25A, 250V	4859-L
703	Receptacle, plug, wrttt, dp, 25A, 125V	4859-L
707	Connector, plug, wrttt, 3 pole, 25A, 500V, 3 ph	4861-L
707.1	Plug, 25A, 500V, 3 ph gnd, sbm 15 ft (supersedes 707)	MIL-R-2726/24
708	Connector, plug, wrttt, 3 pole, 25A, 125V, 3 ph, gnd	4861-L
709	Connector, plug, wrttt, 3 pole, 25A, 250V dc, gnd	4861-L
710	Connector, plug, wrttt, 3 pole, 25A, 125V, sgl ph, gnd	4861-L
721	Plug, 2 pole, 100A, 250V dc, wrttt	S6202-73965
721.1	Plug, 3 pole, 100A, 250V dc, wrttt (supersedes 721)	MIL-R-2726/46
722	Cable conn, wrttt, 25A, 500V, 3 ph, gnd	5537-L
722.1	Conn, cable, 25A, 500V, 3 ph, gnd, sbm 15 ft (supersedes 722)	MIL-R-2726/25
726	Receptacle, 100A, 250V dc, wrttt, bhd mtd	S6202-73966
726.1	Receptacle, 100A, 250V dc, bhd mtd, wrttt (supersedes 726)	MIL-R-2726/23
764.1	Receptacle, single, 115/200V, 170A, 3 ph, 4 wire, 400 Hz, aircraft servicing, spt	S6202-74362
<u>764.2</u>	Receptacle, single, 115/200V, 170A, 3 ph, 4 wire, 400 Hz, aircraft servicing, spraytight, w/ind light	S6202-74362
765	Portable triple outlet, wrttt, for portable welders, sbm pump and hoists, 35A, 500V, gnd, 3 ph	5544-L
765.7	Outlet, tpl, portable, 4 pole, 40A, 450V ac, gnd, adaptable to MIL-R-2726/49 casualty pwr using MIL-T-24381 (for sbm pumps and hoists)	MIL-R-2726/49
773	Receptacle box, sbm, aircraft jet starting, 1000A, <u>intermittent service</u> , 28.5V dc	S6202-74255
774	Receptacle box, spt, aircraft servicing, 300A, 28.5V dc	S6202-74256
777	Connector, receptacle, sbm 15 ft, w/relay, for aircraft starting and servicing, 550A, 28.5V dc	S6202-74367
882	Circuit breaker, externally operated, wrttt, <u>10A</u> , 24V dc	S6202-73449
883	Circuit breaker, externally operated, wrttt, <u>15A</u> , 24V dc	S6202-73449
884	Circuit breaker, externally operated, wrttt, <u>20A</u> , 24V dc	S6202-73449
885	Circuit breaker, externally operated, wrttt, <u>25A</u> , 24V dc	S6202-73499

Symbol No.	Item	Dwg. No./Spec. No.
886	Circuit breaker, externally operated, wtrtt, <u>35A</u> , 24V dc	S6202-73449
887	Circuit breaker, externally operated, wtrtt, <u>50A</u> , 24V dc	S6202-73449
888	Circuit breaker, externally operated, spraytight, <u>75A</u> , 24V	S6202-73351
889	Circuit breaker, externally operated, spraytight, <u>100A</u> , 24V	S6202-73351
890	Circuit breaker, externally operated, spraytight, <u>125A</u> , 24V	S6202-73351
891	Circuit breaker, externally operated, spraytight, <u>150A</u> , 24V	S6202-73351
892	Circuit breaker, externally operated, spraytight, <u>200A</u> , 24V	S6202-73351
908.1	Receptacle and sw, wtrtt, 500V, 3 ph, gnd, interlocking, 25A, 35A emer rating max	<u>S6202-74214</u>
913	Receptacle, interlocking, 60A, 500V, 3 ph, gnd, <u>type A</u> , wtrtt	S6202-73747
914	Receptacle, interlocking, 60A, 500V, 3 ph, gnd, <u>type B</u> , wtrtt	S6202-73747
930.1	Pulsator, 115V ac	<u>S6202-74319</u>
931.1	Pulsator, 115V dc	<u>S6202-74319</u>
940	Supply pnl, navigation lights, nwt, 125V ac, 3 ph bus, 8 ckt	<u>5080-L</u>
953	Dimmer, rheostat, signal, homing and bow designation light, nwt, 2.5A max	S6405-73191
954	Dimmer, rheostat, nwt, guide light, bow, 79A max	S6405-73191
955	Dimmer, rheostat, nwt, guide light, barrier and stern, 1.11A max	S6405-73191
956	Dimmer, rheostat, nwt, landing deck lights 5.0-2.5A	S6405-73191
957	Dimmer, rheostat, nwt, landing deck lights 5.4-2.7A	S6405-73191
958	Dimmer, rheostat, nwt, landing deck & signal bar lights, 6.2-3.1A	S6405-73191
959	Dimmer, rheostat, nwt, signal bar lights, white, 2.2A max	S6405-73191
966	Supply, cont and telltale panel, nwt, for running lights, type C-S-AC (local master switch, no towing lights)	<u>5170-L</u>
967	Supply, cont and telltale pnl, nwt for running light, type D-S-AC (local and remote master switch, no towing light)	<u>5170-L</u>
1005	Pnl, ground detector, wtrtt, 120V, 3 ph	<u>815-1197222</u>
1024	Bhd term, 200A, 120V dc	MIL-T-24381/4
1025	Bhd term, 200A, 500V ac, 3 ph	MIL-T-24381/1
1032	Riser term, 200A, 500V ac, 3 ph, front conn (lower)	MIL-T-24381/2
1033	Riser term, 200A, 500V ac, 3 ph, front conn (upper)	MIL-T-24381/2

MIL-HDBK-290(SH)

22 August 1986

Symbol No.	Item	Dwg. No./Spec. No.
1034	Riser term, 200A, 500V ac, 3 ph, back conn (upper or lower)	MIL-T-24381/2
1035	Block term, single pole, 120V dc	MIL-T-24381/3
1037	Guard for block term symbol 1035	MIL-T-24381/9
1038	Enclosure, sbm 15 ft, for riser term symbols 1032, 1033, 1034	MIL-T-24381/7
1039	Metal cover for symbol 1025	5453-L
1040	Cable stowage rack, steel, casualty supply	803-5001027, Method 2D41
1040.1	Cable stowage rack, aluminum, casualty supply	803-5001027, Method 2D41
1041	Portable switch, 60A, 500V ac, 3 ph, <u>nwt 3 pole, single throw</u>	MIL-T-24381/5
1044	Guard for bulkhead term symbol 1024	MIL-T-24381/8
1170	Plug and receptacle conn, hermetically sealed, DSS-2 cable	815-1197170
1171	Plug and receptacle conn, hermetically sealed, DSS-3 cable	815-1197170
1171.1	Plug assy (110 ft DSS-2 cable)	815-1197170
1172	Plug and receptacle conn, hermetically sealed, DSS-4 cable	815-1197170
1173	Plug and receptacle conn, hermetically sealed, TSS-4 cable	815-1197170
1174	Plug and receptacle conn, hermetically sealed, FSS-2 cable	815-1197170
1174.1	Plug assy (70 ft FSS-2 cable)	815-1197170
1175	Plug and receptacle conn, hermetically sealed, FSS-4 cable	815-1197170
1176	Plug and receptacle conn, hermetically sealed, MSS-6 cable	815-1197170
1176.1	Plug assy (110 ft MSS-6 cable)	815-1197170
1178	Plug and receptacle conn, hermetically sealed, for 68 #16 pins (<u>TSP-31</u>)	815-1197176
1227	Plug and receptacle conn, hermetically sealed, seven #16 pins, MHFF-7	815-1197172
1227.1	Plug assy (MHFF-7 cable)	815-1197172
1227.2	Receptacle assy, 19 #16 pins	815-1197172
1228	Plug and receptacle conn, hermetically sealed, 19 #16 pins, MHFF-10	815-1197172
1228.1	Plug assy (MHFF-10 cable)	815-1197172
1229	Plug and receptacle conn, hermetically sealed, 19 #16 pins, MHFF-14	815-1197172
1229.1	Plug assy (MHF-14 cable)	815-1197172

MIL-HDBK-290(SH)

22 August 1986

Symbol No.	Item	Dwg. No./Spec. No.
1230	Plug and receptacle conn, hermetically sealed, 19 #16 pins, MHFF-19	815-1197172
1230.1	Plug assy (MHFF-19 cable)	815-1197172
1231	Plug and receptacle conn, hermetically sealed, 37 #16 pins, TSP-11	815-1197174
1231.1	Plug assy (TSP-11)	815-1197174
1231.2	Receptacle assy, 37 #16 pins	815-1197174
1232	Plug and receptacle conn, hermetically sealed, 37 #16 pins, MHFF-24	815-1197174
1232.1	Plug assy (MHFF-24)	815-1197174
1233	Plug and receptacle conn, hermetically sealed, 37 #16 pins, MHFF-30	815-1197174
1233.1	Plug assy (MHFF-30)	815-1197174
1235	Fitting penetration for divers chamber	815-1197242
2446.1	Stuffing tube, pp, for SS type cables (<u>.365/.500</u>)	S6202-1197101
2446.2	Stuffing tube, pp, for SS type cables (<u>.580/.620</u>)	S6202-1197101
2446.3	Stuffing tube, pp, for SS type cables (<u>.735</u>)	S6202-1197101
2446.4	Stuffing tube, pp, for SS type cables (<u>1.062</u>)	S6202-1197101
2447.1	Stuffing tube <u>packing</u> , pp, for SS type cables (<u>.365/.390</u>)	S6202-1197101
2447.2	Stuffing tube <u>packing</u> , pp, for SS type cables (<u>.425/.445</u>)	S6202-1197101
2447.3	Stuffing tube <u>packing</u> , pp, for SS type cables (<u>.465/.500</u>)	S6202-1197101
2447.4	Stuffing tube <u>packing</u> , pp, for SS type cables (<u>.580/.620</u>)	S6202-1197101
2447.5	Stuffing tube <u>packing</u> , pp, for SS type cables (<u>.735</u>)	S6202-1197101
2447.6	Stuffing tube <u>packing</u> , pp, for SS type cables (<u>1.062</u>)	S6202-1197101
2448.1-	Hull fitting, mult cables, sbm 2000 ft for SS cables	<u>815-1197098</u>
2448.3		
2449.1	Hull fitting, sgl, pp, for SS cables, 1/2 inch dia	<u>815-1197096</u>
2449.2	Hull fitting, sgl, pp, for SS cables, 5/8 inch dia	<u>815-1197096</u>
2449.3	Hull fitting, sgl, pp, for TSP-11 cable	<u>815-1197096</u>
2449.4	Hull fitting, sgl, pp, for TSP-31 cable	<u>815-1197096</u>
2450	Test swbd, type 16 general work, 500V, 125V ac, 250/125V dc	<u>S6201-73032</u>
2484	Pnl, power supply and cont for elec heated divers suit	<u>5374-L</u>
2555.2	Kit, navigation lights	S6405-74250

MIL-HDBK-290(SH)

22 August 1986

Symbol No.	Item	Dwg. No./Spec. No.
2556.2	Kit, navigation lights	S6405-74251
2777	Switch, liquid level, type IC/R1-U	MIL-S-16032
2777.1	Switch, liquid level, type IC/R1-V	MIL-S-16032
2777.2	Switch, liquid level, type IC/RH1-U	MIL-S-16032
2777.3	Switch, liquid level, type IC/RH1-V	MIL-S-16032
2777.4	Switch, liquid level, type IC/RH2-U	MIL-S-16032
2777.5	Switch, liquid level, type IC/RH2-V	MIL-S-16032
2777.6	Switch, liquid level, type IC/RL1-U	MIL-S-16032
2811	Cont pnl-air defense officers grouping, wrttt	<u>S6504-73282</u>
2840	Switchboard, test for interior communications	<u>S6508-73677</u>
2994	Microphone, mag IC/MPM-3	S6502-74164
2994.1	Microphone, mag IC/MPM-4	S6502-74164
2994.2	Microphone, mag IC/MPM-5	S6502-74164
2994.3	Microphone, mag IC/MPM-6	S6502-74164
2994.4	Microphone, mag IC/MPM-2	S6502-74164

5.4 Cross-reference of drawing/specification numbers to symbol numbers.

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
4313-L	670	S6202-73162	610
4688-L	680	S6202-73163	611
4740-L	681.1	S6405-73191	953-959
4755-L	614	S6202-73193	2642,2643
4759-L	615	S6202-73215	546
4761-L	617	S6202-73216	547
4859-L	702,703	S6504-73282	2811
4861-L	707-710	S6202-73319	2773
4875-L	543	S6202-73351	888-892
4876-L	544	S6504-73353	2649
4877-L	545	S6503-73416	2747,2747.1
4899-L	2441	S6202-73448	752
4920-L	1503.1	S6202-73449	882-887
5026-L	1504	S6501-73466	2647
5080-L	940	S6501-73467	2648
5170-L	966,967	S6202-73475	2749
5196-L	616	S6508-73677	2840
5214-L	613,613.1	S6501-73689	2651
5217-L	1505	S6202-73692	815,816
5305-L	654	S6202-73747	913,914
5306-L	653	803-73754	2619.1
5348-L	600	803-73755	2620.1
5349-L	601	803-73756	2621.1
5374-L	2484	S6202-73763	2748
5410-L	494	S6202-73782	799
5427-L	746.1	S6501-73801	2988
5448-L	2454	S6504-73806	2935.1
5453-L	1039	S6504-73807	2934.1
5459-L	602,604	S6501-73819	2938
5460-L	603,605	S6202-73825	697
5461-L	606,618	S6202-73867	2812
5537-L	722	S6202-73888	860
5544-L	765	S6202-73896	784
5568-L	2698-2711	803-73898	2433
S6202-73030	732	803-73904	2622
S6201-73032	2450	803-73905	2623
S6202-73125	2561,2561.1	S6202-73919	2815.1-2815.4
S6201-73132	2479	S6202-73920	2816.1-2816.4
S6201-73133	2480	S6202-73921	2818.1-2818.4
S6201-73134	2482	S6202-73922	2819.1-2819.4

MIL-HDBK-290(SH)

22 August 1986

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
S6201-73135	2481	S6202-73964	987
S6202-73157	540	S6202-73965	721
S6202-73158	541	S6202-73966	726
S6202-73159	542	S6202-73973	621
S6202-73160	609	S6202-73974	622
S6202-73975	623	S6202-74202	647.1
S6202-73976	620	S6202-74203	651
S6502-73987	2984	S6202-74207	801.1,804.1
S6202-74012	2980		805.1,814
S6202-74026	735.2		827.1,829.1
			850.1,857
S6202-74028	671.1		858,862
S6202-74052	792		863,879.1
803-74055	2637.1,2638.1	S6501-74210	2841-2843
	2639.1,2640.1	S6505-74211	2922
	2641.1		
S6501-74062	2873.1	S6202-74214	908.1
S6504-74063	3809.1	815-74233	674-674.2
		S6501-74239	2981
S6502-74073	2986,2987	S6504-74244	2507
803-74081	2977	S6504-74246	951.1
S6501-74093	2860.1		
S6501-74094	2861.1	S6505-74249	2793
S6502-74117	723-725	S6405-74250	2555.2
		S6405-74251	2556.2
S6502-74164	2994-2994.4	S6202-74253	2403
S6202-74165	555.1	S6202-74254	509
S6202-74166	556.1		
S6202-7467	557.1	S6202-74255	773
S6202-74168	558.1	S6202-74256	774
		S6202-74257	510
S6202-74169	559.1	S8101-74260	472,472.1
S6202-74170	563.1	S8101-74261	473,473.1
S6202-74171	560.1		
S6202-74172	561.1	S8101-74262	474
S6202-74173	562.1	S6402-74270	989,989.1
		S6505-74274	2674
S6202-74174	568.1	S6202-74276	838.1,839.1
S6202-74178	569.1		840.1,848.1
S6202-74179	570.1		851,852
S6202-74180	571.1		2752.1,2753
S6202-74183	685.1	S6504-74284	2992
S6202-74184	687.1	S6504-74285	2670-2670.3
S6202-74185	686.1	S6504-74286	2671,2671.1
S6202-74186	688.1	S6504-74287	2672-2672.2
S6202-74187	689.1	803-74290	2179-2197
S6202-74188	690.1		2682.2,2683.2
			2684.2,2685.2

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
S6202-74189	691.1		2686.2,2687.2
S6202-74190	692.1		2688.2,2689.2
S6202-74191	693.1		2690.2,2691.2
S6202-74195	644		2692.2,2693.2
S6202-74196	645,645.1		2694.2,2695.2
			2696.2,2697.2
S6202-74197	649.1	S6202-74294	859
S6202-74198	648		
S6202-74199	646.1		
S6202-74200	635.1		
S6202-74201	650.1		
S6501-74295	2788,2788.1	815-1197046	1136,1136.1
S6504-74296	986	815-1197047	861
S6202-74298	2933.1	815-1197050	964.1,969.1
S6202-74303	790.1	815-1197052	676
S6202-74304	791.1	815-1197055	490
803-74308	2628-2628.2	815-1197056	762,762.1
803-74309	2627-2627.3	815-1197060	2414-2414.2
S6202-74313	733.1		2415,2415.2
S6202-74319	930.1,931.1		2415.3
S6202-74322	2763	815-1197064	1004
		815-1197067	2455
S6202-74340	2404	815-1197071	492.3,492.4
803-74342	2622.1-2622.3		
S6502-74345	2673	815-1197074	761.1
803-74354	2944	815-1197077	2978.1
S6202-74361	988.1,988.2, 988.4-988.7	815-1197083	817.1
		815-1197096	2449.1-2449.4
		815-1197098	2448.1-2448.3
S6202-74362	764.1,764.2		
S6202-74367	777	S6202-1197101	2446.1-2446.4, 247.1-2447.6
S6202-74369	511.1		3003
S6201-74397	2456	803-1197104	
S6202-74408	771,771.1		
		803-1197118	2805.1,2806.1
815-74416	492.1,492.2		2807.1
815-74417	493.1,493.2	815-1197119	1000
S6401-74420	993		
S6202-74427	780.2,780.4 780.6	815-1197120	1001
		815-1197132	298
		815-1197149	1045
S6202-74428	731.1	815-1197150	1106
		815-1197151	1107
S6201-74439	2452.1	815-1197152	1108
S6202-74440	612.1		
815-74462	626	815-1197153	1109
815-74463	627	815-1197170	1170,1171
S6501-74464	2675,2676		1171.1,1172
			1173,1174

MTL-HDBK-290(SH)

22 August 1986

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
803-74465	2626		1174.1,1175
815-74473	578.1		1176,1176.1
S6202-74475	673		
S6202-74477	2470-2470.2	815-1197172	1227-1227.2
S6202-74479	624		1228,1228.1
			1229,1229.1
			1230,1230.1
815-74480	625		
S6504-74488	3004,3005		
815-1197005	965	815-1197174	1231-1231.2
815-1197022	2789		1232,1232.1
815-1197026	864-872		1233,1233.1
		815-1179176	1178
815-1197027	785	815-1197180	515
815-1197031	2790	815-1197182	518
815-1197032	3006-3011		
815-1197033	2995		
815-1197038	2464		
815-1197183	519	815-1197353	1254
815-1197185	531		1255-1255.2
815-1197193	532	815-1197354	1250,1250.1
815-1197194	533		1251-1251.2
815-1197195	534	815-1197361	1900
		815-1197362	1902
815-1197196	535	815-1197363	1903
815-1197212	3012		
815-1197214	1149,1149.1	815-1197364	1906
	1150,1150.1	815-1197366	1908
	1151-1151.4	815-1197367	1904
815-1197217	493.3,493.4	815-1197369	1905
815-1197218	538	815-1197371	1256
815-1197219	491	815-1197372	1247
815-1179222	1005	815-1197375	1901
815-1197224	849	815-1197376	1244.1
815-1197225	853,854	815-1197377	1245-1245.2
815-1197227	205	815-1197378	1243.1
815-1197231	467	815-1197382	1907
803-1197239	1506.1	815-1197383	677
815-1197240	1220-1220.19	815-1197385	1246,1246.1
815-1197242	1235	815-1197413	1278
815-1197244	287,288	815-1197414	1279
803-1197255	713.11		
815-1197301	536	803-1853029	2939-2942
815-1197302	537	815-1853031	2912
815-1197304	1119-1119.5	803-1853036	2457
815-1197307	539	815-1853038	2920

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
815-1197312	1210-1210.3	815-1853040	2924.1, 2925.1
815-1197325	1195-1195.2, 1196-1196.2		2926.1, 2927.1 2928.1, 2929.1
815-1197328	1223	815-1853041	2921
815-1197332	1224	804-1853042	2943
815-1197335	1225	815-1853053	788, 789
		815-1853061	2854.4
815-1197336	1226	815-1853062	2646.2, 2646.3
815-1197338	1208	815-1853064	2989.1
815-1197341	1207	815-1853066	3000, 3001
815-1197342	1197-1206	815-1853067	2652.1, 2652.2
815-1197348	1240-1240.3, 1241, 1241.1, 1242, 1242.1, 1243	815-1853076	2742
	1248, 1249-1249.2	815-1853077	2743
815-1197349	1322-1325	815-1853078	2744
815-1197351	1252, 1252.1, 1253-1253.2	815-1853083	2785, 2786
815-1197352		815-1853085	2945-2945.5
		815-1853087	2983
		<u>NAEC(SI) DWG. NO.</u>	
		508447-10	260.3
815-1853089	2791	508447-11	260.4
		514610-1	260.3
803-2482977	2913	518170-1	2578
S6504-3313883	259.1	518170-2	2579
S6504-3313884	259.4		
		518340-1	239.2
803-5001027	1040, 1040.1 2418 2418.1	608303-1	239.2
	780.5	609024-1	256.1
815-5184170		609024-2	257.1
		609331-1	247.3
		611403-1	253.1
		611403-2	253.2
		611508-2	
		619184-2	253.4
		611774-1	265
		612886-1	248.3
		612963-1	248
		612963-2	248.1
		616263-1	243.1
		616702-1	2574
		616702-10	2580
		616850-1	249
		617577-1	243.3
<u>MIL-STD DWG. NO.</u>			
17220	2465		
17287	285		
17315	215		
17318	195.1		
17781	225.1, 226.1 227.1		
17784	407.1		
17831	1484		
17832	1485		
17850	960		

MIL-HDBK-290(SH)

22 August 1986

<u>MIL-STD DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAEC(SI) DWG. NO.</u>	<u>SYM. NO.</u>
17995	171.2,216.1	618962-1	257.4
17999	219,220	619016-1	254.2
18053	2416.2416.1	619184-1	253.3
90555	1326	619403-1	249.3
90556	1327-1329	619615-1	259.6
<u>NAEC(SI) DWG. NO.</u>		619616-1	259.5
408117-4	252	620130-1	254.3
505950-3	2569	620235-1	2581
506829-1	263	620783-1	2582
508447-1	260.1	620783-2	2583
508950-1	262.1	621941-1	2587
514265-1	260.2	621941-2	2589
514268-1	262.2	621941-3	2591
515364-1	246	621941-4	2593
515846-1	263.5	621941-5	2595
515846-2	263.6	623775-1	2597
<u>VENDOR DWG./PART NO.</u>		<u>VENDOR DWG./PART NO.</u>	
HUBBELL ELECTRIC		BUMED 522	109
SPF-843	258	GENERAL ELECTRIC	
15365	176	9T51B125	2576
STACO		<u>SPECIFICATIONS</u>	
15M1520CT-2	2584	<u>SYM. NO.</u>	
<u>SPECIFICATIONS</u>		MIL-R-2726/28	1221
W-J-800	406.1-406.3	MIL-R-2726/29	1222
MIL-L-1130	105	MIL-P-2726/30	727.1
MIL-L-2034	107.1	MIL-P-2726/31	729.1
MIL-S-2649	301.1-301.6, 309-309.5	MIL-R-2726/32	775.1,775.2
<u>NAEC(SI) DWG. NO.</u>		MIL-R-2726/33	1214.2,1214.5
617682-1	243.2	MIL-R-2726/34	1214.3,1214.4
617828-10	2575	MIL-R-2726/35	1213.2,1213.4
617848-1	254	MIL-R-2726/36	1213.3,1213.5
617882-1	254.1	MIL-R-2726/37	1099.1
618927-1	2586	MIL-R-2726/38	1218.3
618927-2	2586.1	MIL-R-2726/39	919
618927-3	2586.2	MIL-R-2726/40	730.4
618927-4	2586.3	MIL-R-2726/41	1098.1
618927-5	2586.4	MIL-R-2726/42	746.2
618927-6	2586.5		

MIL-HDBK-290(SH)

22 August 1986

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>	<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
MIL-R-2726/1	715.1	MIL-R-2726/43	918.1
MIL-R-2726/2	716.1	MIL-R-2726/44	765.3
		MIL-R-2726/45	772.1
MIL-R-2726/3	717.1	MIL-R-2726/46	721.1
MIL-R-2726/4	718.1	MIL-R-2726/47	735.3
MIL-R-2726/5	1140.1		
MIL-R-2726/6	1143.1	MIL-R-2726/48	900.1
MIL-R-2726/7	756.1,756.2	MIL-R-2726/49	765.6-765.8
		MIL-R-2726/50	720.3
MIL-R-2726/8	757.1,757.2	MIL-R-2726/51	2440.2
MIL-R-2726/9	758.1,758.2	MIL-R-2726/52	1257
MIL-R-2726/10	759.1		
MIL-R-2726/11	1141.1,1141.2	MIL-R-2726/53	1258
MIL-R-2726/12	1144.1,1144.2	MIL-R-2726/54	1259
		MIL-R-2726/55	1260
MIL-R-2726/13	1142.1	MIL-R-2726/56	1261
MIL-R-2726/14	1145.1-1145.3	MIL-R-2726/57	1262
MIL-R-2726/15	1146.1-1146.3		
MIL-R-2726/16	1147.1-1147.3	MIL-R-2726/58	1263
MIL-R-2726/17	1148.1-1148.3	MIL-R-2726/59	1264
		MIL-R-2726/60	1265
MIL-R-2726/18	1105.1	MIL-R-2726/61	1266
MIL-R-2726/19	915.1	MIL-R-2726/62	1267
MIL-R-2726/20	916.1		
MIL-R-2726/21	917.1	MIL-R-2726/63	1268
MIL-R-2726/22	770.2	MIL-R-2726/64	1269
		MIL-R-2726/65	1272
MIL-R-2726/23	726.1	MIL-R-2726/66	730.1
MIL-R-2726/24	707.1	MIL-R-2726/67	741.2
MIL-R-2726/25	722.1		
MIL-R-2726/26	728.1	MIL-R-2726/68	706.1
MIL-R-2726/27	776.1	MIL-R-2726/69	779
		MIL-R-2726/70	1100
		MIL-R-2726/71	1101
		MIL-R-2726/72	2439
MIL-R-2726/73	1215	MIL-F-16377/25	48.2,68.2
DOD-B-15072/9	1492	MIL-F-16377/26	112,113,113.1
DOD-B-15072/10	1496	MIL-F-16377/27	92.2,92.3,
DOD-B-15072/3	1490		93.2,93.3
DOD-B-15072/11	1491	MIL-F-16377/28	23.1
		MIL-F-16377/29	159.1
DOD-B-15072/12	1493	MIL-F-16377/30	137
DOD-B-15072/13	1494	MIL-F-16377/31	147.2
DOD-B-15072/14	1495,1497	MIL-F-16377/32	134.1
		MIL-F-16377/33	136.1,156
MIL-S-16032	2777-2777.6	MIL-F-16377/34	335

MIL-HDBK-290(SH)

22 August 1986

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>	<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
MIL-F-16377/1	126.3	MIL-F-16377/35	310
MIL-F-16377/2	152,154	MIL-F-16377/36	95.1,96.1, 97.1,98.1
MIL-F-16377/3	151,153	MIL-F-16377/37	5.1,8.1
MIL-F-16377/4	142.2	MIL-F-16377/38	304
MIL-F-16377/5	338.1,338.2, 339.1,339.2	MIL-F-16377/39	307
MIL-F-16377/6	149.4,149.5	MIL-F-16377/46	514
MIL-F-16377/7	70.3,70.4, 78.2,336, 336.1	MIL-F-16377/47	455
MIL-F-16377/8	331.1,331.2, 347.2,347.3	MIL-F-16377/48	121.1,121.2
MIL-F-16377/9	73.3,73.4, 346.2,346.3	MIL-F-16377/49	306.2
MIL-F-16377/10	145.4,145.5	MIL-F-16377/50	302.2
MIL-F-16377/11	77.4,77.5, 344.2,344.3	MIL-F-16377/51	290,291
MIL-F-16377/12	333.1,333.2, 341.1,341.2, 342.2,342.3	MIL-F-16377/52	286,286.1
MIL-F-16377/13	74,74.1, 75,75.1	MIL-F-16377/53	100.2,100.3, 101.2,101.3, 102.2,108
MIL-F-16377/14	79.1,79.2, 80.1,80.2	MIL-F-16377/54	2438
MIL-F-16377/15	148.2	MIL-F-16377/55	2432.1
MIL-F-16377/16	141.2,150.2	MIL-F-16377/56	266.2
MIL-F-16377/17	229.1,231.1, 232.1	MIL-F-16377/57	348-350
MIL-F-16377/18	337,340	MIL-F-16377/58	351,351.1, 352,352.1
MIL-F-16377/19	270.3,270.4	MIL-F-16377/59	353-353.2
MIL-F-16377/20	64.1,65	MIL-F-16377/60	316,317
MIL-F-16377/21	89,90.2	MIL-F-16377/61	303.1-303.5
MIL-F-16377/22	94.1	MIL-F-16377/62	300,300.1
MIL-F-16377/23	57,69 103	MIL-F-16377/63	311
MIL-F-16377/24	66.2	MIL-F-16377/64	67
		MIL-F-16377/65	81,81.1, 345.2,345.3
		MIL-F-16377/66	82,82.1, 343.1,343.2
		MIL-F-16377/68	163
		MIL-F-16377/71	354
		MIL-F-16879	104
		MIL-S-16938	297,297.1
		MIL-S-19551	299,299.1
MIL-C-22438/1	754.2	MIL-C-24231/2	713.5,713.8
MIL-C-22438/2	755.3	MIL-C-24231/3	713.1, 713.1(90), 713.1(100), 713.7
MIL-P-23928/1	994.4-994.6, 995.4-995.6, 999.4-999.6,		

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>	<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
	1006-1006.2, 1007-1007.2, 1008-1008.2, 1009-1009.2, 1010-1010.2, 1011-1011.2, 1012-1012.2, 1013-1013.2, 1014-1014.2, 2489	MIL-C-24231/4 MIL-C-24231/5 MIL-C-24231/6 MIL-C-24231/7 MIL-C-24231/8 MIL-C-24231/9 MIL-C-24231/10	713.2-713.4, 713.10 517,517.11 517.4 517.1 517.7-517.9 517.5,517.12 517.2,517.3, 517.6,517.14
MIL-P-23928/2	2494.3-2494.5, 2495.3-2495.5, 2496.3-2496.5, 2497.3-2497.5, 2498.3-2498.5, 2499.3-2499.11	MIL-C-24231/11 MIL-C-24231/12 MIL-C-24231/13	516-516.2 737,737.4, 737.7 737.1,737.6, 737.9
MIL-P-23928/3	2508-2508.2	MIL-C-24231/14	737.2,737.3, 737.5,737.8
MIL-P-23928/4	2511-2511.14, 2512-2512.14, 2513-2513.14, 2521-2521.2, 2522.2-2522.4, 2523.2-2523.4, 2531.2-2531.4, 2532.2-2532.4, 2533.2-2533.4	MIL-C-24231/15 MIL-C-24231/16 MIL-C-24231/17 MIL-C-24231/18 MIL-C-24231/19 MIL-C-24231/20 MIL-C-24231/21	1115,1115.1 1116 1116.1 1139 1138 1138.1 1118
MIL-P-23928/5	2471-2471.2	MIL-C-24231/22	1117,1117.1
MIL-P-23928/6	2472.1-2472.3	MIL-C-23231/23	713.9
MIL-P-23928/7	2473.2-2473.4	MIL-C-23231/24	517.13
MIL-P-23928/8	2474.2-2474.4	MIL-C-24231/26 MIL-C-24231/27	1270-1270.2 1271-1271.2
MIL-P-23928/9	579	MIL-S-24235/1 MIL-S-24235/2	2405-2413 2405.1-2405.7, 2406.1-2406.5, 2407.1-2407.7, 2408.1-2408.5, 2409.1-2409.3, 2410.1-2410.3, 2411.1-2411.5, 2412.1-2412.3, 2413.1,2413.2
MIL-C-24095	2459,2506		2428-2430
MIL-C-24174/3	978.2	MIL-S-24235/4	2428-2430
MIL-C-24174/4	932	MIL-S-24235/5	2425-2425.2
MIL-P-24175/1	944.2		
MIL-P-24175/2	940.1		
MIL-P-24175/3	945.1		
MIL-P-24175/4	942.1		
MIL-P-24175/5	2550.1		
MIL-L-24223	2985,2985.1		
MIL-C-24231/1	713,713(50), 713(100), 713.6		

MIL-HDBK-290(SH)

22 August 1986

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>	<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
MIL-S-24235/6	2425-2425.2	MIL-T-24558/9	525
MIL-S-24235/9	1520-1542, 1570-1592	MIL-T-24558/10	438
MIL-S-24235/10	1600-1622	MIL-T-24558/11	523.1
		MIL-T-24558/12	450
		MIL-T-24558/13	524.1
MIL-S-24235/11	996,1853		
MIL-S-24235/12	1658-1679	MIL-T-24558/14	451
		MIL-T-24558/15	452
MIL-S-24235/16	512,512.1, 513,513.1	MIL-T-24558/16	453
MIL-S-24235/17	1701-1723, 1731-1753, 1761-1783, 1791-1813	MIL-T-24558/17	454
		MIL-T-24558/18	400.1-400.4
MIL-S-24282	106.1,106.2	MIL-T-24558/19	444
MIL-L-24352	292	MIL-T-24558/20	529
MIL-C-24360	2420	MIL-T-24558/21	476.1
		MIL-T-24558/22	415-415.4
		MIL-T-24558/23	403.1
MIL-C-24368/1	1160		
MIL-C-24368/2	1161	MIL-T-24558/24	416
MIL-C-24368/4	1162-1162.3	MIL-T-24558/25	418.1-418.3
MIL-T-24381/1	1025	MIL-T-24558/26	572.1
MIL-T-24381/2	1032-1034	MIL-T-24558/27	573.1
MIL-T-24381/3	1035	MIL-T-24558/28	574.1
MIL-T-24381/4	1024	MIL-T-24558/29	575.1
MIL-T-24381/5	1041	MIL-T-24558/30	576.1,577.1
MIL-T-24381/7	1038	MIL-L-24560/1	160.1
MIL-T-24381/8	1044	MIL-L-24560/2	114.1,115.1, 116.1,117.1, 118.1
MIL-T-24381/9	1037		
		MIL-L-24560/3	164.3
MIL-P-24395/1	1005.1,1005.2	MIL-L-24560/4	190.1
MIL-P-24395/2	1005.3,1005.4	MIL-L-24560/5	191.2
MIL-C-24404/1	477.1,477.2	MIL-L-24560/6	192.1
MIL-C-24404/2	478.2-478.4	MIL-L-24560/7	193.1,194
		MIL-L-24560/8	196.3,196.4, 197.2
MIL-C-24404/3	479.1,479.2		
MIL-C-24404/4	480.3-480.7	MIL-L-24560/9	182.2,183.2
MIL-L-24532	289	MIL-L-24560/10	172.2
MIL-T-24552/1	1046	MIL-L-24560/11	200.2
MIL-T-24552/2	1047	MIL-L-24560/12	233.1
		MIL-L-24560/13	174.4,174.5, 188.3,189.3
MIL-T-24552/3	1048		
MIL-T-24552/4	1049		
MIL-T-24558/1	520.1		
MIL-T-24558/2	435.1	MIL-L-24560/21	221
MIL-T-24558/3	528	MIL-L-24560/22	222
		MIL-L-24560/23	161.4
MIL-T-24558/4	432.1	MIL-L-24560/24	206.2
MIL-T-24558/5	434		
MIL-T-24558/6	433.1		
MIL-T-24558/7	522.1		
MIL-T-24558/8	446		

22 August 1986

5.5 Cross-reference of National Stock Numbers (NSN) to symbol numbers.
 (Note: The National Stock Numbers are not listed by Federal Supply Classification (FSC), but rather are listed numerically by the 3-digit number that identifies the fiche number within a given FSC. To find a given stock number, enter the table using the 3-digit number and there you will find all the FSC's that have similar numbers. For example, to find the symbol number for NSN 1H5935-070-9495, first locate 070; there are five listed, one of which is 1H5935-070-9495 for symbol 1171.1.)

<u>STOCK NO.</u>	<u>SYM. NO.</u>
SRM1710-LL-BBO-8915	263.5
5R 5950-00-116-3307	2586.3
SRM5950-01-044-9698	2579
SRM5950-01-047-3780	2580
SRM5950-01-049-2335	2578
SRM5950-01-057-5612	2582
SRM5950-01-057-5613	2585
SRD5950-01-063-9186	2581
5R 5950-01-177-9816	2586.1
5R 6110-01-031-6533	254.2
5R 6120-01-082-2891	2586.5
5R 6120-01-090-9803	2586.4
SRD6210-00-149-0743	253.4
SRM6210-01-010-2770	235
SRD6210-01-164-4081	260.3
SRD6210-01-176-9080	260.4
SRM6210-01-177-9589	404.5
5R 6220-00-862-3221	405
5R 6220-00-988-1520	248.1
5R 6220-00-988-1521	248.3
SRD6220-01-102-1954	358
SRD6220-01-176-6408	404
SRD6240-01-099-8559	355
SRD6240-01-099-8560	356
SRD6240-01-099-8561	357
5R 6350-01-044-6887	254.3

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
5R6120-00-008-1392	257.4	9G5975-01-014-9955	1774
5RD6210-00-012-6039	259.6	9G5975-01-014-9956	1775
5RM6210-00-013-3169	259.5	9G5975-01-014-9957	1781
1H6110-00-014-2084	1005.1	9G5975-01-014-9958	1731
9G5975-01-014-6197	1773	9G5975-01-014-9959	1732
9G5975-01-014-8951	1712	9G5975-01-014-9960	1733
9G5975-01-014-8994	1701	9G5975-01-014-9961	1734
9G5975-01-014-8995	1702	9G5975-01-014-9962	1735
9G5975-01-014-8996	1710	9G5975-01-014-9963	1736
9G5975-01-014-8997	1711	9G5975-01-014-9964	1737
9G5975-01-014-8998	1716	9G5975-01-014-9965	1738
9G5975-01-014-8999	1717	9G5975-01-014-9966	1739
9G5975-01-014-9000	1718	9G5975-01-014-9967	1740
9G5975-01-014-9001	1719	9G5975-01-014-9968	1741
9G5975-01-014-9002	1720	9G5975-01-014-9969	1746
9G5975-01-014-9003	1722	9G5975-01-014-9970	1747
9G5975-01-014-9004	1723	9G5975-01-014-9971	1748
9G5975-01-014-9005	1761	9G5975-01-014-9972	1749
9G5975-01-014-9006	1769	9G5975-01-014-9973	1750
9G5975-01-014-9928	1703	9G5975-01-014-9974	1752
9G5975-01-014-9929	1704	9G5975-01-014-9975	1753
9G5975-01-014-9930	1705	9G5975-01-014-9976	1791
9G5975-01-014-9931	1706	9G5975-01-014-9977	1792
9G5975-01-014-9932	1707	9G5975-01-014-9978	1793
9G5975-01-014-9933	1708	9G5975-01-014-9979	1794
9G5975-01-014-9934	1709	9G5975-01-014-9980	1795
9G5975-01-014-9935	1762	9G5975-01-014-9981	1796
9G5975-01-014-9936	1763	9G5975-01-014-9982	1797
9G5975-01-014-9937	1764	9G5975-01-014-9983	1798
9G5975-01-014-9938	1765	9G5975-01-014-9984	1799
9G5975-01-014-9939	1766	9G5975-01-014-9985	1800
9G5975-01-014-9940	1767	9G5975-01-014-9986	1801
9G5975-01-014-9941	1768	9G5975-01-014-9987	1806
9G5975-01-014-9942	1770	9G5975-01-014-9988	1807
9G5975-01-014-9943	1771	9G5975-01-014-9989	1808
9G5975-01-014-9944	1776	9G5975-01-014-9990	1809
9G5975-01-014-9945	1777	9G5975-01-014-9991	1810
9G5975-01-014-9946	1778	9G5975-01-014-9992	1812
9G5975-01-014-9947	1779	9G5975-01-014-9993	1813
9G5975-01-014-9948	1780	9G5975-01-014-9994	1742

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G5975-01-014-9949	1782	5RM5950-01-049-2335	2578
9G5975-01-014-9950	1783	9G5975-01-014-9995	1743
9G5975-01-014-9952	1713	9G5975-01-014-9996	1744
9G5975-01-014-9953	1721	9G5975-01-014-9997	1745
9G5975-01-014-9954	1772	9G5975-01-014-9998	1751
9G5975-01-015-0000	1803	9G5975-01-014-9999	1802
9G5975-01-015-0001	1804	9G6350-00-051-8411	2942
9G5975-01-015-0002	1805	9L6530-00-052-6838	109
9G5975-01-015-0003	1811	9N5935-00-053-0688	1144.1
9G5975-01-015-2697	1715	5R5950-00-054-8509	2569
9G5975-01-015-6930	1714	9N5950-00-055-9403	2576
9N5935-01-019-6555	1327	9G6240-00-056-0737	263.3, 303.4
9N5935-01-019-6556	1329	1H1075-00-063-3245	1136.1
9N5935-01-021-1062	1328	1H5935-00-064-2036	713.3
9N5935-01-021-2744	1326	1H5935-00-064-2037	713.7
1H5999-01-023-9366	918.1	1H5935-00-064-2038	713.4
9G6210-00-023-1653	337	1H5935-00-064-2042	1140.1
9N5920-00-024-0126	559.1	9G6230-00-064-8535	297.1
9N5920-00-024-0127	681.1	9G6220-01-067-0629	115.1
9G5940-00-024-0128	400.1	9G6220-01-067-0630	114.1, 196.3
9G6210-00-024-0128	354	9G6220-01-067-0631	116.1
9G6140-00-025-1008	1503.1	9G6230-00-067-4882	141.2, 150.2
1H6140-00-025-1009	1504	2H6110-00-068-4518	651
1H5935-00-025-6386	741.2	9G6210-00-069-2033	159.1
1H5999-00-025-6388	908.1	9N5999-00-070-8414	919
2H5935-00-025-6392	773	1H5995-00-070-9488	1176.1
2H6110-00-025-9003	942.1	1H5995-00-070-9489	713.1(90)
6230-01-026-4438	316	1H5995-00-070-9490	1174.1
6230-01-026-4439	317	1H5935-00-070-9495	1171.1
1H5920-00-028-3963	561.1	1H5995-00-070-9512	713.1(100)
9G6220-00-028-3964	216.1	1H5977-00-072-5834	3010
5R6230-01-031-3260	249.3	1H5940-00-080-3931	434
9N5930-00-033-5564	799	2H5940-00-080-3932	450
1H6150-00-033-5647	2404	1H5940-00-081-2285	493.3, 493.4
1H6150-00-033-5651	988.1	5R6210-00-086-1814	260.2
9H5930-00-033-5664		5R6210-00-086-1854	262.2
1H5930-00-033-5665	2860.1	5R6230-00-086-5215	249
9N5930-00-033-5666	2861.1	5RM6210-00-086-6153	246
1H5950-00-033-5669	951.1	1H5935-00-086-8922	1099.1
1H5935-00-033-6508	733.1	1H5935-00-086-8923	1099.1
5R6110-01-031-6533	254.2	5RM5950-01-057-5612	2582
5R6350-01-044-6887	254.3	5RM5950-01-057-5613	2585
5RM5950-01-044-9698	2579	5RD5950-01-063-9186	2581
5RM5950-01-047-3780	2580	5R6120-01-082-2891	2586.5

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9N5920-00-033-6598	2933.1	2H6150-00-086-9067	1151.2
9N5920-00-033-6603	620	2H6150-00-086-9068	1151.3
2H5950-00-033-6725	986	9G6150-00-087-0815	765.6
9N5930-00-033-6729	2977	9G6230-01-087-6125	163
5RM6210-01-042-8652	239.2	2H5930-00-089-0592	2788.1
9G6210-01-044-5273	351.1	1H5930-00-089-0593	2747.1
9G6210-01-045-7724	352.1	9N5920-00-090-0870	2873.1
9N5935-01-046-2614	1142.1	9N5935-00-091-9436	755.3
5RM5950-01-049-2332	2583	9G6230-00-095-3674	291
9N5930-00-049-9765	814	9G6110-00-096-2722	945.1
9G5930-00-096-2726	2620.1	1H5975-00-153-6778	1039
5RM6210-00-099-7120	243.3	1H5940-00-153-6779	1044
5R6110-00-101-9821	254.1	9G6240-00-155-7774	309.4
5935-01-103-4760	1272	9G6210-00-159-2237	134.1
5R6210-00-106-9543	254	9G6230-00-160-0610	307
5RM6210-00-107-8813	243.2	5R5950-00-165-3654	2574
9G6210-00-115-9137	352	5R5950-00-165-3665	2586.2
9G6210-00-115-9150	350	5R5950-00-165-3666	2586
9G6210-00-115-9152	349	9N5935-00-170-3061	715.1
9G6210-00-115-9171	351	1H5925-00-173-9912	889
9G6210-00-115-9186	348	1H6110-00-174-1653	649.1
9G6210-00-115-9187	353	2H6110-00-174-1657	650.1
5R6120-00-116-5026	2575	H6230-00-174-5143	298
1H6220-00-118-2386	989.1	9G5940-00-178-0392	1032
1H5935-00-122-8553	1148.2	9G5940-00-178-0394	1033
6350-00-131-6579	2628	9G5940-00-178-0397	1034
9N5935-00-134-0312	1143.1	1H5975-00-178-0751	1600
5935-00-134-0406	1213.3, 1213.5	1H5975-00-178-0752	1601
9N5935-00-135-5256	1148.1	1H5975-00-178-0753	1602
9G6240-00-145-1148	263.2, 3033	1H5975-00-178-0754	1603
5935-01-145-3182	1101	1H5975-00-178-0755	1604
5R6210-00-149-0743	253.3	1H5975-00-178-0756	1605
1H6210-00-151-9844	23.1	1H5975-00-178-0757	1606
1H6110-00-152-0246	604	1H5975-00-178-0758	1607
2H6110-00-152-0266	602	1H5975-00-178-0759	1608
1H6110-00-152-0267	605	1H5975-00-178-0760	1609
9G6110-00-152-0268	603	1H5975-00-178-0761	1610
1H6110-00-152-0269	606	1H5975-00-178-0763	1612
1H6110-00-152-0270	2481	1H5975-00-178-0764	1613
2H6110-00-152-0271	2479	1H5975-00-178-0765	1614

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
2H6110-00-152-0277	969.1	1H5975-00-178-0766	1615
2H6110-00-152-0278	2480	1H5975-00-178-0767	1616
1H6110-00-152-0279	2482	1H5975-00-178-0768	1617
2H6110-00-152-0280	964.1	1H5975-00-178-0769	1618
1H6110-00-152-0285	617	1H5975-00-178-0770	1619
1H6110-00-152-0286	616	1H5975-00-178-0771	1620
1H6110-00-152-0304	940.1	1H5975-00-178-0772	1621
9G6210-00-152-2844	137	1H5975-00-178-1229	1667
9G6230-00-152-2870	148.2	1H5975-00-178-1231	1669
9N5920-00-153-5788	541	1H5975-00-178-1233	1671
9N5920-00-153-5789	542	1H5975-00-178-1238	1676
9N5920-00-153-6186	2441	1H5975-00-178-1241	1679
9G5975-00-153-6397	406.3	1H5975-00-178-1461	1575
1H5940-00-153-6756	1037	1H5975-00-178-1499	1520
9G5975-00-153-6775	406.3	1H5975-00-178-1500	1521
1H5975-00-178-1501	1522	9N5920-00-178-1688	680
1H5975-00-178-1503	1524	1H5940-00-179-2013	578.1
1H5975-00-178-1504	1525	2H6625-00-183-8346	2454
1H5975-00-178-1506	1527	2H6625-00-183-8347	2450
1H5975-00-178-1507	1528	9L6530-00-185-0034	107.1
1H5975-00-178-1508	1529	9G5975-00-188-1164	730.1
1H5975-00-178-1509	1530	9N5935-00-188-5837	775.1
1H5975-00-178-1510	1531	2H6605-00-191-3402	2945
1H5975-00-178-1511	1532	1H5905-00-192-3943	955
1H5975-00-178-1513	1534	1H5905-00-192-3946	958
1H5975-00-178-1514	1570	1H5905-00-192-3948	953
1H5975-00-178-1515	1571	1H5905-00-193-3949	959
1H5975-00-178-1516	1572	9G6240-00-193-0941	309.1
1H5975-00-178-1517	1573	9G5975-00-194-8877	406.1
1H5975-00-178-1518	1574	9G6140-00-195-5339	1494
1H5975-00-178-1520	1576	9G6140-00-195-5341	1493
1H5975-00-178-1521	1577	1H5935-00-195-8916	728.1
1H5975-00-178-1522	1578	9N5935-00-195-8920	706.1
1H5975-00-178-1523	1579	1H5935-00-196-2292	1214.4
1H5975-00-178-1524	1580	1H5935-00-196-2293	1214.5
1H5975-00-178-1525	1581	9N5935-00-197-4948	727.1
1H5975-00-178-1526	1582	1H5940-00-204-6069	493.1
1H5975-00-178-1527	1583	1H5975-00-215-5890	1038
1H5975-00-178-1528	1584	1H5940-00-215-5959	435.1
1H5975-00-178-1529	1585	1H5940-00-215-5960	403.1
		9G5940-00-215-5962	432.1

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
1H5975-00-178-1530	1586	1H5940-00-215-5963	433.1
1H5975-00-178-1531	1587	1H5940-00-215-5965	572.1
1H5975-00-178-1532	1588	1H5940-00-215-5966	575.1
1H5975-00-178-1533	1589	1H5940-00-215-5967	446
1H5975-00-178-1534	1590	1H5940-00-215-5969	574.1
1H5975-00-178-1535	1591	1H5940-00-215-5970	576.1, 577.1
1H5975-00-178-1584	1853	1H5940-00-215-5972	510
1H5975-00-178-1587	1035	9G6210-00-215-6355	77.4
9N5920-00-178-1606	601	5R6220-00-215-6358	239.1, 239.2
9N5920-00-178-1609	540	9G6230-00-215-6362	309-309.5
9N5920-00-178-1613	546	1H6130-00-216-7376	2506
9N5920-00-178-1614	547	9N5930-00-216-7402	2649
9N5920-00-178-1615	609	1H5930-00-216-7404	859
9N5920-00-178-1616	610	9G5940-00-216-7406	415-415.4
9N5920-00-178-1617	611	1H5940-00-216-7407	509
1H5920-00-178-1619	614	1H5940-00-216-7409	418.1-418.3
9N5920-00-178-1624	543	1H5935-00-220-2213	1218.3
9N5920-00-178-1625	544	9G6150-00-220-9382	752
9N5920-00-178-1626	545	1H6150-00-220-9384	987
1H5920-00-178-1677	690.1	5965-00-223-6349	2927.1
5965-00-223-6350	2928.1	1H5935-00-257-7456	1213.4
5965-00-223-6351	2925.1	1H5935-00-257-7457	1213.2
5965-00-223-6352	2926.1	1H5935-00-257-7458	1213.5
5965-00-223-6353	2924.1	9N5935-00-257-7459	1213.3
5965-00-223-6354	2929.1	1N5935-00-257-9966	2673
5R6210-00-223-8434	243.1	9N5935-00-258-3541	725
1H6350-00-224-4943	2628.2	1H5930-00-258-4209	2763
9G6350-00-224-4945	2940	9N5930-00-258-5461	840.1
9G6350-00-224-4949	2628.1	9N5930-00-258-5462	838.1
9G6350-00-224-4950	2627.1	9N5930-00-258-5463	2752.1
9G6350-00-224-4951	2627.2	9N5930-00-258-5501	829.1
9G6350-00-224-4952	2627	9N5930-00-258-5502	879.1
9G6305-00-224-4953	2627.3	9N5930-00-258-5657	791.1
9N5935-00-224-5348	722.1	9N5930-00-258-5659	2711
1H6130-00-224-6075	2459	1H5930-00-259-7152	858
2H6130-00-224-6076	2460	1H5930-00-259-7361	854
9G6210-00-226-2810	126.3	1H5930-00-259-7362	853
9N5935-00-234-4872	706.1	1H5930-00-259-7363	2773
9N5935-00-234-4873	709, 710	9N5930-00-259-7368	805.1
9G6230-00-237-8021	300.1	1H5930-00-259-7372	827.1

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G6230-00-237-8023	300	1H5930-00-259-8881	2639.1
9G6210-00-237-8775	48.2	1H5930-00-259-8882	2637.1
2H5930-00-240-8093	2811	1H5930-00-259-8883	2638.1, 2648
1H5930-00-240-8098	2647	1H5930-00-259-8884	2640.1
1H5935-00-241-2347	732	1H5930-00-259-8885	2641.1
9N5935-00-241-2530	708	1H5930-00-259-8888	2642
9N5935-00-241-2532	702	1H5930-00-259-8889	2643
9N5935-00-241-2533	703	9N5930-00-259-8890	792
1H5935-00-241-2536	710	9N5930-00-259-8899	2651
1H5935-00-241-2537	709	1H5930-00-259-8902	2702
2H6130-00-241-6310	2461	1H5930-00-259-8903	2709
1H5935-00-242-0026	707, 707.1	2H6320-00-261-9128	2670
1H6230-00-242-6420	311	H6320-00-261-9129	2672.1
1H5935-00-243-1283	702, 703	H6320-00-261-9130	2672
9N5935-00-243-1285	707, 707.1, 708	1H6320-00-261-9131	2671.1
		1H6320-00-261-9132	2671
9G6230-00-244-3996	306.2	2H6320-00-261-9133	2670.3
9N5935-00-244-5348	722.1	H6320-00-261-9134	2672.2
9G6680-00-246-1103	1505	2H6320-00-261-9135	2670.2
5R6210-00-253-1063	253.2	2H6320-00-261-9136	2670.1
9G6140-00-255-5719	1490		
		9G6350-00-262-4121	2626
9G6140-00-255-5721	1491	1N5965-00-263-1226	2938
9G6140-00-255-5722	1492	9G6350-00-263-4674	3004
9G6140-00-255-5726	1496	1H5805-00-263-8644	2793
9G6140-00-255-5727	1495		
9G6140-00-255-5728	1497		
9G6230-00-264-6450	104	9N5920-00-296-4736	555.1
9G6230-00-268-9246	286.1	9N5920-00-296-4737	2433
9G6350-00-269-7978	2622.2	9N5920-00-296-4774	622
9G6240-00-270-4689	263.1	9N5920-00-296-4775	563.1
9G6240-00-270-4695	263.4, 303.5, 309.3	9N5965-00-296-5283	2921
		9N5930-00-296-5287	850.1
9G6240-00-274-4013	309.2	9N5930-00-296-5290	804.1
1H5935-00-280-2379	1214.3	5930-00-296-6039	2785
9N5935-00-280-2390	735.3	1H5930-00-296-6041	2788
9N5935-00-280-2391	775.2	9N5920-00-296-6117	623
9N5920-00-280-4012	635.1		
		9N5920-00-296-6118	688.1
9G5975-00-280-7921	406.2	9N5920-00-296-6119	691.1
9G5975-00-281-0056	406.1	9N5920-00-296-6120	692.1
1H5935-00-283-4007	1214.2	1H5975-00-296-6608	996
9G6230-00-283-9671	290	1H5940-00-296-6714	476.1
1H6210-00-283-9688	993		

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G6210-00-283-9691	57,69, 103	1H5940-00-296-6715	400.2
9G6210-00-284-0480	147.2	9N5920-00-296-7015	646.1
9G5975-00-284-5827	406.2,730.1	9N5930-00-296-7318	851
9N5965-00-284-6578	2985	9N5930-00-296-9298	860
9N5965-00-284-6579	2985.1	9N5930-00-296-9386	2701
		9N5930-00-296-9389	849
		1H5930-00-296-9828	857
		6210-00-299-2893	57
9N5920-00-284-7122	685.1	9G6350-00-299-6223	2944
9N5920-00-284-8327	556.1	9G6350-00-299-6310	2622.1
1H5940-00-284-9141	573.1	9G6210-00-299-7702	66.2
1H5940-00-284-9157	416		
9N5920-00-285-0466	697	9G6210-00-299-7703	92.2,92.3, 93.2,93.3
		1H5930-00-306-0182	861
9G6210-00-295-2192	95.1,97.1	9N5930-00-309-0816	790.1
9G6350-00-295-2682	2622	1H5935-00-331-0091	770.2
9G6220-00-295-2737	171.2	9G6250-00-335-3382	407.1
9G6230-00-295-2776	301.1-301.6		
9G6350-00-295-2847	2623	9G6230-00-336-5876	150.2
9G6210-00-295-2865	96.1,98.1	1H5935-00-336-5866	731.1
9G6210-00-295-2880	73.3	9G6210-00-336-5867	2815.1
9G6210-00-295-2881	64.1	9G6210-00-336-5868	2815.2
9N5920-00-295-8792	621	9G6210-00-336-5869	2816.1
9N5965-00-296-1808	2986		
		9G6210-00-336-5870	2816.2
9N5920-00-296-3357	557.1	9G6210-00-336-5871	2818.1
9N5920-00-296-3869	560.1	9G6210-00-336-5872	2818.2
9N5920-00-296-3870	568.1	9G6210-00-336-5873	2819.1
1H5930-00-296-3873	2707	9G6210-00-336-5874	2819.2
9N5930-00-296-3876	2699		
		9G5940-00-336-5889	1025
1H5930-00-296-3877	2703	2H6110-00-338-3808	511.1
1H5930-00-296-4309	839.1	1H5940-00-351-2222	520.1
1H5930-00-296-4310	848.1	1H5940-00-351-2223	528
1H5930-00-296-4311	852	1H5940-00-351-2225	525
9N5930-00-296-4527	801.1		
		9G6210-00-505-0115	65
1H5940-00-351-2226	522.1	9G6210-00-505-0116	304
1H5940-00-351-2227	523.1	1H5935-00-507-4883	723
1H5940-00-351-2228	438	9Q5180-00-508-1589	771
1H5940-00-351-2229	524.1	9Z5330-00-509-9839	2447.2
2H6110-00-352-0605	2484		
		9Z5330-00-509-9865	2447.3
9N5920-00-355-4729	671.1	9G6230-00-514-0905	121.2
9N5920-00-355-4732	693.1	9G6210-00-518-1483	75
9N5920-00-355-4733	569.1	1H5935-00-518-9131	735.2
9N5920-00-355-4734	647.1		
9N5920-00-335-4735	570.1		

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9N5920-00-355-4736	571.1	1H5935-00-521-8932	777
9G6350-00-360-0987	2935.1	2H6625-00-521-9002	2456
9G6350-00-360-0988	2934.1	9N5930-00-522-1425	780.2
1H5935-00-375-5640	729.1	9N5930-00-522-5646	780.4
1H6150-00-383-3443	988.2	9G6210-00-538-8397	2815.3
1H5975-00-384-5794	478.2	9G6210-00-538-8398	2815.4
5340-00-391-1073	92.3, 93.3	9G6220-00-546-1174	191.2
9Q5180-00-391-1087	2561	9G6350-00-548-0005	2622.3
9N5930-00-392-2894	1041	9G6210-00-548-0081	90.2
9N5965-00-393-0347	2984	9G6210-00-548-0082	70.3
9G6210-00-399-6316	68.2	9G6210-00-548-0107	69
9G6220-00-399-6337	215	9G6230-00-548-0108	270.3
9G6210-00-399-6339	310	9G6230-00-548-0199	302.2
9G6210-00-399-7028	97.1, 98.1	9G6220-00-548-0215	219
9G6220-00-399-7104	989	9G6220-00-548-0216	220
9G6220-00-399-7105	978.2	9G6220-00-548-0217	160.1
9G6210-00-399-7120	103	9G6210-00-548-0222	333.1, 341.2
9G6210-00-411-6024	5.1	9G6210-00-548-0226	149.4
9G6210-00-411-6025	8.1	9G6210-00-548-0227	145.4
2H6230-00-412-9375	299.1	9G6210-00-548-0381	94.1
1H6210-00-435-4955	292	9G6230-00-548-0385	142.2
2H4820-00-445-8703	513	9G6210-00-548-0428	95.1, 96.1
1H5930-00-448-0001	2652.1	9G6230-00-548-0434	300, 300.1
1H6150-00-449-1189	779	9G6210-00-548-0598	331.1
9G6210-00-455-0068	341.1	1H6320-00-548-0605	3005
1H5999-00-472-7347	3000	9G6230-00-548-2040	121.1
1H6110-00-473-5111	2455	1N5830-00-548-8004	2992
9G6210-00-474-5653	74	1N5805-00-548-8019	2988
1H5935-00-480-7948	1215	9N5930-00-549-0103	2698
1H5935-00-494-5854	737	1H5940-00-549-5554	492.1, 492.2
9G6220-00-500-1180	195.1	9N5935-00-355-4739	2843
9G6210-00-500-2550	48.2, 68.2	9N5935-00-552-6790	2842
1H5935-00-500-5258	764.1	9N5935-00-552-6791	2841
1H5850-00-501-1455	106.1	9Z0145-00-558-6165	342.2
1H5940-00-503-4204	529	9N5930-00-564-4683	2621.1
9N5930-00-564-4712	2619.1	1H6150-00-590-3454	2945.5
9N5930-00-565-5153	2805.1	1H5935-00-590-9017	2414
9N5930-00-565-5154	2806.1	1H5935-00-590-9046	2414.2
9N5930-00-565-5155	2807.1	1H6220-00-609-3343	226.1
1H5930-00-568-3038	2744	1H5930-00-610-5412	2195

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G6250-00-569-9501	514	1H5930-00-610-5413	2196
9N5925-00-571-0415	579	1H5930-00-610-5414	2197
1H5935-00-578-2759	746.2	9G5940-00-617-7982	490
9N5935-00-578-2760	776.1	1H5977-00-626-2420	3007
9N5930-00-578-3951	2180	2H6150-00-630-4635	3009
9N5930-00-578-3952	2690.2	9Q5180-00-630-8553	771.1
9N5930-00-578-3953	2694.2	9G6210-00-633-6886	69
1H5930-00-578-3954	2182	9G6110-00-635-4002	944.2
9N5930-00-578-3971	2188	2H6625-00-635-4745	2452.1
9N5930-00-578-4903	2194	9G6210-00-635-8814	335
9N5930-00-578-4908	2692.2	9G6210-00-635-8817	112,113
2H6110-00-578-6789	815	9G6210-00-635-8819	112
9G6230-00-578-7401	2438	9G6210-00-635-8820	113
9G6210-00-578-7703	79.1	5805-00-636-2181	2987
1H5930-00-581-3413	2684.2	9N5965-00-642-9879	2675
1H5930-00-581-3414	2181	9N5965-00-642-9880	2676
1H5930-00-581-3415	2682.2	9N5920-00-642-9907	673
1H5930-00-581-3416	2686.2	9N5920-00-642-9908	612.1
1H5930-00-581-3417	2185	9G6220-00-643-0856	192.1
2H5930-00-581-3418	2183	9G6220-00-643-0857	190.1
1H5930-00-581-3419	2186	9G6230-00-643-3661	105
1H5930-00-581-3420	2689.2	9N5930-00-643-9424	780.5
1H5930-00-581-3421	2184	1N5805-00-647-2244	2978.1
1H5930-00-581-3422	2696.2	2H6150-00-651-8743	1151.4
1H5930-00-581-3423	2191	1H5995-00-657-6313	713.11
1H5930-00-581-3424	2697.2	9G6230-00-658-3045	285
9N5930-00-581-3425	2192	1H6150-00-659-0677	3006
1H5930-00-581-4611	2193	H4820-00-659-6673	513.1
1H5930-00-581-6028	2187	1H5940-00-665-0884	451
1H5930-00-581-6029	2685.2	1H5940-00-665-0885	453
1H5930-00-581-6030	2688.2	9G6220-00-678-9075	174.4
1H5930-00-581-6031	2190	9G6150-00-679-0711	2440.2
1H5930-00-581-6032	2683.2	9G6150-00-681-8379	713(50)
1H5930-00-581-6033	2691.2	9G6150-00-681-8380	713(100)
1H5930-00-581-6034	2693.2	9Z5530-00-682-4439	2447.1
1H5930-00-581-6035	2179	9Z5330-00-682-4441	2447.4
1H5930-00-581-6036	2189	9Z5330-00-682-4442	2447.5
1H5930-00-581-6037	2687.2	1H6110-00-683-0989	1000
1H6150-00-590-0863	2945.2,2945.3	9G6350-00-683-1199	3003
1H6150-00-590-3453	2945.4	9N5930-00-687-1095	788

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9N5930-00-687-1096	789	9G6230-00-783-6252	102.2
9N5930-00-688-4045	863	9G6230-00-783-6253	108
9N5930-00-690-3960	785	9G6230-00-783-6519	100.2, 101.2,
9G6140-00-692-4670	1485		102.2, 108
9G6230-00-701-2947	286	9G6210-00-790-4846	136.1
		9G6210-00-790-4847	156
9G6210-00-702-5773	92.2, 92.3		
9G6210-00-702-9347	259.1	9G6680-00-800-5243	2777
1H6210-00-702-9756	259.4	1H6150-00-802-8362	1484
1H5935-00-705-1665	713.2	2H6110-00-803-4472	816
1H5935-00-705-1666	713	9G6210-00-803-5911	239.1
		1H5975-00-823-0944	2406
1H5935-00-705-9321	737.4		
1H5935-00-705-9326	737.5	9G6150-00-823-2392	2415.2
1H5935-00-705-9327	737.3	9G6220-00-839-0298	197.2
1H5935-00-706-9360	713.1	1H5935-00-840-6715	761.1
9N5930-00-719-9659	342.2	9G6230-00-843-5991	2432.1
		9N5920-00-845-1475	613.1
9G6220-00-722-4496	174.5, 196.3,		
	206.2	1H5935-00-851-6741	757.1
9G6220-00-723-5326	164.3	1H5935-00-851-6742	756.1
9G6150-00-725-1366	2416	1H5935-00-851-6743	758.1
9G6210-00-725-3556	338.1	1H5935-00-852-4199	716.1
9G6110-00-727-1002	1001	9G6210-00-856-7069	176
9G6220-00-731-9196	197.2	9G6210-00-856-7070	176
9G6220-00-731-9197	114.1, 115.1,	9G6210-00-856-7071	176
	116.1, 117.1,	9G6210-00-856-7072	176
	118.1, 172.2,	9G6210-00-856-7073	176
	182.2, 183.2,	5R6350-00-862-3208	252
	197.2, 206.2		
1H5930-00-732-4705	2652.2	5R6220-00-862-3219	257.1-257.3
5R6220-00-737-0869	258	5R6220-00-862-3221	256.1-256.3
1H6110-00-747-9269	2473.1	9G6210-00-866-1338	2816.3
		9G6210-00-866-1339	2816.4
9G6150-00-752-2542	988.4	1H5940-00-869-7082	400.3
1H5935-00-752-2835	774		
9N5935-00-752-3102	737.1	1H5940-00-869-7092	400.4
9N5935-00-752-3103	737.2	5R6210-00-869-7141	265
2H6625-00-752-7898	2840	1H5920-00-870-6996	2465
		9N5935-00-875-3213	1221
2H6685-00-753-2261	2995	9N5935-00-875-3230	1222
1H5940-00-761-1669	492.3		
9G6210-00-768-7190	154	5R6210-00-878-1127	260.1
9G6210-00-768-7191	153	5R6210-00-878-1128	262.1
9G6230-00-776-5920	100.2	5R6210-00-878-1131	263-263.4

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G6110-00-778-8964	615	5R6210-00-878-1132	253.1
9G6210-00-780-8502	89		
9G6230-00-782-0643	289	1H5999-00-879-1519	915.1
9N5935-00-782-6938	730.1	1H5999-00-879-1520	916.1
9G6230-00-783-6251	101.2	1H5999-00-879-1521	917.1
		1H5975-00-881-6262	2407
		1H5975-00-881-6263	2407
1H5975-00-881-6264	2408	9G6240-00-917-0774	303.2, 309.5
1H5975-00-881-6265	2408	9G6350-00-924-0551	2943
1H5975-00-881-6266	2409	1H5935-00-925-2303	517.3
1H5975-00-881-6267	2409	1H5850-00-930-1559	106.2
1H5975-00-881-6268	2410	9N5935-00-935-2235	717.1
		1H5935-00-935-2298	517.12
1H5975-00-881-6269	2410	1H5935-00-935-2299	516
1H5975-00-881-6270	2411	1H5925-00-935-2300	517.4
1H5975-00-881-6271	2411	1H5935-00-935-2301	517.6
1H5975-00-881-6272	2412	1H5935-00-935-2302	517.7
1H5975-00-881-6273	2412		
1H5975-00-881-6274	2413	1H5935-00-935-2304	517.9
1H5975-00-881-6275	2413	1H5935-00-935-2305	517.2
1H5975-00-881-7963	2406	1H5935-00-935-2306	517.8
1H5975-00-881-8251	2405	1H5925-00-935-2307	517
1H5975-00-881-8252	2405	1H5935-00-935-2308	517.5
H4820-00-883-5588	512.1	1H5935-00-935-2309	517.1
9G6230-00-883-6209	266.2	9N5999-00-935-2312	900.1
1H5935-00-886-1650	1145.1	1H6130-00-937-2314	1506.1
1H6110-00-889-0611	817.1	9N5930-00-945-7221	2695.2
2H5995-00-889-0632	1119.4	5R5950-00-946-8243	2573
1H6110-00-889-0990	754.2		
9G6230-00-889-1559	303.1-303.5		
9G6680-00-892-1638	2777.6	9N5930-00-948-6677	870
9G6210-00-892-1715	80.1	1H6110-00-950-3058	2550.1
9G6230-00-892-5244	297	9N5930-00-956-0655	2753
9G6210-00-892-5374	2818.3	1H5977-00-956-7882	3008
1H5935-00-892-8970	1146.1	2H6150-00-958-6472	1149
1H5935-00-892-8971	1147.1	1H6150-00-962-5602	2743
1H5935-00-892-9114	1141.1	1H5930-00-963-1243	2742
9N5920-00-892-9315	558.1	9G6230-00-968-7831	100.2
1H5930-00-893-1370	2747	1H5935-00-972-0491	1136
9G6210-00-895-3902	247.3	9G6350-00-981-1337	2939
		5R6220-00-988-1519	248
1H6150-00-902-9830	2415.3	2N5805-00-988-5413	2980
2H6230-00-904-1530	299	1H5935-00-989-6918	2989.1

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G6150-00-904-3324	988.7	9G6210-00-990-5556	340
9G6150-00-904-3325	988.6	9G6220-00-990-6016	200.2
9G6150-00-905-3323	988.5		
1N5965-00-905-6894	2994		
1N5965-00-905-6895	2994.3		
2N5965-00-913-9528	2994.2		
9N5965-00-913-9545	2994.1		
2N5965-00-913-9548	2994.4		
9G6210-00-914-4152	93.2,93.3		
9G6350-00-915-6415	2941		

5.3 Subject term (key word) listing

Electrical equipment
Electronic equipment
Ship alteration
Symbol numbers

Preparing activity:
Navy - SH
(Project DRPR-N263)

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge (*DO NOT STAPLE*), and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY
 COMMANDER
 NAVAL SEA SYSTEMS COMMAND (SEA 5523)
 DEPARTMENT OF THE NAVY
 WASHINGTON, DC 20362-5101

OFFICIAL BUSINESS
 PENALTY FOR PRIVATE USE \$300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
 NAVAL SEA SYSTEMS COMMAND (SEA 5523)
 DEPARTMENT OF THE NAVY
 WASHINGTON, DC 20362-5101

NO POSTAGE
 NECESSARY
 IF MAILED
 IN THE
 UNITED STATES

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions - Reverse Side)

1. DOCUMENT NUMBER MIL-HDBK-290(SH)		2. DOCUMENT TITLE Standard Electrical Symbol List	
3a. NAME OF SUBMITTING ORGANIZATION		4. TYPE OF ORGANIZATION (Mark one) <input type="checkbox"/> VENDOR <input type="checkbox"/> USER <input type="checkbox"/> MANUFACTURER <input type="checkbox"/> OTHER (Specify) _____	
3b. ADDRESS (Street, City, State, ZIP Code)			
5. PROBLEM AREAS			
a. Paragraph Number and Wording:			
b. Recommended Wording:			
c. Reason/Rationale for Recommendation:			
6. REMARKS			
7a. NAME OF SUBMITTER (Last, First, MI) - Optional		7b. WORK TELEPHONE NUMBER (Include Area Code) - Optional	
7c. MAILING ADDRESS (Street, City, State, ZIP Code) - Optional		8. DATE OF SUBMISSION (YYMMDD)	

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

NON-MEASUREMENT SENSITIVE

MIL-HDBK-290(SH)

NOTICE 1

6 April 1988

MILITARY HANDBOOK

STANDARD ELECTRICAL SYMBOL LIST

TO ALL HOLDERS OF MIL-HDBK-290(SH):

1. THE FOLLOWING PAGES OF MIL-HDBK-290(SH) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED:

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
13	6 April 1988	13	22 August 1986
14	22 August 1986	REPRINTED WITHOUT CHANGE	
21	22 August 1986	REPRINTED WITHOUT CHANGE	
22	6 April 1988	22	22 August 1986
31	6 April 1988	31	22 August 1986
32	6 April 1988	32	22 August 1986
33	6 April 1988	33	22 August 1986
34	6 April 1988	34	22 August 1986
35	6 April 1988	35	22 August 1986
36	6 April 1988	36	22 August 1986
39	6 April 1988	39	22 August 1986
43	6 April 1988	43	22 August 1986
44	6 April 1988	44	22 August 1986
45	6 April 1988	45	22 August 1986
46	6 April 1988	46	22 August 1986
47	6 April 1988	47	22 August 1986
48	22 August 1986	REPRINTED WITHOUT CHANGE	
91	22 August 1986	REPRINTED WITHOUT CHANGE	
92	6 April 1988	92	22 August 1986
97	6 April 1988	97	22 August 1986
98	22 August 1986	REPRINTED WITHOUT CHANGE	
105	22 August 1986	REPRINTED WITHOUT CHANGE	
106	6 April 1988	106	22 August 1986
113	22 August 1986	REPRINTED WITHOUT CHANGE	
114	6 April 1988	114	22 August 1986
115	6 April 1988	115	22 August 1986
116	6 April 1988	116	22 August 1986
117	6 April 1988	117	22 August 1986
118	22 August 1986	REPRINTED WITHOUT CHANGE	
119	22 August 1986	REPRINTED WITHOUT CHANGE	
120	6 April 1988	120	22 August 1986
120a	6 April 1988	120	22 August 1986

AMSC N/A

AREA DRPR

DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited

MIL-HDBK-290(SH)

NOTICE 1

6 April 1988

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
123	6 April 1988	123	22 August 1986
123a	6 April 1988	123	22 August 1986
124	22 August 1986	REPRINTED WITHOUT CHANGE	
127	6 April 1988	127	22 August 1986
128	22 August 1986	REPRINTED WITHOUT CHANGE	
133	6 April 1988	133	22 August 1986
134	6 April 1988	134	22 August 1986
135	22 August 1986	REPRINTED WITHOUT CHANGE	
136	6 April 1988	136	22 August 1986

2. RETAIN THIS NOTICE AND INSERT BEFORE TABLE OF CONTENTS.

3. Holders of MIL-HDBK-290(SH) will verify that page changes and additions indicated above have been entered. This notice page will be retained as a check sheet. This issuance, together with appended pages, is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Preparing activity:

Navy - SH

(Project DRPR-N288)

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
211.1	Canceled-obsolete			
212.1	Canceled-obsolete			
213.1	Canceled-obsolete			
214	Canceled-obsolete			
215	Polarity signal light, 150W, red, green	MS17315	9G6210-00-399-6337	19.5
216.1	Polarity signal light, 21 cp red, 21 cp green, small boats	MS17995	9G6220-00-028-3964	3.8
217.1	Canceled-obsolete			
218.1	Canceled-obsolete			
219	Side light, contour, port, red small boats	MS17999	9G6220-00-548-0215	3.5
220	Side light, contour, stbd, green, small boats			
221	Light, navigation, traffic control (aircraft carriers), 90W, six lamps, red and green	MS17999 MIL-L-24560/21	9G6220-00-548-0216	4.1 30.0
222	Light, navigation, traffic light, 90W, six lamps, red, yellow and green	MIL-L-24560/22		30.0
223,224	Not yet used			
225	Superseded by 225.1			*
225.1	Station keeping light, stbd	MS17781		
226	Superseded by 226.1			
226.1	Station keeping light, port	MS17781	9G6220-00-609-3343	*
227	Superseded by 227.1			
227.1	Station keeping light, full aft	MS17781		*
228	Canceled-obsolete			
229	Superseded by 229.1			
229.1	Berth light, 8W, fluorescent, for rail mtg with receptacle	MIL-F-16377/17	9G6230-00-578-7547	4.1*
231	Superseded by 231.1			
231.1	Berth light, 8W, fluorescent, for spring berths with receptacle	MIL-F-16377/17	9G6230-00-808-4466	4.1*
232	Superseded by 232.1			
232.1	Berth light, 8W, fluorescent, for pan type berths, bhd or bar mtg with receptacle	MIL-F-16377/17	9G6230-01-146-3701	4.1*

Supersedes page 13 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
233	Superseded by 233.1			
233.1	Light, navigation, ident (sub), yellow, 500W	MIL-L-24560/12	0029-LL-HD2-F131	4.5
234	Canceled-Use 232			
235-238	Canceled-obsolete			
<u>LIGHTS AND LIGHTING FIXTURES (continued with 266.2)</u>				
<u>LIGHTS, VISUAL LANDING AIDS</u>				
239.1	Superseded by 239.2			
239.2	Deck edge light, with blue globe, wrttt	NAEC(SI)#408833-1 NAEC(SI)#608303-1 NAEC(SI)#518340-1	9G6210-00-803-5911 5R6220-00-215-6358 5RM6210-01-042-8652	7.5
240	Superseded by 221			
241	Superseded by 222			
242	Canceled-obsolete			
243	Canceled-obsolete			
243.1	Drop line light	NAEC(SI)#616263-1	5R6210-00-223-8434	2.5
243.2	Light bar assy, vertical drop line, air capable ships	NAEC(SI)#617682-1	5RM6210-00-107-8813	
243.3	Light bar assy, extended line-up, air capable ships	NAEC(SI)#617577-1	5RM6210-00-099-7120	
244,245	Canceled-obsolete			
246	Light fixture, extended line-up, air capable ships	NAEC(SI)#515364-1	5RM6210-00-086-6153	
247.1	Canceled-obsolete			
247.2	Canceled-obsolete			
247.3	Canceled			
248	Floodlight, 115V, 1000W, incandescent, white, ovhd, medium spread lens (62° horiz, 43° vert)	NAEC(SI)#612963-1	5R6220-00-988-1519	38.0
248.1	Floodlight, 115V, 1000W, incandescent, white ovhd, w/smooth beam lens (25° horiz, 22° vert)	NAEC(SI)#612963-2	5R6220-00-988-1520	40.0
248.2	Canceled			

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
334	Superseded by 334.1			
334.1	Canceled-Use 333.1 with one red filter on center lamp (See MIL-F-16377)	MIL-F-16377/34	9G6210-00-635-8814	4.25
334.2	Canceled-Use 333.2 with one red filter on center lamp (see MIL-F-16377)	MIL-F-16377/7		5.6
335	Incandescent, 15W, gyro compass, pp, sub			
336	Fluorescent, 16W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/7		6.75
336.1	Fluorescent, 16W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy			
337	Mirror light set, 15W, for toilet cases (2 lights)	MIL-F-16377/18	9G6210-00-023-1653	12.1
338	Superseded by 338.1			
338.1	Fluorescent, ovhd, 15W, white diffusing, wrttt, std mtg	MIL-F-16377/5	9G6210-00-725-3556	6.75
338.2	Fluorescent, ovhd, 15W, white diffusing, wrttt, flushmounted	MIL-F-16377/5		8.2
339.1	Fluorescent, 15W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/5		6.75
339.2	Fluorescent, 15W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/5		8.2
340	Mirror light fluorescent, 15W, recessed, with gnd receptacle	MIL-F-16377/18	9G6210-00-990-5556	6.6
341	Superseded by 341.1			
341.1	Daylight, 60W, blue & white (CIC lighting), std mtg, dp 15°	MIL-F-16377/12	9G6210-00-455-0068	18.1
341.2	Daylight, 60W, blue & white (CIC lighting), flushmounted, dp 15°	MIL-F-16377/12	9G6210-00-548-0222	20.3
342	Superseded by 342.2			
342.1	Superseded by 342.3			
342.2	Fluorescent, 60W, ovhd, wrttt, std mtg with clear and white prismatic window assy			
342.3	Fluorescent, 60W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/12	9N5930-00-719-9659 9Z0145-00-558-6165	14.5
343	Canceled-obsolete	MIL-F-16377/12		16.75

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
343.1	Fluorescent, 45W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/66		12.0
343.2	Fluorescent, 45W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/66		13.6
344	Superseded by 344.2			
344.1	Superseded by 344.3			
344.2	Fluorescent, 40W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/11	9G6210-01-149-41687	11.25*
344.3	Fluorescent, 40W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/11	9G6210-01-088-6185	13.1
345	Canceled-obsolete			
345.1	Canceled-obsolete			
345.2	Fluorescent, 30W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/65		8.7
345.3	Fluorescent, 30W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/65		10.1
346	Superseded by 346.2			
346.1	Superseded by 346.3			
346.2	Fluorescent, 24W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/9	9G6210-01-088-6124	7.4
346.3	Fluorescent, 24W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/9	9G6210-01-186-9957	8.7
347	Superseded by 347.2			
347.1	Superseded by 347.3			
347.2	Fluorescent, 20W, ovhd, wrttt, std mtg, with clear and white prismatic window assy	MIL-F-16377/8	9G6210-01-088-6945	8.1
347.3	Fluorescent, 20W, ovhd, wrttt, flushmounted, with clear and white prismatic window assy	MIL-F-16377/8	9G6210-01-088-6186	9.75
348	Fluorescent, ovhd, 60W, clear prismatic window, flushmounted	MIL-F-16377/57	9G6210-00-115-9186	18.0
349	Fluorescent, ovhd, 80W, clear prismatic window, flushmounted	MIL-F-16377/57	9G6210-00-115-9152	24.0
350	Fluorescent, ovhd, 120W, clear prismatic window, flushmounted	MIL-F-16377/57	9G6210-00-115-9150	27.0

Supersedes page 22 of 22 August 1986

MIL-HDBK-290(SH)
6 April 1988

Sym. No.	Item	Std Dwg & Spec	National Stock No.	Wt
537	Hull fitting, for 16 - 3 pin hermetically sealed conn	815-1197302		*
538	Hull fitting, for AN/BQQ-1 sonar	815-1197218		*
539	Hull fitting, for RG-57 A/U cable (used in ulcer circuits)	815-1197307		*
HULL FITTINGS (continued with symbol 1900)				
FEEDER DISTRIBUTION BOXES				
540	125/250V dc, 0-30A fuses, 3 ph 75-200 MCM, 2 wire branch, nwt	MIL-F-24646/3	9N5920-00-178-1609	22.0
541	4 ckt, 125/250V dc, 0-30A fuses, 3 wire bus 200 MCM, nwt	MIL-F-24646/3 -001	9N5920-00-153-5788	25.4
542	125/250V dc, 0-30A fuses, 3 wire bus 200 MCM, 2 wire branch	MIL-F-24646/3 -002	9N5920-00-153-5789	33
543	2 ckt, 450V, 0-30A fuses, 3 ph bus, nwt	MIL-F-24646/3 -003	9N5920-00-178-1624	22
544	450V, 0-30A fuses, 3 ph bus, 3 ph branches	MIL-F-24646/4 -001	1H5920-00-178-1625	23
545	6 ckt, 450V, 0-30A fuses, 3 ph bus, nwt	MIL-F-24646/4 -002	9N5920-00-178-1626	29
546	2 ckt, 450V, 31-60A fuses, 3 ph bus, 200 MCM, nwt	MIL-F-24646/4 -003	9N5920-00-178-1613	27
547	450V, 31-60A fuses, 3 ph bus, 200 MCM, 43 ph branches nwt	MIL-F-24646/4 -004	9N5920-00-178-1614	41
548-554	Not yet used			
555.1	2 ckt, sbm, 250V, 0-30A fuses	MIL-F-24646/9 -005	9N5920-00-296-4736	*
556.1	4 ckt, sbm, 250V, 0-30A fuses	MIL-F-24646/9 -001	9N5920-00-284-8327	*
557.1	6 ckt, sbm, 250V, 0-30A fuses	MIL-F-24646/9 -002	9N5920-00-296-3357	24
558.1	8 ckt, sbm, 250V, 0-30A fuses, single pole	MIL-F-24646/9 -003	9N5920-00-892-9315	35.0
559.1	12 ckt, sbm, 250V, 0-30A fuses, single pole	MIL-F-24646/9 -004	9N5920-00-024-0126	*
560.1	2 ckt, sbm, 250V, 0-30A fuses, 3 ph	MIL-F-24646/10 -005	9N5920-00-296-3869	*
561.1	Sbm, 250V, 0-30A fuses, 43 ph branches	MIL-F-24646/10 -001	9Z5920-00-028-3963	*
562.1	6 ckt, sbm, 250V, 0-30A fuses, 3 ph bus, 75 MCM, 63 ph branches	MIL-F-24646/10 -002 -003		48.0

Supersedes page 31 of 22 August 1986

MIL-HDBK-290(SH)
6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
563.1	2 ckt, sbm, 250V, 0-30A fuses, 3 ph bus, 75-200 MCM, 3 ph branch, 40 MCM	MIL-F-24646/10-004	9N5920-00-296-4775	*
564-567	Canceled-obsolete			
568.1	4 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, sgl ph branch, 40 MCM	MIL-F-24646/13-001	9N5920-00-296-3870	*
569.1	3 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, 3 ph branch, 40 MCM	MIL-F-24646/13-002	9N5920-00-355-4733	45.0
570.1	4 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, 3 ph branch, 23 MCM	MIL-F-24646/13-003	9N5920-00-355-4735	62.0
571.1	3 ckt, sbm, 500V, 0-30A fuses, 3 ph bus, 75 MCM, 3 ph branch, 23 MCM	MIL-F-24646/13-004	9N5920-00-355-4736	81.0
<u>FEEDER DISTRIBUTION BOXES (continued with symbol 578.1)</u>				
<u>TERMINAL BOXES (continued from symbol 530)</u>				
572.1	Terminal box, conn, sbm 15 ft, 500V, 2 ckt, 3 ph bus, 75 MCM, branch 40 MCM	MIL-T-24558/26	1H5940-00-215-5965	29.9
573.1	Terminal box, conn, sbm 15 ft, 500V, 4 ckt, 3 ph bus, 75 MCM, branch 40 MCM	MIL-T-24558/27	9G5940-00-284-9141	31.0
574.1	Terminal box, conn, sbm 15 ft, 500V, 6 ckt, 3 ph bus, 75 MCM, branch 40 MCM	MIL-T-24558/28		36.8
575.1	Terminal box, conn, sbm 15 ft, 500V, 2 ckt, 3 ph bus, 200 MCM, branch 75 MCM	MIL-T-24558/29	9G5940-00-215-5966	31.0
576.1	Terminal box, conn, sbm 15 ft, 500V, 4 ckt, 3 ph bus, 150 MCM to 400 MCM	MIL-T-24558/30	9G5940-00-215-5970	81.4
577.1	Terminal box, conn, 4 ckt, sbm 15 ft, 500V, 3 ph bus, 150 MCM to 250 MCM	MIL-T-24558/30	1H5940-00-215-5970	81.4
<u>FEEDER DISTRIBUTION BOXES (continued from symbol 571.1)</u>				
578.1	Term box, sbm, fdr distr, aircraft btry charging 600A, 28.5V dc	815-74473	1H5940-00-179-2013	*
579	Panel, elec, sbm 15 ft, 125V ac, AQB-A50			
580-599	Not yet used	MIL-P-23928/9	9N5925-00-571-0415	18.1

Supersedes page 32 of 22 August 1986

MIL-HDBK-290(SH)
6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>DISTRIBUTION BOXES</u>				
600	4 ckt, te, dp, w/o sw, midget fuses, 125V, nwt, sgl fdr bus, 75 MCM, branch, 14 MCM	MIL-F-24646/1-001	9N5920-01-103-0577	20
601	8 ckt, te, dp, w/o sw, midget fuses, 125V, nwt, sgl fdr bus, 75 MCM, branch, 14 MCM	MIL-F-24646/1-002	9N5920-00-178-1606	22
602	4 ckt, te, dp, with sw, midget fuses, 125V, nwt, sgl fdr bus, 14 MCM, branch, 4 MCM	MIL-F-24646/6-001	1H6110-00-152-0266	19
603	8 ckt, dp, with sw, 125V, sgl fdr nwt	MIL-F-24646/6-002	9G6110-00-152-0268	22-26
604	4 ckt, dp, with sw, midget fuses, 125V, sgl fdr nwt	MIL-F-24646/6-003	9G6110-00-152-0246	19
605	8 ckt, dp, with sw, 125V, dbl fdr nwt	MIL-F-24646/6-004	1H6110-00-152-0267	22-26
606	12 ckt, dp, with sw, 125V, dbl fdr nwt	MIL-F-24646/6-005	9G6110-00-152-0269	29
607	Canceled-obsolete			
608	Superseded by 603			
609	4 ckt, w/o sw, midget fuses, 125/250V dc, 3 wire bus, 2 wire branch, nwt	MIL-F-24646/2-001	9N5920-00-178-1615	19.0
610	8 ckt, w/o sw, midget fuses, 125/250V dc, 3 wire bus, 2 wire branch, nwt	MIL-F-24646/2-002	9N5920-00-178-1616	19
611	12 ckt, w/o sw, midget fuses, 125/250V dc, 3 wire bus, 2 wire branch, nwt	MIL-F-24646/2-003	9N5920-00-178-1617	29
612.1	Fuse box (distr), 4 ckt, te, w/o sw, midget fuses, 125V, 3 ph, sgl fdr bus, 60 MCM, sgl ph branch, 14 MCM, nmag	MIL-F-24646/1-003	9N5920-00-642-9908	10.0
613	8 ckt, te, w/o sw, midget fuses, 125V, 3 ph bus, 75 MCM, sgl ph branch, 14 MCM	MIL-F-24646/1-004		25
613.1	8 ckt, te, w/o sw, midget fuses, 125V, 3 ph bus, 75 MCM, sgl ph branch, 14 MCM, nmag	MIL-F-24646/1-005	9N5920-00-845-1475	25
614	12 ckt, with sw, 225V, 3 ph sgl fdr	MIL-F-24646/1-006	1H5920-00-178-1619	18
615	4 ckt, with sw, 125V, 3 ph sgl fdr, nwt	MIL-F-24646/6-006	9G6110-00-778-8964	15
616	8 ckt, with sw, 3 ph, nwt	MIL-F-24646/6-007	9G6110-00-152-0286	28
617	Panel, power distr, 12 ckt, te, with sw, 125V, 3 ph sgl fdr	MIL-F-24646/6-008	9G6110-00-152-0285	30
618	12 ckt, dp, with sw, 125V, sgl fdr, nwt			
619	Canceled-obsolete			
620	For maintenance only-see 5.3	5461-L	Not stocked	29

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
621	Cabinet type, 1000V dc, sub, 4 ckt, 2 wire, dp, 0-30A fuses	S6202-73973	9N5920-00-295-8792	23.2
622	For maintenance only-see 5.3			
623	For maintenance only-see 5.3			
624	Panel, distr, 1000V, dp, 4 ckt, 31-100A fused branch	S6202-74479		*
625	Panel, 1000V, dp, type 63A, two 101-200A, fused branches	815-74480		48
626	Fdr distr box, 500V dc, w/o sw, dbl fdr, 4-30A, 2-60A, fused branches, nwt	MIL-F-24646/5-001		25.0
627	Fdr distr box, 500V dc, w/o sw, dbl fdr, 4-60A, fused branches, nwt	MIL-F-24646/5-002		22.0
628-634	Not yet used			
635.1	4 ckt, sbm, w/o sw, 125V, sgl fdr	MIL-F-24646/7	9N5920-00-280-4012	24
636-641	Canceled-obsolete	-001		
642	Superseded by 602			
643	Superseded by 603			
644	4 ckt, sbm, dp, with sw, midget fuses, 125V, interlocking cover	MIL-F-24646/12-001		*
645	4 ckt, sbm, dp, with sw, midget fuses, 125V, sgl fdr	MIL-F-24646/11-001		*
645.1	4 ckt, sbm, dp, with sw, midget fuses, 125V, sgl fdr	MIL-F-24646/11-002		*
646.1	4 ckt, sbm, w/o sw, 125V, 3 ph, sgl fdr	MIL-F-24646/8-001	9N5920-00-296-7015	*
647.1	8 ckt, sbm, w/o sw, 125V, 3 ph, sgl fdr	MIL-F-24646/8-002	9N5920-00-355-4734	33
648	4 ckt, with sw, midget fuses, 125V, 3 ph, sgl fdr, interlocking fuse cover, sbm	MIL-F-24646/12-002		*
649.1	4 ckt, sbm, 125V, 3 ph, sgl fdr	MIL-F-24646/11-003	9G6110-00-174-1653	*
650.1	8 ckt, sbm, with sw, 125V, 3 ph, sgl fdr	MIL-F-24646/11-004	7H6110-00-174-1657	34
651	6 ckt, with sw, 450V, sgl fdr, 3 ph, dp branch, interlock fuse cover	S6202-74203	7H6110-00-068-4518	31
652	Not yet used			
653	12 ckt, dp, w/o sw, 125V	MIL-F-24646/7-003		25.0
654	5 ckt, nwt, dp, w/o sw, 125V	MIL-F-24646/7-002		15.0
655-669	Not yet used			

Supersedes page 34 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

Sym. No.	Item	Std Dwg & Spec	National Stock No.	Wt
<u>FUSE BOXES (BRANCH JUNCTION)</u>				
670	Superseded by 674.1-For maintenance only -see reference number.			
671.1	Midget fuses, sbm, 2 ckt, cylindrical	MIL-F-24646/18 -001	9N5920-00-355-4729	4
672	Canceled-obsolete			
673	Two 0-30A, 1000V, fuses, sbm (fdr jct box)	S6202-74475		6
674	For maintenance only-see 5.3			
674.1	For maintenance only-see 5.3			
674.2	For maintenance only-see 5.3			
675	Not yet used			
676	For maintenance only-see 5.3			
677	Jct box, 4 receptacle, sbm 4000 ft	815-1197383		*
678,679	Not yet used			
<u>FUSE BOXES (FEEDER JUNCTION)</u>				
680	0-30A fuses, 250V, 3 ph bus, 75-200 MCM, sgl ph branch, te	MIL-F-24646/14 -001	9N5920-00-178-1688	19.0
681.1	Nwt, 31-60A fuses, 250V, 3 ph bus, 4-75 MCM, 3 ph branch	MIL-F-24646/14 -002	9N5920-00-024-0127	10
682-684	Not yet used			
685.1	1 ckt, sbm, dp, twin cond fdr, 0-30A fuses, 250V, bus, 75 MCM, branch, 40 MCM	MIL-F-24646/15 -001	9N5920-00-284-7122	10.0
686.1	1 ckt, sbm, dp, twin cond fdr, 31-60A fuses, 250V, bus, 75 MCM, branch, 40 MCM	MIL-F-24646/15 -002		*
687.1	1 ckt, sbm, sgl cond fdr, 0-30A fuses, 250V, dp bus, 250 MCM, branch, 14 MCM	MIL-F-24646/16 -001		*
688.1	1 ckt, sbm, sgl cond fdr, 31-60A fuses, 250V, dp bus, 250 MCM, branch, 40 MCM	MIL-F-24646/16 -002	9N5920-00-296-6118	*
689.1	1 ckt, sbm, sgl cond fdr, 60-100A fuses, 250V, dp bus, 400 MCM, branch, 75 MCM	MIL-F-24646/16 -003		36.0
690.1	1 ckt, sbm, sgl cond fdr, 100-200A fuses, 250V, dp bus, 400 MCM, branch, 150 MCM	MIL-F-24646/16 -004	1H5920-00-178-1677	*
691.1	1 ckt, sbm, 0-30A fuses, 250V, 3 ph bus, 75 MCM, 3 ph branch, 40 MCM	MIL-F-24646/15 -003	9N5920-00-296-6119	*

Supersedes page 35 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
692.1	1 ckt, sbm, 31-60A fuses, 250V, 3 ph bus, 200 MCM, 3 ph branch, 40 MCM	MIL-F-24646/15-004	9N5920-00-296-6120	*
693.1	1 ckt, sbm, 0-30A fuses, 500V, 3 ph bus, 75 MCM, 3 ph branch, 14 MCM	MIL-F-24646/17	9N5920-00-355-4732	29.0
694,695	Canceled-obsolete			
696	Not yet used			
697	For maintenance only-see 5.3			
698,699	Not yet used		9N5920-00-285-0466	
<u>CONNECTORS, PLUGS AND RECEPTACLES</u>				
700	Canceled-obsolete			
701	Superseded by 701.1			
701.1	Superseded by 720.1			
702	For maintenance only-see 5.3		1H5935-00-243-1283 9N5935-00-241-2533 1H5935-00-243-1283	
703	For maintenance only-see 5.3			
704,705	Canceled-obsolete			
706	Superseded by 706.1			
706.1	Receptacle, plug, conn, 10A, 125V, 3 ph, gnd wrtt	MIL-R-2726/68	9N5935-00-195-8920 9N5935-00-234-4872	1.3

Supersedes page 36 of 22 August 1986

MIL-HDBK-290(SH)
6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt.</u>
727.1	Receptacle, plug, 10A, 125V, sgl pole, male (black)	MIL-P-2726/30	9N5935-00-197-4948	0.3
727.2	Receptacle, plug, 10A, 125V, sgl pole, male (red)			
728	Superseded by 728.1			
728.1	Receptacle, plug, 4 pin, 60A, 208/117V, 400 Hz, 3 ph, sbm, 15 ft (aircraft servicing)	MIL-R-2726/26	1H5935-00-195-8916	6.0
729	Superseded by 729.1			
729.1	Receptacle, plug, 10A, 125V, dp, male	MIL-P-2726/31	1H5935-00-375-5640	0.3
730	Not yet used			
730.1	Receptacle, te, 15A, 125V, 60 Hz, bladed type, gnd	MIL-R-2726/66	9G5975-00-284-5827 9G5975-00-188-1164 5975-00-782-6938	1.0 1.0 *
730.4	Receptacle, channel, 10A, 25V, bladed type, gnd	MIL-R-2726/40		
731.1	Battery charging outlet box, sbm 15 ft, sgl ckt, 40A, nmag	S6202-74428	1H5935-00-336-5866	2.0
732	Battery charging outlet box, nwt, 3 ckt, 40A	S6202-73030	1H5935-00-241-2347	9.5
733.1	Battery charging outlet box, sbm, 2 ckt, 40A	S6202-74313	1H5935-00-033-6508	4.3
734	Canceled-obsolete			
735.1	Superseded by 735.3			
735.2	Receptacle, sgl, wrttt, 15A, 500V, to ground, sgl ph, ungd, nmag	S6202-74026	1H5935-00-518-9131	*
735.3	Receptacle, enclosed, 15A, 125V, 2 pole, gnd, wrttt	MIL-R-2726/47	9N5935-00-280-2390	2.4
736	Canceled-obsolete			
737	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (3 cond)	MIL-C-24231/12 -001	1H5935-00-494-5854	16.1
737.1	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (7 cond)	MIL-C-24231/13 -001	9N5935-00-752-3102	*
737.2	Receptacle, 300V, 6A, 125V-10A, sbm 4000 ft (14 cond)	MIL-C-24231/14 -001	9N5935-00-752-3103	*

Supersedes page 39 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
778	Canceled-obsolete			
779	Receptacle, outlet, tpl, portable, 15A, 125V ac, dp, gnd, 25 ft extension	MIL-R-2726/69	1H6150-00-449-1189	*
<u>CONNECTORS, PLUGS AND RECEPTACLES (continued with symbol number 1091)</u>				
<u>SWITCHES</u>				
780.1	Superseded by 780.5			
780.2	Switch, toggle DPST, 10A ac, 125V, wtrtt, nmag	S6202-74427	9N5930-00-522-1425	1
780.3	Canceled-obsolete			
780.4	Switch, toggle, DPDT, 10A ac, 125V, wtrtt, nmag	S6202-74427	9N5930-00-522-5646	1
780.5	Switch, toggle, DPST, 15A, 125V, te	803-5184170	9N5930-00-643-9424	1.4
780.6	Switch, toggle, DPST, 10A ac, 125V, nmag, te	S6202-74427		1
781,782	Canceled-obsolete			
783	Not yet used			*
784	Switch, push button, sbm 2000 ft	S6202-73896		2.5
785	Switch, push, sbm, norm, open, 2 garg	815-1197027	9N5930-00-690-3960	*
786,787	Not yet used			
788	Switch, push, 15A ac, 1A dc, 120V, te, norm open or norm closed	815-1853053	9N5930-00-687-1095	*
789	Switch, push, 15A ac, 1A dc, 120V, wtrtt, norm open or norm closed	815-1853053	9N5930-00-687-1096	*
790.1	Switch, door operated, interlocking, 125V, 10A dc, 25A ac, sbm, 3 ckt	S6202-74303	9N5930-00-309-0816	*
791.1	Switch, door operated, interlocking, 6 ckt, 120V, 10A dc, 25A ac, sbm	S6202-74304	9N5930-00-258-5657	*
792	Switch, door operated, 1 ckt, normally open or normally closed, 5A, 125V, sbm	S6202-74052	9N5930-00-259-8890	3
793-798	Not yet used			
799	Switch, foot operated, 10A, 125V ac	S6202-73782	9N5930-00-033-5564	1
800	Canceled-obsolete			
801.1	Switch, rotary, snap action, sbm 15 ft, 10A, 125V ac, DPST, flushmounted	MIL-S-15743/1	9N5930-00-296-4527	1.9

Supersedes page 43 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
802,803	Canceled-obsolete			
804.1	Switch, rotary, snap-on-off, 10A, 125V, 3PST, sbm, type 1SR3A4-2	MIL-S-15743/3	9N5930-00-296-5290	2.2
805.1	Switch, rotary, snap-on-off, 10A, 125V, 4PST, sbm, type 1SR4A4-2	MIL-S-15743/4	9N5930-00-259-7368	2.5
806-808	Canceled-obsolete			
809	Superseded by 2638.1			
810	Superseded by 2638.1			
811,812	Canceled-obsolete			
813	Not yet used			
814	Switch, rotary, snap, flushmounted, 10A, 120V ac, splashproof, on-off-on-off, type 2, 1SR2A4-4	MIL-S-15743/7	9N5930-00-049-9765	2.5
815	Switch, rotary, 60A, 115V ac, motor starting for sbm pumps	S6202-73692	2H6110-00-578-6789	29.0
816	Switch, rotary, 30A, 230V dc, motor starting for sbm pumps	S6202-73692	2H6110-00-803-4472	29.0
817	Superseded by 817.1			
817.1	Switch, motor starting, rotary, wrttt, 30A, 500V ac, snap action	MIL-S-15743/15	1H6110-00-889-0611	*
818-824	Not yet used			
825-826	Canceled-obsolete			
827.1	Switch, rotary, snap, transfer, 10A, 125V, 2 ckt, special series parallel, sbm, type 1SPSS4-2	MIL-S-15743/5	1H5930-00-259-7372	3.0
828	Canceled-obsolete			
829.1	Switch, rotary, snap, transfer, 10A, 125V DPDT, small boats, sbm, type 1SR2C4A-2	MIL-S-15743/3	9N5930-00-258-5501	2.2
830-836	Canceled-obsolete			
837	Not yet used			
838.1	Switch, rotary, snap, DPDT, sbm, 30A, 450V ac/250V dc, type 3SR2C4A-2	MIL-S-15743/8	9N5930-00-258-5462	2.0
839.1	Switch, rotary, snap, 4PDT, 30A, 450V ac/250V dc, type 3SR4C4-2	MIL-S-15743/9	1H5930-00-296-4309	

Supersedes page 44 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
840.1	Switch, rotary, snap, DPDT, (3-Way), 30A, 450V ac/250V dc, type 3SR2C4-2	MIL-S-15743/8	9N5930-00-258-5461	2.0
841-843	Canceled-obsolete			
844	Superseded by 849			
845	Superseded by 853			
846	Superseded by 854			
847	Canceled-obsolete			
848.1	Switch, rotary, snap, TPDT, 30A, 450V ac/250V dc, type 3SR3B4-2	MIL-S-15743/9	1H5930-00-296-4310	2.0
849	Switch, rotary, snap, transfer, 30A, 125V ac, 3PDT w/indicator light, wrttt	MIL-S-15743/13	9N5930-00-296-9389	*
850.1	Switch, rotary, snap, transfer, 10A, 125V, 3PDT, sbm, type 1SR3B4-2	MIL-S-15743/5	9N5930-00-296-5287	2.9
851	Switch, rotary, snap, TPST, 30A, 450V ac/250V dc, type 3SR3A4-2	MIL-S-15743/8	9N5930-00-296-7318	2.0
852	Switch, rotary, snap, 4PDT, 1-OFF-2-OFF, sbm, 30A, 450V ac/250V dc, type 3SR4B4-2	MIL-S-15743/10	1H5930-00-296-4311	2.0
853	Switch, rotary, snap, TPDT transfer, 60A, 500V ac, 3PDT w/indicator light, wrttt	MIL-S-15743/14	1H5930-00-259-7362	32.0
854	Switch, rotary, snap transfer, 60A 125V ac, 3PDT w/indicator light, wrttt	MIL-S-15743/14	1H5930-00-259-7361	32.0
855	Superseded by 2571 and 2511			
856	Superseded by 2512			
857	Switch, rotary, snap, 10A, 120V ac, 3PDT, sbm, type 1SR3C4-2	MIL-S-15743/4	1H5930-00-296-9828	2.9
858	Switch, rotary, snap, 10A, 120V ac, DPJT, splashproof, flushmounted, small boats, type 1SR2F4-2a	MIL-S-15743/2	1H5930-00-259-7152	*
859	Switch, pushbutton, 2 gang, spraytight, flushmounted, small boats	S6202-74294	1H5930-00-216-7404	*
860	Switch, pushbutton, SPST, splashproof, for horns, momentary normally open	S6202-73888	9N5930-00-296-9298	1.3
861	Switch box, explosionproof (ep) for ep ventilating fan	815-1197047	1H5930-00-306-0182	*

Supersedes page 45 of 22 August 1986

MIL-HDBK-290(SH)
6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
862	Switch, rotary, snap, 10A, 125V, 3P3T, sbm, type 1SR3F4-2	MIL-S-15743/6		*
863	Switch, rotary, snap, 10A, 125V, 4PDT, sbm, type 1SR4B4-2	MIL-S-15743/5	9N5930-00-688-4045	*
864	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 3-5	MIL-S-15743/21		*
865	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 5-5	MIL-S-15743/21		*
866	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, SIJL 10-5	MIL-S-15743/21		*
867	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL3-5	MIL-S-15743/21		*
868	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL5-5	MIL-S-15743/21		*
869	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S2JL10-5	MIL-S-15743/21		*
870	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL3-5	MIL-S-15743/21	1H5930-00-948-6677	*
871	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL5-5	MIL-S-15743/21		*
872	Switch, rotary, wrtrt, 5A, 125V ac, bhd mtd, S3JL10-5	MIL-S-15743/21		*
873-874	Not yet used			
875-878	Canceled-obsolete			
879.1	Switch, rotary, snap, 10A, 125V, DP3T, ignition and blower, small boats			
880,881	Canceled-obsolete			
882-888	For maintenance only-see 5.3			
889	For maintenance only-see 5.3			
890-892	For maintenance only-see 5.3			
893-899	Not yet used			
<u>SWITCHES</u> (continued with symbol number 2170)				
893	Disconnect switch, NQB-A101, 500V ac, te			
894	Disconnect switch, NQB-A250, 500V ac, te			
895	Disconnect switch, AQB-A101 or NQB-A101, te			
		MIL-P-23928/3		
		MIL-P-23928/6		
		MIL-P-23928/3		
			1H5925-00-173-9912	
		MIL-S-15743/3	9N5930-00-258-5502	2.6

Supersedes page 46 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>SWITCHES (continued with symbol number 2170)</u>				
896	Disconnect panel, AQB-A101/100 with 500V ac shunt trip, te	MIL-P-23928/3	7310-00-8332-5769	
<u>SWITCHES AND RECEPTACLES</u>				
900	Superseded by 900.1			
900.1	Receptacle w/sw, interlocking, 15A, 125V, gnd, wrttt	MIL-R-2726/48	9N5999-00-9335-2312	3.3
901, 902	Canceled-obsolete			
903.1	Superseded by 916			
904	Canceled-obsolete			
905.1	Canceled-obsolete			
906.1	Superseded by 917			
907	Canceled-obsolete			
908.1	Superseded by 915-For maintenance only-see 5.3			
909-911	Canceled-obsolete		1H5999-00-025-6388	
912	Superseded by 900			
913	Use 776.1-For maintenance only-see 5.3			
914	For maintenance only-see 5.3			
915	Superseded by 915.1			
915.1	Receptacle w/sw, 30A, 3 ph, interlocking, gnd, wrttt	MIL-R-2726/19	1H5999-00-879-1519	6.4
916	Superseded by 916.1			
916.1	Receptacle w/sw, 30A, 450V, 1 ph, interlocking, gnd, wrttt	MIL-R-2726/20	1H5999-00-879-1520	8.0
917	Superseded by 917.1			
917.1	Receptacle w/sw, 30A, 250V dc, interlocking gnd, wrttt	MIL-R-2726/21	1H5999-00-879-1521	6.1
918	Superseded by 918.1			
918.1	Receptacle, bladed, 15A w/3A, sw, DPST, 125V, gnd, te	MIL-R-2726/43	1H5999-01-023-9366	0.5
919	Receptacle and sw, 15A, 125V, bladed type, gnd, wrttt	MIL-R-2726/39	9N5999-01-070-8414	*
920-929	Not yet used			

Supersedes page 47 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
<u>MISCELLANEOUS APPLIANCES</u>				
930	Superseded by 930.1			
930.1	Superseded by 930.2-For maintenance only-see 5.3			
930.2	Canceled-obsolete			
931	Superseded by 931.1			
931.1	Superseded by 931.2-For maintenance only-see 5.3			
931.2	Canceled-obsolete			
932	Pulsator for sub ident light	MIL-C-24174/4		
933	Not yet used			
934-939	Canceled-obsolete			
940	Superseded by 940.1-For maintenance only-see 5.3			
940.1	Supply pnl navigation light, nwt, 120V ac, 3 ph bus, 8 ckt	MIL-P-24175/2	1H6110-00-152-0304	34.0
941	Canceled-obsolete			
942	Superseded by 942.1			
942.1	Supply pnl navigation light, nwt, 120V dc, dp, bus, 10 ckt	MIL-P-24175/4	2H6110-00-025-9003	35.0
943	Superseded by 2550			
944	Superseded by 944.1			
944.1	Superseded by 944.2			
944.2	Supply and control pnl, dp, nmag, 3 ph bus, 6 ckt (for R, S & A light system)	MIL-P-24175/1	9G6110-00-635-4002	14.0
945	Superseded by 945.1			
945.1	Supply and control pnl, nwt, navigation light 120V dc, 8 ckt	MIL-P-24175/3	9G6110-00-096-2722	31.3
946-948	Canceled-obsolete			
949.1	Superseded by 1001			
950,951	Canceled-obsolete			
951.1	Dimmer, sbm (for flight control ready light) 150W	S6504-74246	1H5950-00-033-5669	7.0
952	Canceled-obsolete			
953	For maintenance only-see 5.3		1H5905-00-192-3948	

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2512.4	Same as 2512.3 except te	MIL-P-23928/4		#
2512.5	Same as 2512.3 except wrttt	MIL-P-23928/4		#
2512.6	Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2512.7	Same as 2512.6 except te	MIL-P-23928/4		#
2512.8	Same as 2512.6 except wrttt	MIL-P-23928/4		#
2512.9	Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), dp, ten 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2512.10	Same as 2512.9 except te	MIL-P-23928/4		#
2512.11	Same as 2512.9 except wrttt	MIL-P-23928/4		#
2512.12	Pwr distribution panel with three-way 100A manual bus trans (NQB-A101 cb), 100A, 500V ac/250V dc	MIL-P-23928/4		#
2512.13	Same as 2512.12 except te	MIL-P-23928/4		#
2512.14	Same as 2512.12 except wrttt	MIL-P-23928/4		#
2513	Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, four 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2513.1	Same as 2513 except te	MIL-P-23928/4		#
2513.2	Same as 2513 except wrttt	MIL-P-23928/4		#
2513.3	Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, six 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2513.4	Same as 2513.3 except te	MIL-P-23928/4		#
2513.5	Same as 2513.3 except wrttt	MIL-P-23928/4		#
2513.6	Pwr distribution panel with two-way 250A manual bus trans (NEQ-A250 cb), dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2513.7	Same as 2513.6 except te	MIL-P-23928/4		#
2513.8	Same as 2513.6 except wrttt	MIL-P-23928/4		#
2513.9	Pwr distribution panel with two-way 250A manual bus trans (NQB-A250 cb), dp, ten 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2513.10	Same as 2513.9 except te	MIL-P-23928/4		#
2513.11	Same as 2513.9 except wrttt	MIL-P-23928/4		#
2513.12	Pwr distribution panel with two-way 250A manual bus trans (NQB-A101 cb), 100A, 500V ac/250V dc, twelve 3 ph br	MIL-P-23928/4		#
2513.13	Same as 2513.12 except te	MIL-P-23928/4		#
2513.14	Same as 2513.12 except wrttt	MIL-P-23928/4		#
2514-2520	Canceled-obsolete			
2521	Pwr distribution panel, dp, two 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2521.1	Same as 2521 except te	MIL-P-23928/4		#
2521.2	Same as 2521 except wrttt	MIL-P-23928/4		#
2522	Superseded by 2522.2			
2522.1	Superseded by 2522.2			
2522.2	Pwr distribution panel, dp, four 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4	6110-00-990-6165	*
2522.3	Same as 2522.2 except te	MIL-P-23928/4		#
2522.4	Same as 2522.2 except wrttt	MIL-P-23928/4		#
2523	Superseded by 2523.2			
2523.1	Superseded by 2523.2			
2523.2	Pwr distribution panel, dp, six 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#
2523.3	Same as 2523.2 except te	MIL-P-23928/4		#
2523.4	Same as 2523.2 except wrttt	MIL-P-23928/4		#
2524-2530	Canceled-obsolete			
2531	Superseded by 2531.2			
2531.1	Superseded by 2531.2			
2531.2	Pwr distribution panel, dp, eight 3 ph br, AQB or NQB-A101 cb, 100A, 500V ac/250V dc	MIL-P-23928/4		#

Supersedes page 92 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2638.1	Switch, lever operated, 10A, 125V ac, six pole, type S2JRM3A-2, 2 position, with locking plate, sbm	MIL-S-15743/17*	9N5930-00-259-8883	4
2639.1	Switch, lever operated, 10A, 125V ac, six pole, type S2JR3-2, 2 position, positive detent, sbm	MIL-S-15743/18*	9N5930-00-259-8881	4
2640.1	Switch, lever operated, 10A, 125V ac, six pole, type S2JR3A-2, 3 position, base mtd, sbm	MIL-S-15743/19*	9N5930-00-259-8884	4
2641.1	Switch, lever operated, 10A, 125V ac, six pole, type S2JRM3A-2, 3 position, base mtd, sbm	MIL-S-15743/20*	9N5930-00-259-8885	4
2642	Switch, multipole rotary, 10A, type JR-EP304R 125V ac, 5A, 125V dc, panel mtd	S6202-73193	1H5930-00-259-8888	9
2643	Switch, multipole rotary, 10A, type JRM-300 125V ac, 5A, 125V dc, panel mtd	S6202-73193	1H5930-00-259-8889	8
2644, 2645	Canceled-obsolete			
2646.2	Rotary sw (collision alarm), sbm 4000, base mtd	815-1853062		*
2646.3	Rotary sw (diving alarm), sbm 4000, base mtd	815-1853062		*
2647	Contact maker, 4 way, wrttt for AA cease fire or depth charge fire, type S218A	S6501-73466	9N5930-00-240-8098	12
2647.1	Canceled-obsolete			
2648	Contact maker, 6 way wrttt for AA cease fire or depth charge fire, type S-169A	S6501-73467	9N5930-00-259-8883	*
2648.1	Canceled-obsolete			
2649	Switch, portable, momentary contact, 10A, 115V, type S166A	S6504-73353	9N5930-00-216-7402	*
2651	Switch, sensitive, sbm, type S171A	S6501-73689	9N5930-00-259-8899	3
2652	Superseded by 2652.1			
2652.1	Magnetic sw, sbm 4000 ft (sw unit)	815-1853067	1H5930-00-448-0001	*
2652.2	Magnetic sw, sbm 4000 ft (LMC-7MC)	815-1853067	1H5930-00-732-4705	*
2653-2669	Canceled-obsolete			
2670	Alarm swbd, 10 lines, type IC/S	S6504-74285	1H6320-00-261-9128	68.0
2670.1	Alarm swbd, 20 lines, type IC/S	S6504-74285	1H6320-00-261-9136	103.0
2670.2	Alarm swbd, 30 lines, type IC/S	S6504-74285	1H6320-00-261-9135	140.1
2670.3	Alarm swbd, 40 lines, type IC/S	S6504-74285	1H6320-00-261-9133	170.0
2671	Alarm swbd, 50 lines, type IC/S	S6504-74286	9G6320-00-261-9132	225.0

Supersedes page 97 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

Sym. No.	Item	Std Dwg & Spec	National Stock No.	Wt
2671.1	Alarm swbd, 60 lines, type IC/S	S6504-74286	1H6320-00-261-9131	265.0
2672	Alarm swbd, 80 lines, type IC/S	S6504-74287	H6320-00-261-9130	300.0
2672.1	Alarm swbd, 100 lines, type IC/S	S6504-74287	H6320-00-261-9129	350.0
2672.2	Alarm swbd, 120 lines, type IC/S	S6504-74287	H6320-00-261-9134	400.0
2673	Jackbox, microphone, wrttt, for plug type H-29B, type IC/MJB-2	S6502-74345	1N5935-00-257-9966	3
2674	Jack, sound pwr tel, pnl mtd, type H-34A	S6505-74274		1
2675	Holder, sound pwr tel handset, nmag, type Z-33A	S6501-74464	9N5965-00-642-9879	5
2676	Holder, sound pwr tel handset, steel, type Z-33B	S6501-74464	9N5965-00-642-9880	5
2677-2681	Canceled-obsolete			
2682.1	Superseded by 2682.2			
2682.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S1JR5-3	S6202-74290	1H5930-00-581-3415	*
2683.1	Superseded by 2683.2			
2683.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S2JR5-3	S6202-74290	1H5930-00-581-6032	*
2684.1	Superseded by 2684.2			
2684.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S3JR5-3	S6202-74290	1H5930-00-581-3413	*
2685.1	Superseded by 2685.2			
2685.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S4JR5-3	S6202-74290	1H5930-00-581-6029	*
2686.1	Superseded by 2686.2			
2686.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S1JR10-3	S6202-74290	1H5930-00-581-3416	*
2687.1	Superseded by 2687.2			
2687.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S2JR10-3	S6202-74290	1H5930-00-581-6037	*
2688.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S3JR10-3	S6202-74290	1H5930-00-581-6030	*
2689.1	Superseded by 2689.2			
2689.2	Switch, multipole rotary, 10A, 120V ac, sbm 15 ft, type S4JR10-3	S6202-74290	1H5930-00-581-3420	*

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

22 August 1986

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2929	Superseded by 2929.1			
2929.1	Tel headset stowage box, 6 compartments	815-1853040	9N5965-00-223-6354	*
2930,2931	Not yet used			
2932	Canceled-obsolete			
2933.1	20 fuse box, 0-20A, 120V, spraytight	S6202-74298	9N5920-00-033-6598	*
2934	Superseded by 2934.1			
2934.1	Alarm pnl, 4 ckt, 115V ac	S6504-73807	9G6350-00-360-0988	*
2934.2	Canceled-obsolete			
2935	Superseded by 2934.2			
2935.1	Alarm pnl, 2 ckt, 115V ac	S6504-73806	9G6350-00-360-0987	*
2935.2	Canceled-obsolete			
2936	Superseded by 2935.1			
2937	Superseded by 2935.2			
2938	Cabinet for sound pwr tel handset, spt	S6501-73819	1N5965-00-263-1226	10.0
2939	Horn, resonated, high intensity, 12V dc, type IC/H3 D2, wrttt	803-1853029	9G6350-00-981-1337	12
2940	Horn, resonated, high intensity, 24V dc, type IC/H3 D3, wrttt	803-1853029	9G6350-00-224-4945	12
2941	Horn, resonated, high intensity, 115V dc, type IC/H3 D4, wrttt	803-1853029	9G6350-00-915-6415	12
2942	Horn, resonated, high intensity, 115V ac, type IC/H3 S4, wrttt	803-1853029	9G6350-00-051-8411	12
2943	Alarm, signal, bus failure (electronic) monitoring, 115V dc or 115V 60-400 Hz, type IC-E1D1	804-1853042	9G6350-00-924-0551	*
2944	Horn, vibratory, wrttt, 115V dc, type IC/H1 D4	803-74354	9G6350-00-299-6223	10.0
2945	Portable ship control unit, sub bridge, type IC/29A40	815-1853085	2H6605-00-191-3402	*
2945.1	Portable, ship control unit, sub bridge type	815-1853085		
2945.2	Plug assy, straight	815-1853085-77	1H6150-00-590-0863	
2945.3	Plug assy, 90°	815-1853085-78	1H6150-00-590-0863	
2945.4	Plug assy, extension, dockside use	815-1853085-79	1H6150-00-590-3453	
2945.5	Plug assy, test cable	815-1853085-80	1H6150-00-590-3454	

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

<u>Sym. No.</u>	<u>Item</u>	<u>Std Dwg & Spec</u>	<u>National Stock No.</u>	<u>Wt</u>
2946	Not yet used			
2947	Canceled-obsolete			
2948-2976	Not yet used			
2977	Water sw magazine sprinkler alarm, pp	803-74081	9N5930-00-033-6729	4
2978	Superseded by 2978.1			
2978.1	Panel, communication for fleet anchorage	815-1197077	1N5805-00-647-2244	23
2979	Not yet used			
2980	Swbd, sound pwr tel, type IC/A1	S6501-74012	2N5805-00-988-5413	25.0
2981	Sound pwr tel pnl, type IC/A5	S6501-74239		20.0
2982	Not yet used			
2983	Loudspeaker, pp, type LS-450()/B	815-1853087		*
2984	Loudspeaker, pp, type IC/SHA-IR	S6502-73987	9N5965-00-393-0347	
2985	Loudspeaker, lw, w/internal volume control, type LS-305()/SIC	MIL-L-24223	9N5965-00-636-2462	10
2985.1	Loudspeaker, lw, w/external volume control, type LS-306()/SIC	MIL-L-24223	9N5965-00-284-6579	10
2986	Loudspeaker, high pwr, w/o volume control, type IC/SBA-4	S6502-74073	9N5965-00-296-1808	30.0
2987	Loudspeaker, high pwr, with volume control, type IC/SBG-4	S6502-74073	5805-00-636-2181	30.0
2988	Call signal station, type IC/D			
2989	Superseded by 2989.1	S6501-73801	1N5805-00-548-8019	9
2989.1	Jack, sbm 4000 ft, for announcing eqpt			
2990	Superseded by 2652.2	815-1853064	1H5935-00-989-6918	*
2991	Canceled-obsolete			
2992	Microphone station, type IC/MSB-2			
2993	Superseded by 3000, 30001	S6502-74284	1N5830-00-548-8004	15.0
2994	For maintenance only-see 5.3			
2994.1	For maintenance only-see 5.3		1N5965-00-905-6894	
2994.2	For maintenance only-see 5.3		9N5965-00-913-9545	
2994.3	For maintenance only-see 5.3		2N5965-00-913-9528	
2994.4	For maintenance only-see 5.3		1N5965-00-905-6895	
2995	Indicator, temp, for use with resistant temp detectors	815-1197033	2N5965-00-913-9548	*
			2H6685-00-753-2261	

Supersedes page 106 of 22 August 1986

MIL-HDBK-290(SH)
22 August 1986

Symbol No.	Item	Dwg. No./Spec. No.
2556.2	Kit, navigation lights	S6405-74251
2777	Switch, liquid level, type IC/R1-U	MIL-S-16032
2777.1	Switch, liquid level, type IC/R1-V	MIL-S-16032
2777.2	Switch, liquid level, type IC/RH1-U	MIL-S-16032
2777.3	Switch, liquid level, type IC/RH1-V	MIL-S-16032
2777.4	Switch, liquid level, type IC/RH2-U	MIL-S-16032
2777.5	Switch, liquid level, type IC/RH2-V	MIL-S-16032
2777.6	Switch, liquid level, type IC/RL1-U	MIL-S-16032
2811	Cont pnl-air defense officers grouping, wrtrtt	S6504-73282
2840	Switchboard, test for interior communications	S6508-73677
2994	Microphone, mag IC/MPM-3	S6502-74164
2994.1	Microphone, mag IC/MPM-4	S6502-74164
2994.2	Microphone, mag IC/MPM-5	S6502-74164
2994.3	Microphone, mag IC/MPM-6	S6502-74164
2994.4	Microphone, mag IC/MPM-2	S6502-74164

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

5.4 Cross-reference of drawing/specification numbers to symbol numbers.

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
4313-L	670	S6405-73191	953-959
		S6202-73193	2642,2643
4859-L	702,703	S6504-73282	2811
4861-L	707-710	S6202-73319	2773
		S6202-73351	888-892
		S6504-73353	2649
4899-L	2441	S6503-73416	2747,2747.1
4920-L	1503.1	S6202-73448	752
5026-L	1504	S6202-73449	882-887
5080-L	940	S6501-73466	2647
		S6501-73467	2648
5170-L	966,967	S6202-73475	2749
		S6508-73677	2840
		S6501-73689	2651
5217-L	1505	S6202-73692	815,816
		S6202-73747	913,914
		803-73754	2619.1
		803-73755	2620.1
		803-73756	2621.1
5374-L	2484	S6202-73763	2748
5410-L	494	S6202-73782	799
5427-L	746.1	S6501-73801	2988
5448-L	2454	S6504-73806	2935.1
5453-L	1039	S6504-73807	2934.1
		S6501-73819	2938
		S6202-73825	697
		S6202-73867	2812
5537-L	722	S6202-73888	860
5544-L	765	S6202-73896	784
5568-L	2698-2711	803-73898	2433
S6202-73030	732	803-73904	2622
S6201-73032	2450	803-73905	2623
S6202-73125	2561,2561.1	S6202-73919	2815.1-2815.4
S6201-73132	2479	S6202-73920	2816.1-2816.4
S6201-73133	2480	S6202-73921	2818.1-2818.4
S6201-73134	2482	S6202-73922	2819.1-2819.4

Supersedes page 114 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
S6201-73135	2481	S6202-73964	987
		S6202-73965	721
		S6202-73966	726
		S6202-73973	621
		S6202-73974	622
S6202-73975	623		
S6202-73976	620	S6202-74203	651
S6502-73987	2984	S6202-74207	801.1, 804.1
S6202-74012	2980		805.1, 814
S6202-74026	735.2		827.1, 829.1
			850.1, 857
			858,
S6202-74052	792		
803-74055	2637.1, 2638.1	S6501-74210	2841-2843
	2639.1, 2640.1	S6505-74211	2922
	2641.1		
S6501-74062	2873.1	S6202-74214	908.1
S6504-74063	3809.1	815-74233	674-674.2
		S6501-74239	2981
S6502-74073	2986, 2987	S6504-74244	2507
803-74081	2977	S6504-74246	951.1
S6501-74093	2860.1		
S6501-74094	2861.1	S6505-74249	2793
S6502-74117	723-725	S6405-74250	2555.2
		S6405-74251	2556.2
S6502-74164	2994-2994.4	S6202-74253	2403
		S6202-74254	509
		S6202-74255	773
		S6202-74256	774
		S6202-74257	510
		S8101-74260	472, 472.1
		S8101-74261	473, 473.1
S6202-74173	562.1		
		S8101-74262	474
		S6402-74270	989, 989.1
		S6505-74274	2674
		S6202-74276	838.1, 839.1
			840.1, 848.1
			851, 852
			2752.1, 2753
		S6504-74284	2992
		S6504-74285	2670-2670.3
		S6504-74286	2671, 2671.1
		S6504-74287	2672-2672.2
		803-74290	2179-2197
			2682.2, 2683.2
			2684.2, 2685.2

Supersedes page 115 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
			2686.2,2687.2
			2688.2,2689.2
			2690.2,2691.2
			2692.2,2693.2
			2694.2,2695.2
			2696.2,2697.2
		S6202-74294	859
S6501-74295	2788,2788.1	815-1197046	1136,1136.1
S6504-74296	986	815-1197047	861
S6202-74298	2933.1	815-1197050	964.1,969.1
S6202-74303	790.1	815-1197052	676
S6202-74304	791.1	815-1197055	490
803-74308	2628-2628.2	815-1197056	762,762.1
803-74309	2627-2627.3	815-1197060	2414-2414.2
S6202-74313	733.1		2415,2415.2
S6202-74319	930.1,931.1		2415.3
S6202-74322	2763	815-1197064	1004
		815-1197067	2455
S6202-74340	2404	815-1197071	492.3,492.4
803-74342	2622.1-2622.3		
S6502-74345	2673	815-1197074	761.1
803-74354	2944	815-1197077	2978.1
S6202-74361	988.1,988.2,	815-1197083	817.1
	988.4-988.7	815-1197096	2449.1-2449.4
		815-1197098	2448.1-2448.3
S6202-74362	764.1,764.2		
S6202-74367	777	S6202-1197101	2446.1-2446.4
S6202-74369	511.1		2447.1-2447.6
S6201-74397	2456	803-1197104	3003
S6202-74408	771,771.1		
		803-1197118	2805.1,2806.1
815-74416	492.1,492.2		2807.1
815-74417	493.1,493.2	815-1197119	1000
S6401-74420	993		
S6202-74427	780.2,780.4	815-1197120	1001
	780.6	815-1197132	298
		815-1197149	1045
S6202-74428	731.1	815-1197150	1106
		815-1197151	1107
S6201-74439	2452.1	815-1197152	1108
		815-1197153	1109
		815-1197170	1170,1171
S6501-74464	2675,2676		1171.1,1172
			1173,1174

Supersedes page 116 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
803-74465	2626		1174.1,1175
815-74473	578.1		1176,1176.1
S6202-74475	673		
S6202-74477	2470-2470.2	815-1197172	1227-1227.2
S6202-74479	624		1228,1228.1
			1229,1229.1
			1230,1230.1
815-74480	625		
S6504-74488	3004,3005		
815-1197005	965	815-1197174	1231-1231.2
815-1197022	2789		1232,1232.1
			1233,1233.1
		815-1197176	1178
815-1197027	785	815-1197180	515
815-1197031	2790	815-1197182	518
815-1197032	3006-3011		
815-1197033	2995		
815-1197038	2464		
		815-1197353	1254
815-1197183	519		1255-1255.2
815-1197185	531	815-1197354	1250,1250.1
815-1197193	532		1251-1251.2
815-1197194	533	815-1197361	1900
815-1197195	534	815-1197362	1902
		815-1197363	1903
815-1197196	535		
815-1197212	3012	815-1197364	1906
815-1197214	1149,1149.1	815-1197366	1908
	1150,1150.1	815-1197367	1904
	1151-1151.4	815-1197369	1905
815-1197217	493.3,493.4	815-1197371	1256
815-1197218	538		
		815-1197372	1247
815-1197219	491	815-1197375	1901
815-1197222	1005	815-1197376	1244.1
815-1197224	849	815-1197377	1245-1245.2
815-1197225	853,854	815-1197378	1243.1
815-1197227	205		
		815-1197382	1907
815-1197231	467	815-1197383	677
803-1197239	1506.1	815-1197385	1246,1246.1
815-1197240	1220-1220.19	815-1197413	1278
815-1197242	1235	815-1197414	1279
815-1197244	287,288		
		803-1853029	2939-2942
803-1197255	713.11	815-1853031	2912
815-1197301	536	803-1853036	2457
815-1197302	537	815-1853038	2920
815-1197304	1119-1119.5		
815-1197307	539		

Supersedes page 117 of 22 August 1986

MIL-HDBK-290(SH)
22 August 1986

<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAVSEA DWG. NO.</u>	<u>SYM. NO.</u>
815-1197312	1210-1210.3	815-1853040	2924.1, 2925.1
815-1197325	1195-1195.2, 1196-1196.2		2926.1, 2927.1
815-1197328	1223	815-1853041	2928.1, 2929.1
815-1197332	1224	804-1853042	2921
815-1197335	1225	815-1853053	2943
		815-1853061	788, 789
815-1197336	1226	815-1853062	2854.4
815-1197338	1208	815-1853064	2646.2, 2646.3
815-1197341	1207	815-1853066	2989.1
815-1197342	1197-1206	815-1853067	3000, 3001
815-1197348	1240-1240.3, 1241, 1241.1, 1242, 1242.1, 1243	815-1853076	2652.1, 2652.2
815-1197349	1248, 1249-1249.2	815-1853077	2742
815-1197351	1322-1325	815-1853078	2743
815-1197352	1252, 1252.1, 1253-1253.2	815-1853083	2744
		815-1853085	2785, 2786
		815-1853087	2945-2945.5
			2983
		<u>NAEC(SI) DWG. NO.</u>	
815-1853089	2791	508447-10	260.3
803-2482977	2913	508447-11	260.4
S6504-3313883	259.1	514610-1	260.3
S6504-3313884	259.4	518170-1	2578
		518170-2	2579
803-5001027	1040, 1040.1	518340-1	239.2
	2418	608303-1	239.2
815-5184170	2418.1	609024-1	256.1
	780.5	609024-2	257.1
		609331-1	247.3
		611403-1	253.1
		611403-2	253.2
		611508-2	
		619184-2	253.4
		611774-1	265
		612886-1	248.3
		612963-1	248
		612963-2	248.1
		616263-1	243.1
		616702-1	2574
		616702-10	2580
		616850-1	249
		617577-1	243.3
<u>MIL-STD DWG. NO.</u>			
17220	2465		
17287	285		
17315	215		
17318	195.1		
17781	225.1, 226.1 227.1		
17784	407.1		
17831	1484		
17832	1485		
17850	960		

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)
22 August 1986

<u>MIL-STD DWG. NO.</u>	<u>SYM. NO.</u>	<u>NAEC(SI) DWG. NO.</u>	<u>SYM. NO.</u>
17995	171.2,216.1	618962-1	257.4
17999	219,220	619016-1	254.2
18053	2416.2416.1	619184-1	253.3
90555	1326	619403-1	249.3
90556	1327-1329	619615-1	259.6
<u>NAEC(SI) DWG. NO.</u>		619616-1	259.5
408117-4	252	620130-1	254.3
505950-3	2569	620235-1	2581
506829-1	263	620783-1	2582
508447-1	260.1	620783-2	2583
508950-1	262.1	621941-1	2587
514265-1	260.2	621941-2	2589
514268-1	262.2	621941-3	2591
515364-1	246	621941-4	2593
515846-1	263.5	621941-5	2595
515846-2	263.6	623775-1	2597
<u>VENDOR DWG./PART NO.</u>		<u>VENDOR DWG./PART NO.</u>	
HUBBELL ELECTRIC		BUMED 522	109
SPF-843	258	GENERAL ELECTRIC	
15365	176	9T51B125	2576
STACO		<u>SPECIFICATIONS</u>	
15M1520CT-2	2584	<u>SYM. NO.</u>	
<u>SPECIFICATIONS</u>		MIL-R-2726/28	1221
W-J-800	406.1-406.3	MIL-R-2726/29	1222
MIL-L-1130	105	MIL-P-2726/30	727.1
MIL-L-2034	107.1	MIL-P-2726/31	729.1
MIL-S-2649	301.1-301.6, 309-309.5	MIL-R-2726/32	775.1,775.2
<u>NAEC(SI) DWG. NO.</u>		MIL-R-2726/33	1214.2,1214.5
617682-1	243.2	MIL-R-2726/34	1214.3,1214.4
617828-10	2575	MIL-R-2726/35	1213.2,1213.4
617848-1	254	MIL-R-2726/36	1213.3,1213.5
617882-1	254.1	MIL-R-2726/37	1099.1
618927-1	2586	MIL-R-2726/38	1218.3
618927-2	2586.1	MIL-R-2726/39	919
618927-3	2586.2	MIL-R-2726/40	730.4
618927-4	2586.3	MIL-R-2726/41	1098.1
618927-5	2586.4	MIL-R-2726/42	746.2
618927-6	2586.5		

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)
6 April 1988

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>	<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
MIL-R-2726/1	715.1	MIL-R-2726/43	918.1
MIL-R-2726/2	716.1	MIL-R-2726/44	765.3
		MIL-R-2726/45	772.1
MIL-R-2726/3	717.1	MIL-R-2726/46	721.1
MIL-R-2726/4	718.1	MIL-R-2726/47	735.3
MIL-R-2726/5	1140.1		
MIL-R-2726/6	1143.1	MIL-R-2726/48	900.1
MIL-R-2726/7	756.1,756.2	MIL-R-2726/49	765.6-765.8
		MIL-R-2726/50	720.3
MIL-R-2726/8	757.1,757.2	MIL-R-2726/51	2440.2
MIL-R-2726/9	758.1,758.2	MIL-R-2726/52	1257
MIL-R-2726/10	759.1		
MIL-R-2726/11	1141.1,1141.2	MIL-R-2726/53	1258
MIL-R-2726/12	1144.1,1144.2	MIL-R-2726/54	1259
		MIL-R-2726/55	1260
MIL-R-2726/13	1142.1	MIL-R-2726/56	1261
MIL-R-2726/14	1145.1-1145.3	MIL-R-2726/57	1262
MIL-R-2726/15	1146.1-1146.3		
MIL-R-2726/16	1147.1-1147.3	MIL-R-2726/58	1263
MIL-R-2726/17	1148.1-1148.3	MIL-R-2726/59	1264
		MIL-R-2726/60	1265
MIL-R-2726/18	1105.1	MIL-R-2726/61	1266
MIL-R-2726/19	915.1	MIL-R-2726/62	1267
MIL-R-2726/20	916.1		
MIL-R-2726/21	917.1	MIL-R-2726/63	1268
MIL-R-2726/22	770.2	MIL-R-2726/64	1269
		MIL-R-2726/65	1272
MIL-R-2726/23	726.1	MIL-R-2726/66	730.1
MIL-R-2726/24	707.1	MIL-R-2726/67	741.2
MIL-R-2726/25	722.1		
MIL-R-2726/26	728.1	MIL-R-2726/68	706.1
MIL-R-2726/27	776.1	MIL-R-2726/69	779
		MIL-R-2726/70	1100
		MIL-R-2726/71	1101
		MIL-R-2726/72	2439
MIL-R-2726/73	1215	MIL-F-16377/25	48.2,68.2
DOD-B-15072/9	1492	MIL-F-16377/26	112,113,113.1
DOD-B-15072/10	1496	MIL-F-16377/27	92.2,92.3,
DOD-B-15072/3	1490		93.2,93.3
DOD-B-15072/11	1491	MIL-F-16377/28	23.1
		MIL-F-16377/29	159.1
DOD-B-15072/12	1493		
DOD-B-15072/13	1494	MIL-F-16377/30	137
DOD-B-15072/14	1495,1497	MIL-F-16377/31	147.2
		MIL-F-16377/32	134.1
		MIL-F-16377/33	136.1,156
		MIL-F-16377/34	335

Supersedes page 120 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
MIL-S-15743/1	801.1
MIL-S-15743/2	858
MIL-S-15743/3	804.1, 829.1, 879.1
MIL-S-15743/4	805.1, 857
MIL-S-15743/5	827, 850.1, 863
MIL-S-15743/6	862
MIL-S-15743/7	814
MIL-S-15743/8	838.1, 851
MIL-S-15743/9	839, 848.1
MIL-S-15743/10	852
MIL-S-15743/13	849
MIL-S-15743/14	853, 854
MIL-S-15743/15	817
MIL-S-15743/21	864-872
MIL-S-16032	2777-2777.6

Supersedes page 120 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>	<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
MIL-S-24235/6	2425-2425.2	MIL-T-24558/9	525
MIL-S-24235/9	1520-1542,	MIL-T-24558/10	438
	1570-1592	MIL-T-24558/11	523.1
MIL-S-24235/10	1600-1622	MIL-T-24558/12	450
		MIL-T-24558/13	524.1
MIL-S-24235/11	996,1853		
MIL-S-24235/12	1658-1679	MIL-T-24558/14	451
		MIL-T-24558/15	452
MIL-S-24235/16	512,512.1,	MIL-T-24558/16	453
	513,513.1	MIL-T-24558/17	454
MIL-S-24235/17	1701-1723,	MIL-T-24558/18	400.1-400.4
	1731-1753,		
	1761-1783,	MIL-T-24558/19	444
	1791-1813	MIL-T-24558/20	529
MIL-S-24282	106.1,106.2	MIL-T-24558/21	476.1
MIL-L-24352	292	MIL-T-24558/22	415-415.4
MIL-C-24360	2420	MIL-T-24558/23	403.1
MIL-C-24368/1	1160	MIL-T-24558/24	416
MIL-C-24368/2	1161	MIL-T-24558/25	418.1-418.3
MIL-C-24368/4	1162-1162.3	MIL-T-24558/26	572.1
MIL-T-24381/1	1025	MIL-T-24558/27	573.1
MIL-T-24381/2	1032-1034	MIL-T-24558/28	574.1
MIL-T-24381/3	1035		
		MIL-T-24558/29	575.1
MIL-T-24381/4	1024	MIL-T-24558/30	576.1,577.1
MIL-T-24381/5	1041	MIL-L-24560/1	160.1
MIL-T-24381/7	1038	MIL-L-24560/2	114.1,115.1,
MIL-T-24381/8	1044		116.1,117.1,
MIL-T-24381/9	1037		118.1
		MIL-L-24560/3	164.3
MIL-P-24395/1	1005.1,1005.2	MIL-L-24560/4	190.1
MIL-P-24395/2	1005.3,1005.4	MIL-L-24560/5	191.2
MIL-C-24404/1	477.1,477.2	MIL-L-24560/6	192.1
MIL-C-24404/2	478.2-478.4	MIL-L-24560/7	193.1,194
		MIL-L-24560/8	196.3,196.4,
			197.2
MIL-C-24404/3	479.1,479.2		
MIL-C-24404/4	480.3-480.7	MIL-L-24560/9	182.2,183.2
MIL-L-24532	289	MIL-L-24560/10	172.2
MIL-T-24552/1	1046	MIL-L-24560/11	200.2
MIL-T-24552/2	1047	MIL-L-24560/12	233.1
		MIL-L-24560/13	174.4,174.5,
MIL-T-24552/3	1048		188.3,189.3
MIL-T-24552/4	1049		
MIL-T-24558/1	520.1		
MIL-T-24558/2	435.1	MIL-L-24560/21	221
MIL-T-24558/3	528	MIL-L-24560/22	222
		MIL-L-24560/23	161.4
MIL-T-24558/4	432.1	MIL-L-24560/24	206.2
MIL-T-24558/5	434	MIL-F-24646/1-001	600
MIL-T-24558/6	433.1	MIL-F-24646/1-002	601
MIL-T-24558/7	522.1	MIL-F-24646/1-003	612.1
MIL-T-24558/8	446	MIL-F-24646/1-004	613

MIL-HDBK-290(SH)
6 April 1988

<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>	<u>SPECIFICATIONS</u>	<u>SYM. NO.</u>
MIL-F-24646/1-005	613.1	MIL-F-24646/11-003	649.1
MIL-F-24646/1-006	614	MIL-F-24646/11-004	650.1
MIL-F-24646/2-001	609	MIL-F-24646/12-001	644
MIL-F-24646/2-002	610	MIL-F-24646/12-002	648
MIL-F-24646/2-003	611	MIL-F-24646/13-001	568.1
MIL-F-24646/3-001	540	MIL-F-24646/13-002	569.1
MIL-F-24646/3-002	541	MIL-F-24646/13-003	570.1
MIL-F-24646/3-003	542	MIL-F-24646/13-004	571.1
MIL-F-24646/4-001	543	MIL-F-24646/14-001	680
MIL-F-24646/4-002	544	MIL-F-24646/14-002	681.1
MIL-F-24646/4-003	545	MIL-F-24646/15-001	685.1
MIL-F-24646/4-004	546	MIL-F-24646/15-002	686.1
MIL-F-24646/4-005	547	MIL-F-24646/15-003	691.1
MIL-F-24646/5-001	626	MIL-F-24646/15-004	692.1
MIL-F-24646/5-002	627	MIL-F-24646/16-001	687.1
MIL-F-24646/6-001	602	MIL-F-24646/16-002	688.1
MIL-F-24646/6-002	603	MIL-F-24646/16-003	689.1
MIL-F-24646/6-003	604	MIL-F-24646/16-004	690.1
MIL-F-24646/6-004	605	MIL-F-24646/17-001	693.1
MIL-F-24646/6-005	606	MIL-F-24646/18-001	671.1
MIL-F-24646/6-006	615		
MIL-F-24646/6-007	616		
MIL-F-24646/6-008	617		
MIL-F-24646/7-001	635.1		
MIL-F-24646/7-002	654		
MIL-F-24646/7-003	653		
MIL-F-24646/8-001	646.1		
MIL-F-24646/8-002	647.1		
MIL-F-24646/9-001	555.1		
MIL-F-24646/9-002	556.1		
MIL-F-24646/9-003	557.1		
MIL-F-24646/9-004	558.1		
MIL-F-24646/9-005	559.1		
MIL-F-24646/10-001	560.1		
MIL-F-24646/10-002	561.1		
MIL-F-24646/10-003	562.1		
MIL-F-24646/10-004	563.1		
MIL-F-24646/11-001	645		
MIL-F-24646/11-002	645.1		

Supersedes page 123 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

5.5 Cross-reference of National Stock Numbers (NSN) to symbol numbers. (Note: The National Stock Numbers are not listed by Federal Supply Classification (FSC), but rather are listed numerically by the 3-digit number that identifies the fiche number within a given FSC. To find a given stock number, enter the table using the 3-digit number and there you will find all the FSC's that have similar numbers. For example, to find the symbol number for NSN 1H5935-070-9495, first locate 070; there are five listed, one of which is 1H5935-070-9495 for symbol 1171.1.)

<u>STOCK NO.</u>	<u>SYM. NO.</u>
5RM1710-LL-BB0-8915	263.5
5R 5950-00-116-3307	2586.3
5RM5950-01-044-9698	2579
5RM5950-01-047-3780	2580
5RM5950-01-049-2335	2578
5RM5950-01-057-5612	2582
5RM5950-01-057-5613	2585
5RD5950-01-063-9186	2581
5R 5950-01-177-9816	2586.1
5R 6110-01-031-6533	254.2
5R 6120-01-082-2891	2586.5
5R 6120-01-090-9803	2586.4
5RD6210-00-149-0743	253.4
5RM6210-01-010-2770	235
5RD6210-01-164-4081	260.3
5RD6210-01-176-9080	260.4
5RM6210-01-177-9589	404.5
5R 6220-00-862-3221	405
5R 6220-00-988-1520	248.1
5R 6220-00-988-1521	248.3
5RD6220-01-102-1954	358
5RD6220-01-176-6408	404
5RD6240-01-099-8559	355
5RD6240-01-099-8560	356
5RD6240-01-099-8561	357
5R 6350-01-044-6887	254.3

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9N5920-00-033-6598	2933.1	2H6150-00-086-9067	1151.2
9N5920-00-033-6603	620	2H6150-00-086-9068	1151.3
2H5950-00-033-6725	986	9G6150-00-087-0815	765.6
9N5930-00-033-6729	2977	9G6230-01-087-6125	163
5RM6210-01-042-8652	239.2	9G6210-01-088-6944	344.2
		2H5930-00-089-0592	2788.1
9G6210-01-044-5273	351.1	1H5930-00-089-0593	2747.1
9G6210-01-045-7724	352.1	9N5920-00-090-0870	2873.1
9N5935-01-046-2614	1142.1	9N5935-00-091-9436	755.3
5RM5950-01-049-2332	2583	9G6230-00-095-3674	291
9N5930-00-049-9765	814	9G6110-00-096-2722	945.1
9G5930-00-096-2726	2620.1	1H5975-00-153-6778	1039
5RM6210-00-099-7120	243.3	1H5940-00-153-6779	1044
5R6110-00-101-9821	254.1	9G6240-00-155-7774	309.4
5935-01-103-4760	1272	9G6210-00-159-2237	134.1
5R6210-00-106-9543	254	9G6230-00-160-0610	307
5RM6210-00-107-8813	243.2	5R5950-00-165-3654	2574
9G6210-00-115-9137	352	5R5950-00-165-3665	2586.2
9G6210-00-115-9150	350	5R5950-00-165-3666	2586
9G6210-00-115-9152	349	9N5935-00-170-3061	715.1
9G6210-00-115-9171	351	1H5925-00-173-9912	889
9G6210-00-115-9186	348	1H6110-00-174-1653	649.1
9G6210-00-115-9187	353	2H6110-00-174-1657	650.1
5R6120-00-116-5026	2575	1H6230-00-174-5143	298
1H6220-00-118-2386	989.1	9G5940-00-178-0392	1032
1H5935-00-122-8553	1148.2	9G5940-00-178-0394	1033
6350-00-131-6579	2628	9G5940-00-178-0397	1034
9N5935-00-134-0312	1143.1	1H5975-00-178-0751	1600
5935-00-134-0406	1213.3, 1213.5	1H5975-00-178-0752	1601
9N5935-00-135-5256	1148.1	1H5975-00-178-0753	1602
9G6240-00-145-1148	263.2, 3033	1H5975-00-178-0754	1603
5935-01-145-3182	1101	1H5975-00-178-0755	1604
9G6230-01-146-3701	232.1	1H5975-00-178-0756	1605
5R6210-00-149-0743	253.3	1H5975-00-178-0757	1606
1H6210-00-151-9844	23.1	1H5975-00-178-0758	1607
1H6110-00-152-0246	604	1H5975-00-178-0759	1608
2H6110-00-152-0266	602		
1H6110-00-152-0267	605	1H5975-00-178-0760	1609
9G6110-00-152-0268	603	1H5975-00-178-0761	1610
1H6110-00-152-0269	606	1H5975-00-178-0763	1612
1H6110-00-152-0270	2481	1H5975-00-178-0764	1613
2H6110-00-152-0271	2479	1H5975-00-178-0765	1614

Supersedes page 127 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
2H6110-00-152-0277	969.1	1H5975-00-178-0766	1615
2H6110-00-152-0278	2480	1H5975-00-178-0767	1616
1H6110-00-152-0279	2482	1H5975-00-178-0768	1617
2H6110-00-152-0280	964.1	1H5975-00-178-0769	1618
1H6110-00-152-0285	617	1H5975-00-178-0770	1619
1H6110-00-152-0286	616	1H5975-00-178-0771	1620
1H6110-00-152-0304	940.1	1H5975-00-178-0772	1621
9G6210-00-152-2844	137	1H5975-00-178-1229	1667
9G6230-00-152-2870	148.2	1H5975-00-178-1231	1669
9N5920-00-153-5788	541	1H5975-00-178-1233	1671
9N5920-00-153-5789	542	1H5975-00-178-1238	1676
9N5920-00-153-6186	2441	1H5975-00-178-1241	1679
9G5975-00-153-6397	406.3	1H5975-00-178-1461	1575
1H5940-00-153-6756	1037	1H5975-00-178-1499	1520
9G5975-00-153-6775	406.3	1H5975-00-178-1500	1521
1H5975-00-178-1501	1522	9N5920-00-178-1688	680
1H5975-00-178-1503	1524	1H5940-00-179-2013	578.1
1H5975-00-178-1504	1525	2H6625-00-183-8346	2454
1H5975-00-178-1506	1527	2H6625-00-183-8347	2450
1H5975-00-178-1507	1528	9L6530-00-185-0034	107.1
1H5975-00-178-1508	1529	9G5975-00-188-1164	730.1
1H5975-00-178-1509	1530	9N5935-00-188-5837	775.1
1H5975-00-178-1510	1531	2H6605-00-191-3402	2945
1H5975-00-178-1511	1532	1H5905-00-192-3943	955
1H5975-00-178-1513	1534	1H5905-00-192-3946	958
1H5975-00-178-1514	1570	1H5905-00-192-3948	953
1H5975-00-178-1515	1571	1H5905-00-193-3949	959
1H5975-00-178-1516	1572	9G6240-00-193-0941	309.1
1H5975-00-178-1517	1573	9G5975-00-194-8877	406.1
1H5975-00-178-1518	1574	9G6140-00-195-5339	1494
1H5975-00-178-1520	1576	9G6140-00-195-5341	1493
1H5975-00-178-1521	1577	1H5935-00-195-8916	728.1
1H5975-00-178-1522	1578	9N5935-00-195-8920	706.1
1H5975-00-178-1523	1579	1H5935-00-196-2292	1214.4
1H5975-00-178-1524	1580	1H5935-00-196-2293	1214.5
1H5975-00-178-1525	1581	9N5935-00-197-4948	727.1
1H5975-00-178-1526	1582	1H5940-00-204-6069	493.1
1H5975-00-178-1527	1583	1H5975-00-215-5890	1038
1H5975-00-178-1528	1584	1H5940-00-215-5959	435.1
1H5975-00-178-1529	1585	1H5940-00-215-5960	403.1
		9G5940-00-215-5962	432.1

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)
6 April 1988

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G6250-00-569-9501	514	1H5930-00-610-5413	2196
9N5925-00-571-0415	579	1H5930-00-610-5414	2197
1H5935-00-578-2759	746.2	9G5940-00-617-7982	490
9N5935-00-578-2760	776.1	1H5977-00-626-2420	3007
9N5930-00-578-3951	2180	2H6150-00-630-4635	3009
9N5930-00-578-3952	2690.2	9Q5180-00-630-8553	771.1
9N5930-00-578-3953	2694.2	9G6210-00-633-6886	69
1H5930-00-578-3954	2182	9G6110-00-635-4002	944.2
9N5930-00-578-3971	2188	2H6625-00-635-4745	2452.1
9N5930-00-578-4903	2194	9G6210-00-635-8814	335
9N5930-00-578-4908	2692.2	9G6210-00-635-8817	112,113
2H6110-00-578-6789	815	9G6210-00-635-8819	112
9G6230-00-578-7401	2438	9G6210-00-635-8820	113
9G6230-00-578-7547	229.1	5805-00-636-2181	2987
9G6210-00-578-7703	79.1	9N5965-00-642-9879	2675
1H5930-00-581-3413	2684.2		
1H5930-00-581-3414	2181	9N5965-00-642-9880	2676
1H5930-00-581-3415	2682.2	9N5920-00-642-9907	673
1H5930-00-581-3416	2686.2	9N5920-00-642-9908	612.1
1H5930-00-581-3417	2185	9G6220-00-643-0856	192.1
2H5930-00-581-3418	2183	9G6220-00-643-0857	190.1
1H5930-00-581-3419	2186	9G6230-00-643-3661	105
1H5930-00-581-3420	2689.2	9N5930-00-643-9424	780.5
1H5930-00-581-3421	2184	1N5805-00-647-2244	2978.1
1H5930-00-581-3422	2696.2	2H6150-00-651-8743	1151.4
1H5930-00-581-3423	2191	1H5995-00-657-6313	713.11
1H5930-00-581-3424	2697.2	9G6230-00-658-3045	285
9N5930-00-581-3425	2192	1H6150-00-659-0677	3006
1H5930-00-581-4611	2193	H4820-00-659-6673	513.1
1H5930-00-581-6028	2187	1H5940-00-665-0884	451
1H5930-00-581-6029	2685.2	1H5940-00-665-0885	453
1H5930-00-581-6030	2688.2	9G6220-00-678-9075	174.4
1H5930-00-581-6031	2190	9G6150-00-679-0711	2440.2
1H5930-00-581-6032	2683.2	9G6150-00-681-8379	713(50)
1H5930-00-581-6033	2691.2	9G6150-00-681-8380	713(100)
1H5930-00-581-6034	2693.2	9Z5530-00-682-4439	2447.1
1H5930-00-581-6035	2179	9Z5330-00-682-4441	2447.4
1H5930-00-581-6036	2189	9Z5330-00-682-4442	2447.5
1H5930-00-581-6037	2687.2	1H6110-00-683-0989	1000
1H6150-00-590-0863	2945.2, 2945.3	9G6350-00-683-1199	3003
1H6150-00-590-3453	2945.4	9N5930-00-687-1095	788

Supersedes page 133 of 22 August 1986

MIL-HDBK-290(SH)

6 April 1988

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9N5930-00-687-1096	789	9G6230-00-783-6252	102.2
9N5930-00-688-4045	863	9G6230-00-783-6253	108
9N5930-00-690-3960	785	9G6230-00-783-6519	100.2, 101.2,
9G6140-00-692-4670	1485		102.2, 108
9G6230-00-701-2947	286	9G6210-00-790-4846	136.1
		9G6210-00-790-4847	156
9G6210-00-702-5773	92.2, 92.3		
9G6210-00-702-9347	259.1	9G6680-00-800-5243	2777
1H6210-00-702-9756	259.4	1H6150-00-802-8362	1484
1H5935-00-705-1665	713.2	2H6110-00-803-4472	816
1H5935-00-705-1666	713	9G6210-00-803-5911	239.1
		9G6230-00-808-4466	231.1
		1H5975-00-823-0944	2406
1H5935-00-705-9321	737.4		
1H5935-00-705-9326	737.5	9G6150-00-823-2392	2415.2
1H5935-00-705-9327	737.3	9G6220-00-839-0298	197.2
1H5935-00-706-9360	713.1	1H5935-00-840-6715	761.1
9N5930-00-719-9659	342.2	9G6230-00-843-5991	2432.1
		9N5920-00-845-1475	613.1
9G6220-00-722-4496	174.5, 196.3,		
	206.2	1H5935-00-851-6741	757.1
9G6220-00-723-5326	164.3	1H5935-00-851-6742	756.1
9G6150-00-725-1366	2416	1H5935-00-851-6743	758.1
9G6210-00-725-3556	338.1	1H5935-00-852-4199	716.1
9G6110-00-727-1002	1001	9G6210-00-856-7069	176
9G6220-00-731-9196	197.2	9G6210-00-856-7070	176
9G6220-00-731-9197	114.1, 115.1,	9G6210-00-856-7071	176
	116.1, 117.1,	9G6210-00-856-7072	176
	118.1, 172.2,	9G6210-00-856-7073	176
	182.2, 183.2,	5R6350-00-862-3208	252
	197.2, 206.2		
1H5930-00-732-4705	2652.2	5R6220-00-862-3219	257.1-257.3
5R6220-00-737-0869	258	5R6220-00-862-3221	256.1-256.3
1H6110-00-747-9269	2473.1	9G6210-00-866-1338	2816.3
		9G6210-00-866-1339	2816.4
9G6150-00-752-2542	988.4	1H5940-00-869-7082	400.3
1H5935-00-752-2835	774		
9N5935-00-752-3102	737.1	1H5940-00-869-7092	400.4
9N5935-00-752-3103	737.2	5R6210-00-869-7141	265
2H6625-00-752-7898	2840	1H5920-00-870-6996	2465
		9N5935-00-875-3213	1221
		9N5935-00-875-3230	1222
2H6685-00-753-2261	2995		
1H5940-00-761-1669	492.3	5R6210-00-878-1127	260.1
9G6210-00-768-7190	154	5R6210-00-878-1128	262.1
9G6210-00-768-7191	153	5R6210-00-878-1131	263-263.4
9G6230-00-776-5920	100.2		

Supersedes page 134 of 22 August 1986

MIL-HDBK-290(SH)

22 August 1986

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G6110-00-778-8964	615	5R6210-00-878-1132	253.1
9G6210-00-780-8502	89		
9G6230-00-782-0643	289	1H5999-00-879-1519	915.1
9N5935-00-782-6938	730.1	1H5999-00-879-1520	916.1
9G6230-00-783-6251	101.2	1H5999-00-879-1521	917.1
		1H5975-00-881-6262	2407
		1H5975-00-881-6263	2407
1H5975-00-881-6264	2408	9G6240-00-917-0774	303.2, 309.5
1H5975-00-881-6265	2408	9G6350-00-924-0551	2943
1H5975-00-881-6266	2409	1H5935-00-925-2303	517.3
1H5975-00-881-6267	2409	1H5850-00-930-1559	106.2
1H5975-00-881-6268	2410	9N5935-00-935-2235	717.1
		1H5935-00-935-2298	517.12
1H5975-00-881-6269	2410	1H5935-00-935-2299	516
1H5975-00-881-6270	2411	1H5925-00-935-2300	517.4
1H5975-00-881-6271	2411	1H5935-00-935-2301	517.6
1H5975-00-881-6272	2412	1H5935-00-935-2302	517.7
1H5975-00-881-6273	2412		
1H5975-00-881-6274	2413	1H5935-00-935-2304	517.9
1H5975-00-881-6275	2413	1H5935-00-935-2305	517.2
1H5975-00-881-7963	2406	1H5935-00-935-2306	517.8
1H5975-00-881-8251	2405	1H5925-00-935-2307	517
1H5975-00-881-8252	2405	1H5935-00-935-2308	517.5
H4820-00-883-5588	512.1	1H5935-00-935-2309	517.1
9G6230-00-883-6209	266.2	9N5999-00-935-2312	900.1
1H5935-00-886-1650	1145.1	1H6130-00-937-2314	1506.1
1H6110-00-889-0611	817.1	9N5930-00-945-7221	2695.2
2H5995-00-889-0632	1119.4	5R5950-00-946-8243	2573
1H6110-00-889-0990	754.2		
9G6230-00-889-1559	303.1-303.5		
9G6680-00-892-1638	2777.6	9N5930-00-948-6677	870
9G6210-00-892-1715	80.1	1H6110-00-950-3058	2550.1
9G6230-00-892-5244	297	9N5930-00-956-0655	2753
9G6210-00-892-5374	2818.3	1H5977-00-956-7882	3008
1H5935-00-892-8970	1146.1	2H6150-00-958-6472	1149
1H5935-00-892-8971	1147.1	1H6150-00-962-5602	2743
1H5935-00-892-9114	1141.1	1H5930-00-963-1243	2742
9N5920-00-892-9315	558.1	9G6230-00-968-7831	100.2
1H5930-00-893-1370	2747	1H5935-00-972-0491	1136
9G6210-00-895-3902	247.3	9G6350-00-981-1337	2939
		5R6220-00-988-1519	248
1H6150-00-902-9830	2415.3	2N5805-00-988-5413	2980
2H6230-00-904-1530	299	1H5935-00-989-6918	2989.1

REPRINTED WITHOUT CHANGE

MIL-HDBK-290(SH)

6 April 1988

<u>STOCK NO.</u>	<u>SYM. NO.</u>	<u>STOCK NO.</u>	<u>SYM. NO.</u>
9G6150-00-904-3324	988.7	9G6210-00-990-5556	340
9G6150-00-904-3325	988.6	9G6220-00-990-6016	200.2
9G6150-00-905-3323	988.5	6110-00-990-6165	2522.22
1N5965-00-905-6894	2994		
1N5965-00-905-6895	2994.3		
2N5965-00-913-9528	2994.2		
9N5965-00-913-9545	2994.1		
2N5965-00-913-9548	2994.4		
9G6210-00-914-4152	93.2, 93.3		
9G6350-00-915-6415	2941		

5.3 Subject term (key word) listing

Electrical equipment
Electronic equipment
Ship alteration
Symbol numbers

Preparing activity:
Navy - SH
(Project DRPR-N288)

Supersedes page 136 of 22 August 1986