

**NOT MEASUREMENT
SENSITIVE**

**MIL-HDBK-695D
22 November 1999
SUPERSEDING
MIL-HDBK-695C
27 March 1985**

**DEPARTMENT OF DEFENSE
HANDBOOK**



**RUBBER PRODUCTS:
RECOMMENDED SHELF LIFE**

THIS HANDBOOK IS FOR GUIDANCE ONLY
DO NOT CITE THIS HANDBOOK AS A REQUIREMENT

AMSC: N/A

FSC 9320

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

MIL-HDBK-695D

FOREWORD

1. This handbook is developed by the Department of Defense with the assistance of recognized technical societies in accordance with established procedure. This handbook is approved for use by all Departments and Agencies of the Department of Defense (DOD).
2. This handbook is for guidance only. If cited as a requirement, the contractor does not have to comply. The handbook covers elastomeric products of Military, Federal, and recognized industry specifications. It provides guidance as to the time periods during which these elastomeric products may be stored without deterioration.
3. Beneficial comments (recommendations, additions, deletions) and any pertinent data, which may be of use in improving this document, should be addressed to ASC/ENOI, Bldg 560, 2530 Loop Road West, Wright-Patterson Air Force Base OH 45433-7101 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

MIL-HDBK-695D

CONTENTS

PARAGRAPH		PAGE
1.	SCOPE	1
2.	APPLICABLE DOCUMENTS	2
3.	DEFINITIONS	3
4.	GENERAL REQUIREMENTS	3
5	DETAILED REQUIREMENTS	4
6.	NOTES	4

LIST OF TABLES

TABLE I.	Age resistance generally associated with products fabricated from various rubbers.	5
TABLE II.	Military specifications.	6
TABLE III.	Military standards.	23
TABLE IV.	Federal specifications.	24
TABLE V.	Aerospace Materials Specifications.	29
TABLE VI.	American Society for Testing and Materials Specifications.	31
TABLE VII.	National Aerospace Standards.	33
TABLE VIII.	Society of Automotive Engineers Standards.	36
APPENDIX A - RELATED DOCUMENTS		39

MIL-HDBK-695D

1. SCOPE

1.1 Purpose.

This handbook establishes guidelines for time periods for the expected life of elastomeric products during shelf storage. The use of the expected shelf storage lives listed herein is NOT MADE MANDATORY by this handbook. The decision as to whether or not a product will have a limit placed upon the time that it may remain in storage is a function of the agency responsible for the product's ultimate use.

1.2 Scope.

The handbook covers only those elastomeric products described by Government specifications and standards or by nationally recognized technical society specifications and standards. The documents defining the items covered by this handbook were selected from the following sources:

- a. *Department of Defense Index of Specifications and Standards (DODISS)* (available from Defense Automated Printing Service (DAPS), ATTN: DODSSP, Code NPP-9, Bldg. 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094).
- b. *Aerospace Materials Specifications (AMS) Index* and *Society of Automotive Engineers (SAE) Handbook* (both available from Society of Automotive Engineers (SAE), 400 Commonwealth Drive, Warrendale, PA 15096-0001).
- c. *National Aerospace Standards (NAS)* (published and distributed by Aerospace Industries Association of America, Inc., 1250 I Street NW, Suite 1100, Washington DC 20005-3924).
- d. *American Society for Testing and Materials (ASTM) Specifications* (available from American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959).

1.2.1 Products included.

The types of elastomeric products covered by this handbook are as follows:

- a. Products fabricated solely from rubber. These include solid rubber, cellular rubber and hard rubber (ebonite) items.
- b. Composites in which the rubber is present as a discrete phase. Examples are cables, fabric reinforced gaskets, non-aerospace hose, rubber coated fabrics, shock mounts and tires.
- c. Kits, accessories and outfits. The shelf life for these items should be determined by the component with the earliest expiration date.

1.2.2 Products excluded.

The types of products excluded from this handbook are as follows:

- a. Rubber-base adhesives, coatings, sealers, and liquid rubber materials packaged in cans or tubes.
- b. Rubber tapes.
- c. O-rings and other molded seals. Refer to *SAE ARP5316* for recommended shelf lives.
- d. Aerospace hoses and hose assemblies. Consult *SAE AS1933A* for age limits for acceptance of aerospace hoses and hose assemblies.
- e. Unvulcanized rubber, such as tread repair stock and tank lining sheet stock.

MIL-HDBK-695D

- f. Composites in which the rubber is in admixture with other ingredients, for example, rubber-asbestos packings and rubber-cork gaskets.
- g. Subassemblies, assemblies and systems which contain elastometric items as component parts, such as small arms, weapons, vehicles, aircraft, missiles and space vehicles.
- h. Products fabricated from flexible materials that are not elastomeric, for example, some plastics.

1.3 Application.

The information contained in this handbook is intended as a guide for use by those agencies whose responsibility it is to place control requirements on rubber products, as well as by those activities whose responsibility it is to control the age of products stocked in Government storage facilities. The handbook is not intended for use in controlling the age of rubber products prior to their acceptance by the Government or by Government contractors. The handbook does not make mandatory the disposition of rubber products that have been in storage longer than the periods recommended. The decision as to whether or not to dispose of "overage" products is a function of the storage, supply or using facilities. Responsible activities should make every attempt to limit the procurements of rubber products to the extent that large volumes of "overage" products will not be accumulated in storage. Where feasible and economically practical, "overage" products should be tested to determine whether or not they meet the requirements of the applicable specifications. Procurement documents should require the mold marking of the cure date, such as the year and month on the rubber product (or on its package) and careful records kept of the cure date of all stored rubber products. When age limitations of the detail specification listed herein conflict with the requirements herein, the requirements of the detail specification will govern.

2. APPLICABLE DOCUMENTS**2.1 General.**

The documents listed below are not necessarily all of the documents referenced herein, but are needed to fully understand the information provided by this handbook.

2.2 Government documents.

Department of Defense Index of Specifications and Standards (DODISS) (available from Defense Automated Printing Service (DAPS), ATTN: DODSSP, Code NPP-9, Bldg. 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094).

2.3 Non-Government publications.

The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents that are DoD adopted are those listed in the latest issue of the DoDISS, and supplement thereto.

SAE AS 1933	Age Controls for Hose Containing Age-Sensitive Elastomeric Material
SAE ARP 5316	Storage of Aerospace Elastomeric Seals and Seal Assemblies Which Include an Elastomer Element Prior to Hardware Assembly

(Application for copies should be addressed to the Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

MIL-HDBK-695D

3. DEFINITIONS

3.1 Age resistance - Resistance to deterioration in storage by environmental factors, such as heat, light and ozone.

3.2 Cure date - The date the rubber is fully cured. Two methods in expressing the cure date are as follows:

- a. Shelf life to a maximum of 3 years. Cure date stated in terms of month of calendar year and the year, i.e., 6-83.
- b. Shelf life in excess of 3 years. Cure date stated in terms of the quarter of calendar year and the year, i.e., 2Q-83.

3.3 Shelf life - The maximum period of time, from cure date, to the date the elastomeric product is used as a component part in subassemblies, assemblies and systems. During the shelf life time, the stored elastomeric product is expected to retain its characteristics as originally specified.

3.4 Acceptance Life - This is the maximum life at the age at acceptance. The age limit at acceptance for hoses and hose assemblies is 32 quarters. See SAE AS1933 for aerospace hoses.

3.5 Service Life - A general term used to quantify the average or mean life of an item while in use. Service life, which is depicted in years, is the number of years of economical service reasonably expected of equipment as established in applicable DoD, Service, and/or Agency manuals, bulletins, regulations, instruction manuals, and/or the technical judgement of the item and/or equipment manager.

4. GENERAL REQUIREMENTS**4.1 Introduction.**

The most important factors involved in the shelf life of rubber products are (1) the initial quality level of the product, (2) the quality assurance provisions of the specification under which the item was procured, and (3) the age resistance of the rubber from which the product was fabricated. The relative importance of these factors is difficult to assess, especially because the age resistance of the raw rubber does not always correspond to the age resistance of the finished product. For example, consider two items both fabricated from the same nitrile base polymer, one meeting a specification having comprehensive requirements; the other meeting a specification with loose requirements. In the first instance, it is quite probable that good age resistance will be "built in" to the product by virtue of the optimum compounding ingredients and fabrication techniques that must be employed in order to manufacture the high quality product required by the specification. In the latter instance, it is likely that the product will have lesser resistance, consistent with the minimal demands of the specification.

4.2 Basis for detailed requirements.

The following guidelines were used to establish the expected shelf life periods listed.

- a. It was assumed that each rubber product met the initial requirements of the applicable specification.
- b. It was assumed that each rubber product was packaged and stored in the manner prescribed, in order to minimize deterioration due to such factors as temperature, humidity, ozone, sunlight, oils, solvents, corrosive liquids and fumes, insects and rodents.
- c. The severity of the specification requirements for an item was considered, especially those requirements that related to age resistance, such as resistance to accelerated air aging, resistance to ozone, compression set and cyclic performance at temperature extremes.
- d. The type of rubber from which the item was fabricated was one of the most important criteria used in assigning the expected shelf life value.

MIL-HDBK-695D

5. DETAILED REQUIREMENTS

Table I indicates the age resistance generally associated with products based on various types of rubber. *Tables II* through *VIII*, inclusive, give the expected shelf storage life for rubber products defined by military, government and technical society specifications and standards. The shelf life of rubber products that contain two or more different types of rubber (such as the tube and jacket of a wire cable) is generally based on the least age resistant rubber.

6. NOTES

(This Section contains information of a general or explanatory nature that may be helpful.)

6.1 Intended use.

This handbook is intended to establish guidelines for time periods for the expected shelf life of rubber products during storage. The information contained in this handbook is intended as a guide for use by those agencies whose responsibility is to place control requirements on rubber products, as well as those activities whose responsibility is to control the age of products stocked in Government storage facilities.

6.2 Subject term (key word) listing.

Age control
Elastomeric seal
Rubber products
Shelf life

6.3 Changes from previous issue.

Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodians:

Army - MR
Navy - SH
Air Force - 11

Preparing Activity:

Air Force - 11

Project No. 9320-0032

Review Activities:

Army - GL, CR, MI, CR4, AR
Navy - AS, YD, OS
DLA - GS, IS
Air Force - 99

MIL-HDBK-695D

TABLE I. Age resistance generally associated with products fabricated from various rubbers.

Type of Rubber	Common or Trade Name	ASTM D1418 Abbreviation	ASTM D2000 Abbreviation	MIL-STD-417 Designation
Up to 20 Years				
Silicone	Silicone	Q	FE	TA
Fluorosilicone	Silastic LS	FVMQ	FK	TA
Polysulfide	Thiokol	T	BK	SA
Fluorocarbons	Fluorel, Viton	FKM	HK	
Polyacrylate	Acrylic	ACM, ANM	DF, DH	TB
Perfluorcarbon	KALREZ	FFKM	-	-
5 to 10 Years				
¹ Butadiene/acrylonitrile	Nitrile, NBR	NBR	BF, BG, CH	SB
Chlorosulfonated polyethylene	Hypalon	CSM	CE	-
Isobutylene/ Isoprene	Butyl	IIR	AA, BA	RS
Polychloroprene	Neoprene	CR	BC, BE	SC
Polyether Urethane	Urethane	EU	BG	
Polypropylene oxide	Propylene oxide	GPO	-	-
Ethylene/propylene diene	Ethylene propylene terpolymer	EPDM	BA, CA	-
Ethylene/propylene Epichlorohydrin homopolymer	Ethylene propylene copolymer	EPM	BA, CA	
	Hydrin 100, Herclor H	CO		
Epichlorohydrin ethylene oxide	Hydrin 200, Herclor C	ECO		
3 to 5 Years				
¹ Butadiene/acrylonitrile	Nitrile, NBR	NBR	BF, BG, BK, CH	SB
Butadiene/styrene	SBR	SBR	AA, BA	RS
Cis-polybutadiene	Butadiene	BR	AA	RN
Cis 1, 4, poly-isoprene	Natural, pale crepe	NR	AA	RN
Cis 1, 4, poly-isoprene	Synthetic natural	IR	AA	RN
² Polyester urethane	Urethane	AU	-	-

¹See table II through VIII.²Some polyester urethanes have very poor resistance to water and humidity.

MIL-HDBK-695D

TABLE II. Military specifications.

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-C-17</i>		Cables, Radio frequency; Coaxial, Dual Coaxial, Twin Conductor, & Twin Lead: Core Dielectric Types D, E and H Type J Type L Jacket: Type IV Type VI Type VIII Gasket Nonmetallic, Synthetic Rubber Cable, (Wire), Two Conductor, Parallel (Ripcord) Types IV, V and VI Leads, Electrical, Arc Welding (see <i>J-L-2744</i>) Overshoe, Rubber (Man's, 5 Buckle Type) (see <i>A-A-50362</i>) Type I and II Cloth, (Cotton Duck), Laminated, Synthetic Rubber Impregnated, Oil Resistant Class I Class II Rubber Gasket Material, 45 Durometer Hardness	- IIR CR Q CR SBR SBR NR or SYN ³ CR NBR SBR	- NBR - - - - - -	3 10 20 8 20 8 3 3 3 3 5 3 3
<i>MIL-G-432</i>	Inactivated 1998				
<i>MIL-C-442</i>	Inactivated 1997				
<i>MIL-L-741</i>	Cancelled 1991				
<i>MIL-O-836</i>	Cancelled 1995				
<i>MIL-C-882</i>					
<i>MIL-PRF-900</i>					

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.³SYN - synthetic (for other abbreviations see Table I).

MIL-HDBK-695D

TABLE II. Military specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-M-910</i>		Mats, Floor, Standing			3
<i>MIL-C-915</i>		Cable and Cord, Electrical for Shipboard Use, (Gen. Spec. for)			
		Type CVSF	SYN & CR	-	5
		Type DCOP (see <i>MIL-C-24643</i>)	SYN & CR	-	5
		Type DHOF	IIR & CR	-	8
		Type DSS	SYN & CR	-	5
		Type DLT	NR & CR	-	5
		Type FSCF	IIR & CR	-	8
		Type FHOF	IIR & CR	-	8
		Type FSS	SYN & CR	-	5
		Type JAS	IIR & CR	-	8
		Type MCSC	SYN & CR	-	5
		Type MCOS (see <i>MIL-C-24643</i>)	SYN & CR	-	5
		Type MSS	CR	-	8
		Type SDU	SYN & CR	-	5
		Type SSF (see <i>MIL-C-24643</i>)	IIR & CR	-	8
		Type TCOP (see <i>MIL-C-24643</i>)	SYN & CR	-	5
		Type THOF	SYN & CR	-	5
		Type TRF	IIR & CR	-	8
		Type TRXF	SYN & CR	-	5
		Type TSS	CR	-	8
<i>MIL-G-1086</i>	Cancelled 1992	Gasket Material, Synthetic Rubber (For Bolted Steel & Aluminum Tanks) (see <i>MIL-R-6855</i>)	SYN & CR	-	5
		Type I	-	CR	8
		Type II	-	NBR	3
<i>MIL-PRF-1149</i>		Gasket Material Synthetic Rubber, 50 and 65 Durometer Hardness			
		Class 1 - Types I & II	CR		8
		Class 2 - Types I & II	SBR		3
		Class 3 - Types I & II	IIR		10
		Class 5 - Types I & II	NBR		3
<i>MIL-R-1229</i>	Cancelled 1987	Rubber Sheet Packing, Solid, Wire Cloth Inserted Symbol 2354 (no superseding document)	-	SBR	3

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-R-1832</i>	Cancelled 1997	Rubber Band, Parachute Suspension Line Type I (no superseding document)	NR	-	3
<i>MIL-T-1956</i>		Tarpaulin, Waterproof, Special Purpose, 10 Feet Long by 8 Feet Wide			
		All Classes			
<i>MIL-C-2486</i>	Inactivated 1997	Cable, Special Purpose, Electrical WM-46/U	-	-	3
<i>MIL-P-2693</i>	Cancelled 1986	Packing Material, Cold Storage Door Gasketing, Nonwatertight (no superseding document)	SBR	-	3
		Type A	-	CR	8
<i>MIL-J-2829</i>	Cancelled 1986	Type B Joint Sealing Packing (no superseding document) Types I & II - Classes 1 & 2	-	NR (core)	2
<i>MIL-B-2885</i>	Cancelled 1995	Boots, Firemen's (see A-A-50371)	-	CR	8
<i>MIL-P-2911</i>	Cancelled 1993	Packing Assembly, Hydraulic, Conical & V Types (no superseding document)	NR or SYN	-	3
<i>MIL-PRF-2912</i>		Synthetic Rubber Compound, Acid & Oil Resistant (For Lining Battery Compartments on Submarines)			
		Class 1 - Types I & II			
<i>MIL-D-2921</i>	Cancelled 1988	Class 2 - Types I & II Disks, Rubber (Cellular, Hard) (no superseding document)	CR NBR	- -	5 3
		Type A	Reclaim	-	3
<i>MIL-G-3036</i>	Cancelled 1998	Type B - Class a Type B - Class b Grommets - Elastic, Hot-Oil & Coolant-Resistant (see NASM 3036)	SBR NBR	- NBR	3 3
<i>MIL-R-3065</i>		Rubber, Fabricated Products (see MIL-STD-417)		NBR	3
<i>MIL-DTL-3100</i>		Wheels, Solid Elastomer Tired, for Track Laying Vehicles		SBR	5
<i>MIL-C-3133</i>		Cellular Elastomeric Materials, Molded or Fabricated Parts (See MIL-STD-670)			3
<i>MIL-D-3377</i>	Cancelled 1986	Diaphragms, Synthetic Rubber	-	-	3
<i>MIL-I-3190</i>		Insulation Sleeving, Electrical, Flexible, Coated, General Specification for			

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-C-3432</i>		Cable, (Power and Special Purpose) and Wire, Electrical (300 and 600 volts) Class C Class 0	SBR	- SBR (insulator)	3 3
		Class L Class D	SBR SBR (insulator)	- -	3 3
<i>MIL-R-3533</i>		Rubber, Synthetic: Sheet, Strip & Molded Types I & II - Classes 1 & 2	-	NBR	3
<i>MIL-C-3702</i>		Cables, Power, Electrical: Ignition, High Tension Grade B Grade C Grade D		Q CSM Q	20 10 20
<i>MIL-R-3842</i>	Cancelled 1993	Rubber Stamp Kit, Food Inspection (no superseding document)	-	-	3
<i>MIL-C-3849</i>	Inactivated 1991	Cord, Electrical (Tinsel) (See <i>MIL-I-3930</i>)			
<i>MIL-H-3868</i>	Cancelled 1994	Hose Assemblies, Nonmetallic: Grease Gun, High & Low Pressure (see <i>SAE-J516 & J517</i>)	-	-	3
<i>MIL-C-3885</i>	Inactivated 1999	Cable Assemblies & Cord Assemblies, Electrical (For Use in Electronic, Communication & Associated Electrical Equipment)	NR or SYN (jacket)	-	3
<i>MIL-I-3930</i>	Inactivated 1999	Insulating & Jacketing Compounds, Electrical (For Cables, Cords & Wires) Type IS Type IS-L Type IR Type IL Type II-S Type IL-H Type IL-RN Type JS Type JS-L Type JR Type JN Type JN-L	SBR SBR NR NR SBR NR NR SBR SBR NR CR CR		3 3 3 3 3 3 3 3 3 3 8 5
<i>MIL-H-3992</i>		Hose & Hose Assembly, Rubber: Air & Vacuum Brake, Automotive All Types & Classes	-	-	3

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-H-4497</i>	Cancelled 1996	Hose, Cotton, Rubber Lined, Water, Braided Construction With Couplings (no superseding document)			3
<i>MIL-H-4536</i>	Cancelled 1966	Hose, Rubber Bromochloromethane Resistant	-	-	3
<i>MIL-B-4792</i>	Inactivated 1997	Bumpers, Rubber Duplex Round Type I Type II	<i>MIL-R-6130</i> , Type 11, Grade A (core), (superseded by <i>SAE-AMS-R-6130</i>)	SBR (core)	3 3
<i>MIL-I-4997</i>	Inactivated 1997	Insulating & Jacketing Compounds for Use in Cords, Cordages & Cables Insulation Jacket	NR CR	- -	3 8
<i>MIL-R-5001</i>	Cancelled 1998	Rubber; Cellular Sheet Molded & Hand-built Shapes; Latex Foam (see <i>SAE-AMS-R-5001</i>) Composition 1 Composition 2	NR NR	- -	3 3
<i>MIL-T-5014</i>		Inner Tube, Pneumatic Tire, Aircraft			5
<i>MIL-PRF-5041</i>		Tires, Pneumatic, Aircraft			5
<i>MIL-C-5136</i>		Cable, Power, Electrical, Polychloroprene Sheathed, Buna Compound Insulated		NR & SYN	5
<i>MIL-B-5423</i>		Boots, Dust & Water Seal (For Toggle Pushbutton Switches & Rotary Actual Parts), General Specification For All Types & Styles	SBR (insulation)		5
<i>MIL-A-5498</i>	Inactivated 1996	Accumulators, Aircraft Hydropneumatic Pressure Type I	Q		20
<i>MIL-T-5579</i>	Cancelled 1987	Tanks; Self-Sealing Oil Aircraft (no superseding document) Cord; Elastic, Exerciser & Shock Absorber for Aeronautical Use	- -	NBR NBR	3 8
<i>MIL-W-5664</i>		All Types	NR	-	3
<i>MIL-C-5756</i>		Webbing, Textile, Elastic, Cotton	-		3
<i>MIL-DTL-6000</i>		Cable & Wire, Power, Electric, Portable	NR or SYN	-	8
<i>MIL-R-6130</i>	Cancelled 1998	Hose, Rubber (Fuel, Oil, Coolant Water and Alcohol) Rubber, Cellular, Chemically Blown (see <i>SAE-AMS-R-6130</i>) Grade A - Types I & II Conditions Soft, Medium & Firm Grade B - Types I & II Conditions Soft, Medium & Firm Grade C - Types I & II Conditions Soft, Medium & Firm	- - - - - -	CR SBR NR	5 3 3

NOTES:

¹If no elastomer is listed, none is required by the specification.² If no elastomer is listed, the elastomer commonly used is unknown.

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life, Years
MIL-DTL-6000		Hose, Rubber (Fuel, Oil, Coolant Water and Alcohol)	-	-	4
MIL-R-6130	Cancelled 1988	Rubber; Cellular, Chemically Blown (see SAE-AMS-R-6130) Grade A - Types I & II Conditions Soft, Medium & Firm Grade B - Types I & II Conditions Soft, Medium & Firm Grade C - Types I & II Conditions Soft, Medium & Firm Cord: Headset-Microphone, CX-1301/AR (no superseding document) Cork and Rubber Composition Sheet, for Aromatic Fuel and Oil Resistant Gaskets (see AMS-C-6183) Boots, Extreme Cold Weather, N-IB Hose, Rubber, Wire-Wound, Synthetic, Ice Eliminating System (use SAE-AS-6399) Hose, Rubber, Aircraft Paint Finish Remover Hose Assemblies, Rubber, Fuel and Water with Reattachable Couplings, Low Temperature Nipple, Electrical Terminal (no superseding document) Rubber; Synthetic, Sheets, Strips, Molded or Extruded Shapes (see SAE-AMS-R-6855) Class 1 - All Grades Class 2 - All Grades Class 3 - All Grades Class 4 - All Grades Class 5 - All Grades Rubber; Anodic Hose, Air Duct, For Ground Heaters Mask, Oxygen (use MIL-M-27274, Inactivated 1996) Cloth, Coated, Chloroprene, Fiberglass Types I & II (see AMS 3783) Hose, Rubber, Flame-Resistant (no superseding document) Cloth, Coated, Rubber, Nylon Base Varieties S & P Cloth, Coated, Nylon, Rubber-Coated, Fuel Resistant Type I Type II Clamps, Loop Type, Support Type II, Classes A & B Type III Type IV, Classes A & B	-	-	5 3 3 3 3 NR - - - CR Q - - - - - - Q CR NBR (Tube) NR or SYN - NBR - NBR - NBR Q CR
MIL-C-6166	Cancelled 1993				
MIL-C-6183	Cancelled 1998				
MIL-B-6362					5
MIL-H-6399	Cancelled 1999				3
MIL-H-6439					3
MIL-DTL-6615					5
MIL-N-6748	Cancelled 1996				20
MIL-R-6855	Cancelled 1998				
MIL-R-6891	Cancelled 1950				10
MIL-H-7365					10
MIL-M-7585	Cancelled 1983				3
MIL-C-7637	Cancelled 1988				10
MIL-H-7938	Cancelled 1992				3
MIL-C-7966	Cancelled 1999				3
MIL-C-8068					3
MIL-C-8603	Inactivated 1997				3

¹ If no elastomer is listed, none is required by the specification.

²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd)

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
MIL-W-8777	Inactivated 1998	Wire, Electrical, Silicone-Insulated Copper, 600 Volt, 200 C	Q	-	20
MIL-A-8897	Cancelled 1987	Accumulators, Hydraulic, Cylindrical 3,000 psi Aircraft, Type II Systems (see MIL-A-5498, Inactivated 1996)	-	-	3
MIL-C-9074		Cloth, Laminated, Sateen, Rubberized	NR or SYN	-	3
MIL-P-10018		Pail, Collapsible, 10 Quart Capacity	SYN	-	3
MIL-C-10065	Inactivated 1997	Cables, Special Purpose, Electrical (Multipair Audio Frequency)	SBR	-	3
MIL-F-10135	Cancelled 1995	Faceblanks, Field Protective Mask, Natural Rubber, General Specification (no superseding document)	NR	-	3
MIL-C-10351	Cancelled 1999	Cloth, Laminated & Coated for Waterproof Containers Types I & II	NR or SYN	SBR	3
MIL-C-10369	Inactivated 1998	Cables, Telephone, Field, For Rapid Payout (MX-306 A/G)			3
MIL-C-10392	Inactivated 1997	Cables, Electrical (Audio, Miniature)	SBR	-	3
MIL-C-10797	Cancelled 1998	Cloth, Coated, Glass, Silicone Rubber-Coated (see A-A-55280)	Q	-	20
MIL-H-10868	Cancelled 1995	Hose Assembly, Rubber, Utility, Gasoline (1/4 Inch Inside Diameter) (no superseding document)	ECO (Tube)	-	5
MIL-B-11040		Belt, V: Engine Accessory Drive	NR or SYN	-	6
MIL-C-11097	Cancelled 1991	Cable, Telephone (W-50-A) (no superseding document)	SBR (insulation)	-	5
MIL-C-11390		Cloth, Laminated: Cotton, Balloon, 3-Ply, Air Retaining, Chloroprene	CR	-	5
MIL-PRF-11588		Hose Assembly, Rubber, Synthetic, Liquid Petroleum Fuels, Dispensing Collapsible			
		All Types			
MIL-P-11719	Cancelled 1997	Packing, Preformed; Pneumatic Hose Couplings, Universal (no superseding document)	NBR (Tube)	-	3
MIL-DTL-11891		Track Shoe Assemblies, Track Shoe Pads and Track Shoe Sets, Vehicular Rubberized	CR	-	5
		Types I & II			
MIL-C-11997	Inactivated 1999	Cord Assembly, Electrical CX-3151(U) Retractable	NR (insulation)	SBR NR or BR	3
MIL-S-12100	Cancelled 1996	Shock Mounts M-447, M-448, M-449 & Bracket FT-512 (no superseding document)	NR or CR	-	3
MIL-C-12189		Cloth, Coated, Butyl Coated, Toxicological Agents, Protective			
		All Types & Classes	IIR	-	10

NOTE:

¹If the elastomer is not listed, none is required by the specification.²If the elastomer is not listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd)

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-G-12223</i>		Gloves Toxicological Agents Protective	IIR	-	10
<i>MIL-E-12397</i>		Eraser, Rubber-Pumice (For Testing Coated Optical Elements)		NR	3
<i>MIL-P-12420</i>	Cancelled 1996	Plastic Material Cellular, Elastomeric	Vinyl, NBR or other rubber	-	3
<i>MIL-C-12423</i>	Inactivated 1997	All Types & Classes (no superseding document)		SBR (insulation)	5
		Cable, Telephone WD-33/U	-	-	5
<i>MIL-T-12459</i>	Cancelled 1997	Tire, Pneumatic: For Military Ground Vehicles (see <i>SAE-J2014</i>)	NR or SYN	-	5
<i>MIL-M-12863</i>	Cancelled 1996	Mounts, Vibration (Vibration Mounts MT-1177 (U), MT-1178 (U) & MT-1179 (U) (no superseding document))	NR or CR	-	3
<i>MIL-W-13075</i>	Inactivated 1991	Wire, Electrical (Wire W-124, W-125 & W-128)	SBR	-	3
<i>MIL-C-13077</i>	Inactivated 1997	Cable, Special Purpose, Electrical (Cordage CO-212 & Cable, Special Purpose, Electrical WD-32/U)	SBR	-	3
<i>MIL-W-13169</i>	Inactivated 1997	Wire, Electrical (For Instrument Test Leads)	SBR	-	3
<i>MIL-G-13210</i>	Inactivated 1996	Gaskets, Rubber	NR or SYN	-	3
<i>MIL-C-13273</i>	Inactivated 1997	Cord, Electrical (Retractable, 2, 3 & 4 Conductor, WD-9/U, WT-2/U, WF-4/U)	NR (insulation)	-	3
<i>MIL-DTL-13444</i>		Hose Rubber: & Hose Assembly Rubber: Fuel & Oil (For Automotive Application)			
<i>MIL-C-13486</i>		Types I & II	-	NBR (Tube)	3
		Cable, Special Purpose Electrical: Low- Tension, Heavy Duty, Single Conductor & Multiconductor			5
<i>MIL-DTL-13531</i>		Types I & II			
<i>MIL-PRF-13719</i>		Hose, Rubber & Hose Assemblies: Hydraulic, Flexible Hose Assembly, Rubber; Hydraulic Brake		CR (Jacket)	3
<i>MIL-C-13892</i>	Inactivated 1991	Cable, Telephone (Flexible)(Cords & Cordage, Multipair)	NBR (Tube)	-	3
<i>MIL-C-14055</i>	Inactivated 1999	Cup, Hydraulic Brake Actuating Cylinder: Synthetic Rubber	SBR or CR (Tube)	-	3
<i>MIL-R-14328</i>	Cancelled 1997	Rubber, Synthetic, Medium Soft, General Purpose Gasket Material (For Extreme Climatic Conditions) (no superseding document)	NR or SBR	-	3
<i>MIL-R-14364</i>	Cancelled 1996	Rollers, Rubberized, Pneumatic: Bridge Erection (no superseding document)	SBR	SBR	3
<i>MIL-C-14366</i>	Cancelled 1999	Cloth, Coated Nylon Twill, One Side Coated	CR		5
<i>MIL-T-14398</i>	Cancelled 1991	Tanks, Fabric Collapsible: Water, Nylon Rubber-Coated (See <i>MIL-T-53048</i> , Inactivated 1998)	NBR		3
			EPDM		5

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd)

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-P-14401</i>	Cancelled 1993	Pads, Cushioning; Personnel-Protection, Vehicular (see A-A-52430) Types I & II, Class CS Types I & II, Class VS Type I, Class FR	- Vinyl - CR	SBR - NR or CR -	3 3 3 5
<i>MIL-C-14505</i>		Cloth, Nylons Polychloroprene Coated (For Pneumatic Floating Equipment)			
<i>MIL-I-14511</i>	Cancelled 1992	Insulation Sheet, Cellular, Plastic, Thermal (see A-A-52404)	-	-	3
<i>MIL-P-14574</i>	Cancelled 1997	Packing (Wiper Ring), Synthetic Rubber Cloth Insertion (no superseding document)	-	CR or NBR	5
<i>MIL-C-14625</i>	Cancelled 1990	Curing Bags & Tubes, Tire Repair, Recapping and Retreading (no superseding document) Type I, Classes 1 & 2 Type II; Classes 1 & 2	NR (no marking) IIR (blue stripe)	- -	3 10
<i>MIL-S-15058</i>	Cancelled 1987	Rubber, Shaft Covering Materials (For Marine Propeller Shafts) (no superseding document) Types I, II & III Class I Class II Class III	CR SBR NBR	- - -	5 3 3
<i>MIL-H-0015100</i>	Cancelled 1997	Hose, Rubber, Wire-Reinforced (Oil & Gasoline, Suction & Discharge Smooth-Bore) (no superseding document) Types A & B	NBR (Tube)	-	3
<i>MIL-C-15104</i>		Cloth, Coated, Fire Resistant, Berth & Bedding Cover	-	-	3
<i>MIL-H-15217</i>	Cancelled 1997	Hose, Rubber, Sandblast (see ISO 3861)	NR or SYN (Tube)	-	3
<i>MIL-DTL-15562</i>		Matting or Sheet, Floor Covering Insulating for High Voltage Application	SYN or Reclaim	-	3
<i>MIL-PRF-15624</i>		Rubber Gasket Materials 50 Durometer hardness (Maximum) Class I Class II Class III	CR SBR NBR	- - -	8 3 3
<i>DOD-P-15816</i>	Cancelled 1989	Parts, Hard Rubber for Use with Submarine Storage Batteries (no superseding document)	NR or SYN	-	10
<i>DOD-P-15817</i>	Cancelled 1989	Parts, Synthetic Rubber, For Use with Batteries or In Battery Compartments of Submarines (no superseding document)	-	SBR	3

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd)

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-C-15987</i>		Cable Assemblies, Power, Electrical (With Grounding for 440-Volt Portable Equipment)	IR	-	8
<i>MIL-R-16402</i>	Cancelled 1985	Raincoat, Man, Nylon Rubber Coated, Green	NBR	-	3
<i>MIL-I-16562</i>	Cancelled 1996	Insulation, Synthetic, Rubber-Like, Chemically Expanded, Cellular (Sheet Form) (no superseding document)	-	-	3
<i>MIL-C-16839</i>		Cable, Special Purpose, Electrical (Underwater Use)	NR	-	3
<i>MIL-R-16920</i>	Cancelled 1990	Rubber Facing (For Rammer Heads)	NR or SYN	-	3
		(no superseding document)			
<i>MIL-M-17191</i>		Mounts, Resilient; Portsmouth Bonded Spool Type	CR or SBR	-	3
<i>MIL-C-17415</i>		Cloth, Coated & Webbing, Inflatable			
		Boat & Miscellaneous Use			
		Natural Coatings			
		Synthetic Coatings	NR	-	3
<i>MIL-DTL-17505</i>		Hose & Hose Assembly, Rubber Oil & Gasoline, Suction & Discharge	CR	-	5
		Mounts, Resilient; Types 6E2000	NBR (Tube)	-	3
<i>MIL-M-17508</i>		6E900, 7E450, 6E150 & 6E100			
		Types 6E200, 6E900, & 7E450			
		Types 6E150 & 6E100			
<i>MIL-D-17650</i>		Disk, Valve, Rubber, Insert Type	CR or NBR	-	3
<i>MIL-C-17694</i>		Cable & Cable Assemblies, Special Purpose, Electrical, Magnetic Minesweeping (Quad Cable)	NR	-	3
			insulation/ SBR or CSM	-	3
			jacket/ CR or CSM	-	5
<i>MIL-B-17901</i>		Bearing Components, Bonded Synthetic Rubber, Water Lubricated	-	-	3
<i>MIL-G-17927</i>		Gasket, Asbestos-Metallic Cover, Rubber Core	-	-	3
<i>MIL-W-17965</i>	Cancelled 1987	Webbing, Textile, Knitted, Nylon, Elastic, 4-1/4 Inch Width (no superseding document)	NR	-	3
<i>MIL-I-18057</i>	Cancelled 1986	Insulation Sleaving, Electrical, Flexible, Glass Fiber, Silicon Rubber Treated (see <i>MIL-I-3190</i>)	Q	-	20
<i>MIL-H-18158</i>	Inactivated 1999	Hose Assembly, Air Duct, Low Pressure, Fabric, Wire Stiffened, Retractable, Naval Shipboard Portable Ventilating Set Use	CR	-	5
<i>MIL-M-18351</i>		Mattresses & Mattress Ticks, Berth, Synthetic Cellular Rubber, Naval Shipboard	CR	-	3
		All Types			
<i>MIL-E-18648</i>	Cancelled 1955	Eye Guards, Rubber, for Optical Instruments (no superseding document)	-	-	3

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd)

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-B-18799</i> <i>MIL-C-19002</i>	Cancelled 1977	Bulbs, Flush, Water Closet Tank (no superseding document) Cloth, Coated, & Tape, Coated Cloth Chloroprene on Nylon Pneumatic Life Preserver	-	NR or SYN	3
<i>MIL-M-19018</i>	Cancelled 1987	Type I Mats, Floor, Rubber or Plastic, Light Gray, For Shipboard Shower Stalls (no superseding document)	CR	-	5
<i>MIL-P-19152</i>	Inactivated 1998	Packings, Hydraulic, High Pressure (for Hydropneumatic Systems)	-	NBR	3
<i>MIL-I-19254</i>	Cancelled 1974	Insulation Blanket, Electrical, 20,000 Volts Rating, with, Eyelets (see <i>ASTM D1048</i>)	NR or SYN	-	5
<i>MIL-M-19379</i>		Mounts, Resilient, Mare Island Types, Types 11M15, 11M25, & 10M50	CR or NBR	-	3
<i>MIL-M-19417</i>	Inactivated 1997	Mask, Oxygen & Smoke, Full Face	-	-	3
<i>MIL-C-19635</i>		Cloth, Coated, Non-Slip Table Covering	-	-	3
<i>MIL-H-19639</i>	Cancelled 1956	Hose Assemblies, Rubber, Paint Spray Equipment (see <i>ZZ-H-521</i>)	-	-	
		Class I	CR	-	8
		Class II	SBR or NBR (Tube)	-	3
		Class III	CR (Cover)	-	5
<i>MIL-C-19654</i>	Cancelled 1989	Cable, Telephone; Submarine (no superseding document)	SBR or SYN (insulation)	-	5
<i>MIL-C-19699</i>		Cloth, Coated (Nylon Taffeta)	CR	-	5
<i>MIL-PRF-19759</i>		Cloth, Waterproof	CR	-	5
<i>MIL-G-19769</i>	Inactivated 1995	Gaskets, Synthetic Rubber, Oil Resistant, Slide Valve (For 21-Inch Submerged Torpedo Tubes)	NBR	-	3
<i>MIL-C-19787</i>	Inactivated 1998	Cable, Electric, Torpedo, 65 Conductor (For Torpedo Control, Electric Setting)	CR (Sheath)	-	5
<i>MIL-M-19863</i>		Mount, Resilient, Type 5B5000	NR	-	3
<i>MIL-P-19918</i>	Cancelled 1996	Packing, V Ring (no superseding document)	-	NBR	3
<i>MIL-H-19992</i>	Cancelled 1975	Hose Assemblies, Flexible (Pneumatic), High Pressure Oil Resistant (no superseding document)	-	NBR	3
<i>MIL-G-20078</i>		Gaskets, Metal Inserted Rubber, Armored Hatch Type B	MIL-R-900	SBR	3

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-PRF-20092</i>		Rubber Sheets and Assembled and Molded Shapes, Cellular Synthetic, Open Cell (Foamed Latex)			
		Class 1 - Types I & II All Conditions	CR		3
		Class 3 - Types I & II All Conditions	CR		3
<i>MIL-DTL-20176</i>		Hose & Hose Assembly, Rubber, Non-collapsible, Smooth Bore, Light Weight, Sewage Discharge and Oily Waste Discharge		NBR	3
<i>MIL-B-20278</i>	Inactivated 1995	Bladders, Floation (Navy)	NR or SYN	-	3
<i>MIL-PRF-20696</i>		Cloth, Coated, Nylon Waterproof			
		Types I & II, Classes 1 & 3	CR	-	5
		Cloth, Coated, Nylon Raft Bottom	NR	-	3
<i>MIL-R-21252</i>		Rubber Sheet, Solid, Synthetic, Shipboard Water Evaporator Gasketing	SBR	-	3
<i>MIL-S-21558</i>	Inactivated 1995	Seals, Oil, Plain or Plain Encased	-	NBR	5
<i>MIL-G-21569</i>		Gaskets, Cylinder Liner Seal Synthetic Rubber			
		Class I	NBR	-	3
		Class II	Q	-	20
<i>MIL-G-21610</i>		Gaskets, Heat Exchanger, Various Cross Section Ring, Synthetic Rubber			
		Type I	NBR	-	3
		Type II	Q	-	20
<i>MIL-M-21649</i>		Mount, Resilient, Type 5M10,000-H	NR	-	3
<i>MIL-S-21923</i>	Cancelled 1996	Synthetic Rubber Compound, Butadiene-Styrene Type, Ozone Resistant, For Low Temperature Service (no superseding document)	SBR	-	3
<i>MIL-W-21985</i>	Cancelled 1998	Wheel, Cushion Tread (Semi-Pneumatic) for Mobile Ground Support Equipment (see SAE-AS21985)	-	-	5
<i>MIL-G-22050</i>		Gasket & Packing Material, Rubber For Use with Polar Fluids, Steam and Air at Moderately High Temperatures		IIR	10
<i>MIL-H-22240</i>		Hose, Rubber, Petroleum Based Fuels and Water Services, Discharge Only, Smooth Bore, Lightweight Buoyant Type			
		Type A & B	NBR (Tube)	-	3
<i>MIL-M-22322</i>	Cancelled 1964	Mounts, Resilient, Shear (For Use in Shipping Containers) (no superseding document)	NR or SYN		3
<i>MIL-C-22524</i>	Cancelled 1968	Cloth, Coated, Fire, Water, Mildew & Weather Resistant (see MIL-C-43006)	CSM	-	10
<i>MIL-DTL-22706</i>		Duct and Scuff Cover, Pneumatic, Flexible			
<i>MIL-C-22731</i>	Cancelled 1964	Cables, Controlled Mine (no superseding document)	SBR (insulation)	-	3

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-C-23020</i>	Inactivated 1997	Cable, Coaxial (For Submarine Use)	CR (Jacket)	-	5
<i>MIL-DTL-23053/1</i>	Cancelled 1999	Insulation sleeving, Electrical, Heat Shrinkable, Polychloroprene, Flexible (use SAE-AMS-DTL-25053/1)	CR	-	5
<i>MIL-DTL-23053/10</i>	Cancelled 1999	Insulation sleeving, Electrical Heat Shrinkable Silicone Rubber Flexible (use SAE-AMS-DTL-25053/10)	Q	-	20
<i>MIL-C-23070</i>		Cloth, Laminated, & Tape Coated Cloth Polyisoprene, Natural or Synthetic on Nylon	NR or IR	-	3
<i>MIL-R-23074</i>	Inactivated 1998	Rubber Tile, Rubber-Air-Lead-Type (RAL)	CR	-	8
<i>MIL-I-23578</i>	Cancelled 1983	Insulation Hose, Electrical & Insulation Hoods, Insulator (see ASTM D1049 & D1050)	NR or SYN	-	3
<i>MIL-G-23621</i>	Cancelled 1992	Guard, Splash, Wheel (see A-A-52402)	NR or SYN	-	3
<i>MIL-G-23652</i>	Cancelled 1984	Gasket & Packing Material, Petroleum & Phosphate Ester Fluid Resistant (see MIL-R-83248, Inactivated 1997)		FKM	20
<i>MIL-C-23962</i>	Cancelled; no replacement	Types I & II Cloth Coated & Laminated Polychloroprene on Nylon & Tape Polychloroprene, Unsupport	CR		5
<i>MIL-G-23983</i>	Cancelled 1999; no replacement	Gasket & Packing Materials Oil Resistant Rubber, Access Hull Applications	-	CR	5
<i>MIL-H-24520</i>	Cancelled 1989d	Hose & Hose Assembly for Water Cooling of Electronic Equipment (no superseding document)	EPDM		5
<i>MIL-H-24580</i>		Hose Assemblies Synthetic Rubber, Noncollapsible, Fire Fighting			
<i>MIL-H-25579</i>		Types A & B Hose Assembly, Terafluoroethylene, High Temperature Medium Pressure, General Requirements for	EPDM IIR (Cover)		5 10
<i>MIL-R-25897</i>	Cancelled 1970	Rubber, Fluorocarbon Elastomer, High Temperature Fluid Resistant (see MIL-R-83248, Inactivated 1997)	FKM	-	20
<i>MIL-D-26124</i>	Cancelled 1990	Duct and Duct Assembly, Pneumatic, Flexible (see MIL-DTL-22706)	-	-	3
<i>MIL-PRF-26385</i>		Hose, Oxygen and Pressurization, Ozone Resistant	-	-	3
<i>MIL-PRF-26514</i>		Polyurethane Foam, Rigid or Flexible for Packaging, Type I	AU	-	3
<i>MIL-DTL-26521</i>		Hose & Hose Assembly, Nonmetallic, Fuel, Collapsible, Low Temperature, With Non-reusable Couplings	CO, CR	-	8
<i>MIL-H-26633</i>		Hose Assembly, Polytetrafluoroethylene, Oxygen	CR (Cover)	-	8
<i>MIL-DTL-26666</i>		Hose Assembly, Pneumatic, High Pressure	CR (Cover)	-	5
<i>MIL-C-26712</i>		Cloth, Coated, Nylon, Chloroprene-Coated	CR	-	5
<i>MIL-C-26861</i>	Cancelled 1995	Cushioning Material, Resilient Type, General *	-	-	3
<i>MIL-DTL-26894</i>		Hose Assembly, Rubber, Gasoline, Refueling, Low Temperature	-	NBR	3

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

*Future acquisition see: A-A-59135 Cancelled 1997, PPP-C-850, PPP-C-1120, PPP-C-1752, PPP-C-1797, MIL-PRF-26514, or MIL-PRF-83671

MIL-HDBK-695D

TABLE II. Military specifications (cont'd).

Number	Status	title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-C-27212</i>		Cable, Power, Electrical, Airport Lighting Control	NR (insulation)	-	3
<i>MIL-M-27274</i>	Inactivated 1996	Mask, Oxygen, MBU-5/P	Q	-	20
<i>MIL-S-27332</i>	Inactivated 1997	Seat Cushion Insert, Polyurethane Foam	AU, EU	-	3
<i>MIL-C-27347</i>	Cancelled 1988	Plastic, General Spec For	Q	-	20
<i>MIL-H-27508</i>	Cancelled 1978	Cloth, Coated, Glass, Aluminum Face, Silicone Rubber Back (see AMS 36730)	NBR (Tube)	-	3
<i>MIL-DTL-27516</i>		Hose Assembly, Rubber GRK-6/E32R-1 (see MIL-DTL-26521)	NRB (Tube)	-	8
<i>MIL-PRF-28523</i>		Hose and Hose Assembly, Nonmetallic, Suction and Discharge	-	-	3
<i>MIL-H-28596</i>	Cancelled 1998	Hose Assembly, Rubber, Hydraulic Pneumatic, Jetting (400 psi Working Pressure)	-	IIR, CR, EPDM	10
<i>MIL-DTL-29210</i>		Hose Assembly, Rubber, Wire Reinforced 200 psig Saturated Steam Service (see A-A-59159)	IIR or EPDM (Tube)	-	5
<i>MIL-T-36966</i>	Cancelled 1990	Hose Assembly, Rubber, Metal Lined, Wire Reinforced, 250 psig, Standard and Superheated Steam Service	NR	-	3
<i>MIL-C-38149</i>	Cancelled 1997	Tubing, Nonmetallic, Rubber (see A-A-53848)	IIR	-	10
<i>MIL-S-40000</i>	Cancelled 1979	Cloth, Coated, Chlorobutyl, Metra-Aramid Fuel & Oxidizer Resistant (no superseding document)	NR	-	3
<i>MIL-M-40024</i>	Cancelled 1990	Shoes, Gymnasium (men's & Women's) (use MIL-S-43961, cancelled 1989) (see A-A-50137)	(outersole) NR	-	3
<i>MIL-S-40043</i>		Mattress, Bed: Foam-Rubber, Ambulance Stretcher (see A-A-51305)	-	-	3
<i>MIL-B-41816</i>		Soles, Rubber, Shoe	NR or SYN	-	3
<i>MIL-A-41829</i>		Classes 1, 2 and 5	NR or SYN	-	3
<i>MIL-S-43002</i>		Classes 3, 4 and 6	NR	-	5
<i>MIL-C-43006</i>		Boots, Insulated, Cold Weather, Rubber (Wet-Cold/Dry- Cold)	CR	-	5
<i>MIL-C-43062</i>		Apron, Utility, Impermeable, Rubber	Q	-	20
<i>MIL-C-43285</i>		Coated Fabric (General Purpose)	CSM	-	10
		Shield, Pipe, Space Heater	IIR	-	8
		Cloth and Strip, Laminated, Vinyl Nylon, High Strength, Flexible	CR & CSM	-	10
		Cloth Coated, Cotton, Resin Modified			
		Butyl Coated, Acid & Fuel Resistant			
		Cloth Coated (Chloroprene Base Coated, Chlorosulphonated Polyethylene Top Coated)			

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
MIL-C-43303		Cord, Elastic, Cotton	NR	-	3
MIL-C-43379	Cancelled 1969	Cover Hawk Missile Transport & Launcher (use MIL-DTL-2652I)	CR or CSM	-	10
MIL-PRF-43473		Cloth Coated Nylon Polyurethane Coated	AU or EU	-	3
MIL-C-43619	Cancelled 1987	Cloth, Netting, Cotton, Elasticized, Raschel Knit	NR or SYN	-	3
MIL-C-43656	Cancelled 1999	Cloth, Coated, Polyester, Silicone Rubber Coated (no superseding document)	Q	-	20
MIL-S-43961	Cancelled 1989	Shoes, Gymnasium, Heavy Duty (see A-A-50137)	NR or SYN	-	3
MIL-M-43968		Mattress Pneumatic, (Insulated)	NR or SYN	-	3
MIL-S-45005	Cancelled 1995	Classes 1 & 2	-	NBR	5
MIL-R-45036	Cancelled 1996	Seal, Plain & Seal, Plain, Encased: Fluid, Radial Single & Multiple Lip Seal (see A-A-52524)	-	-	3
		Rubber, Hard (Ebonite) Natural or Synthetic, Sheet, Strip, Rod, Tubing & Molded Parts (no superseding document)	-	-	3
		Grades A, B, C & D	NR or SYN	-	20
MIL-B-45326	Cancelled 1993	Boot, Dust & Moisture Seal: Hydraulic Brake Cylinder, Synthetic Rubber (see A-A-52410)	-	SBR	3
MIL-M-45907	Cancelled 1994	Mount, Shipping Container, Resilient: Shock & Vibration Damping (see A-A-52486)	NR	-	3
MIL-H-46089	Cancelled 1999	Rubber Sponge, Silicone (Closed Cell) (use ASTM-D1056)	Q	-	20
MIL-W-46759	Cancelled 1974	Wheel, Solid, Rubber, Tire, Rebuild of (See MIL-DTL-3100)	SYN	SBR	3
MIL-PRF-46846		Rubber, Synthetic, Heat Shrinkable			
		Type I	CR	-	5
		Type II	Q	-	20
		Type III	FKM	-	20
		Type IV	IIR	-	5
		Type V	EPDM	-	20
		Type VI	EPDM	-	20
MIL-B-50015	Inactivated 1996	Bulb, Aspirator	NR	-	3
MIL-F-50070	Cancelled 1995	Faceblank, C17 (no superseding document)	NR	-	3
MIL-H-51059	Cancelled 1996	Hose, Fuel, Flame Thrower, M8 (no superseding document)	NBR (Tube)	-	5
MIL-F-51109	Inactivated 1996	Faceblank, Protective Mask C12R4	NR	-	3
MIL-H-52079	Cancelled 1996	Hose, Preformed: Semi-Flexible Reinforced (see A-A-52546)	-	-	3
MIL-H-52262		Hose Assembly, Rubber, Lightweight, Collapsible, 4-inch	NBR (Tube) SYN (Cover)	-	3
MIL-C-52286		Cable & Assemblies, Power, Electrical (with Molded on Terminations)	-	-	3
MIL-DTL-52471		Hose & Hose Assemblies, Rubber, Hydraulic Pressure Type (Gen. Spec. for)	NBR (Tube)	-	3

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE II. Military specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-H-52544</i>	Cancelled 1993	Hose Rubber, Oil Suction, Wire Reinforced (see A-52413)	CR (Tube) NBR (Cover) NR-SYN	-	3
<i>MIL-B-52761</i>	Cancelled 1983	Belting, Flat: Conveyor, Rubber Industrial Synthetic Reinforcement (no superseding document)		-	3
<i>MIL-C-55036</i>		Cable, Telephone, WM-130 (I)/G	CR (Jacket)	-	5
<i>MIL-C-55040</i>		Cable, Special Purpose, Electrical (Retractable)	-	-	5
<i>MIL-C-55479</i>	Cancelled 1967	Cable, Assembly CX-162 & CX-163	-	CR	8
<i>MIL-C-55480</i>	Cancelled 1984	Cable, Telephone WC-534 (no superseding document)	-	CR	8
<i>MIL-C-55483</i>		Cable Power Electrical Flat Three Conductor	CR	-	8
<i>MIL-T-62118</i>	Cancelled 1986	Tread, Rubber, Strip Form Stock For Retreading Pneumatic Tires (see ZZ-T-416, cancelled 1995) (see A-52518)	NR, IR, SBR BR	-	3
<i>MIL-T-62129</i>	Cancelled 1997	Tire, Pneumatic, For Truck, Logistical (no superseding document)	-	-	3
<i>MIL-PRF-62136</i>		Wheel & Tire Assemblies, Foam Inflated Low Speed Highway & Off-Road	-	-	3
<i>MIL-T-62157</i>	Cancelled 1992	Tire, Pneumatic, With Flap, 1400-20 Run Flat (no superseding document)	-	-	3
<i>MIL-R-81090</i>	Inactivated 1995	Rubber, Electrically Conductive Fuel Resistant (no superseding document)	-	NBR	3
<i>MIL-H-81581</i>	Inactivated 1997	Hose Assembly, Breathing Oxygen & Air	Q	-	20
<i>MIL-H-82127</i>	Inactivated 4/5/99	Hose Assembly, Rubber (Synthetic): Fuel, Discharge, Collapsible	SYN	-	3
<i>MIL-H-82142</i>	Cancelled 1985	Hood, Rain, Woman's: Nylon, Rubber Coated Green (no superseding document)	NBR	-	3
<i>MIL-R-82190</i>	Cancelled 1985	Raincoat, Woman's, Nylon, Rubber Coated Green (see MIL-C-29381)	NBR	-	3
<i>MIL-G-82242</i>		Glove Shells, Radioactive Contaminants, Protective Cloth, Coated, Synthetic Rubber (Nitrile & Polychloroprene) (no superseding document)	NR	-	3
<i>MIL-C-82255</i>	Cancelled 1999	Types I, II, IV	CR	-	5
		Type III	NBR	-	3
<i>MIL-S-82258</i>	Cancelled 1988	Swim Fins, Rubber (no superseding document)	NR or IR	-	3
<i>MIL-T-82270</i>	Cancelled 1989	Trousers, Wet Suit (Chloroprene Foam) (no superseding document)	CR	-	3

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

TABLE II. Military specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-M-82272</i>	Cancelled 1989	Mittens, Wet Suit (Chloroprene Foam) (no superseding document)	CR	-	3
<i>MIL-C-83008</i>	Cancelled 1975	Cloth, Coated, Cotton & Nylon, Polyurethane (Microporus) Coated (no superseding document)	AU or EU	-	3 ¹
<i>MIL-R-83285</i>	Inactivated 1997	Rubber, Ethylene-Propylene, General Purpose	EPDM	-	5
<i>MIL-R-83322</i>	Cancelled 1988	Rubber, Carboxy-Nitroso; Nitrogen Tetroxide (N204) Resistant (no superseding document)	SYN	-	5
<i>MIL-C-83398</i>	Cancelled 1988	Cloth, Coated, Stretch, Polychloroprene Knitted Nylon (no superseding document)	CR	-	5

NOTES:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE III. Military standards

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>MIL-STD-417</i>	Cancelled 1995	Classification System and Tests for Solid Elastomeric Materials Rubber Compositions, Vulcanized General (no superseding document)			
		Purpose Solid	NR	-	3
		Class RN with Suffix A	-	IIR or SBR	5
		Class RS with Suffixes A ₁ C ₁	-	T	20
		Class SA	-	NBR	3
		Class SB	-	CR	8
		Class SC	-	Q	20
		Class TA	-	ACM	20
		Class TB	-		
<i>MIL-STD-670</i>	Cancelled 1995	Classification System & Tests for Cellular Elastomeric Materials (no superseding document)			
		Type R - Styles C, E, 0 & U	-	NR or SBR	3
		Class SB - Styles E & 0	-	NBR	3
		Class SC - Styles E & 0	-	CR	3
		Types T - Styles E & 0	-	Q	20
		Types U - Styles C & U	-	AU or EU	3
		Type V - Styles C, E, 0 & U	-	Vinyl	3

NOTE:

¹If elastomer is not listed, none is required by the specification.²If elastomer is not listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE IV. Federal specifications.

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>J-C-96</i>		Cable, Telephone (W-108-B)	SBR (insulation)	-	5
<i>J-C-175</i>		Cable Assembly, Power, Electrical, For 125-Volt, 250-Volt, and 125/250-Volt, 50-6-Hz. Equipment	-	CR	3
<i>J-C-580</i>		Cord, Flexible, & Wire, Fixture (Electrical, 0 to 600-Volt Service) Types C, K, P, P-2, PD, PO-2, PW PW-2, S, SO, SJ, SJO, SP-2, AFS, HC, HPD, HS, HSJ, HSJO, HSO, HPN, SP-3, SV, SVO, E, EO, SRD, SRDT, RF-2, FF-2, RFH-2 and FFH-2	CR (Outer Jacket)	-	3
<i>J-L-231</i>	Cancelled 1998	Types SF-2 & SFF-2 Lead, Storage - Battery (see A-A-59215) Type II	Q	-	20
<i>L-H-520</i>	Cancelled 1998	Hose & Hose Assemblies, (Nonmetallic, Rubber, Plastic) (see A-A-59270)	- NR or SYN	- -	3 3
<i>L-P-386</i>		Plastic Material, Cellular, Urethane Flexible	AU, EU	-	3
<i>DD-B-599</i>		Bottle, Stopper, Vaccine, Round & Stopper, Bottle, Rubber	-	NR	3
<i>GG-C-846</i>	Cancelled 1958	Cup Set, Polishing, Dental Handpiece (Rubber) (no superseding document)	NR or SYN	-	3
<i>GG-P-655</i>	Cancelled 1996	Printing Set, Rubber Type (see A-A-2991)	NR or SYN	-	3
<i>GG-S-727</i>	Cancelled 1953	Stamp Set, Rubber, Anatomical (no superseding document)	-	-	3
<i>HH-F-341</i>		Filler, Expansion Joint: Bituminous (Asphalt & Tar) and Nonbituminous (Non-extruding & Preformed for Concrete) Type II, Class A	NR or SYN NR or SYN	- -	3 3
<i>HH-G-156</i>		Gaskets Material, General Purpose Rubber Sheets Strips & Special Shapes	-	EU, AU	3
<i>HH-I-573</i>	Cancelled 1983	Insulation, Thermal, (Flexible Unicellular Sheet & Pipe Covering) (see ASTM-C-534)	-	-	3
<i>HH-P-151</i>		Packing; Rubber Sheet, Cloth Insert Class 1 Class 2 Class 3 Class 4	NR or SYN CR SBR NBR	- - - -	3 3 3 3
<i>JJ-W-155</i>		Webbing, Textile, (Cotton, Elastic) Types I & II, All Classes	NR or SYN	-	3

NOTE:

¹If elastomer is not listed, none is required by the specification.²If elastomer is not listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE IV. Federal specifications.

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>RR-T-650</i>		Tread, Metallic & Nonmetallic, Nonskid Type A	NR or SYN	-	3
<i>TT-1-600</i>		Inking Pad, Rubber Stamp Type III	NR or SYN		
<i>ZZ-B-71</i>	Cancelled 1993	Bags, Politzer (no superseding document) Class A	NR, IIR, CR, or SBR	-	3
<i>ZZ-B-101</i>		Class B			
<i>ZZ-B-117</i>	Cancelled 1944	Bandages, Rubber (no superseding document)	CR	-	5
<i>ZZ-B-117</i>	Cancelled 1989	Band, Ligation, Dental, Rubber (no superseding document)	NR	-	3
<i>ZZ-B-190</i>	Cancelled 1993	Belt, V, Engine-Accessory-Drive, Minus 40°F (Gen. Spec. For) (see A-A-52155)	NR	-	3
<i>ZZ-B-206</i>	Cancelled 1966	Belting, Flat, Conveyor; Rubber All Types (see MIL-B-52761, cancelled - no superseding document)	NR or SYN	-	6
<i>ZZ-B-215</i>	Cancelled 1994	Belt, V, Light Duty or Fractional Horsepower (see A-A-52490)	NR, IIR, CR, or SBR	-	5
<i>ZZ-B-220</i>	Cancelled 1968	Belting, V, Adjustable Link (no superseding document) Type I	NR or SYN	-	6
<i>ZZ-B-225</i>	Cancelled 1995	Belt, V, Industrial (Multiple Drive) (see A-A-52160)	NR	-	6
<i>ZZ-B-530</i>	Cancelled 1990	Boots, Knee & Hip (Rubber) (see A-50063) Type I & II	-		
<i>ZZ-B-586</i>	Cancelled 1989	Bags, Ice and Hot Water (see A-A-50982 & A-A-51294)	NR or SYN	-	3
<i>ZZ-B-616</i>	Cancelled 1990	Bowl, Plaster of Paris Mixing (see A-A-50908)	NR, CR, or SBR	-	3
<i>ZZ-C-101</i>	Cancelled 1988	Catheters, Urethral, Rubber All Types (no superseding document)	NR or SYN	-	3
<i>ZZ-C-450</i>	Cancelled 1997	Cloth, Coated (Rubber & Plastic) % Plastic Sheeting for Hospital Use (no superseding document) Type I	NR	-	3
<i>ZZ-C-766</i>	Cancelled 1993	Cushions, Chair and Stool (see A-A-2800)	NR or SYN	-	3
<i>ZZ-C-796</i>	Cancelled 1991	Cushions; Ring, Inflatable (see A-A-54367, cancelled 1992) (no superseding document))	NR or SYN	-	3
<i>ZZ-C-811</i>	Cancelled 1998	Cushion (Underlay), Carpet & Rug Rubber and Synthetic Rubber (no superseding document) Types I & II	NR or SYN	-	3
<i>ZZ-D-800</i>	Cancelled 1987	Dustpan (Rubber) (no superseding document)	NR or SYN	-	10
<i>ZZ-E-661</i>	Cancelled 1986	Erasers, Rubber & Rubber Substitute (see A-A-132) Types I, II, III & IV a	NR or SYN	-	3

NOTE:

¹If elastomer is not listed, none is required by the specification.²If elastomer is not listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE IV. Federal specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
ZZ-F-375	Cancelled 1986	Finger Pads, Rubber (see A-A-134) Grade A	NR	-	3
ZZ-F-1299		Grade B	NR or SYN	-	3
ZZ-G-100	Cancelled 1991	Finger Cot, Surgical Disposable (see A-A-50855) Gloves, Rubber; Autopsy	NR	-	3
		Class 1	NR	-	3
ZZ-G-381		Class 2	CR	-	5
		Gloves, Rubber, Industrial			
		Type I	NR or SYN	-	3
		Type II & III	-	-	3
ZZ-G-401	Cancelled 1990	Gloves, Rubber (For) Electrical Workers (For Use in Connection with Apparatus or Circuits not Exceeding 5,000 Volts to Ground) (see ASTM-D120)	-	NR	3
ZZ-H-130	Cancelled 1958	Heel, Orthopedic, Cast (no superseding document)	NR or SYN	-	3
ZZ-H-141	Cancelled 1995	Heel, Rubber (see A-A-55204)	NR or SYN	-	3
ZZ-H-421	Cancelled 1983	Classes 1, 2, 3, 5 & 6 Hose and Hose Assembly, Chemical (Industrial & Fire Fighting) (no superseding document)	-	NR	3
ZZ-H-428		Hose Nonmetallic and Hose Preformed, (For The Coolant Systems of Automotive and other liquid Cooled Engines)			
		Class 1		NBR	3
		Class 2		CR	8
		Class 3		EPDM	10
		Class 4		IIR	10
ZZ-H-451	Cancelled 1998	Hose, Fire Woven. Jacketed Rubber or Latex or Rubber Coated Fabric Lined, with Couplings (see A-A-59226)	-	-	3
ZZ-H-461	Cancelled 1997	Hose and Hose Assembly, Rubber, Gas (Acetylene, Hydrogen, Air and Oxygen (see RMA IP-7 & CGA-EI)			
ZZ-H-466	Cancelled 1993	All Grades & Types Hose Assembly, Metal, (Rubber Covered), Hydrocarbon Conveying (no superseding document)	SBR NR or SYN	-	3 3
ZZ-H-500		Hose, Rubber & Hose Assemblies, Rubber Pneumatic (Yarn or Fabric Reinforced)		CR	8
ZZ-H-515	Cancelled 1969	Hose, Rubber (Sleeve, Dredging) (no superseding document)	-	-	3
ZZ-H-521		Hose and Hose Assemblies, Nonmetallic, Spray	NR or SYN	-	3

NOTE:

¹If elastomer is not listed, none is required by the specification.²If elastomer is not listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE IV. Federal specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
ZZ-H-561		Hose, Rubber, and Hose Assemblies, Rubber, Smooth Bore, Water Suction and Discharge	-	CR	5
ZZ-H-601		Hose and Hose Assemblies, Rubber (Wrapped or Braided, Water Service			
		Grade 1	EPDM	-	10
		Grade 2	EPDM	-	10
		Grade 3	-	-	3
ZZ-H-617		Hose, Rubber, Windshield Wiper			
		Type I	-	-	3
		Type II	NR or SYN	-	3
ZZ-I-550		Inner Tube, Pneumatic Tire			
		All Classes & Groups			
ZZ-M-42	Cancelled 1990	Mats, Floor, Dental-Chair, Rubber (no superseding document)	NR or IIR	-	5
ZZ-M-46	Cancelled 1997	Mats, Floor (Link-Type)	NR or SYN	-	3
ZZ-M-71	Cancelled 1997	Classes 1, 2, 3 & 4 (see A-A-2854) Matting, Rubber and Vinyl All Classes & Styles (no superseding document)	NR or SYN	-	3
			SYN or Reclaim	-	3
ZZ-M-81	Cancelled 1984	Matting, Rubber & Plastic (Special Dielectric) Classes A & B (no superseding document)	-	-	3
ZZ-M-85	Cancelled 1990	Matting Floor, Rubber, Sponge Base Anti-Fatigue (no superseding document)	-	-	3
ZZ-M-91	Cancelled 1995	Mattress, Bed, Latex Foam (no superseding document)	NR or SYN	-	3
ZZ-M-001033	Cancelled 1984	Matting Floor, Rubber, Aperture Surface (no superseding document)	NR or SYN	-	3
ZZ-P-46	Cancelled 1978	Pads, Operating Table (Sectional) (no superseding document)	NR or SYN	-	3
ZZ-P-75	Cancelled 1990	Pads, Typewriter, Sponge Rubber (see A-A-2704)	NR or SYN	-	3
ZZ-P-351	Cancelled 1944	Pillows: Air, Rubber (no superseding document)	NR or IIR	-	3
ZZ-R-00675	Cancelled 1964	Rubber Band, Four Way (no superseding document)	NR or SYN	-	3
ZZ-R-690	Cancelled 1989	Rubber Dam, Dental (see A-A-53986)	-	NR	3
ZZ-R-710		Rubber Gasket Material 35 Durometer Hardness	-	-	3
ZZ-R-768		Rubber for Mountings (Unbonded-spool & Compression Types)	NBR	-	3
ZZ-R-785	Cancelled 1968	Rubber Sheet, Cellular Hardboard (no superseding document)	SYN or Reclaim	-	3
ZZ-R-800		Rubber Stamp, Band Type	NR or SYN	-	3
ZZ-R-804		Rubber Stamp, Fixed Type	NBR, NR or SYN	-	3

NOTE:

¹If elastomer is not listed, none is required by the specification.²If elastomer is not listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE IV. Federal specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
ZZ-R-001207	Cancelled 1996	Rubber Stamp, Fixed Type, Pre-inked (no superseding document)	NR or SYN	-	3
ZZ-R-1415		Rubber Band	NR, SBR, IR or SYN	-	3
ZZ-S-666	Cancelled 1995	Squeezees, Floor & Window (no superseding document)	NR or SYN	-	3
ZZ-S-751	Cancelled 9/7/90	Stoppers, Bottle, Rubber	NR or SYN	-	3
ZZ-T-351	Cancelled 1990	All Types & Grades (see A-A-54194)	NR or SYN	-	3
ZZ-T-381	Inactivated 1998	Tips, Cane and Crutch, Rubber (see A-A-30081)	NR or SYN	-	3
ZZ-T-401	Cancelled 1961	Tires, Pneumatic, Vehicular (Highway) All Types, Groups & Classes	NR or SYN	-	5
		Tire, Pneumatic; Inner Tube, Pneumatic			
		Tire; (Bicycle) (no superseding document)			
		Tires, Classes A & B	NR or SYN	-	5
		Tubes	IIR	-	10
ZZ-T-410	Inactivated 1998	Tires, Pneumatic, Industrial Tires	NR or SYN	-	5
ZZ-T-441	Inactivated 1998	Tire, Pneumatic: Retreaded & Repaired	NR or SYN	-	3
		All Types & Classes			
ZZ-T-721	Cancelled 1957	Tube; Inner, Pneumatic, for Tires (Automobiles, Trucks, Motorcycles, and Other Ground Vehicles) (no superseding document)	NR or SYN	-	10
		Tubes; Colon, Surgical			
ZZ-T-751	Cancelled 1961	Tube, Stomach, Surgical (Formerly Tubes, Lavage & Stomach) (see A-A-51779)	NR or SYN	-	3
ZZ-T-791	Cancelled 1988	Tubing, Rubber and Plastic (see A-A-52047)	NR or SYN	-	3
ZZ-T-831	Cancelled 1993	Grade A	NR or SYN	-	3
		Grade B	SYN	-	3
		Grade C & L	NR	-	3
		Grade D			
ZZ-T-1083		Tire, Pneumatic, Low Speed, Off Highway	NR or SYN	-	3
BBB-C-606	Cancelled 1946	Coats & Trousers, Rubber-Coated (Foul-Weather-Clothing) (no superseding document)	NR or SYN	-	3
GGG-R-00620	Cancelled 1996	Roller, Hand (Rubber Roller) (see A-A-3034)	NR or SYN	-	3

NOTE:

¹If elastomer is not listed, none is required by the specification.²If elastomer is not listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE V. Aerospace Materials Specifications.

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
AMS 3193		Silicone Rubber Sponge, Closed Cell, Medium, Extreme Low Pressure			20
AMS 3194		Silicone Rubber Sponge, Closed Cell, Firm, Extreme Low Temperature			20
AMS 3195		Sponge, Silicone Rubber, Closed Cell, Medium			20
AMS 3196		Sponge, Silicone Rubber, Closed Cell, Firm			20
AMS 3197		Sponge, Chloroprene-Rubber, Soft	CR		3
AMS 3198		Sponge, Chloroprene-Rubber, Medium	CR		3
AMS 3199		Sponge, Chloroprene-Rubber, Firm	CR		3
AMS 3200		Rubber Nitrile, Petroleum Base Hydraulic Fluid Resistant (55-65)	NBR		3
AMS 3201		Rubber Nitrile, Dry Heat Resistant (35-45)	NBR		3
AMS 3202		Rubber Nitrile, Dry Heat Resistant (55-65)	NBR		3
AMS 3204		Rubber Synthetic, Low Temperature Resistant (25-35)	NBR		3
AMS 3205		Rubber Synthetic, Low Temperature Resistant (45-55)	NBR		3
AMS 3207		Chloroprene Rubber, Weather Resistant, (25-35)	CR		8
AMS 3208		Chloroprene Rubber, Weather Resistant, (45-55)	CR		8
AMS 3210		Chloroprene Rubber, Electrical Resistant, (65-75)	CR		8
AMS 3220		Synthetic Rubber General Purpose, Fluid Resistant (55-65)	CR	-	5
AMS 3222		Synthetic Rubber, Hot Oil Resistant, High Swell (45-55)	CR	-	5
AMS 3228	Cancelled	Acrylonitrile Butadiene (NBR) Rubber, Hot Oil & Coolant Resistant (65-75) (no superseding document)	NBR	-	3
AMS 3270		Chloroprene Rubber Sheet, Cotton Fabric Reinforced, Weather Resistant	CR	-	5
AMS 3273		Chloroprene Rubber Sheet, Nylon Fabric Reinforced, Weather Resistant	CR	-	5
AMS 3274		Nitrile Rubber Sheet, Nylon Fabric Reinforced, Aromatic Fuel Resistant	NBR	-	3
AMS 3315		Silicone Rubber Sheet, Glass Fabric Reinforced, VMQ Type		-	20
AMS 3320		Silicone Rubber Sheet, Glass Fabric Reinforced, Heat & Weather Resistant (60-80)	Q	-	20
AMS 3332		Silicone Rubber, Extreme Low Temperature Resistant (15-30)	Q	-	20

NOTE:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE V. Aerospace Materials Specifications (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
AMS 3344	Cancelled 1970	Silicone Rubber - 1800 psi (45-55) (no superseding document)	Q	-	20
AMS 3386		Hose, Synthetic Rubber, Aircraft Fueling, Textile Reinforced Collapsing	-	NBR	3
AMS 3387		Hose, Nitrile Rubber, Aircraft Fueling, Textile Reinforced, Chloroprene Covered Noncollapsing	NBR	-	3
AMS 3388		Hose, Synthetic Rubber, Aircraft Fueling, Single Wire Braid Reinforced, Noncollapsing	-	NBR	3
AMS 3389		Hose, Synthetic Rubber, Aircraft Fueling Double Wire Braid Reinforced, Noncollapsing	-	NBR	3
AMS 3570		Foam, Flexible Polyurethane Open Cell, Medium Flexibility	AU, EU	-	3
AMS 3650		Packing, Preformed, AMS 3650, Seal	PCTFE	-	
AMS-C-6183		Cork and Rubber Composition Sheet, for Aromatic Fuel and Oil Resistant Gaskets		NBR	
AMS-R-6855		Elastomer, Synthetic, Sheets, Strips, Molded or Extruded Shapes		NBR, CR, SBR	5
AMS 7261		Rings, Phosphonitrilic Fluoroelastomer High-Temperature-Fluid Resistant	FZ		20
AMS 7263		Rings, Packing, Synthetic Rubber - Phosphate Ester Hydraulic Fluid Resistant (85-95) Butyl Type (Reference document)	IIR		10
AMS 7275	Cancelled	Rings, Sealing, Synthetic Rubber-Synthetic Lubricant Resistant (65-85) Fluorocarbon Type (no superseding document)	FKM		20
AMS 7277	Cancelled	Rings, Sealing, Synthetic Rubber Phosphate Ester Hydraulic Fluid Resistant (70-85) Butyl Type (no superseding document)	IIR		10
AMS 7278	Cancelled	Rings, Sealing, Synthetic Rubber High Temperature Fluid Resistant (70-80) Fluorocarbon Type (see AMS 7276 referenced in SAE ARP5316)	FKM		20
AMS 7279	Cancelled	Rings, Sealing, Synthetic Rubber High Temperature Fluid Resistant (85-95) Fluorocarbon Type (see AMS 7259 referenced in SAE ARP5316)	FKM		20
AMS 7280	Inactivated	Rings, Sealing, Fluorocarbon Rubber, High Temperature Fluid Resistant, Low Compression Set, FKM Type (70-80) (see AMS 7276 referenced in SAE ARP5316)	FKM		20

NOTE:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE VI. American Society for Testing and Materials Specifications.

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>ASTM C443</i>		Joints For Circular Concrete Sewer & Culvert Pipe, Using Rubber Gaskets	NR or SYN		
<i>ASTM D178</i>		Rubber Insulating Matting			
<i>ASTM D296</i>	Cancelled 1984	Rubber-Lined Fire Hose with Woven Jacket			
<i>ASTM D353</i>	Cancelled 1995	Natural Rubber Performance Insulation for Wire & Cable 60 C Operation	NR		
<i>ASTM D469</i>	Cancelled 1995	Natural Rubber Heat-Resisting Insulation for Wire & Cable, 75 C Operation	NR		
<i>ASTM D532</i>		Natural Rubber Jacket For Wire & Cable			
<i>ASTM D574</i>	Cancelled 1984	Ozone-Resisting Insulation for Wire & Cable			
<i>ASTM D752</i>	Cancelled 1984	Heavy-Duty Black Polychloroprene for Wire & Cable (see <i>ASTM D4247</i>)	C		8
<i>ASTM D753</i>	Cancelled 1984	General Purpose Polychloroprene for Wire & Cable (see <i>ASTM D4247</i>)	C		8
<i>ASTM D754</i>	Cancelled 1984	Synthetic Rubber Insulation for Wire & Cable 75 C Operation (no superseding document)	-	-	3
<i>ASTM D755</i>	Cancelled 1984	Synthetic Rubber Insulation for Wire & Cable 60 C Operation (no superseding document)	-	-	3
<i>ASTM D866</i>		Styrene-Butadiene (SBR) Synthetic Rubber Jacket for Wire & Cable	SBR	-	3
<i>ASTM D1048</i>		Rubber Insulating Blankets	NR or IR	-	3
<i>ASTM D1050</i>		Rubber Insulating Line Hose	-	-	3
<i>ASTM D1055</i>		Flexible Cellular Materials - Latex Foam Grades RC & RU	-	NR	3
<i>ASTM D1056</i>		Flexible Cellular Materials-Sponge or Expanded Type R - Classes 0 & E Type SB - Classes 0 & E Type SC - Classes 0 & E Sheet Rubber Gaskets	-	NR NBR CR	3 3 3
<i>ASTM D1330</i>		Grades I & II	NR or SYN IIR	-	3
<i>ASTM D1352</i>		Ozone-Resisting Butyl Rubber Insulation for Wire & Cable		-	10
<i>ASTM D1520</i>	Cancelled 1984	Synthetic Rubber Heat or Moisture Resisting Insulation for Wire & Cable (see <i>ASTM D1679</i>)	-	-	3
<i>ASTM D1521</i>	Cancelled 1976	Synthetic Rubber Performance, Moisture Resisting Insulation for Wire & Cable (no superseding document)	-	-	3
<i>ASTM D1523</i>		Synthetic Rubber Insulation for Wire & Cable 90 C Operation	-	-	3

NOTE:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE VI. American Society for Testing and Materials Specifications.

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>ASTM D1564</i>	Cancelled 1979	Flexible Urethane Foam (see <i>ASTM D3574</i>) Grades US & UU	AU, EU	-	3
<i>ASTM D1565</i>	Cancelled 1998	Flexible Cellular Materials-Vinyl Chloride Polymers and Copolymers (Open-Cell Foam) (no superseding document)			
<i>ASTM D1667</i>		Grades VC, VU & VO Flexible Cellular Materials-Vinyl Chloride Polymers and Copolymers (Closed-Cell Vinyl)	Vinyl Vinyl	- -	3 3
<i>ASTM D1679</i>		Synthetic Rubber Heat & Moisture Resisting Insulation for Wire & Cable, 75 C Operation	-	-	3
<i>ASTM D1764</i>		Rubber Latex Products for Automotive Applications Type LR Class LSB Class LSC		NR NBR CR	3 3 5
<i>ASTM D1869</i>		Rubber Rings for Asbestos - Cement Pipe			3
<i>ASTM D1931</i>		Fully Cured Silicone Rubber-Coated Glass Fabric & Tapes for Electrical Insulation	NR or SYN Q		3 20
<i>ASTM D2000</i>		Rubber Products In Automotive Applications Classification System for			
		Material Designation AA with Suffix A13	-	NR, SBR or IIR	3
		Material Designation AK	-	T	20
		Material Designation BA with Suffixes A14 & C12	-	SBR or IIR	3
		Material Designation BC	-	CR	8
		Material Designation BE	-	CR	8
		Material Designation BF	-	NBR	3
		Material Designation BG	-	AU, EU	3
		Material Designation BK	-	T	20
		Material Designation CE	-	CSM	10
		Material Designation CH	-	NBR	3
		Material Designation DH	-	ACM	20
		Material Designation FC	-	Q	20
		Material Designation FK	-	FVMQ	20
		Material Designation GE	-	Q	20
		Material Designation HK	-	FKM	20
<i>ASTM D2903</i>		Neoprene, Heat Shrinkable Tubing	CR	-	5
<i>ASTM D3574</i>		Flexible Cellular Materials-Slab, Bonded, and Molded Urethane Foams	AU, EU	-	3

NOTE:

¹If no elastomer is listed, none is required by the specification.² If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE VII. National Aerospace Standards.

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
NAS 11	Inactivated 1957	Valve Assembly - Flapper	AMS 3212	NBR	3
NAS 244	Inactivated 1947	Cap - Rigid Tube or Hose Fitting Synthetic	AMS 3208 (CR)	-	8
NAS 485	Inactivated 1951	Hose -Oil & Coolant	-	CR	8
NAS 617		Packing, Preformed, String Thread Tube Fitting Boss, Synthetic Lubricant Resistant	MIL-R-7362 Comp. A (Inactivated)	NBR	3
NAS 1369		Duct, Air, Flexible & Semi-Rigid Type A	Glass Fabric impreg with CR Glass Fabric impreg with Q	-	5
		Type B		-	20
NAS 1370 thru NAS 1379		Duct, Air, Flexible, Helix Wire Supported			
		-65 to +275 F	Fiberglass impreg with CR		5
		-75 to +500 F	Fiberglass impreg with		20
NAS 1515		Washers - Plastic & Synthetic Rubber Code Letter A	ZZ-R-765 (Referenced in SAE ARP5316)		20
		Code Letter B	ZZ-R-765 (Referenced in SAE ARP5316)		20
		Code Letter C	MIL-R-6855 Class I Cancelled (see SAE-AMS-R- 6855)	NBR	3
		Code Letter D	MIL-R-6855 Class II Cancelled (see SAE-AMS-R- 6855)	CR	8
		Code Letter E	MIL-R-6855 Class IV Cancelled (see SAE-AMS-R- 6855)	CR	8

NOTE:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE VII. National Aerospace Standards (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
		Code Letter F	<i>MIL-R-7362</i> Comp A (Inactivated 1997)	NBR	3
		Code Letter J	<i>AMS 3209</i> (Referenced in <i>SAE ARP5316</i>)(CR)		8
		Code Letter K	<i>AMS 3238</i> (Referenced in <i>SAE ARP5316</i>) (IIR)		10
		Code Letter L	<i>AMS 3650</i> (FKM)		10
		Code Letter M	<i>AMS 3651</i> (FKM) Cancelled (no superseding document)		10
<i>NAS 1570</i>	Inactivated 1981	Gasket - Junction Box	<i>MIL-C-6183</i> (Cancelled 1998) (see <i>AMS-C-6183</i>) Class I	NBR	3
<i>NAS 1577</i>	Inactivated 1981	Gasket, Switch Fitting Box	<i>MIL-C-6183</i> (Cancelled 1998) (see <i>AMS-C-6183</i>) Class I	NBR	3
<i>NAS 1593</i>	Inactivated 1973	Packing, Preformed - <i>MIL-R-25897</i> Rubber, 75 Shore "0" Ring	<i>MIL-R-25897</i> (Cancelled 1970) (see <i>MIL-R-83248</i> , Inactivated 1997)	FKM	20
<i>NAS 1594</i>	Inactivated 1973	Packing, Preformed - <i>MIL-R-25897</i> Rubber, 90 Shore "0" Ring	<i>MIL-R-25897</i> (Cancelled 1970) (see <i>MIL-R-83248</i> , Inactivated 1997)	FKM	20
<i>NAS 1595</i>	Inactivated 1973	Packing, Preformed Straight Thread Tube Fitting Boss, <i>MIL-R-25897</i> Rubber, 75 Shore "0" Ring	<i>MIL-R-25897</i> (Cancelled 1970) (see <i>MIL-R-83248</i> , Inactivated 1997)	FKM	20

NOTE:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE VII. National Aerospace Standards (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
NAS 1596	Inactivated 1973	Packing, Preformed Straight Thread Tube Fitting Boss, MIL-R-25897 Rubber, 90 Shore if 0 to Ring	MIL-R-25897 (Cancelled 1970) (see MIL-R-83248, Inactivated 1997)	FKM	20
NAS 1598	Inactivated 1997	Washer - Sealing Code Y	MIL-R-7362 Inactivated 1997 Comp A	NBR	3
		Code R	MIL-R-25988 Inactivated 1997	FVMQ	20
		Code N	AMS 3238 Referenced in SAE ARP5316 (IIR)		10

NOTE:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE VIII. Society of Automotive Engineers Standards.

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
<i>ARP 610</i>	Cancelled 1969	Synthetic or Natural Rubber Lined Pneumatic Hose Assemblies, Aircraft (no superseding document)	-	-	3
		Class I	-	-	3
		Class II	-	NR	3
<i>SAE J14</i>	Cancelled 1980	Specifications for Elastomer Compounds for Automotive Applications (see <i>SAE J200</i>)	-	NR, SBR or IIR	3
		Type R	-	T	20
		Type S, Class SA	-	NBR	3
		Type S, Class SB	-	CR	8
		Type S, Class SC	-	Q	20
		Type T, Class TA	-	ACM	20
		Type T, Class TB	-		
<i>SAE J15</i>	Cancelled 1978	Flexible Foams Made from Polymers or Copolymers of Vinyl Chloride (no superseding document)	Vinyl		3
<i>SAE J17</i>	Cancelled 1990	Grades VC, VU & VO Latex Foam Rubbers (no superseding document)	-	NR	3
<i>SAE J18</i>		Grades RC & RU Sponge & Expanded Cellular Rubber Products	-	NR	3
		Type R, Classes 0 & E	-	NBR	3
		Type S, Class SB, Classes 0 & E	-	CR	3
<i>SAE J19</i>		Type S, Class SC, Classes 0 & E Latex Dipped Goods & Coatings for Automotive Applications	-		
		Type LR	-	NR	3
		Type LR, Class LSB	-	NR	3
		Type LR, Class LSC	-	CR	5
<i>SAE J20</i>		Coolant - System Hoses	-		
		Class A	-	Q	20
		Class B	-	NBR	3
		Class C	-	CR	8
		Class D	-	EPDM	10
<i>SAE J30</i>		Fuel & Oil Hoses	-		
		SAE 30R1, 30R2, 30R3 & 30R5	-	NR (Tube)	3

NOTE:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

TABLE VIII. Society of Automotive Engineers Standards (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
SAE J50	Cancelled 1987	Windshield Wiper Hose (no superseding document)	-	-	3
SAE J51		Automotive Air Conditioning Hose	-	NBR	3
SAE J60	Cancelled 1977	Rubber Cups for Hydraulic Activating (see SAE J1601)			
		Cylinders SAE 60R1 & SAE 60R2	-	NR or SBR	3
SAE J80		Automotive Rubber Mats - All Types	-	-	3
SAE J120		Rubber "O" Rings for Automotive Seal & Packing Applications			
		Classes 1 & 2	-	NBR	5
SAE J188		Power Steering Pressure Hose-High Volumetric Expansion Type	SYN	-	3
SAE J189		Power Steering Return Hose-Low Pressure	SYN	-	3
SAE J190		Power Steering Pressure Hose-Wire Braid	SYN	-	3
SAE J200		Rubber Materials for Automotive Applications Classification System			
		Material Designation AA with Suffix A13	-	NR, SBR or IIR	3
		Material Designation AK	-	T	20
		Material Designation BA with Suffixes A14 & C12	-	SBR or IIR	3
		Material Designation BC	-	CR	8
		Material Designation BE	-	CR	8
		Material Designation BF	-	NBR	3
		Material Designation BG	-	AU, EU	3
		Material Designation BK	-	T or NBR	20
		Material Designation CA	-	EPDM	10
		Material Designation CE	-	CSM	10
		Material Designation CH	-	NBR	3
		Material Designation DH	-	ACM	20
		Material Designation FC	-	Q	20
		Material Designation FE	-	Q	20
		Material Designation FK	-	FVMQ	20
		Material Designation GE	-	Q	20
		Material Designation HK	-	FKM	20

NOTE:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

TABLE VIII. Society of Automotive Engineers Standards (cont'd).

Number	Status	Title	Elastomers ¹ Required	Elastomers ² Commonly Used	Expected Shelf Storage Life Years
SAE J515		Hydraulic "O" Ring Type I Type II	- - -	NBR IIR -	3 10 3
SAE J517		Hydraulic Hose - All Types	-	-	3
SAE J557	Cancelled 1990	High Tension Ignition Cable (see SAE J2031) Type HTLR, HTHR, HTS, & HTB	NR (insulation)	-	3
SAE J560		Seven Conductor Electrical Conductor for Truck-Trailer Jumper Cable	-	-	3
SAE J654		Seals-Lathe Cut			
SAE J1010		Emission Control Hose (no superseding document)	EPDM	NBR or ACM	3
SAE J1037	Cancelled 1983	Windshield Washer Tubing Type 1 Type 2	CR SYN -	- - -	5 3 3
SAE J1401		Road Vehicle - Hydraulic Brake Hose Assemblies for Use with Non-Petroleum Base Hydraulic Fluids	CR	-	3
SAE J1402		Automobile Air Brake Hose and Hose Assemblies			
SAE J1403		Vacuum Brake Hose Class A Class B		SYN NR or SYN	3 3
SAE J1601		Rubber Cups for Hydraulic Actuating Cylinders			
SAE J1603		Rubber Seals for Hydraulic Disc Brake Cylinders	SYN		3
SAE J1604		Rubber Boots for Drum Type Hydraulic Brake Wheel Cylinders	SYN		3
SAE J1605		Brake Master Cylinder Reservoir Diaphragm Gaskets	SYN	-	3
SAE J2031		High Tension Ignition Cable			

NOTE:

¹If no elastomer is listed, none is required by the specification.²If no elastomer is listed, the elastomer commonly used is unknown.

MIL-HDBK-695D

APPENDIX A

RELATED DOCUMENTS

A.1 SCOPE

A.1.1 Scope.

This appendix provides related documents prepared by the Government or by the Government contractors. The listed documents pertain to overall aspects of age control of rubber products.

A.2 APPLICABLE DOCUMENTS

A.2.1 General.

The following list of documents is provided for reference purposes.

1. Defense Industrial Supply Center, Instruction *DISC-HSI 4140.60*, Identification Control and Utilization of Shelf-Life Items, 16 July 1971.
2. Department of the Air Force Technical Manual *T.O. 00-20K-1*, Inspection and Age Control of USAF Shelf Life Equipment, 15 June 1983.
3. Department of the Air Force Technical Manual *AFML-TR-67-235*, Literature Survey on the Effects of Long-Term Shelf Aging of Elastomer Materials, March 1968.
4. Department of the Army Supply Bulletin *SB-740-60*, Storage, Inspection & Shelf-Life Information for Deteriorating Items.
5. Department of Defense *MIL-STD-1523*, Age Control of Age-Sensitive Elastomeric Materials, 1 February 1984.
6. Defense Documentation Center Report *AD 601284*, Bibliography on Aging of Natural and Synthetic Rubber and Rubber Products, 23 May 1961.
7. International Standard *ISO 2230-1973* (E), Vulcanized Rubber-Guide to Storage.
8. Lockheed Aircraft Corporation Specification *OS10674B*, Age Control of Rubber, 2 October 1967.
9. Marshall Space Flight Center *Standard 105A*, Synthetic Rubber, Age Control Of, 21 December 1962.
10. The American Society of Mechanical Engineers *Paper No. 61-AV-25*, Missile System Elastomers - Predicting Field Life Expectancies, (Prepared by Chrysler Corporation, Missile Division) March 1961.
11. Electric Power Research Institute Report *NP-6408*, Guidelines for Establishing, Maintaining, and Extending the Shelf Life Capability of Limited Life Items (NCIG-13), May 1992.
12. Electric Power Research Institute Report *NP-6608*, Shelf Life of Elastomeric Components, May 1994

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.
NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waiver any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:

1. DOCUMENT NUMBER

MIL-HDBK-695D

2. DOCUMENT DATE (YYMMDD)

22 November 1999

3. DOCUMENT TITLE

RUBBER PRODUCTS: RECOMMENDED SHELF LIFE

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, Middle Initial)

b. ORGANIZATION

c. ADDRESS (include Zip Code)

d. TELEPHONE (Include Area Code)

(1) Commercial

e. DATE SUBMITTED (YYMMDD)

(2) AUTOVON
(If applicable)

8. PREPARING ACTIVITY

a. NAME

ASC/ENOI
AF CODE 11

b. TELEPHONE (Include Area Code)

(1) Commercial
(937) 255-0175

(2) AUTOVON
785-0175

c. ADDRESS (Include Zip Code)

2530 LOOP ROAD WEST
WRIGHT-PATTERSON AFB OH 45433-7101

IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT:

Defense Quality and Standardization Office
5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466
Telephone (703) 756-2340 AUTOVON 289-2340