

NOT MEASUREMENT
SENSITIVE

MIL-PRF-22097H
SUPPLEMENT 1
31 August 2000

PERFORMANCE SPECIFICATION
RESISTORS, VARIABLE, NONWIRE WOUND
(ADJUSTMENT TYPE)
GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-PRF-22097H, dated 31 August 2000.

ASSOCIATED SPECIFICATIONS

- MIL-PRF-22097/1 - Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ11.
INACTIVE FOR NEW DESIGN.
- MIL-PRF-22097/2 - Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ12.
- MIL-PRF-22097/3 - Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ22.
INACTIVE FOR NEW DESIGN.
- MIL-PRF-22097/4 - Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ24.
INACTIVE FOR NEW DESIGN EXCEPT FOR TERMINAL TYPE - L.
- MIL-PRF-22097/5 - Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ26.
INACTIVE FOR NEW DESIGN.
- MIL-PRF-22097/6 - Resistors, Variable, Nonwire Wound (Adjustment Type, Lead Screw Actuated), Style RJ50.
INACTIVE FOR NEW DESIGN.

Preparing activity:
DLA – CC

(Project 5905-1582-99)